


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1966

[Full Table of Content](#)



---

## 66/R/IB/C/2 Intensive Barley Growing - Cereals

### Rothamsted Research

Rothamsted Research (1967) *66/R/IB/C/2 Intensive Barley Growing - Cereals* ; Yields Of The Field Experiments 1966, pp 125 - 126 - DOI: <https://doi.org/10.23637/ERADOC-1-158>

66/C/3.1

LONG TERM LIMING EXPERIMENTS - BARLEY 1966

(LL and WLL)

Rothamsted Sawyers I and Woburn Stackyard Series C - the fifth year.

For treatments etc., see 'Results' 63/C/3 and for previous years' results see 62/C/8, 63/C/3, 64/C/3 and 65/C/3.

Area of each plot: 0.0289. Area harvested: 0.0129.

Basal applications:

Sawyers I (R) - 0.5 cwt N as 'Nitro-Chalk' combine drilled.  
 Weedkiller: Ioxynil/mecoprop (Actril C at 4 pints in 40 gals).  
 Stackyard Series C (W) - 0.5 cwt N as sulphate of ammonia broadcast by machine, 0.5 cwt N as 'Nitro-Chalk' broadcast by machine. Weedkiller: Ioxynil/mecoprop (Actril C at 4 pints in 35 gals).

Cultivations, etc.:-

Sawyers I (R): Ploughed: Jan 10, 1966. P and K applied, seed drilled at 160 lb: Mar 14. Sprayed: May 20. Combine harvested: Aug 26. Variety: Maris Badger.  
 Stackyard Series C (W): Ploughed: Sept 16, 1965. P and K applied: Mar 10, 1966. Sulphate of ammonia applied, seed drilled at 140 lb: Mar 11. Sprayed: May 11. 'Nitro-Chalk' applied by machine: June 7. Combine harvested: Sept 8. Variety: Maris Badger.

Standard errors per plot. Grain:

Sawyers I (R): 6.54 or 19.7% (15 d.f.)  
 Stackyard C (W): 1.26 or 3.2% (15 d.f.)

NOTE: Ground chalk tons per acre applied 1962 - 63

	Sawyers I (R)	Stackyard Series C (W)*
CA0	0	0
CA2	2	2
CA4	4	4.75
CA8	8	7.5

\* These were given incorrectly for Woburn in Results 64/C/3.1.

The following is a summary of the actual applications.

	Sawyers I (R)				Stackyard Series C (W)			
1962	0	2	4	6	0	2	4	6
1963	0	0	0	2	0	0	0.75	1.5
<hr/>	<hr/>				<hr/>			
Total	0	2	4	8	0	2	4.75	7.5

66/c/3.2

SUMMARY OF RESULTS

SAWYERS I (R)

GRAIN

	CA0	CA2	CA4	CA8	Mean
Mean ( $\pm 2.31$ )	21.7	35.1	38.0	38.2	33.3
-		( $\pm 3.27$ )			( $\pm 1.64$ )
P	18.5	33.9	36.7	37.0	31.5
-	25.0	36.3	39.4	39.4	35.0
-	25.3	33.7	37.4	36.0	33.1
K	18.2	36.6	38.6	40.4	33.4
	-	P			
-	( $\pm 2.31$ )				
K	32.1	34.2			
	31.0	35.9			

Mean D.M. %: 77.4