

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Maps of the Rothamsted Research Farms

[Full Table of Content](#)




Default Title

Rothamsted Research

Rothamsted Research (1990) *Default Title* ; Maps Of The Rothamsted Research Farms, pp 1 - 3

BROOM'S BARN FARM



HARPENDEN COMMON

CLASSICAL FIELD EXPERIMENTS


Broadbalk	Wheat since 1843
Hoosfield	Barley since 1852
Park Grass	Hay since 1856
Barnfield	Mangolds 1876-1959
Agdell	4 course rotation 1848-1951
x	Garden Clover, started 1854
y	Wheat and Fallow since 1851
z	Exhaustion land
RT	Roman Temple

Area: 330ha (813acres)

Elevation: 95-134m (310-440ft) above sea level

Rainfall: 1961-90 mean 717mm (28in) per annum
 Extremes: (1973) 540mm (21in) (1979) 909mm(32in)

Soil: Well drained or moderately well drained flinty loams on clay-with-flints and/or chalk



WOBURN EXPERIMENTAL FARM, HUSBORNE CRAWLEY, BEDFORD

Area: 76 ha (188 acres)
 Elevation: 79-110 m (260-360 ft)
 Annual Rainfall: 630 mm (25 in)

