


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Details of the Classical and Long-term Experiments 1968-73

[Full Table of Content](#)



R/CS/10 and W/CS/10 Long-term Liming - Potatoes, Barley

Rothamsted Research

Rothamsted Research (1977) *R/CS/10 and W/CS/10 Long-term Liming - Potatoes, Barley* ; Details Of The Classical And Long-Term Experiments 1968-73, pp 70 - 71 - **DOI:**
<https://doi.org/10.23637/ERADOC-1-193>

LONG-TERM LIMING
ROTHAMSTED (R) SAWYERS I
WOBURN (W) STACKYARD SERIES C
(R & W/CS/10)

These experiments have continued on the lines set out in *Details 1967*, pp. 95-96.

The cropping has been:

1968	Potatoes	Majestic
1969	Fallow	
1970-73	Barley	Julia (dressed with ethirimol 1972 & 1973)

Treatments

(a) No lime was applied 1968-73.

Ground chalk: total applied 1962 and 1963 (tonnes CaCO₃)

	Rothamsted	Woburn
	None	None
	5	5
	10	12
	20	19

(b) Phosphate: 1968 0 v. 126 kg P₂O₅ as superphosphate
 1970-73 0 v. 63 kg P₂O₅ as superphosphate

(c) Potash: 1968 0 v. 188 kg K₂O as muriate of potash
 1970-73 0 v. 126 kg K₂O as muriate of potash

P and K were applied cumulatively from 1962

No treatments were applied to the fallow in 1969

Basal applications

Nitrogen

1968	Rothamsted	188 kg N	broadcast before planting
	Woburn	251 kg N	
1970-73	Rothamsted	95 kg N	combine drilled
	Woburn	126 kg N	broadcast before planting

Weedkillers

Potatoes:	1968 (R) & (W)	Paraquat with linuron
Barley:	1970 (R)	2,4-D with dichlorprop
	(W)	Ioxynil with mecoprop
	1971 (R)	Ioxynil, bromoxynil with dichlorprop
	(W)	Paraquat, Ioxynil with mecoprop
	1972 (R)	Paraquat, Ioxynil, bromoxynil, dichlorprop and MCPA
	(W)	Paraquat
	1973 (R)	Dicamba with mecoprop and MCPA
	(W)	Ioxynil with mecoprop

Other chemicals applied

Potatoes:	1968 (R) & (W)	Mancozeb and demeton-S-methyl. Haulm burnt off with sulphuric acid.
-----------	----------------	--

Areas harvested

1968 (R)	0.00384
(W)	0.00510
1970-73 (R)	0.00512 – 0.00518
(W)	0.00516 – 0.00520

Soil series.

- (R) Batcombe series with sandier variants.
(W) Cottenham series.

References

1. Bolton, J. (1971)
Long term liming experiments at Rothamsted and Woburn.
Rothamsted Experimental Station. Report for 1970, Part 2, 98-112.