


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Collection of Plans for the Exhaustion Land Experiment

[Full Table of Content](#)




Exhaustion Land 1973

Rothamsted Research

Rothamsted Research (1973-1986) *Exhaustion Land 1973* ; Collection Of Plans For The Exhaustion Land Experiment, pp 5 - 5

ROTHAMSTED EXHAUSTION LAND



TREATMENTS per acre (hectare)
Residuals of Manures applied to POTATOES
annually 1876 - 1901

- No manure since 1852
- N 400 lb (448 kg) sulphate of ammonia
- N^x 550 lb (617 kg) nitrate of soda
- P 400 lb (448 kg) superphosphate
- K 300 lb (336 kg) sulphate of potash
- K· with
100 lb (112 kg) sulphate of soda
- Na, Mg 100 lb (112 kg) sulphate of magnesia
- D 14 tons (35 tonnes) farmyard manure

Basal manuring: per acre (hectare)
0.7 cwt (87.5 kg) N as 'Nitro-chalk' 25 combine drilled

Variety: Julia (seed dressed with ethirimol)
Sown at 140 lb per acre (157 kg/ha) on 9 March

Plot area: 17'6" x 34' = 0.139 acre (0.056 ha)
Harvested: 9'4" x 34' = 0.074 acre (0.03 ha)