


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Collection of Plans for the Woburn Long-term Liming Experiment



[Full Table of Content](#)

## Woburn Long-term Liming Experiment 1967

### Rothamsted Research

Rothamsted Research (1962 - 1997) *Woburn Long-term Liming Experiment 1967* ; Collection Of Plans For The Woburn Long-Term Liming Experiment, pp 6 - 6


C/3

WOBURN Long Term Liming

BARLEY

STACKYARD Series C 6th year 1967  
Sponsor: J. Bolton

112



TREATMENTS per acre

O, L, M, H None, 2, 4<sup>3</sup>/<sub>4</sub>, 7<sup>1</sup>/<sub>2</sub> tons CaCO<sub>3</sub> applied as ground chalk (1962-63)

PH PH of soil samples taken 11 Nov. 1966.

In Seedbed - broadcast

P 0.5 cwt P<sub>2</sub>O<sub>5</sub> as superphosphate  
K 1.0 cwt K<sub>2</sub>O as muriate of potash.

Basal manuring - per acre

1.0 cwt N as sulphate of ammonia

Variety: Maris Badger Seed rate =

Sown:

Design: 2 blocks of 16 plots

Plot area: 21' x 60' = 0.0289 acre

Harvested:

9'4" x 60' = 0.0129 acre

Blank rows