

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.




# Collection of Plans for the Woburn Ley-arable Experiment

[Full Table of Content](#)


## Woburn Ley-arable 1973d

### Rothamsted Research

Rothamsted Research (1957-79) *Woburn Ley-arable 1973d* ; Collection Of Plans For The Woburn Ley-Arable Experiment, pp 23 - 23



2012

This work is licensed under a [Creative Commons Attribution 4.0 International License](https://creativecommons.org/licenses/by/4.0/).

## TREATMENTS per acre (hectare)

F.Y.M. residues

-, d7 None, F.Y.M. residues - last applied 1967.

chloropicrin + oldcarb residues

-, f None, 400lb (448kg) chloropicrin in autumn  
1971 + 10lb (11kg) oldcarb in spring 1972.

chloropicrin residues

-, c None, 400lb (448kg) chloropicrin in 1969

Date: 24 Nov.

## Nitrogen

0, 1, 2, 3 None, 0.5, 1.0, 1.6 cwt N (63, 126, 189kg) as 'Nitro-chalk' 25

## BASAL MANURING per acre (hectare)

265lb (297kg) compound fertiliser (0:20:20).

## VARIETY

Cappelle (dressed seedling) sown at 175lb (196kg) Date: 24 Nov.

## PLOT AREA