

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.




Collection of Plans for the Woburn Ley-arable Experiment

[Full Table of Content](#)

Woburn Ley-arable 1975a

Rothamsted Research

Rothamsted Research (1957-79) *Woburn Ley-arable 1975a ; Collection Of Plans For The Woburn Ley-Arable Experiment*, pp 27 - 27



WO BURN

ARABLE AND LEY ROTATION

75/w/RM/3

o¹ Block 1 1st Test
For plot treatments

17 Block 2 2nd Test
For plot treatments

Crop Potatoes
See separate plan 201B 16

Crop W.Wheat
See separate plan 201C 32

CROPS					
331 (f) 2 (-)	341 (-)	2 (f)	361 (f) (F) ² (-)	361 (f) (F) ² (-)	-
d10 (-)	4 (-)	C3 (-)	L10 (-)	L3 SA (-)	-
3 (-)	4 (-)	S (-)	4 (-)	(f) (-)	-
371 (-)	(F) ² (-)	H (-)	R (-)	(F) ² (-)	-
5 (-)	(F) ² (-)	(F) (-)	E d10 (-)	A (-)	-
411 (F) ² (-)	421 (f) (-)	N (-)	T (-)	B (-)	-
3 (-)	4 (-)	AhS (-)	M (-)	G (-)	-
451 (f) (F) ² (-)	461 (-)	S (-)	N (-)	3 (-)	... plants toads
5 (-)	4 (-)	H (-)	3 (-)	2 (f) (-)	... plants toads
600' 6"	616' -	(F) (-)	(F) ² (-)	(F) ² (-)	18"
			(f) (-)	(f) (-)	Pain.
					2 (f) (-)
					d10
					3 (-)
					4 (-)
					35' / 36' & 47' / 48' in error).

Treatment crops
See separate plan 201D 47

2nd and 3rd treatment Barley (Julia dressed ethimiod) sown: 1 May
35'/36' & 47'/48 in error).

2nd and 3rd treatment Barley (Julia dressed ethimiod) sown: 1 May
365lb (409kg) compound fertiliser (15:15:15) c.p.

3rd treatment crop Hay ½% 1974 in Barley

1-0 cut (125kg) N as Nitro-chalk 25, 0-6 cut (75kg) P 20, 1-2 cut (55kg) K 20as (0:14:28) in Spring. 0-6 cut (75kg) N, 0-4 cut (50kg) K 20 as (25:0:16) after 1st cut.

2nd and 3rd year cut 1 kg

1-2 cut (15kg) N, 0-9 cut (115kg) K 20 as (25:0:16) in three equal dressings.
Any dressing may be omitted or reduced in a wet season.

2nd and 3rd year clover

0-5 cut (63kg) N as Nitro-chalk 25, 1-5 (188kg) K 20 as manure of potash, in spring.

All CROPS :- FYM

- d Residual of none v. 15 tons (38 tonnes). FYM applied to Sugar beet 1968-69 (1st test crop).