


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Annual Report for 1909 With the Supplement to the Guide to the Experimental Plots Containing the Yields per Acre, Etc.



[Full Table of Content](#)

Hay the Park Grass Plots 1909 ; Botanical Composition per Cent First Crop 1909

Rothamsted Research

Rothamsted Research (1910) *Hay the Park Grass Plots 1909 ; Botanical Composition per Cent First Crop 1909 ; Annual Report For 1909 With The Supplement To The Guide To The Experimental Plots Containing The Yields Per Acre, Etc.*, pp 12 - 12 - DOI: <https://doi.org/10.23637/ERADOC-1-101>

HAY. THE PARK GRASS PLOTS, 1909.

(See "Guide," page 19, Table XI.)

Plot.	Manuring.	Yield of Hay per Acre.		
		1st Crop.	2nd Crop.	Total.
		Cwt.	Cwt.	Cwt.
3 } 12 } 2 } 1 } 4-1 } 8 } 7 } 6 } 15 } 5 } 17 } 4-2 } 10 } 9 } 13 } 11-1 } 11-2 } 16 } 14 } 14 }	Unmanured Unmanured (1) Ammonium Salts alone (1) Superphosphate of Lime Mineral Manure without Potash Complete Mineral Manure As 7, 1869 and since (2) As 7, 1876 and since (3) Superphosphate and Potash, 1898 and since Nitrate of Soda alone... .. Superphosphate and Amm.-salts Mineral Manure (without Potash) and Amm.-salts Complete Mineral Manure and Amm.- salts Dung and Fish Guano, once in 4 years Complete Mineral Manure and extra Amm.-salts As 11-1, and Silicate Soda Complete Mineral Manure and Nit. Soda=43 lb. N. Do. do. do. and Nit. Soda=86 lb. N.	{ 8·7 11·9 9·8 11·2 10·9 14·7 29·6 24·3 24·1 12·2 23·8 20·4 24·1 37·0 23·8 49·1 53·7 31·1 48·5	{ 1·3 3·8 2·0 7·5 3·1 5·6 14·2 10·7 10·0 5·2 1·9 7·5 9·5 9·6 13·7 18·3 16·1 8·3 9·0	{ 10·0 15·7 11·8 18·7 14·0 20·3 43·8 35·0 34·1 17·4 25·7 27·9 33·6 46·6 37·5 67·4 69·8 39·4 57·5

Quick Lime (ground) at the rate of 2000 lb. per acre, applied to the South half of plots 1 to 4-2, 7 to 11-2, 13 and 16, in January, 1907.

(1) Received Farmyard Dung, 8 yrs., 1856-63. (3) Nitrate of Soda alone previously.
(2) Ammonium salts alone, previous to 1869.

BOTANICAL COMPOSITION, PER CENT.

First Crop, 1909.

(See "Guide," page 20, Table XII.)

Plot.	Manuring.	Gramineæ.	Leguminosæ.	Other Orders.
		Per cent.	Per cent.	Per cent.
3	Unmanured	65·0	6·2	28·8
4-1	Superphosphate of Lime	55·9	6·2	37·9
8	Mineral Manure without Potash	45·1	13·4	41·5
7	Complete Mineral Manure	52·2	29·6	18·2
6	As 7, 1869 and since (2)	53·9	26·4	19·7
15	As 7, 1876 and since (3)	54·5	22·3	23·2