Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Annual Report for 1914 With the Supplements to the Guide to the Experimental Plots Containing the Yields per Acre, Etc.



Full Table of Content

Hay. The Park Grass Plots 1914; Botanical Composition per Cent First Crop 1914

Rothamsted Research

Rothamsted Research (1915) *Hay. The Park Grass Plots 1914; Botanical Composition per Cent First Crop 1914;* Annual Report For 1914 With The Supplements To The Guide To The Experimental Plots Containing The Yields Per Acre, Etc., pp 35 - 35 - **DOI:** https://doi.org/10.23637/ERADOC-1-107

35

Hay. The Park Grass Plots, 1914. (See "Guide," 1913, page 21, Table XI.)

		Yield of Hay per acre.				
Plot.	Manuring.	1914.			Average 57 years	
		1st Crop.	2nd Crop.	Total.	1856-1912 (1st & 2nd crops).	
3) 12) 2 5-1	Unmanured	cwt. { 8.5 12.6 9.9		cwt. 8°5 12°6 9°9	cwt. 20'9 23'9 28'6	
1	Amm. Salts alone; with Dung 8 yrs., 1856-63 Nitrate of Soda alone	11.9 23.3		11.9	35·9 33·7	
4-1 8 7 5-2	Superphosphate of Lime Mineral Manure without Potash Complete Mineral Manure (S. Half) Complete Mineral Manure; following Amm. Salts alone for	9·9 12·6 22·8	1914.	9·9 12·6 22·8	21.6 28.0 40.9	
6	42 yrs., 1856-97 Complete Mineral Manure as plot 7; following Amm. Salts alone 13 yrs.,		Crop in	14.7	23.2 (1)	
15	Complete Mineral Manure as plot 7; following Nitrate of Soda alone 18 yrs., 1858-75	25.0	2nd	25·0 26·9	36.8	
4-2	Superphosphate and Amm. Salts	18.5	No.	18.2	33.2	
10	Mineral Manure (without Potash) and Amm. Salts Complete Mineral Manure and Amm.	21.7		21.7	47.7	
11-1	Salts	33.6		33.6	54.3	
11-2	Amm. Salts As plot 11-1 and Silicate of Soda	53·1 53·6		53°1 53°6	66 [.] 5	
16	Complete Mineral Manure and Nit.					
14	Soda=43 lb. N Complete Mineral Manure and Nit.	37.5		37.5	46.3	
13	Soda=86 lb. N Dung and Fish Guano, once in 4 years	47 [.] 8 32 [.] 6		47 [.] 8 32 [.] 6	56.9	

(1) 15 years, 1898—1912.

Botanical Composition, Per Cent. First Crop, 1914.

(See "Guide," 1913, page 22, Table XII.

Plot.	Manuring.	Gramineæ.	Leguminosæ.	Other Orders.
	•	Per cent.	Per cent.	Per cent.
3	Unmanured	64.3	8.6	27.1
4-2	Superphosphate and Amm. Salts	99.2		0.8
8	Mineral Manure without Potash	69.6	9.6	20.8
7	Complete Mineral Manure	72.6	19.8	7.6
10	As 8 + Amm. Salts	99.7		0.3
9	As 7 + Amm. Salts	99.0		1.0
15	As 7, 1876 and since	59.5	33.1	7:4

These results were obtained on the limed portions of the plots except 15.

Dightzed by Microsoft &