Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Report 1918-20 With the Supplement to the Guide to the Experimental Plots Containing the Yields per Acre Etc.



Full Table of Content

Stubble Cleaning

Rothamsted Research

Rothamsted Research (1921) *Stubble Cleaning*; Report 1918-20 With The Supplement To The Guide To The Experimental Plots Containing The Yields Per Acre Etc., pp 11 - 12 - **DOI:** https://doi.org/10.23637/ERADOC-1-109

does it better, for it readily works to 7 inches while the horse teams usually go only to 5 inches. The value of this additional speed has been shown in the rate at which the sowing of wheat over the whole farm has been completed. In the old days of slow horse cultivations, sowings could not be completed in October or November, and there remained always fields to be sown in January or February, according as the weather allowed. Since the advent of the tractor, however, the work has been pushed well forward and the land has all been sown in November. The dates of completion of sowing are:—

	AUTUMN SEEDING TIME.	Oats.	Wнеат.
Horses only used . ,, ,, ,, . Tractor used . ,, ,, ,.	1915	Oct. 16, 1915	Feb. 27, 1916
	1916	,, 17, 1916	Mar. 16, 1917
	1917	,, 27, 1917	Jan. 26, 1918
	1918	,, 5, 1918	Nov. 26, 1918
	1919	,, 4, 1919	Oct. 30, 1919
	1920	,, 14, 1920	Nov. 11, 1920

Many of our experiments show the vital necessity on this land of sowing at the proper time; the following is an example:—
Wheat sown in time (Nov. 24th, 1915) $26\frac{3}{4}$ bushels
, , sown late (Feb. 17th, 1916) ... $19\frac{1}{4}$ bushels

II. CLEANING STUBBLES IN AUTUMN.

In the autumn of 1919 the arable fields were very weedy, as usual over wide tracts of England where cultivation had perforce been neglected for three years. Summer fallowing during 1920 would, of course, have been effective, but it was too costly; instead, therefore, the tractor was liberally used for cultivating the stubbles during harvest, and much cleaning was done during August, September and October. The effect was very striking. The weed seeds germinated in the warm moist land; the seedlings being very susceptible to injury were easily killed by cultivations; and as the cultivation was carried out before instead of after sowing the crop, it was entirely beneficial and did no damage. In consequence, the land which had been foul in 1919 became tolerably clean in 1920 in spite of the fact that a second winter corn crop was sown. The autumn cleaning was repeated in 1920 and a third corn crop sown; at the time of writing this remains free from troublesome weeds.

The advantage of this method is to give us much more latitude in cropping than we had before. Under the old horse cultivation it was imperative to grow a root crop once in 5 or 6 years to keep down weeds, and we were always rather beaten in the struggle; under the present method we can apparently grow any crops we please, unless a prolonged wet autumn should set in. This is illustrated by the Great Harpenden Field where the crops and yields per acre have been:—

Mangolds $18\frac{1}{2}$ tons, potatoes (varieties 7-10 tons) Harvest of 1914 1915

Wheat (25 bush.), barley (40 bush.) Wheat (26 bush.), oats (38 bush.) 1916

1917 Wheat (23 bush.)

1918

Clover (weedy—1½ tons)
Oats (weedy), stubble cleaned (62 bush.) 1919

Wheat (clean—32 bush.) 1920

Wheat (still clean) 1921

III. COST OF WORKING.

Our experience up to the present is that the cost of working with the tractor is less than with horses. For the Titan the figures for the cost of ploughing an acre of land have been :-

	1919		1920	
	By Tractor.	By Horses.	By Tractor.	By Horses.
Labour	7.7 7.8 6.3	10/2 22/6 —	8/9 10/7 6/6	12/6 28/3 —
	21/6	32/8	25/10	+0/9
Time taken	4 hours	$1\frac{1}{2}$ days		٠

^{*} Including Labour Hems.

IV. INCREASE IN EFFICIENCY OF LABOUR. In our district the standard rate of wages per week has been :-

	Horseman.	Labourer.	Hours per week.
1914	18/- 21/- 23/- 24/- 27/- 31/- 33/-	16/- 19/- 21/- 22/- 25/- 28/- 30/-	57 57 57 57 57 57 57
1919 (until May 19)	42/-	32/-	48 winter 54 summer
(until Oct. 6)	48,6	38,6	48 winter 54 summer 48 winter
1920 (until April 19)	48/6	38/6	50 summer
(until Aug. 28)	52,6	42/6	50 summer
(after Aug. 28)	56 ,6	46/6	50 summer

but the efficiency of the work done with the same implements has not increased.