

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Report for 1927-28

[Full Table of Content](#)



List of Standard Errors in the Replicated Experiments 1925-28

Rothamsted Research

Rothamsted Research (1928) *List of Standard Errors in the Replicated Experiments 1925-28* ; Report For 1927-28, pp 37 - 38 - DOI: <https://doi.org/10.23637/ERADOC-1-85>

TABLE I.
Standard errors per plot, and of average results in the
REPLICATED EXPERIMENTS, 1925-28, ROTHAMSTED and WOBURN.

Year and Page in Report.	Crop and Field.	Nature of Experiment, Fertilisers tested.	Area.	Number of Plots.	Standard error per plot, %	Standard error of means, %
1925, p. 138	Potatoes, West Barnfield	Potassic ...	1/50	16	4.9	2.4
1925, p. 139	Potatoes, West Barnfield	Potassic and S./A., varying quantities	1/50	48	8.6	4.3
1925, p. 144	Mangolds, West Barnfield	S./Amm. basal and Top Dressed	1/20	18	14.8	10.5
1925, p. 145	Oats, Long Hoos	S. & M./Amm., Early and Late	1/40	24	10.8	7.7
1925, p. 154	Wheat, Sawyer's Field	Single and Double	1/10	47	4.8	4.5
1925, p. 138	Potatoes, Stackyard	Uniformity Trial	1/50	16	4.2	2.4
1926, p. 140	Potatoes, Stackyard	Potassic ...	1/50	64	3.9	1.9
1926, p. 155 ¹	Potatoes, Woburn	Potassic and S./Amm., varying quantities	1/50	25	3.8	3.8
1926, p. 141	Sugar Beet, Woburn...	Nitrogenous, varying quantities	1/60	25	11.0	5.5
1926, p. 142	Sugar Beet, Rothamsted	Potassic ...	1/145	16	6.1	2.7
1926, p. 143	Sugar Beet, Woburn...	Nitrate of Soda Top Dressing	1/60	25	4.3	1.9
1926, p. 146	Oats, Long Hoos	Nitrate of Soda Top Dressing	1/40	96	8.5	3.8
1926, p. 147	Wheat, Gt. Harpenden	S. & M./Amm., Early and Late	1/40	48	3.5	1.7
1926, p. 149	Malting Barley, New Zealand	Single and Double	1/25	32	4.1	2.1
1926, p. 150	Oats, Long Hoos	S. & M./Amm., Urea	1/40	12	14.5	6.5
1926, p. 153	Swedes, Sawyer's Field	Cultivation	1/4	9	15.0	6.7
1926, p. 155	Swedes, Sawyer's Field	Uniformity Trial	1/10	47	7.9	1.4, 2.0
1927, p. 135	Wheat, Great Knott...	S. & M./Amm., Early and Late	1/40	48	12.5	2.2, 3.1
1927, p. 131	Barley, Gt. Harpenden	Nitrogenous, varying quantities	1/40	48	14.0	3.5, 5.0
1927, p. 140	Potatoes, Long Hoos	Superphosphate...	1/40	81	10.4	2.6, 3.7
1927, p. 157	Potatoes, Woburn	Potassic and S./Amm., varying quantities	1/40	36	9.0	4.5
1927, p. 156	Potatoes, Woburn	Nitrogenous	1/40	16	5.0	2.5
1927, p. 150	Swedes, Long Hoos	Superphosphate...	1/25	25	6.4	3.7
		Phosphatic and Nitrogenous	1/25	25	4.4	2.6
					6.5	3.8
					10.8	6.2
					6.7	6.7
					16.4	16.4
					7.7	7.7
					11.6	2.9, 4.1
					8.6	2.1, 3.0
					10.3	2.1, 5.2
					10.7	2.2, 5.4
					6.1	1.2, 1.4, 2.0
					7.4	3.7
					5.2	2.6
					3.2	1.4
					5.2	2.3

¹ 1927-28 Report.

REPLICATED EXPERIMENTS, 1925-28—contd.

Year and Page in Report.	Crop and Field.	Nature of Experiment, Fertilisers tested.	Area.	Number of Plots.	Standard error per Plot, per cent.	Standard error of means, per cent.
1927, p. 144	Sugar Beet, Long Hoos ...	S./Amm. & Cyan., with Top Dressing ...	1/40	72	10.2	1.5, 4.1
1927, p. 160	Sugar Beet, Woburn...	Nitrogenous, varying quantities ...	1/40	54	10.9	1.5, 4.4
1927, p. 153	Oats, Sawyer's Field...	Uniformity Trial ...	1/10	47	13.7	5.6
1927, p. 151	Barley, Sawyer's Field ...	Cultivation, Simar, etc. ...	11/40	9	17.2	7.0
1928, p. 136	Wheat, Pastures ...	S. & M./Amm., Early and Late ...	1/40	96	7.7	7.7
1928, p. 133	Barley, Long Hoos ...	Nitrogenous, varying quantities ...	1/40	(72 used)	8.5	4.9
1928, p. 142	Potatoes, Gt. Harpenden ...	Potassic and Nitrogenous ...	1/90	102	4.1	2.4
1928, p. 158	Potatoes, Woburn ...	Superphosphate... ..	1/40	72	12.5	2.9
1928, p. 156	Potatoes, Woburn ...	Superphosphate... ..	1/40	16	15.6	3.7
1928, p. 154	Malting Barley, Woburn ...	Potassic and Nitrogenous ...	1/40	96	10.1	3.6
1928, p. 147	Sugar Beet, Gt. Harpenden...	Superphosphate... ..	3/200	144	8.9	3.1
1928, p. 162	Sugar Beet, Woburn...	Top Dressing of Nitrochalk ...	1/40	78	9.4	1.8, 3.8
1928, p. 139	Barley, Long Hoos ...	Nitrogenous, Top Dressing of Nitrochalk ...	1/40	16	7.1	2.5
1928, p. 152	Swedes, Gt. Harpenden ...	Nitrogenous Top Dressing ...	1/40	16	4.0	2.0
		Cultivation, Ridged and Simar ...	1/20	16	22.5	11.3
					19.4	9.7
					9.6	1.1, 1.4
					10.0	1.1, 1.4
					9.3	2.2
					15.1	3.6
					7.7	3.8
					7.2	3.6
					4.8	2.4
					12.1	6.0

Average Standard Errors of Single Plot for Different Crops obtained from above table.

No. of Experiments on which Average is based.	Crop.	Average Standard Error of Single Plot, per cent.
11	Potatoes ...	6.69
7	Sugar Beet ...	9.30
	{ roots ...	11.54
	{ tops ...	7.20
5	Swedes ...	11.06
4	or Mangolds ...	10.58
	{ roots ...	9.62
	{ tops ...	9.12*
5	Wheat ...	7.18*
	{ grain ...	8.45
	{ straw ...	7.35
4	Barley ...	
	{ grain ...	
	{ straw ...	
	Oats ...	
	{ grain ...	
	{ straw ...	

* But if Woburn, 1928, be included, these become 11.35 and 9.22 respectively; see page 154 of Report.