Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



## Report for 1929



Full Table of Content

## The Use of the Summary Tables

## **Rothamsted Research**

Rothamsted Research (1930) *The Use of the Summary Tables*; Report For 1929, pp 78 - 80 - DOI: https://doi.org/10.23637/ERADOC-1-111

## THE USE OF THE SUMMARY TABLES

The summaries of the significant results from the replicated experiments, whether these are stated as produce per acre or as a percentage of the average yield, are accompanied by estimates of the standard errors to which these results are liable. The agricultural precautions which have to be taken in order that these shall be certainly valid were explained in the Report for 1925-26. An explanation of their purpose is desirable here in order that a full use of the summaries may be made by those who do not wish to make for themselves a detailed examination of the

yields recorded for individual plots.

An experimental yield will differ from its true value either in excess or deficit by an amount exceeding its standard error almost as frequently as once in 3 trials; it will, however, be wrong by more than twice its standard error only about once in 22 trials, and by more than three or four times its standard error once in 370 or 15,780 trials respectively. The odds against an error of any size having occurred thus increase very rapidly in a small range of multiples of the standard error. Whereas experimental differences of less than twice their standard error might always be ascribed to chance, and are, therefore, for safety, ignored as "insignificant," differences only slightly greater than these cannot reasonably be disregarded, but must be ascribed to genuine manurial or cultural effects, such as the experiment was designed to examine.

The rejection of the insignificant differences is thus a necessary preliminary, but only a preliminary, to the interpretation of the experimental results. So far as has been practicable all significant results are noted, and exhibited in the summaries of significant results. In the more successful and extensive experiments the standard error has been reduced to so low a figure, sometimes considerably less than 2 per cent., that quite small differences in yields can be detected, whereas with a standard error of 5 per cent., all but big and obvious differences in yield must be ignored. The change in precision from standard errors of 5 per cent., to standard errors of 2 per cent., or less, thus represents a very large extension in the range of agricultural effects which can be

examined experimentally.

Once an effect is shown to be definitely significant it makes little difference whether the odds against its being due to chance are 100 to 1 or 1,000,000 to 1. Chance is effectively excluded in both cases, and the interest in the result is now concentrated on the actual gain in crop, either in yield per acre, or in yield per cent., which the experiment has demonstrated. The relation of this gain to any additional item of expense incurred, such as the cost of a manurial application, then determines the balance of advantage in practical procedure. Read in this way the summary tables give the direct results of critical experimentation.

79

					79				
Yield per acre.		7 qrs. see pp. 97-8	1	5½ qrs.	Spring.	6½ qrs.	15 tons	38 cwts.	2 tons.
Carting Dates.		Aug. 22-23	- 19-50	Aug. 27-28	For sheep feed in Spring.	Aug. 21-22	Nov. 16-21	July 1-2	July 23
Cutting Dates.		Aug. 16-17 Aug. 12	7 2 4 10	Aug. 13	For	Aug. 16	1	June 22	July 13
Sowing Dates.	Nov. 2-3	Nov. 14 (grass Apr.18) Mar. 15 (grass Apr. 4)	Aug. 24 (1928)	Apr. 2. (Barley)	Sept. 24-25, 1929.	Oct. 25 (1928)	May 28 (1st sowing, May 9,	fly)	Sept. 10 (failed) resown Apr. 6, 1929
Manuring. cwt. per acre.	1½ S/Amm.		1 Nitro- Chalk	2 S/Amm. 24 Super. (1 M/Pot	15-16 tons dung	2 Super.	1 M/Pot 15 tons " Adco "	2½ Super. 1½ S/Amm. 1 M/Pot	ditto
Principal Cultivations and Dates.	After Potatoes ploughed, Oct. 25-27. Nov. 2-3 harrowed and drilled then harrowed in	After Beet ploughed, Nov. 8-12, harrowed, drilled, then harrowed Mar. 8-12, ploughed and harrowed and cultivated.	Mar. 21, horse rolled	19. Tractor harrowed and rolled. Mar. 20-21, horse rolled. Apr. 2-4, harrowed and rolled.	Ploughed Sept, 1929.	Oct. 22-24, tractor ploughed and harrowed. Oct. 26, harrowed in.	Mar. 20-21, horse rolled  Tractor ploughed, horse harrowed and rolled. Bouted May 2	April 16-17, tractor rolled Ploughed up July 4-15 Cultivated July 24	April 6, drilled and harrowed in. Apr. 8 rolled. Ploughed up July 24
Variety.	Million III	Standwell		Victory Standwell	1 bush. Beans, 1 bush. Tares, 3 bush. Winter Oats (rate 3 bush. per acre)	Million III	Garton's Magnificent		1 bush. beans 1 bush. peas 2 bush. spring oats (rate 4 bush. per acre)
Crop.	Wheat	Barley	Grass	winter Cars patched with Spring Oats and Barley	Forage Mixture	Wheat	Swedes	1 Year's Seeds	34 acres Italian rye grass and trifolium killed by frost replaced by
Field.		Great Harpenden		Pastures		Little Hoos	Broadbalk Acre		Fosters

80

	Yield per acre.	see p. 99 see p. 99 see p. 93 see p. 95 see p. 102 see p. 95 12-15 cwt. 20 cwt.	acc b. oo
DATES OF SOWING AND HARVESTING AND YIELD PER ACRE, 1929.	Carting Dates.	July 8  July 8  July 8  July 8  Aug. 17  Sept. 4-5  Oct. 16-30  Aug. 26  Inly 10-11	July 10-11
	Cutting Dates.	June 28-29 grass cut after grazing	O-1 fmf
	Sowing Dates.	Apr. 16	1
AND	Manuring. cwt. per acre.	25 tons St. Albans town refuse	
AND HARVESTING	Principal Cultivations and Dates.	Mar. 14-21, tractor ploughed. Apr. 16, Mustard sown and harrowed in by tractor. June 22-29 ploughed in by tractor, twice disc scarified (June 29, Aug. 1) (Aug. 28)	
SOWING	Variety.	Ally  Spratt Archer Plumage Archer	
TES OF	Crop.	Potatoes Winter Oats I Year's Seeds Barley Sugar Beet Wheat Grazing Tut for Hay after early grazing Cut for Hay after grazing Grazing Grazing Grazing Grazing Grazing Barley Barley	ilay
DA	Field.	Great Knott  Long Hoos 1  Long Hoos 1  Secret Field  Great Field  Little Knott  New Zealand  Stackyard  Sawyers *  Outer Great Knott  West Barnfield Fosters  Corners  Broadbalk  Hoos  Agdell	rain

\* 4 acres sown with Barley and undersown with Grass. Yield 8 qrs.