

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Report for 1934

[Full Table of Content](#)



---

### Abbreviated List of the Field Experiments

#### Rothamsted Research

Rothamsted Research (1935) *Abbreviated List of the Field Experiments* ; Report For 1934, pp 256 - 257 - DOI: <https://doi.org/10.23637/ERADOC-1-66>

## ABBREVIATED LIST OF THE FIELD EXPERIMENTS

	Page
Notes on the construction and use of the summary tables .. .. .	128-131
Chemical analysis of manures used in replicated experiments .. .. .	132-133
Average wheat yield of various countries .. .. .	133
Conversion tables .. .. .	133
Meteorological records .. .. .	134
 <b>Classical Experiments</b>	
Rotation.—Agdell .. .. .	135
Wheat after fallow.—Hoosfield .. .. .	136
Mangolds.—Barnfield .. .. .	137
Hay.—Park Grass .. .. .	138
Botanical composition—1920-1933 .. .. .	139-159
Wheat.—Broadbalk .. .. .	160-161
Barley.—Hoosfield .. .. .	162
 <b>Modern Long Term Experiments</b>	
Four Course Rotation.—Residual values of humic and phosphatic fertilisers .. .. .	163-165
Six Course Rotation, Rothamsted and Woburn.—Seasonal effects of N, P <sub>2</sub> O <sub>5</sub> and K <sub>2</sub> O .. .. .	166-171
Three Course Rotation.—Utilisation of straw and green manuring. Effect of ploughing in straw, and of winter green-manure crops .. .. .	172-174
Three Course Rotation.—Effects of various types and depths of cultivation. The use of cyanamide as a weed-killer .. .. .	175-180
 <b>Short Term Experiments.—Rothamsted</b>	
Wheat.—Sulphate of ammonia applied at seven different times .. .. .	181
Potatoes.—Time of ploughing, and of applying fresh and rotted dung. Sulphate of ammonia .. .. .	182-183
Sugar beet.—Additional spring ploughing, potassium and sodium chloride at two times of application, intensive inter-row cultivation .. .. .	184-187
Sugar beet.—Spacing, sulphate of ammonia, dung, heavy rolling .. .. .	188-190
Brussels sprouts.—Sulphate of ammonia, poultry manure, soot and rape dust .. .. .	191-192
Beans.—Dung, nitrochalk, muriate of potash .. .. .	193-194
 <b>Short Term Experiments.—Woburn</b>	
Barley.—Residual value of poultry manure .. .. .	195-196
Wheat.—Sulphate of ammonia applied at six different times .. .. .	197
Sugar beet.—Spacing, sulphate of ammonia, ploughing in and harrowing in mineral fertilisers .. .. .	198-200
Kale.—Effect of lupins as green manure .. .. .	201
Carrots.—Sulphate of ammonia, poultry manure, soot and rape dust .. .. .	202
Pyrethrum.—Lime, fish manure, artificials. Application in first year and in every year .. .. .	203-205
 <b>Summaries of Groups of Experiments</b>	
Experiments on poultry manure and other organic fertilisers, 1934 .. .. .	206-214
Sugar beet fertiliser experiments, factory series, 1934 .. .. .	215-226



<b>Experiments at Outside Centres</b>		Page
Barley.	Wellingore, Lincs.—S/A and nitrochalk, P .. .. .	227
Potatoes.	Wisbech, Cambs.—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	227-228
	Little Downham, Ely, Cambs.—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	228-229
	Sutton, Beds.—P, K, early and late application .. .. .	229
	Wimblington, Cambs.—N, K, dung .. .. .	229-230
	Thorney, Cambs (two experiments).—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2)	230-231
	Wissington, Cambs.—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	232
Sugar Beet.	Tunstall, Suffolk.—S/A and N/S, salt .. .. .	233
	Tunstall, Suffolk.—Residuals of chalk (0, 1, 2, 3, 4) .. .. .	234
	Tunstall, Suffolk.—N (0, 1, 2, 3) .. .. .	234
	Wood Norton, Norfolk.—N, P, K, salt .. .. .	235-236
<b>Experiments carried out by Local Workers</b>		
Hay.	St. Albans, Herts.—K, phosphates .. .. .	237
	Bakewell, Derby.—N, P, K .. .. .	237
	Bakewell, Derby.—Artificial and compost, direct and residual effects	238
	Haileybury, Herts.—K, phosphates .. .. .	238
	Barnet, Herts.—K, chalk, phosphates .. .. .	239
Barley.	Wye, Kent.—S/A, and nitrochalk, P .. .. .	239-240
Oats.	Clipstone, Mansfield, Notts.—K (0, 1, 2), limestone (0, 1, 2) .. .. .	240
Potatoes	Loughborough, Leicester.—N (0, 1, 2), K (0, 1, 2) .. .. .	241
	Loughborough, Leicester.—Mixed fertiliser (0, 1, 2, 3) .. .. .	241
	Hitchin, Herts.—Various fertiliser mixtures .. .. .	242
	Scunthorpe, Lincs.—K (0, 1, 2, 3) .. .. .	242
	St. Albans, Herts.—Various fertiliser mixtures .. .. .	242
	Oxton, Notts.—Organic and inorganic fertilisers .. .. .	243
Sugar beet.	Redbourne, Lincs.—Mixed fertiliser (0, 1, 2, 3), N/S, time of lifting ..	243-244
	Moulton, Northampton.—N, spacing between and within rows ..	244-245
	Riby, Lincs.—Lifting (4 times) .. .. .	246
	Mareham-le-Fen, Lindsey, Lincs.—Lifting (4 times) .. .. .	247
	Owston Ferry, Yorks.—Two varieties, seed treatments .. .. .	247
	Edlington, Lindsey, Lincs.—Two varieties, seed treatments .. .. .	248
	Brigg, Lincs.—Mixed fertiliser applied at 3 times .. .. .	248
	Gainsborough, Lincs.—4 spacings between rows .. .. .	249
	Wainfleet, Lincs.—P, K .. .. .	249-250
	Hecklington, Lincs.—4 spacings within rows .. .. .	250
	Kelham, Notts.—Mixed fertiliser, salt .. .. .	250-251
	Scrooby Top, Yorks.—K, salt .. .. .	251
	Cromwell, Notts.—Mixed fertiliser, salt .. .. .	252
	Harmston, Lincs.—Mixed fertiliser, salt .. .. .	252
	North Scarle, Lincs.—K, salt .. .. .	253
Mangolds.	Oakerthorpe, Derby.—N, K, Dung .. .. .	253-254
Kale.	Loughborough, Leicester.—N (0, 1, 2), thinning .. .. .	254
Brussels sprouts	London Colney, Herts.—N, P, K (0, 1, 2) .. .. .	255

NOTE.—N denotes sulphate of ammonia, nitrate of soda or nitrochalk, P denotes superphosphate, and K denotes any potash fertiliser.