

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Report for 1934

[Full Table of Content](#)



Abbreviated List of the Field Experiments

Rothamsted Research

Rothamsted Research (1935) *Abbreviated List of the Field Experiments* ; Report For 1934, pp 256 - 257 - DOI: <https://doi.org/10.23637/ERADOC-1-66>

ABBREVIATED LIST OF THE FIELD EXPERIMENTS

	Page
Notes on the construction and use of the summary tables	128-131
Chemical analysis of manures used in replicated experiments	132-133
Average wheat yield of various countries	133
Conversion tables	133
Meteorological records	134
 Classical Experiments	
Rotation.—Agdell	135
Wheat after fallow.—Hoosfield	136
Mangolds.—Barnfield	137
Hay.—Park Grass	138
Botanical composition—1920-1933	139-159
Wheat.—Broadbalk	160-161
Barley.—Hoosfield	162
 Modern Long Term Experiments	
Four Course Rotation.—Residual values of humic and phosphatic fertilisers	163-165
Six Course Rotation, Rothamsted and Woburn.—Seasonal effects of N, P ₂ O ₅ and K ₂ O	166-171
Three Course Rotation.—Utilisation of straw and green manuring. Effect of ploughing in straw, and of winter green-manure crops	172-174
Three Course Rotation.—Effects of various types and depths of cultivation. The use of cyanamide as a weed-killer	175-180
 Short Term Experiments.—Rothamsted	
Wheat.—Sulphate of ammonia applied at seven different times	181
Potatoes.—Time of ploughing, and of applying fresh and rotted dung. Sulphate of ammonia	182-183
Sugar beet.—Additional spring ploughing, potassium and sodium chloride at two times of application, intensive inter-row cultivation	184-187
Sugar beet.—Spacing, sulphate of ammonia, dung, heavy rolling	188-190
Brussels sprouts.—Sulphate of ammonia, poultry manure, soot and rape dust	191-192
Beans.—Dung, nitrochalk, muriate of potash	193-194
 Short Term Experiments.—Woburn	
Barley.—Residual value of poultry manure	195-196
Wheat.—Sulphate of ammonia applied at six different times	197
Sugar beet.—Spacing, sulphate of ammonia, ploughing in and harrowing in mineral fertilisers	198-200
Kale.—Effect of lupins as green manure	201
Carrots.—Sulphate of ammonia, poultry manure, soot and rape dust	202
Pyrethrum.—Lime, fish manure, artificials. Application in first year and in every year	203-205
 Summaries of Groups of Experiments	
Experiments on poultry manure and other organic fertilisers, 1934	206-214
Sugar beet fertiliser experiments, factory series, 1934	215-226

Experiments at Outside Centres		Page
Barley.	Wellingore, Lincs.—S/A and nitrochalk, P	227
Potatoes.	Wisbech, Cambs.—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2)	227-228
	Little Downham, Ely, Cambs.—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2)	228-229
	Sutton, Beds.—P, K, early and late application	229
	Wimblington, Cambs.—N, K, dung	229-230
	Thorney, Cambs (two experiments).—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2)	230-231
	Wissington, Cambs.—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2)	232
Sugar Beet.	Tunstall, Suffolk.—S/A and N/S, salt	233
	Tunstall, Suffolk.—Residuals of chalk (0, 1, 2, 3, 4)	234
	Tunstall, Suffolk.—N (0, 1, 2, 3)	234
	Wood Norton, Norfolk.—N, P, K, salt	235-236
Experiments carried out by Local Workers		
Hay.	St. Albans, Herts.—K, phosphates	237
	Bakewell, Derby.—N, P, K	237
	Bakewell, Derby.—Artificial and compost, direct and residual effects	238
	Haileybury, Herts.—K, phosphates	238
	Barnet, Herts.—K, chalk, phosphates	239
Barley.	Wye, Kent.—S/A, and nitrochalk, P	239-240
Oats.	Clipstone, Mansfield, Notts.—K (0, 1, 2), limestone (0, 1, 2)	240
Potatoes	Loughborough, Leicester.—N (0, 1, 2), K (0, 1, 2)	241
	Loughborough, Leicester.—Mixed fertiliser (0, 1, 2, 3)	241
	Hitchin, Herts.—Various fertiliser mixtures	242
	Scunthorpe, Lincs.—K (0, 1, 2, 3)	242
	St. Albans, Herts.—Various fertiliser mixtures	242
	Oxton, Notts.—Organic and inorganic fertilisers	243
Sugar beet.	Redbourne, Lincs.—Mixed fertiliser (0, 1, 2, 3), N/S, time of lifting ..	243-244
	Moulton, Northampton.—N, spacing between and within rows ..	244-245
	Riby, Lincs.—Lifting (4 times)	246
	Mareham-le-Fen, Lindsey, Lincs.—Lifting (4 times)	247
	Owston Ferry, Yorks.—Two varieties, seed treatments	247
	Edlington, Lindsey, Lincs.—Two varieties, seed treatments	248
	Brigg, Lincs.—Mixed fertiliser applied at 3 times	248
	Gainsborough, Lincs.—4 spacings between rows	249
	Wainfleet, Lincs.—P, K	249-250
	Hecklington, Lincs.—4 spacings within rows	250
	Kelham, Notts.—Mixed fertiliser, salt	250-251
	Scrooby Top, Yorks.—K, salt	251
	Cromwell, Notts.—Mixed fertiliser, salt	252
	Harmston, Lincs.—Mixed fertiliser, salt	252
	North Scarle, Lincs.—K, salt	253
Mangolds.	Oakerthorpe, Derby.—N, K, Dung	253-254
Kale.	Loughborough, Leicester.—N (0, 1, 2), thinning	254
Brussels sprouts	London Colney, Herts.—N, P, K (0, 1, 2)	255

NOTE.—N denotes sulphate of ammonia, nitrate of soda or nitrochalk, P denotes superphosphate, and K denotes any potash fertiliser.