


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Report for 1935

[Full Table of Content](#)



---

### Abbreviated List of the Field Experiments

#### Rothamsted Research

Rothamsted Research (1936) *Abbreviated List of the Field Experiments* ; Report For 1935, pp 276 - 277 - DOI: <https://doi.org/10.23637/ERADOC-1-67>

## ABBREVIATED LIST OF THE FIELD EXPERIMENTS

	Page
Notes on the construction and use of the summary tables .. .. .	142-145
Chemical analysis of manures used in replicated experiments .. .. .	146-147
Average wheat yields of various countries .. .. .	147
Conversion tables .. .. .	147
Meteorological records .. .. .	148
 <b>Classical Experiments</b>	
Rotation.—Agdell .. .. .	149
Wheat after fallow.—Hoosfield .. .. .	150
Mangolds.—Barnfield (Failed) .. .. .	—
Hay.—Park Grass .. .. .	151
Botanical composition—1935 .. .. .	152-153
Wheat.—Broadbalk .. .. .	154-155
Sampling for Root-rots .. .. .	156
Barley.—Hoosfield .. .. .	157
 <b>Modern Long Term Experiments</b>	
Four Course Rotation.—Residual values of humic and phosphatic fertilisers ..	158-160
Six Course Rotation, Rothamsted and Woburn.—Seasonal effects of N, P <sub>2</sub> O <sub>5</sub> and K <sub>2</sub> O	161-166
Three Course Rotation.—Utilisation of straw and green manuring. Effect of ploughing in straw, and of winter green manure crops .. .. .	167-169
Three Course Rotation.—Effects of various types and depths of cultivation. The use of cyanamide as a weed-killer .. .. .	170-174
Three Course Rotation, 1933 : Green manure crops : green weights .. .. .	174
 <b>Short Term Experiments.—Rothamsted</b>	
Wheat.—Sulphate of ammonia applied at five different times .. .. .	175
Spring Oats.—“Cymag,” carbon disulphide jelly, chlordinitrobenzene and “seekay” as controls of eelworm infestation .. .. .	176-178
Potatoes.—Dung, sulphate of ammonia and minerals at two times of application ..	179-181
Sugar Beet.—Time of sowing, spacing, sulphate of ammonia .. .. .	182-184
Sugar beet.—Salt at two times of application, dung, additional heavy rolling, intensive inter-row cultivation .. .. .	185-187
Sugar beet.—Chlorpicrin, chlordinitrobenzene, “Seekay” and “Cymag” as controls of wireworm infestation .. .. .	188-190
Brussels sprouts.—Sulphate of ammonia, poultry manure, soot and rape dust ..	191
Beans.—Dung, nitrochalk, superphosphate, muriate of potash, spacing .. .. .	192-193
 <b>Short Term Experiments.—Woburn</b>	
Wheat.—Sulphate of ammonia applied at five different times .. .. .	194
Sugar beet.—Time of sowing, spacing, sulphate of ammonia .. .. .	195-197
Kale.—Residual effect of lupins as green manure .. .. .	198
Carrots.—Sulphate of ammonia, poultry manure, soot and rape dust .. .. .	199-200
Pyrethrum.—Lime, fish manure, artificials. Application in first year and in every year	201-202
 <b>Animal Husbandry Experiments</b>	
Pigs.—Four levels of feeding, size of pen .. .. .	203-205
Pigs.—Minimal v. liberal green food, exercise, fine v. coarse grinding of food, limited v. ad lib. feeding .. .. .	206-208



<b>Summaries of Groups of Experiments</b>		Page
Experiments on poultry manure .. .. .		209-216
Sugar beet fertiliser experiments, factory series .. .. .		217-252
 <b>Experiments at Outside Centres</b>		
Barley.	Wye, Kent.—S/A and nitrochalk, P .. .. .	253
Potatoes.	Thorney, Cambs.—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	254
	Mepal, Ely, Cambs.—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	255
	Little Downham, Ely, Cambs.—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	256
	March, Cambs.—N (0, 1, 2), P (0, 1, 2) K (0, 1, 2) .. .. .	257
	Wisbech, Cambs.—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	258
	Wimblington, Cambs.—N, P, K, Dung .. .. .	258-259
Sugar beet.	Tunstall, Suffolk.—Residuals of chalk (0, 1, 2, 3, 4) .. .. .	259
Celery.	Mepal, Ely, Cambs.—P, K, Salt .. .. .	260
 <b>Experiments carried out by Local Workers</b>		
Hay.	St. Albans, Herts.—Residuals of K, phosphates .. .. .	261
	Barnet, Herts.—Residuals of K, chalk, phosphates .. .. .	261
	Bakewell, Derby.—N, P, K .. .. .	262
	Bakewell, Derby.—Artificial and compost, direct and residual effects .. .. .	262
	Clipstone, Mansfield, Notts.—K (0, 1, 2), limestone (0, 1, 2) .. .. .	263
	Stevenage, Herts.—Chalk (0, 1, 2, 4, 6) .. .. .	263
Wheat.	St. Albans, Herts.—Phosphates (0, 1, 2) .. .. .	264
Potatoes.	Cadishead, Lancs.—P, basic slag .. .. .	264
	Loughborough, Leicester.—N (0, 1, 2), K (0, 1, 2) .. .. .	265
	Loughborough, Leicester.—Mixed fertiliser (0, 1, 2, 3) .. .. .	265
	Catchwater, Messingham, Lincs.—Mixed fertiliser (0, 1, 2, 3, 4) .. .. .	266
	Grayingham, Lincs.—Mixed fertiliser (0, 1, 2, 3, 4) .. .. .	266
	Kelfield, Owston Ferry, Lincs.—K (0, 1, 2, 3) .. .. .	267
	Sugar beet.	Scotter, Gainsborough, Lincs.—4 widths of singling .. .. .
Boston, Lincs.—4 widths of singling .. .. .		268
Snitterby, Lincs.—Mixed artificials (0, 1, 2, 3), N, time of lifting .. .. .		268-269
Melton Ross, Barnetby, Lincs.—Treatment of bolters .. .. .		270
Tumby Wood Side, Lincs.—S/A, nitrochalk, P, basic slag .. .. .		270-271
Kirmington, Ulceby, Lincs.—P, K .. .. .		271
Bardney and Brigg, Lincs.—N/S, N.Pot. applied at seeding and singling .. .. .		272
Mattersey, Doncaster, Lincs.—K, Salt .. .. .		272-273
Billingham, Lincs.—N/S, N.Pot. .. .. .		273
Newton-on-Trent, Lincs.—N, K, N.Pot. .. .. .		274
Kale.	Oxcroft, Derby.—N (0, 1, 2), P .. .. .	274
	Loughborough, Leicester.—Nitrochalk (0, 1, 2), thinning .. .. .	275

NOTE.—N denotes sulphate of ammonia or nitrate of soda, P denotes superphosphate, and K denotes any potash fertiliser.