

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Rothamsted Report for 1936

[Full Table of Content](#)



### Abbreviated List of the Field Experiments

#### Rothamsted Research

Rothamsted Research (1937) *Abbreviated List of the Field Experiments* ; Rothamsted Report For 1936, pp 292 - 293 - DOI: <https://doi.org/10.23637/ERADOC-1-68>

## ABBREVIATED LIST OF THE FIELD EXPERIMENTS

	<i>Page</i>
Notes on the construction and use of the summary tables .. .. .	170-173
Chemical analysis of manures used in replicated experiments .. .. .	174-175
Average wheat yields of various countries .. .. .	175
Conversion tables .. .. .	175
Meteorological records .. .. .	176
 <b>Classical Experiments</b>	
Rotation—Agdell .. .. .	177
Wheat after fallow—Hoosfield .. .. .	178
Mangolds—Barnfield .. .. .	179
Hay—Park Grass .. .. .	180
Botanical composition—1936 (1st crop) .. .. .	181-183
Wheat—Broadbalk .. .. .	184-185
Barley—Hoosfield .. .. .	186
 <b>Modern Long Term Experiments</b>	
Four Course Rotation—Residual value of humic and phosphatic fertilisers .. .. .	187-189
Six Course Rotation, Rothamsted and Woburn—Seasonal effects of N, P <sub>2</sub> O <sub>5</sub> and K <sub>2</sub> O .. .. .	190-194
Three Course Rotation—Utilisation of straw and green manuring. Effect of ploughing in straw and of winter green manure crops .. .. .	195-197
Three Course Rotation—Effects of various types and depths of cultivation. The use of cyanamide as a weed-killer .. .. .	198-202
New Green Manuring Experiment, Woburn—Effects on Kale of clover and rye-grass as leys, of mustard and tares as green manures and of dung, N and straw .. .. .	203-204
 <b>Short Term Experiments—Rothamsted</b>	
Wheat—Sulphate of ammonia applied at five different times .. .. .	205
Wheat—Clover and ryegrass as leys, followed by mustard and vetches as green manures .. .. .	206-208
Barley—Residual effects of chlorpicrin, chlordinitrobenzene, "seekay" and "cymag" as controls of wireworm infestation .. .. .	209-210
Spring Oats—Residual effects of "cymag," carbon disulphide jelly, chlordinitrobenzene and "seekay" as controls of eelworm infestation. Effect of sulphate of ammonia .. .. .	211-212
Potatoes—Sulphate of ammonia; dung and straw at two times of application .. .. .	213-214
Sugar Beet—Muriate of potash and salt at two times of application. Dung .. .. .	215-216
Sugar Beet—Three sowing dates, sulphate of ammonia and five methods of applying minerals .. .. .	217-219
Mangolds—Sulphate of ammonia, superphosphate, muriate of potash, salt and dung .. .. .	220-221
Beans—Dung, nitro-chalk, superphosphate and muriate of potash .. .. .	222
Kale—Sulphate of ammonia, poultry manure, soot and rape dust. Direct, cumulative and residual effects .. .. .	223
 <b>Short Term Experiments—Woburn</b>	
Wheat—Sulphate of ammonia applied at five different times .. .. .	224
Sugar Beet—Three sowing dates, sulphate of ammonia, and three methods of applying minerals .. .. .	225-227
Kale—Mustard, tares and lupins as green manures .. .. .	228
Kale—Sulphate of ammonia, poultry manure, soot and rape dust. Direct, cumulative and residual effects .. .. .	229
Kale—Residual effect of lupins as green manure .. .. .	230
Pyrethrum—Lime, fish manure and artificials. Applied in first year and every year .. .. .	231-232
 <b>Summaries of Groups of Experiments</b>	
Experiments on poultry manure .. .. .	233-240
Sugar Beet fertiliser experiments, factory series .. .. .	241-261

		Page
<b>Experiments at Outside Centres</b>		
Barley.	Tunstall, Suffolk—Residuals of chalk (0, 1, 2, 3, 4) .. .. .	262
Potatoes.	Wimblington, Cambs—N. P. K. dung .. .. .	262
	Thorney, Cambs—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	263
	March, Cambs—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	264
	Wisbech, Cambs—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	265
	Little Downham, Ely, Cambs—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	265-266
Sugar Beet.	Tunstall, Suffolk—Super or slag, limestone or dolomite .. .. .	266
	Holbrook, Suffolk—Super or slag, limestone or dolomite .. .. .	267
	Kidderminster—Super or slag, S/A or N/S .. .. .	268
	Tunstall, Suffolk—P. K. ploughed in or broadcast .. .. .	269
Celery.	Mepal, Ely, Cambs—P. K. salt .. .. .	270
 <b>Experiments carried out by Local Workers</b>		
Hay.	Harlow, Essex—Slag (0, 1, 2), super (0, 1, 2), mineral phosphate (0,1,2)	271
	Bakewell, Derby—N. P. K. .. .. .	271
	Bakewell, Derby—Artificial and compost, direct and residual effects ..	272
	Barnet, Herts—Residuals of K, chalk, phosphates .. .. .	272
	Gilston, Herts—K, phosphates .. .. .	273
	Hatfield, Herts—K. chalk, phosphates .. .. .	273
Oats.	St. Albans, Herts—N. P. K. chalk .. .. .	274
Potatoes.	Loughborough, Leicester—Mixed fertiliser (0, 1, 2, 3) .. .. .	274-275
	St. Albans, Herts—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2) .. .. .	275
	Carlton Cliff, Lincs—Mixed fertiliser (0, 1, 2, 3, 4) .. .. .	276
	Ingham, Lincs—Mixed fertiliser (0, 1, 2, 3, 4) .. .. .	276
	St. Albans, Herts—N. P. K. .. .. .	277
Sugar Beet.	Loughborough, Leicester—P. K before and after gyrotilling .. .. .	277
	Holton-le-Moor, Lincs—Borax (0, 1, 2) at seeding or singling. Mixed artificial .. .. .	278
	Friskney, Lincs—Methods of singling .. .. .	279
	Timberland, Lincs—Methods of singling .. .. .	279
	Downham Market, Cambs—P (0, 1, 2), muriate of potash or potash salt (0, 1, 2) .. .. .	280
	Littleport, Cambs—P (0, 1, 2), muriate of potash or potash salt (0, 1, 2)	281
	Wisbech, Cambs—P (0, 1, 2), muriate of potash or potash salt (0, 1, 2)	282
	Gainsborough, Lincs—Methods of applying minerals. Dung .. .. .	283
	Wragby, Lincs—Methods of applying minerals. Dung .. .. .	283-284
	Habrough, Lincs—Methods of applying minerals. Depth of ploughing	284-285
	East Kirkby, Lincs—Methods of applying minerals. Depth of ploughing	285
	Newport, Salop—Time of application of P. K .. .. .	286
	Newton-on-Trent, Lincs—Mixed artificials (0, 1, 2, 3), N, time of lifting	286-287
	Braintree, Essex—Methods of applying artificials .. .. .	288
	Mundon, Essex—Methods of applying artificials .. .. .	288
	Wix, Essex—Methods of applying artificials .. .. .	288
Mangolds.	St. Albans, Herts—Residuals of chalk (0, 1, 2, 4, 6) .. .. .	288
	St. Albans, Herts—Lime and chalk (0, 1, 2, 3) .. .. .	289
Kale.	Loughborough, Leicester—N (0, 1, 2), thinning .. .. .	289
Brussels	Buntingford, Herts—N (0, 1, 2), P. K .. .. .	290
Sprouts	Aldenham, Herts—Time of application of N .. .. .	291

*Note.*—N denotes sulphate of ammonia or nitrate of soda, P denotes superphosphate, and K denotes any potash fertiliser.

### ERRATUM.

#### 1935 Report.

Long Period Cultivation Experiment, p. 174. The second paragraph of the conclusions applies only to mangolds roots.