

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Report for 1936

[Full Table of Content](#)



Abbreviated List of the Field Experiments

Rothamsted Research

Rothamsted Research (1937) *Abbreviated List of the Field Experiments* ; Rothamsted Report For 1936, pp 292 - 293 - DOI: <https://doi.org/10.23637/ERADOC-1-68>

ABBREVIATED LIST OF THE FIELD EXPERIMENTS

	<i>Page</i>
Notes on the construction and use of the summary tables	170-173
Chemical analysis of manures used in replicated experiments	174-175
Average wheat yields of various countries	175
Conversion tables	175
Meteorological records	176
 Classical Experiments	
Rotation—Agdell	177
Wheat after fallow—Hoosfield	178
Mangolds—Barnfield	179
Hay—Park Grass	180
Botanical composition—1936 (1st crop)	181-183
Wheat—Broadbalk	184-185
Barley—Hoosfield	186
 Modern Long Term Experiments	
Four Course Rotation—Residual value of humic and phosphatic fertilisers	187-189
Six Course Rotation, Rothamsted and Woburn—Seasonal effects of N, P ₂ O ₅ and K ₂ O	190-194
Three Course Rotation—Utilisation of straw and green manuring. Effect of ploughing in straw and of winter green manure crops	195-197
Three Course Rotation—Effects of various types and depths of cultivation. The use of cyanamide as a weed-killer	198-202
New Green Manuring Experiment, Woburn—Effects on Kale of clover and rye-grass as leys, of mustard and tares as green manures and of dung, N and straw	203-204
 Short Term Experiments—Rothamsted	
Wheat—Sulphate of ammonia applied at five different times	205
Wheat—Clover and ryegrass as leys, followed by mustard and vetches as green manures	206-208
Barley—Residual effects of chlorpicrin, chlordinitrobenzene, "seekay" and "cymag" as controls of wireworm infestation	209-210
Spring Oats—Residual effects of "cymag," carbon disulphide jelly, chlordinitrobenzene and "seekay" as controls of eelworm infestation. Effect of sulphate of ammonia	211-212
Potatoes—Sulphate of ammonia; dung and straw at two times of application	213-214
Sugar Beet—Muriate of potash and salt at two times of application. Dung	215-216
Sugar Beet—Three sowing dates, sulphate of ammonia and five methods of applying minerals	217-219
Mangolds—Sulphate of ammonia, superphosphate, muriate of potash, salt and dung	220-221
Beans—Dung, nitro-chalk, superphosphate and muriate of potash	222
Kale—Sulphate of ammonia, poultry manure, soot and rape dust. Direct, cumulative and residual effects	223
 Short Term Experiments—Woburn	
Wheat—Sulphate of ammonia applied at five different times	224
Sugar Beet—Three sowing dates, sulphate of ammonia, and three methods of applying minerals	225-227
Kale—Mustard, tares and lupins as green manures	228
Kale—Sulphate of ammonia, poultry manure, soot and rape dust. Direct, cumulative and residual effects	229
Kale—Residual effect of lupins as green manure	230
Pyrethrum—Lime, fish manure and artificials. Applied in first year and every year	231-232
 Summaries of Groups of Experiments	
Experiments on poultry manure	233-240
Sugar Beet fertiliser experiments, factory series	241-261

		Page
Experiments at Outside Centres		
Barley.	Tunstall, Suffolk—Residuals of chalk (0, 1, 2, 3, 4)	262
Potatoes.	Wimblington, Cambs—N. P. K. dung	262
	Thorney, Cambs—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2)	263
	March, Cambs—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2)	264
	Wisbech, Cambs—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2)	265
	Little Downham, Ely, Cambs—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2)	265-266
Sugar Beet.	Tunstall, Suffolk—Super or slag, limestone or dolomite	266
	Holbrook, Suffolk—Super or slag, limestone or dolomite	267
	Kidderminster—Super or slag, S/A or N/S	268
	Tunstall, Suffolk—P. K. ploughed in or broadcast	269
Celery.	Mepal, Ely, Cambs—P. K. salt	270
Experiments carried out by Local Workers		
Hay.	Harlow, Essex—Slag (0, 1, 2), super (0, 1, 2), mineral phosphate (0,1,2)	271
	Bakewell, Derby—N. P. K.	271
	Bakewell, Derby—Artificial and compost, direct and residual effects ..	272
	Barnet, Herts—Residuals of K, chalk, phosphates	272
	Gilston, Herts—K, phosphates	273
	Hatfield, Herts—K. chalk, phosphates	273
Oats.	St. Albans, Herts—N. P. K. chalk	274
Potatoes.	Loughborough, Leicester—Mixed fertiliser (0, 1, 2, 3)	274-275
	St. Albans, Herts—N (0, 1, 2), P (0, 1, 2), K (0, 1, 2)	275
	Carlton Cliff, Lincs—Mixed fertiliser (0, 1, 2, 3, 4)	276
	Ingham, Lincs—Mixed fertiliser (0, 1, 2, 3, 4)	276
	St. Albans, Herts—N. P. K.	277
Sugar Beet.	Loughborough, Leicester—P. K before and after gyrotilling	277
	Holton-le-Moor, Lincs—Borax (0, 1, 2) at seeding or singling. Mixed artificial	278
	Friskney, Lincs—Methods of singling	279
	Timberland, Lincs—Methods of singling	279
	Downham Market, Cambs—P (0, 1, 2), muriate of potash or potash salt (0, 1, 2)	280
	Littleport, Cambs—P (0, 1, 2), muriate of potash or potash salt (0, 1, 2)	281
	Wisbech, Cambs—P (0, 1, 2), muriate of potash or potash salt (0, 1, 2)	282
	Gainsborough, Lincs—Methods of applying minerals. Dung	283
	Wragby, Lincs—Methods of applying minerals. Dung	283-284
	Habrough, Lincs—Methods of applying minerals. Depth of ploughing	284-285
	East Kirkby, Lincs—Methods of applying minerals. Depth of ploughing	285
	Newport, Salop—Time of application of P. K	286
	Newton-on-Trent, Lincs—Mixed artificials (0, 1, 2, 3), N, time of lifting	286-287
	Braintree, Essex—Methods of applying artificials	288
	Mundon, Essex—Methods of applying artificials	288
	Wix, Essex—Methods of applying artificials	288
Mangolds.	St. Albans, Herts—Residuals of chalk (0, 1, 2, 4, 6)	288
	St. Albans, Herts—Lime and chalk (0, 1, 2, 3)	289
Kale.	Loughborough, Leicester—N (0, 1, 2), thinning	289
Brussels	Buntingford, Herts—N (0, 1, 2), P. K	290
Sprouts	Aldenham, Herts—Time of application of N	291

Note.—N denotes sulphate of ammonia or nitrate of soda, P denotes superphosphate, and K denotes any potash fertiliser.

ERRATUM.

1935 Report.

Long Period Cultivation Experiment, p. 174. The second paragraph of the conclusions applies only to mangolds roots.