


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Report for 1937

[Full Table of Content](#)



Chemical Analyses of Manures Used in Replicated Experiments, 1937

Rothamsted Research

Rothamsted Research (1938) *Chemical Analyses of Manures Used in Replicated Experiments, 1937* ; Report For 1937, pp 121 - 123 - DOI: <https://doi.org/10.23637/ERADOC-1-69>

Six Course Rotation

Sulphate of Ammonia	21.0 % N
Superphosphate	17.5 % P ₂ O ₅ (Total)
Muriate of Potash	52.0 ⁽¹⁾ , 51.8 ⁽²⁾ % K ₂ O
(1) Applied in Autumn. (2) Applied in Spring.	

Long Period Cultivation Experiment

Cyanamide.. .. .	20.7% N
Nitrochalk	15.4% N
Superphosphate	16.8% P ₂ O ₅ (Total)
Muriate of Potash	51.8% K ₂ O

AVERAGE WHEAT YIELDS OF VARIOUS COUNTRIES

Country	Mean yield per acre, 1927-36 cwt.	Country	Mean yield per acre, 1927-36 cwt.
Great Britain	17.9	Denmark	23.0
England and Wales	17.7	Argentina	7.3
Hertfordshire	16.8	Australia	6.1
France	12.0	Canada	7.8
Germany	17.0	United States	7.2
Belgium	20.8	U.S.S.R. (Europe and Asia)	6.0*

Note.—Figures for Great Britain, England and Hertfordshire are taken from the Ministry of Agriculture's "Agricultural Statistics", Vol. 71. Other figures from "International Year Book of Agricultural Statistics," 1929-37.

*Excluding 1931, and 1936.

CONVERSION TABLE

1 acre (10 sq. chains or 4,840 sq. yards) ..	0.405 Hectare
1 bushel (Imperial) (8 gallons)	0.364 Hectolitre
1 lb. (pound avoirdupois)	0.453 Kilogramme
1 cwt. (hundredweight, 112 lb.)	50.8 Kilogrammes
1 ton (20 cwt. or 2,240 lb.)	1016 Kilogrammes
1 metric quintal or Doppel Zentner (Dz.)	{ 100.0 Kilogrammes
1 metric ton (tonne)	220.46 lb.
1 bushel per acre	1000 Kilogrammes
1 lb. per acre	0.899 Hectolitre per Hectare
1 cwt. per acre	1.118 Kilogrammes per Hectare
1 ton per acre	1.256 dz. per Hectare
1 dz. per Hectare	25.12 dz. per Hectare
1 kg. per Hectare	0.796 cwt. per acre
	0.892 lb. per acre

In America the Winchester bushel is used = 35.236 litres. 1 English bushel = 1.032 American bushels. In America 1 cwt. = 100 lb.

The yields of grain in the replicated experiments are given in cwt. per acre. One bushel of wheat weighs 60 lb., of barley weighs 52 lb., of oats weighs 42 lb. approximately.

METEOROLOGICAL RECORDS, 1937

	Rain.		Drainage through soil.			Bright Sun-shine.	Temperature (Mean).			
	Total fall 1/1000th Acre Gauge.	No. of Rainy Days (0.01 inch or more) 1/1000th Acre Gauge.	20 ins. deep.	40 ins. deep.	60 ins. deep.		Max.	Min.	1 ft. in ground	Grass Min.
	Inches.	No.	Inches.	Inches.	Inches.	Hours.	°F.	°F.	°F.	°F.
1937—										
Jan. . .	4.714	24	4.348	4.662	4.477	44.4	44.6	35.2	40.1	31.9
Feb. . .	4.282	24	3.437	3.739	3.597	64.4	46.4	36.6	39.8	32.7
Mar. . .	3.557	19	3.107	3.419	3.254	104.5	43.0	32.5	38.2	28.0
April . .	3.023	19	1.544	1.714	1.597	95.3	53.3	40.9	46.5	37.3
May . .	3.777	15	1.800	2.018	1.920	158.3	60.6	45.5	53.0	41.9
June . .	1.831	11	0.328	0.353	0.339	187.6	65.1	49.0	59.4	43.6
July . .	1.779	10	0.000	0.000	0.000	126.1	67.4	53.6	61.2	49.4
Aug. . .	1.985	6	0.848	0.850	0.781	187.1	71.3	54.3	62.3	49.8
Sept. . .	2.786	16	1.040	1.044	0.922	138.7	63.4	47.3	56.5	42.8
Oct. . .	2.647	14	1.608	1.575	1.501	78.3	56.2	44.2	51.1	40.0
Nov. . .	1.804	13	1.299	1.325	1.242	69.3	45.9	36.1	43.2	32.1
Dec. . .	3.207	25	3.036	3.234	3.099	24.1	40.0	31.7	37.8	28.9
Total or Mean	35.392	196	22.395	23.933	22.729	1278.1	54.8	42.2	49.1	38.2

RAIN AND DRAINAGE

MONTHLY MEAN FOR 67 HARVEST YEARS, 1870-1—1936-7

	Rain-fall.	Drainage.			Drainage % of Rainfall.			Evaporation.		
		20-in. Gauge.	40-in. Gauge.	60-in. Gauge.	20-in. Gauge.	40-in. Gauge.	60-in. Gauge.	20-in. Gauge.	40-in. Gauge.	60-in. Gauge.
	Inches	Inches	Inches	Inches	%	%	%	Inches	Inches	Inches
Sept. . .	2.427	0.828	0.807	0.746	34.1	33.3	30.7	1.599	1.620	1.681
Oct. . .	3.065	1.721	1.700	1.575	56.2	55.5	51.4	1.344	1.365	1.490
Nov. . .	2.889	2.216	2.274	2.147	76.7	78.7	74.3	0.673	0.615	0.742
Dec. . .	2.812	2.391	2.490	2.381	85.0	88.5	84.7	0.421	0.322	0.431
Jan. . .	2.438	2.008	2.200	2.101	82.4	90.2	86.2	0.430	0.238	0.337
Feb. . .	2.034	1.508	1.626	1.552	74.1	79.9	76.3	0.526	0.408	0.482
Mar. . .	1.984	1.073	1.201	1.137	54.1	60.5	57.3	0.911	0.783	0.847
April . .	2.071	0.684	0.764	0.727	33.0	36.9	35.1	1.387	1.307	1.344
May . .	2.077	0.508	0.576	0.543	24.5	27.7	26.1	1.569	1.501	1.534
June . .	2.235	0.544	0.562	0.539	24.3	25.1	24.1	1.691	1.673	1.696
July . .	2.685	0.701	0.730	0.682	26.1	27.2	25.4	1.984	1.955	2.003
Aug. . .	2.553	0.676	0.690	0.648	26.5	27.0	25.4	1.877	1.863	1.905
Year	29.270	14.858	15.620	14.778	50.8	53.4	50.5	14.412	13.650	14.492