


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Rothamsted Report for 1967

[Full Table of Content](#)



---

## Subject Index

### Rothamsted Research

Rothamsted Research (1968) *Subject Index* ; Rothamsted Report For 1967, pp 419 - 430 - **DOI:**  
<https://doi.org/10.23637/ERADOC-1-120>

## SUBJECT INDEX

Entries in italics refer to the Abstracts of Papers on pages 352-410. The General Report by the Director (pp. 21-27) has not been indexed.

- Acarapis woodi* on honey bees, 11-3  
Acid soils, effect of phosphate on, 46  
Actinomycetes  
  in mouldy hay, 7-16  
  on stored products, 128  
Activants for nematodes, 146, 153  
Activity coefficients of ions, 2-14  
Agdell field, 48  
Agricultural meteorology, 28-30  
*Agrilolimax reticulatus*, control of, 200  
*Agriotes* spp. *See* Wireworms  
*Agrobacterium*, biochemical tests on, 87  
*Agropyron repens*. *See* Couch Grass  
Air-dry soils, storage of, 76  
Air-flow  
  in wind tunnel, 1-11  
  measurement of in crops, 1-5  
Air pollution  
  from sulphur oxides, 262-264  
  plants sensitive to, 262  
  sampler, 263  
  sulphur dioxide, 263  
Aldrin  
  compared with organophosphorus insecticides, 200, 9-19  
  on wireworms, 200, 9-17, 9-26, 10-22  
  sorption by houseflies, 164  
  toxicity to bees, 175  
  toxicity to birds, 332, 336  
Alizarin Fluorine Blue, cerium (C.A.F.B.), 79  
Alizarin Red S, 80, 82  
*Allolobophora chlorotica*. *See* Earthworm  
Alluvial soils, 17-10  
*Alopecurus myosuroides*. *See* Blackgrass  
Aluminium  
  Alizarin Red S as reagent for, 82  
  determination on soil extracts, 17-16  
  exchange equilibria in soils, 54  
  Aluminium foil as soil cover, 268  
Amino-acid  
  antimetabolites on nematodes, 152  
  in grass, 50  
  persistence in plants, 153  
o-Aminophenol, oxidation of, by leaf polyphenoloxidase, 113  
Amino-triazole  
  against twitch grass, 250  
  effect on nematodes, 159  
Ammonia liberated after soil sterilisation, 55  
Ammonia, anhydrous  
  comparison with "Nitro-Chalk", 38, 285  
  for grass, 39  
  for sugar beet, 285  
  for wheat, 39  
Ammonia, aqueous  
  for grass, 39  
  for wheat, 39  
Ammonium nitrate  
  compared with urea nitrate, 2-19  
  for grass, 39, 2-19  
Ammonium nitrogen in soil, effect of soil sterilants on, 157  
Ammonium sulphate  
  compared with thiourea, 42  
Ammonium sulphate (*contd.*):  
  compared with urea nitrate, 2-19  
  on barley, 2-18  
  on sugar beet, 280  
Anaerobic bacteria, 90  
Anglesey, mineralogy of drift-derived soils, 312  
Anoxia, effect on nerve conduction of cockroach, 168  
Aphicides  
  effect of soil moisture on, 9-16  
  oil-spray addition to, 266  
  on sugar beet, 265  
"Aphidan", 183  
Aphids, names of  
  *Acyrtosiphon pisum* (pea aphid), 188, 189, 190, 218  
  *Aphis craccivora*, 10-19  
  *Aphis fabae* (bean aphid), 189, 191, 192, 193, 196, 219, 257, 265, 267, 9-5  
  *Brachycaudus helichrysi*, 189  
  *Brevicoryne brassicae*, 196  
  *Cavariella aegopodii*, 125  
  *Hyperomyzus lactucae*, 196  
  *Macrosiphum euphorbiae*, 196  
  *Myzus ascalonicus*, 267  
  *Myzus persicae*, 125, 189, 196, 259, 265, 267, 268  
  *Phorodon humuli*, 196  
  *Rhopalosiphum* spp., 196, 267  
Aphids  
  cannibalism in, 182  
  effect of cultural factors on, 268  
  feeding of, 181  
  flight behaviour of, 191  
  fluctuations in numbers of, 9-29, 9-30  
  in mangold clamps, 267  
  in seed crops, 267  
  migration of, 196  
  morphometric characters in, 192  
  movement of, 194  
  on field beans, 219, 9-5, 10-9  
  on weeds, 267  
  overwintering hosts of, 188, 16-12  
  polymorphism and interforms in, 191  
  proportions of "migrants", "flyers" and "non-flyers", 191  
  reproduction of, 181  
  "resistant", selection of, 182  
  time of infestation by, 265  
  traps, 267, 10-11  
  warning systems, 194  
  wing loading, 193  
Arable farming, leys and, 316-331  
*Arion hortensis*, susceptibility of potatoes to, 201  
*Ascospaera apis*, pathogen of honeybee larvae, 11-2  
*Aspergillus* spp.  
  in decomposition of herbicides, 90  
  on stored products, 129  
Assimilation, apparatus for measuring, 29, 32  
Atomiser head, 177  
Atrazine, decomposition of, in soil, 90  
AutoAnalyzer, Technicon, 61

## INDEX

Entries in italics refer to the Abstracts of Papers on pages 352–410.

- Auxin**  
 conversion of tryptophan to in leaves, 103  
 diamine oxidase in formation of, 114  
 in leaves, 92, 5-11  
 in roots infested with nematodes, 104
- Azotobacter chroococcum***  
 production of gibberellins by, 89, 4-5  
 production of indole acetic acid by, 89, 4-5  
 production of phenolic acids by, 90
- B9, (B-Nine)**  
 effect on beans, 233  
 effect on potato, 5-6, 5-7
- Bacillus thuringiensis*** on wheat-bulb fly, 204
- Bacteriophage of *Rhizobium***, 84
- Bagasse, fungi and actinomycetes on**, 129
- Barley**  
 CCC on, 99, 102  
 cereal cyst-nematode on, 157  
 cereal root-knot nematode on, 145  
 "D-D" on, 159  
 DDT, sensitivity to, 339  
 effect of crop sequence on, 43  
 effect of legumes on, 233  
 effect of nitrogen fertiliser on, 43, 57, 291, 328  
 effect of sugar-beet residues on, 290  
 formalin as soil sterilant for, 56, 243  
 fungi and actinomycetes on stored, 128  
 ground chalk on, 56  
 in Ley-Arable Experiment, 320  
 irrigation for, 35  
 liming experiments on, 51  
 manure, organic and green, for, 38  
 methyl bromide on, 243  
 nematodes on, 157  
 photosynthesis by, 97  
 residual effect of nitrogen on, 327  
 vernalisation of, 99  
 wheat-bulb fly on, 336  
 yields, 238–242  
*See also Cereals*
- Barnfield, new scheme 1968**, 232
- Bayer insecticides**, 332–349
- Bayerite**, 68
- Bean (*Phaseolus vulgaris*)**  
 aphids on, 10-9  
 auxins in leaves of, 5-11  
 bean-leaf roll virus on, 191  
 dolichos enation mosaic virus on, 121, 7-21  
 effect of betaine on growth, 103  
 growth regulators and N on, 233  
 irrigation for, 36  
 phenolic esters of, 83  
 pollination by bees, 11-8  
 stem nematode on, 144  
 yields, 238–240
- Bees. *See* Honeybees, Bumblebees**
- Beet cyst-nematode (*Heterodera schachtii*)**, 142, 146, 153–155, 8-8
- Bentonite, montmorillonite particles from**, 69
- 5-Benzylfurfuryl chrysanthemate**, 172
- 5-Benzyl-3-furylmethyl chrysanthemate**, 172, 9-7
- Berkshire, soil survey in**, 306
- Betaine, effect on growth of beans**, 103
- BHC**  
 for wireworms, 332, 9-17, 9-19  
 in pelleted seed of sugar beet, 269  
 residual effects of, 10-22  
 seed dressings of, 183  
 sorption of, by houseflies, 164  
 toxicity to bees, 174
- Bio-electric potentials of green plants**, 1-6
- "Biotrol", effect on *Bacillus thuringiensis* on wheat-bulb fly**, 204
- Blackcurrant, foraging on by bees**, 214
- Blackgrass (*Alopecurus myosuroides*)**  
 biology of, 92
- Blackgrass (*Alopecurus myosuroides*) (contd.):**  
 dormancy, induced, 107  
 emergence from soil, 106  
 ergot fungus on, 108  
 germination, periodicity of, 106  
 on clay and chalk soils, 108
- Bognor Regis, soil map of**, 17-22
- Brachycaudus helichrysi*. *See* Aphids**
- "Brickearth" soils of Kent**, 71
- Broadbalk**, 70, 77, 90, 108, 203, 205, 231, 250, 252
- Bromine in soil, X-ray fluorescence spectrometry of**, 81
- Broom's Barn Experimental Station**, 265–294
- Brucite**, 68
- Buckinghamshire, soil survey in**, 303
- Bumblebees**, 214
- Calcium nitrate, effect on barley**, 2-18
- Calf Wastage Survey, statistical work for**, 227, 12-10
- Calythone, compounds related to**, 173
- Cambridgeshire, soil survey in**, 298
- Capillary potential, measurement of**, 74
- Carbohydrate, soluble, effect of N and K fertilisers on**, 49
- Carbohydrate sinks, dependence on photosynthesis**, 5-2
- Carbon-14**  
 for dating postglacial land, 17-8  
 in measuring decomposition of plant residues, 76, 3-4
- Carbon dioxide**, 29–33  
 effect of concentration on crop growth, 5-4
- Carbon in soil, effect on slaking**, 60
- Carbophenothion**, 184, 9-18
- Carrots, fertiliser experiments on**, 13-1
- Cattle, insecticide for warble fly**, 253, 257
- CCC (2-chloroethyltrimethyl ammonium chloride)**  
 effect on beans, 103, 233  
 effect on cereals, 99–102, 135, 259  
 effect on potato, 5-7  
 effect on sugar beet, 99  
 interaction with water deficit, 5-8  
 irrigation and, 102
- Cercospora herpotrichoides*. *See* Cereals, eyespot**
- Cereal cyst-nematode (*Heterodera avenae*)**  
 effect of rotavation on, 158  
 effect of soil sterilants, 156–158  
 effect of trap-cropping on, 158
- Cereal root-knot nematode (*Meloidogyne naasi*)**, 145  
 number of generations in a year, 146
- Cereals**  
 brown rust on, 252  
 effect of radiation on leaves, 5-10  
 effect of subsoiling on, 16-16  
 effect of temperature on leaves, 5-10  
 eyespot of, 135, 136, 252  
 fertilisers for, 16-16  
 field experiments with formalin and N, 55  
 flame cultivation of, 136  
 foot and root diseases, 135–139, 7-13  
 Grain: Leaf Ratio, 94, 5-10  
 insect pests and insecticides for, 332–349  
 Leaf-Area Duration, 5-10  
 mildew on, 251  
 thresher for sorting samples, 5-5  
 yellow rust on, 251
- Chichester, soil map of**, 17-23
- Chlordane, effect on nematodes**, 158
- Chlorfenvinphos**  
 effect on soil fauna, 198, 10-13  
 leaching of from soil, 198  
 persistence of, 184, 198, 9-18  
 sorption of by houseflies, 164

Entries in italics refer to the Abstracts of Papers on pages 352-410.

INDEX

- Chlormequat. *See* CCC
- Chlorophyll  
breakdown, 110  
lipoxidase and, 111  
type compounds in soil, 2-20
- Chlorophyllase, 110
- Chloropicrin as nematicide, 156, 159
- Chlorosis, magnesium deficiency and, 53
- Chlorthion on houseflies, 164-166
- Chloroplasts  
copper content of, 114  
inhibitors of reduction reactions in, 113
- Cladosporium* on wheat-bulb fly, 202
- Classical Experiments, 37, 231-234  
*See also* names of experiments and fields
- Claviceps purpurea*, on grass, 108
- Clay  
aggregates and pore-size distribution, 74  
deflocculation of, 35  
effect on decomposition of plant residues, 76  
effect on soil stability, 59-61  
physical chemistry of, 35  
physics of, 73-75
- Clay minerals  
effect of weathering on, 73  
of Broadbalk soils, 70  
of Eocene deposits in Kent, 71  
pore-size distribution and structure, 74  
properties of, 65  
specific surface areas of, 73  
*See also* Bayerite; Brucite; Gibbsite; Hydro-  
talcite; Nordstrandite
- Clay-with-flints, 71, 3-2, 17-15
- Clinoptilolite, effect on potassium in soil, 53
- Clover  
experiments at Saxmundham, 243  
infection of by *Endogone* spores, 87  
symbiotic effectiveness in, 4-9  
*See also* Red clover; Subterranean clover
- Cluster analysis, methods of, 12-6
- CMPP as herbicide on sugar beet, 289
- Cockroach (*Periplaneta americana*)  
insecticides for, 166-169  
nervous system, 168, 9-23  
poisoning process, 166
- Coefficient of similarity, 12-7
- Coffee, nematode pests of, 8-6
- Cohesive soils, pore-size distribution in, 74
- Collembola  
effect of gamma radiation on, 199  
effect of organophosphorus insecticides on,  
198, 9-19, 10-13
- Computer  
experiments analysed, 223  
incremental plotter, 225  
Ley-Arable Experiment, 225  
performance, 221  
programs, 223-225  
type-of-farming map, 220, 228, 12-3  
use by other institutes, 222  
volume of work, 221
- Computer Department, 220, 222
- Conductivity, 34
- Conifers  
seed fungi, 140  
seedlings, diseases of, 139  
*See also* Sitka spruce
- Controlled-environment apparatus, 29
- Coprinus radiatus* on wheat-bulb fly, 202
- Coprosma robusta*, 88
- Cotton stainer (*Dysdercus intermedius*)  
aggregation and dispersion of, 169  
effect of temperature on, 10-24  
glandular secretions of, 169  
scent glands of, morphology, 10-25
- Couch grass (*Agropyron repens*), 107
- Coumaphos, as insecticide, 183
- Cover crops  
effect on beet yellows, 268  
effect on sugar-beet stecklings, 268
- Crickets, insecticides for, 342, 343
- Cultivation-Weedkiller Experiment  
at Rothamsted, 251  
at Woburn, 255
- Cyclopentenolones, structure of, 174
- Cyst nematodes. *See* Nematodes, names of,  
*Heterodera* spp.
- "D-D" (dichloropropene-dichloropropane)  
application to beet rows, 161  
application to potatoes, 260  
*See also* Nematicides
- DDT  
effect on Collembola in soil, 198  
effect on nematodes, 158  
encapsulation of, 171  
persistence on foliage, 170  
resistance of houseflies to, 165, 9-6, 9-27  
review of use of, 332
- Deoxyribonucleic acid, isolation from *Borde-  
tella pertussis*, 6-6
- Derbyshire, soil survey in, 301
- Devonshire, soil survey in, 309
- Diamine oxidase, 114, 6-1, 6-9
- Diazinon  
effect on houseflies, 164, 165  
effect on nematodes, 158  
effect on soil fauna, 198  
toxicity to houseflies, 9-21
- Diazoxon  
effect on cockroach nervous system, 167  
effect on houseflies, 164
- Dicaphon, effect on houseflies, 164
- Dieldrin  
effect on houseflies, 164, 165  
in pelleted seed of sugar beet, 269  
leaching of from soil, 198  
residual effect of, 9-26, 10-22  
toxicity to bees, 174  
toxicity to birds, 332, 336
- Diffusivity of soil, 34, 1-9
- Difolotan on sugar beet, 269
- Dimethoate, effect of soil moisture on uptake of,  
9-16
- N*-Dimethylaminosuccinamic acid. *See* B9
- 2-4-Dimethylphenylacetic acid, 9-8
- Dioxathion, 183
- Diphenyl benzidine for measuring nitrate in  
crops, 63
- Disulfoton  
adsorption by soil, 9-15  
effect on soil fauna, 198  
effect of soil moisture on uptake of, 9-16  
granules as aphicide, 266
- Docking disorder of sugar beet, 144, 159-161,  
271, 278  
effect of nitrogen fertiliser on, 274  
effect of previous cropping on, 159  
effect of soil sterilants on, 159  
virus disease associated with, 271
- Drainage water at Saxmundham, 244, 246
- Drought  
effect on Docking disorder in sugar beet, 143  
effect on nematodes, 143
- "Dursban", 332-349  
compared with aldrin on wireworms, 200  
in single-row trials, 183
- "Dyfonate", as insecticide, 332-349  
*Dysdercus intermedius*. *See* Cotton stainer
- Earthworm  
effect of gamma radiation on, 199  
effect of insecticides on, 9-19, 10-13  
in pastures, 10-18

## INDEX

Entries in italics refer to the Abstracts of Papers on pages 352-410.

- Eelworms. *See* Nematodes  
 Elateridae. *See* Wireworms  
 Electron microscopy  
   of brains of bees, 216  
   of dolichos enation mosaic virus, 7-32  
   of filamentous virus particles, 7-37  
   of montmorillonite particles, 70  
   of nematodes, 8-11  
   of soil-borne virus, 126  
   of *Thermoactinomyces vulgaris*, 89  
   of viruses within cells, 122  
 Electron spin resonance for study of leg-  
   haemoglobin of nodules, 87  
 EMP on seed of sugar beet, 269  
*Endogone* spores  
   fine structure of, 88  
   key to recognition of, 4-6  
   number in soil, 87  
   separation from soil, 88, 4-8  
*Entomophthora* spp.  
   on field-beans, 192, 219  
   on wheat-bulb fly, 218  
 Enzyme activity in leaves, 110  
 Eocene deposits of N.E. Kent, 71  
 Ergot fungus (*Claviceps purpurea*) on black-  
   grass, 108  
*Erysiphe* on wheat-bulb fly, 202  
 Essex, soil survey in, 304  
 Ethion  
   persistence of, 184, 9-18  
   single-row trials of, 183  
   sorption of by houseflies, 164  
 Ethylene dibromide, effect on sugar beet, 161  
 Evaporation, 29-32, 1-2, 1-8  
 Exhaustion Land, 250  
  
 Factorial designs for experiments, 12-11  
 Fallowing effect on onion couch and twitch-  
   grass, 251  
 Farmer's lung disease, 118, 129  
   *Micropolyspora faeni* as cause of, 129, 7-16,  
   7-27  
 Farmyard manure (F.Y.M.)  
   effect on diffusivity in soil, 34  
   effect on soil structure, 34  
   experiments at Woburn, 37-38, 316-323, 2-22  
   fertilisers compared with, 317-319, 327  
   nutrients in, 2-22  
   residual effect of, 47, 323  
 Fertiliser Practice Survey, 220, 226, 12-2  
 Fertiliser  
   advice on using, 2-6  
   farmyard manure compared with, 317-319, 327  
   in solution, 285, 16-4  
   long-term effect of, 287  
   methods of application for potatoes, 2-24  
   on rotation crops, 287  
   recoveries by crops, 2-22  
   residual effect of, 43, 2-24  
   residues of, 2-8  
 "Fitios", 183  
 Fluorine in silicates, 79  
 Flying insects  
   census of, 194  
   light-trap survey of, 194  
 Forest nurseries  
   effect of N and K on, 2-5  
   nutrition experiments in, 2-2, 2-3, 2-4  
 Formaldehyde as soil sterilant, 77-78  
 Formalin  
   effect on "take-all" in wheat, 88  
   effect on nematodes, 143, 158  
   partial sterilisation with, 55-59, 243  
 Formalised casein, effect on Sitka spruce seed-  
   lings, 40-42  
 Formby, soil map of, 17-21  
 Fosters Field, 45, 59, 127, 252, 326  
  
 422  
  
 Frit fly (*Oscinella frit*)  
   effect of phorate on, 209  
   effect on sweet corn, 209  
   insecticides for, 339-346  
   mortality of larvae, 206  
   on cereals, 208, 339  
   parasites on, 206  
 Fumigants. *See* Soil sterilants  
 Fungal diseases  
   blight of potato, 185-187  
   common scab of potato, 133-135  
   downy mildew on sugar beet, 270, 16-7, 16-8,  
   16-9, 16-10  
   *Entomophthora* on wheat-bulb fly, 218  
   eye-spot of cereals, 135-137  
   *Helminthosporium* on potato, 133  
   *Oospora pustulans* on potato, 132, 133  
   *Rhizoctonia* on potato, 133  
   take-all of cereals, 135-138, 156-158, 234, 242  
   Verticillium wilt, 131  
 Fungi  
   in roots of oats, 126  
   spores, airborne, 7-1, 7-5  
   spores, dispersal of, 127, 7-19, 7-20  
   spores, traps, 128, 133, 282-284  
 Fungicides  
   copper-based slurry, 269  
   for cereal diseases, 135  
   for *Ramularia*, 270  
   for "take-all" control, 186  
   in pelleted seed of sugar beet, 269  
   organo-mercurial, 133, 269  
   systemic action of, 186  
   *See also* Difolotan; EMP; Maneb; Thiram  
 Furan compound, 172  
 Furness, soil associations of, 17-14  
*Fusarium* wilt, effect of soil fumigants on, 7-17  
  
 Galling, by root-knot nematodes, 145  
   effect of antimetabolites on, 153  
   on sugar beet, 145  
 Gamma radiation  
   effect on earthworms, 199  
   effect on soil-fauna populations, 10-12  
   sterilising soil with, 58, 77, 78, 199  
 Garden Clover, 233  
 Garden Plots, 127, 206, 231  
 Geescroft Wilderness, 141  
 Gibberellic acid, effects on tomato plants, 4-5  
 Gibberellins, production of by *Azotobacter*, 89  
 Gibbsite, 68  
 Gloucestershire, soil survey in, 307  
 Grass  
   ammonia for, 38  
   cultivation with injection tines, 39  
   effect of fertiliser residues on, 48  
   effect of formalin on, 57  
   immobilisation of soil nitrogen by roots of, 44  
   isobutylidene diurea for, 39-42  
   manuring of, 2-13  
   nitrogen fertiliser for, 247, 257  
   protein and amino acids in, 50  
   versus legumes, 248  
   virus diseases of, 125-127  
   *See also* Ryegrass  
 Great Field, 28  
 Great Harpenden Field, 202, 205  
 Green manure, experiments with at Woburn, 37  
 Griseofulvin, effect on insect larvae, 186  
 Groundnuts, pest control on, 8-2  
 Growth Analysis technique, 28  
 Growth regulators, 100-104, 233  
   *See also* CCC and B9  
 Growth substances, 100-104  
  
 Hay, self-heating of, 118  
*Helminthosporium atrovirens* on potato, 133

Entries in italics refer to the Abstracts of Papers on pages 352–410.

## INDEX

- Hemp, infection of by *Endogone* spores, 88  
 Heptachlor, comparison with experimental insecticides, 183  
 Herbicides  
   damage to sugar beet, 289  
   decomposition of in soil, 90  
   *See also* individual herbicides  
 Hercules insecticide, 333, 334  
 Herringswell Rotation Experiment, 271–274  
 Herefordshire, soil survey in, 302  
 Highfield, 45, 206, 251, 252, 326  
 Honeybees  
   *Acarapis woodi* on, 11·3  
   acute bee-paralysis virus, 216  
   *Ascospaera apis* on larvae, 11·2  
   brood rearing, 213  
   chronic bee-paralysis virus, 215  
   diseases and pests of, 215–218  
   drone-cell production, 11·10  
   drones, 213, 11·5  
   “dysentery” of, 11·1  
   European foulbrood, 217  
   food consumption, 213  
   foraging, 213–215, 11·7  
   “inhibitory scent”, 211  
   insecticides, effect on, 174–176, 9·13, 11·12  
   *Malpighamoeba mellificae* on, 217  
   *Nosema apis* on, 217  
   on oil-seed rape, 175  
   9-oxodecenoic acid, 212, 11·5, 11·6  
   paralysis, 215  
   pheromones of, 211–213, 11·6  
   poisoning of, 175, 9·3  
   pollen, collection of, 11·9  
   pollination by, 213, 11·7, 11·8, 11·11  
   queen rearing, 211–213  
   “queen substance”, 212  
   sacbrood virus of, 216, 11·4  
   solitary bees, 214, 11·7  
   sucrose, toxicity of, 11·1  
   swarming, 212, 11·6  
   virus diseases of, 215, 11·4  
   weather, effect on, 213, 214  
 Hoosfield, 137, 231, 250  
 Houseflies (*Musca domestica*)  
   insecticides for, 164, 172, 342, 9·21  
   resistance to insecticides, 9·4, 9·6, 9·27, 9·28  
   SKA strain, 165, 9·6, 9·27, 9·28  
 Huntingdonshire, soil survey in, 299  
 Hydrotalcite, 68  
  
 Illite, adsorption of aluminium by, 54  
 Incomplete block designs, 12·12  
 Indole acetic acid, effect on tomato plants, 4·5  
 Insect infestations, effect of shelter on, 193  
 Insecticidal baits, 333–335, 338, 341  
 Insecticides  
   adsorption of, by soil, 341–344, 9·15  
   chlorohydrocarbon, 170  
   commercial seed dressings, 181  
   decomposition of, 341–346  
   diffusion of, in soil, 178  
   effect of irrigation on efficiency of, 9·16  
   effect of soil moisture on, 179, 9·15  
   effect on soil fauna, 198–200, 9·19, 10·13, 10·14  
   hydrolysis of, 345, 346  
   leaching from soil, 198, 341–343  
   microencapsulation, 171  
   organochlorine, substitutes for, 332–349  
   organophosphorus, 164, 184, 198, 332–349, 9·19  
   pelleted seed, 269  
   persistence in soil, 170, 198, 332, 9·18, 9·19, 9·24  
   poisoning process in insecticides, 164  
   residues in soil, 10·4, 10·5  
   resistance to, 164, 332, 9·4  
   secretion of into nectar, 176  
  
 Insecticides (*contd.*):  
   seed dressings of, 181, 332, 335–340, 9·18, 9·20  
   solubility of, 345  
   sorption of, by housefly solids, 164  
   sorption of, by soil, 177  
   sprays, effect of weather on, 338  
   time of spraying for viruses, 16·15  
   toxicity to bees, 174, 11·12  
   toxicity to birds, 332  
   toxicity to mammals, 332, 341  
   uptake by plants, 178  
   volatility of, 345  
   *See also* individual insecticides and Griffiths’ article, 332–349  
 Insects  
   effect of windbreaks on flight of, 10·21  
   list of species reared in Insecticides Department, 180  
   migration records, 10·16  
 International Biological Programme, 85, 91, 117, 182, 194  
 Invertebrates  
   effect of insecticides on, 198  
   extraction of, from soil, 199  
 Ion exchange in soils, 2·14, 2·16  
 Irrigation, 28–31, 35  
   effect on insecticide efficiency, 9·16  
   effect on leys, 253  
   effect on nematodes, 142, 156  
   effect on potato scab, 134, 7·30  
   effect on wheat, 102, 259  
 Isobutylidene diurea  
   for grass, 39  
   for Sitka spruce, 39–42  
  
 “Kainit” basic fertiliser for sugar beet, 292  
 Kale  
   air flow inside canopy, 30  
   effect of water deficit on, 98, 5·9  
   irrigation for, 28, 30, 35  
   plant physiology of, 32  
 Kaolinite, adsorption of aluminium by, 54  
 Kennington, experiments with Sitka spruce at, 40–42  
 Kent, soil survey in, 305  
 Kjeldahl analysis, 62, 63  
 Krilium, 242  
  
 Lancashire, soil survey in, 298, 17·1  
 Lanolin, effect on fungicides, 9·25  
*Laphygma exigua* in British Isles, 10·17  
 Layer silicates, structure of, 67  
 Leaching, losses of nitrate by, 246  
 Leaf-area duration in wheat, 94  
 Leaf-area index, 29, 94  
   of sugar beet, effect of shading on, 96  
   of sugar beet, plant population and, 5·1  
 Leaf-eating insects, effect on plant growth, 208  
 Leaf lipoxidase, 111  
 Leaf litter, breakdown of, 3·5  
 Leaf protein, 110, 115–117  
   as human food, 6·4  
   by-products of, 115  
   digestibility of, 116  
   extraction techniques, 115, 117  
   production of, 6·4  
   reaction with quinones, 112  
   yields, 116  
 Leatherjackets (*Tipula* spp.)  
   effect of weather on, 339  
   insecticides against, 339, 341  
 Leaves, effect of drying and aging on ability to dissolve ferric oxide, 3·7  
 Leg-haemoglobin of nodules, 87  
 Legumes  
   effect of residues on potatoes, 38

## INDEX

Entries in italics refer to the Abstracts of Papers on pages 352–410.

- Legumes (*contd.*):  
 seed inoculants, 4·3  
 versus grass, 248  
 Leicestershire, soil survey in, 300  
 "Lenacil" as herbicide on sugar beet, 289  
 Lepidoptera as indicator for aphid movement, 195  
*Leptohylemyia coarctata*. See Wheat-bulb fly  
 Ley-Arable Experiments at Rothamsted, 45,  
 250–252, 323–331  
     future of the experiments, 330  
 Ley-Arable Experiments at Woburn, 225, 255,  
 316–323  
     farmyard manure versus fertilisers, 317  
     future of the experiments, 330  
 Leys  
     arable farming and, 316–331  
     effect on N in soils, 45  
 Lias shales, geochemistry of, 75  
 Light traps for survey of flying insects, 194  
 Liming experiments, 51  
 Linuron  
     on market-garden crops, 255  
     post-emergent spray, 255  
     with paraquat on potatoes, 257  
 Lipids in sorption of insecticides, 165  
 Little Knott, 55, 136  
 Loess  
     in clay-with-flints, 71  
     weathering of, 71  
*Lolium perenne*. See Ryegrass  
 Long Hoos, 144  
 "Lovo 192", 171  
 Lucerne (*Medicago sativa*)  
     aphids on, 180, 189, 218  
     effect of fertilisers on, 16·16  
     effect of subsoiling on, 16·16  
     nitrogen fixation by, 85  
     virus diseases of, 180, 189, 190  
 Lysogeny, 84, 88  
 Magnesium  
     amount removed in crops, 51  
     deficiencies in crops, 53  
     experiments on, 51, 53  
     fertiliser for sugar beet, 285  
     fertiliser on Ley-Arable Experiments, 319  
     nematodes and, 143  
     Titan Yellow for determining, 81, 3·6, 9·22  
 Magnesium-aluminium hydroxides, 68  
 Maize (*Zea mays*)  
     effect of phorate on yield, 209  
     frit fly on, 209, 339  
     insecticides on, 339, 341  
     loss of yield from rats, 10·20  
 Malaaxon, 164  
 Malathion, 164–166, 252  
 Maneb  
     for *Ramularia* leaf spot, 271  
     on sugar-beet seed, 269  
 Mangold clamps, aphid-infested, 267  
 Manostat, new design for use on clays, 74  
*Mastigospirium album* infection of ryegrass, 7·26  
 MCPA and MCPB herbicides on sugar beet, 289  
*Medicago sativa*. See Lucerne  
*Meloidogyne*, new species  
     description of, 8·18  
     taxonomy of, 8·24  
 Menazon  
     effect of soil moisture on uptake of, 9·16  
     for aphid control, 265  
     nematicide, 276  
 Metalloproteins in plants, 114  
 Metasystox  
     against carrot motley dwarf virus, 255  
     effect on aphid infestation of lucerne, 189  
     effect on virus infection, 189  
     on market-garden crops, 256  
 Methyl bromide  
     as nematicide, 152, 156, 8·23  
     partial sterilisation with, 57, 58, 77, 81, 243  
 Micas, 65–67  
 Microbial decomposition of pesticides, 90  
 Microbial existence, limits of, 4·4  
 Micro-climate, techniques for measuring, 29–30,  
 1·5  
*Micropolyspora faeni*, cause of Farmer's Lung  
 disease, 130, 7·16, 7·27  
 Mineralogy  
     effects of weathering on, 73  
     of Eocene deposits of N.E. Kent, 71  
 Mites  
     effect of gamma radiation on, 199  
     effect of insecticides on, 198, 9·19  
 Mitochondrial protein, 6·10  
 Moisture meter, 30  
 Montmorillonite  
     adsorption of aluminium by, 54  
     effect on potassium in soil, 54  
     electron-microscopy study of, 70  
     in Broadbalk soils, 70  
     morphology of, 69  
     specific surface area of, 73  
 Mosquitoes, insecticides against, 342  
 Mossbauer spectroscopy for study of leg-  
 haemoglobin of nodules, 87  
 Moths, light trapping, 194  
 Mouldy hay, 129  
     actinomycetes in, 7·16  
 Murphy insecticides, 333–349  
*Musca domestica*. See Houseflies  
 Muscovite, alteration of, 66  
 Mycorrhiza, effect on plant growth, 88  
*Myzus persicae*. See Aphids  
 N2790, 200  
 Nabam as hatching agent for nematodes, 153  
 National Research Development Corporation,  
 163, 177  
 National Wheat Survey, 312  
 Needle nematode (*Longidorus attenuatus*) causal  
 agent of Docking disorder, 159  
 Nematicides, 152–162, 260, 271–278  
     application methods, 161, 275–278  
     as liquids or granules in furrow, 275  
     as seed dressings, 275, 277  
     as soil drench, 152  
     effect on nitrogen in soil, 55  
     on pelleted seed, 275  
     phytotoxicity, 278  
     root fanginess of sugar beet and, 277  
 Nematodes  
     activants for, 146  
     amino-acid antimetabolites for controlling,  
     152  
     attractants for, 146  
     auxin in gall formation by, 92  
     auxin in roots infested with, 104  
     clumping of, 8·10  
     control with chemicals, 152, 156–158  
     cyst-nematode genetics, 8·16  
     cyst walls, composition of, 119  
     dormancy of eggs, 8·19  
     economic effect on crops, 8·4  
     effect of grazed ley on, 320  
     effect of potatoes on development of, 149  
     egg shells, composition of, 6·7, 8·7  
     electron microscopy, 8·11  
     "facultative diapause" of, 8·19  
     fertilisation of, 146  
     films of, 150, 153  
     fumigation, 157, 8·25  
     genetic constitution of pathotypes, 8·21  
     giant cells, 149  
     hatching agents, 153, 6·8, 8·8, 8·9

Entries in italics refer to the Abstracts of Papers on pages 352-410.

INDEX

- Nematodes (contd.):**  
 hatching factor, 118  
 hatching of, 8·9, 8·19  
 host-parasite relationships, 8·22  
 irrigation, effect of, 142, 155  
 klinokinesis in, 146  
 mating behaviour, 146, 8·15  
 minimum tillage, effect of, 158  
 on conifer seedlings, 139  
 on leys, 323  
 on potatoes, 321  
 plant-growth substances, effect of, 8·22  
 population genetics of, 8·16  
 reinfestation after fumigation, 8·23  
 resistant plants, effect on sex ratio, 8·21  
 root diffusates, stimulation by, 150, 8·9  
 secretions of females as attractants, 146  
 seed spacing, effect on aggregation of, 273  
 selection of male and female, 149  
 sex attractants, bioassay for, 146  
 sex determination of, 8·20  
 sex ratio of, 153, 8·21  
 soil aggregation, effect on, 141  
 trap-cropping, 158
- Nematodes, names of**  
*Anomyctus xenurus*, 8·13, 16·13  
*Aphelenchoides ritzemabosi*, 8·22  
*Aulolaimus* spp., 8·14  
*Ditylenchus dipsaci*, 144-145, 323, 8·10, 8·23  
*Hemicycliophora*, 158  
*Heterodera avenae*, 136, 143, 145, 151, 157  
*Heterodera carotae*, 143  
*Heterodera cruciferae*, 143  
*Heterodera goettingiana*, 143  
*Heterodera rostochiensis*, 118, 132, 142, 146-149, 152-155, 158, 228, 6·7, 6·8, 8·7, 8·8, 8·9, 8·15, 8·16, 8·19, 8·20, 8·21  
*Heterodera schachtii*, 142, 146, 153-155, 8·8  
*Heterodera turcomanica*, 151  
*Longidorus* sp., 142, 143, 158, 271-274, 277, 320, 8·12  
*Meloidogyne hapla*, 153  
*Meloidogyne incognita*, 104, 153  
*Meloidogyne javanica*, 153  
*Meloidogyne naasi*, 145  
*Meloidogyne poghossianae*, 8·24  
*Pandurinema* sp., 8·14  
*Pratylenchus crenatus*, 158  
*Pratylenchus curvatus*, 158  
*Pratylenchus neglectus*, 132, 152, 158  
*Pseudoaulolaimus* sp., 8·14  
*Trichodorus* spp., 142, 143, 158-162, 271, 272, 274, 276, 277, 320, 8·12  
*Tylenchorhynchus* spp., 142, 156, 158, 161  
*Xiphinema diversicaudatum*, 141
- Net assimilation rates in CO<sub>2</sub> concentrations, 5·4**
- New Zealand soils**  
*Endogone* spores in, 4·7
- Nitrate**  
 in crops, measurement of, 63  
 lost by leaching, 246
- Nitrification inhibitor, 2·17**
- Nitrifiers, isolation of, 90**
- Nitrobacter, 90**
- "Nitro-Chalk"**  
 compared with anhydrous ammonia, 38, 39, 285  
 for barley, 291  
 for beans, 233  
 for leys, 253  
 for Sitka spruce, 40-42  
 for sugar beet, 274
- Nitrogen fertilisers**  
 comparison of, 2·23  
 comparison of recovery of, 2·18  
 effect on composition of ryegrass, 48  
 effect on potato scab, 134
- Nitrogen fertilisers (contd.):**  
 efficiency of, 246  
 for barley, 43, 247, 2·19  
 for grass, 39, 2·19  
 for sugar beet, 95, 274, 284  
 for wheat, 39  
 losses of, 246, 247, 2·17  
<sup>15</sup>N as tracer, 2·17  
 placement of, 42  
 previous cropping, effect on requirement, 286  
 recovered by crops, 247  
 residual effect of, 42, 327  
 time of application, 42, 325-327  
 top dressing on sugar beet, 274  
*See also*, Ammonia; Ammonium sulphate; Isobutylidene diurea; "Nitro-Chalk"; Potassium nitrate; Urea
- Nitrogen fixation**  
 by lucerne and clover, 85, 86  
 effect of lime and PK on, 85  
 selection of legumes for increasing, 86
- Nitrogen in soil**  
 effect of formalin on, 58  
 effect of fumigation on, 272  
 effect on leys on mineralisable, 45  
 effect of partial sterilisation on release of, 58, 77, 243  
 "glucose" determinations for, 75  
 immobilisation of, 44  
 measurement of, 63  
 mineralisable, tests for, 75  
 mineralisation from leys, 45, 77  
 potentially available, test for, 75, 3·3  
 release of, by sterilisation, 77
- Nitrosomonas, 90**
- Nodules**  
 leg-haemoglobin of, 87  
 of lucerne, 85  
 of subterranean clover, 86
- Nordstrandite, 68**
- Norfolk, soil survey in, 299**
- Northumberland, soil survey in, 298**
- Nottinghamshire, soil survey in, 301**
- Oats**  
 frit fly on, 208  
 virus disease of, 126
- Oil-seed rape, poisoning of bees on, 175**
- Onion, infection of by *Endogone* spores, 88**
- Oospora pustulans* on potato, 132**
- Ophiobolus graminis*. *See* Wheat, take all**
- Organic manures**  
 experiments at Woburn, 37  
 residual effect of, 43
- Organic matter in soil**  
 effect of grass and arable cropping on, 45  
 effect on soil stability, 60  
 fixation of trace elements by, 78  
 radio-carbon dating of, 77
- Organo-mercury dust on pelleted seed of sugar beet, 269**
- Oscinella frit*. *See* Frit fly**
- Osmotic potential, measurement of, 74**
- Oxazole, toxicity of to insects, 172**
- Paraoxon, as insecticide, 164**
- Paraquat,**  
 effect on nematodes, 158  
 effect on pea aphid on lucerne, 190  
 effect on slugs, 201  
 effect on volunteer corn, 251  
 for killing rye, 255  
 with linuron on potatoes, 257
- Parathion**  
 against wireworms, 333  
 decomposition of in soil, 90  
 effect on soil fauna, 198



## INDEX

Entries in italics refer to the Abstracts of Papers on pages 352–410.

- Parathion (*contd.*):  
 resistance of houseflies to, 165  
 sorption on houseflies, 164  
 Park Grass, liming of, 108  
 Partial sterilisation. *See* Soil sterilisation  
 Pastures (field), 55, 136  
 Peas (*Pisum sativum*)  
 aphids and virus diseases of, 188  
 bean leaf roll virus, susceptibility to, 189  
 Fusarium wilt on, 7·17  
 nodulation, effect of soil fumigation on, 7·17  
 Peat, experiments at Woburn, 37  
 Pembrokeshire, soil survey in, 310  
*Penicillium*, on wheat-bulb fly, 202  
*Periplaneta americana*. *See* Cockroach  
 Permanent reference plots, wheat-bulb fly studies on, 202  
 pF meter, 29  
*Phaedon cochleariae*, effect on plant yield, 208  
*Phaseolus vulgaris*. *See* Bean  
 Phenolic esters  
 conversion of cryptophan to auxin by, 103  
 of *Phaseolus vulgaris*, 83  
 Phenoxazone formation, 113  
*Phialophora*, on wheat-bulb fly, 203, 218  
 Phlogopite  
 alumino-silicate layers in, 66, 67  
 changes during artificial alteration, 3·8  
 X-ray diffraction patterns of, 67  
*Phoma betae*, on sugar-beet seeds, 269  
*Phoma* spp., cause of gangrene in potato, 131  
 Phorate  
 as nematicide on sugar beet, 276–278  
 effect of soil moisture on uptake of, 9·16  
 effect on soil fauna, 198  
 effect on sweet corn, 209  
 for wireworms, 200, 333, 334  
 Phosphate fertilisers  
 effect on sulphur in soil, 3·1  
 residual effect of, 46–49  
 residues in Saxmundham soils, 47, 241  
 Phosphate residues in soil, analysis for, 47  
 Phospholipids, in sorption of insecticides, 165  
 Photoperiod, effect on sugar beet, 99  
 Photosynthesis, 97  
 carbohydrate sinks and, 5·2  
 carbon-dioxide concentration and, 5·4  
 of productive systems, 1·1  
*Phytophthora infestans*. *See* Potato blight  
*Picea sitchensis*. *See* Sitka spruce  
 Piperonyl butoxide-pyrethrum mixtures, effect on cockroach, 167  
 Plant environment, 1·3  
 Plant hormones, production of by *Azotobacter*, 89  
 Plant population compensation, 270  
 Plant residues, decomposition of in soil, 76  
 Plant spacing, effect on seed yield of sugar beet, 280  
*Plutella maculipennis*, effect on plant yield, 208  
 Polarographic analysis, 63  
 Pollen traps  
 counts, 7·20  
 on sugar beet, 282–284  
 rotorod, 127  
 Polyphenoloxidase, oxidation of *O*-aminophenol by, 113  
 Polyphenols, oxidation of, 112  
 Potassium fertiliser  
 effect on composition of ryegrass, 48–50  
 long-term experiments at Woburn, 51  
 nitrate for spring barley, 2·23  
 residues of in soil, 48, 49  
 Potassium in crops, 51  
 Potassium in soil, 53–55  
 activity ratios in rain, 52  
 amount removed in crops, 51  
 fixation and release of, 53–55  
 Potassium nitrate, for spring barley, 2·23  
 Potato  
 B9, effect on, 5·7  
 blemishing diseases of, 132  
 blight, dispersal gradients, 128  
 blight, effect of water on spread of, 7·24  
 blight, fungicides for, 185, 9·25  
 blight, infection of leaves by, 7·29  
 blight, tuber and haulm blight, 187  
 CCC, effect on, 5·7  
 chlorosis due to magnesium deficiency, 53  
 coiled sprout, 132, 7·31  
 crop sequence, effect of, 261  
 diseases of, 130, 7·8  
 diseases, susceptibility of varieties to, 7·24, 7·25, 7·28  
 effect of damage on diseases, 131  
 fertilisers for, placement, 2·24, 12·1  
 gangrene of (*Phoma* spp.), 130  
*Helminthosporium* on, 133  
 in Ley–Arable Experiments, 321  
 insecticides for, 341  
 irrigation for, 36, 260  
 magnesium deficiency of, 53  
 nematodes on, 142, 155, 260, 321, 8·16  
 nematode-resistant, 8·5, 8·16, 8·17  
*Oospora* on, 132  
 pathogenic fungi on seed tubers, 7·7  
*Rhizoctonia* on, 133, 322  
 scab, 133–135, 257, 261, 7·30  
 seed tubers, diseases of, 130, 7·7  
 slugs, varieties susceptible to, 201  
 soil sterilants on, 36, 243, 260, 261  
*Verticillium* spp. on, 131, 261, 322, 7·31  
 virus diseases of, 120, 124  
 virus-free clones of, 7·22  
 wireworms resistance to insecticides on, 333  
 yields with organic or green manures, 38  
 Previous cropping  
 as guide to nitrogen manuring, 45  
 effect on barley, 43  
 effect on nitrogen requirements of sugar beet, 286  
 effect on nitrogen supply, 43  
 Protein, in grass, 50  
*Puccinia graminis*, uredospores of, 7·19, 7·20  
 Pyrazon, as herbicide on sugar beet, 289  
 Pyrethrins  
 new insecticides related to, 9·11  
 structure and toxicity of, 171–173  
 synthesis of, 9·1, 9·10, 9·12  
 Pyrethrum, effect on nervous system of cockroach, 167  
*Pythium* root rot of cereals, 139  
 Quinones, reactions with other components of leaf extracts, 112  
 Radiant energy, measurement of, 1·10  
 Radiation  
 and plant growth, 29–31, 1·7  
 effect on cereal leaves, 5·10  
 measurement of, 1·10  
 Radio-carbon dating of organic matter in soil, 77  
 Rain  
 composition of, 244  
 in dispersal of plant diseases, 7·24  
 sodium and potassium in, 52  
*Ramularia*, leaf spot, fungicides for, 270  
 on sugar beet, 279, 280  
 Red clover (*Trifolium pratense*), symbiotic effectiveness in, 86  
 Respiration, 29, 31–33  
 apparatus for measuring, 29  
 Rhizobium  
 bacteriophage of, 84  
 biochemical tests for, 87

Entries in italics refer to the Abstracts of Papers on pages 352-410.

## INDEX

- Rhizobium (contd.):**  
 identification methods, 4-2  
 inoculation experiments, 85  
 species, 84-87
- Rhizoctonia* on potato, 133
- Rhizosphere, micro-organisms in, 4-1
- Ribonucleic acid (RNA), 121, 7-21, 7-23, 7-32, 7-33
- Rothamsted Garden Clover, 233
- Rubidium, 2-11, 2-15
- Ryegrass (*Lolium perenne*)  
 ammonium nitrate for, 39  
 cereal root-knot nematode on, 145, 146  
 infection by *Mastigospodium*, 7-26  
 isobutylidene diurea for, 39  
 N and K fertilisers, effect of, 49  
 response to lime and PK, 85
- Sand and gravel, effect on soil stability, 60
- Saxmundham, 235-248  
 Classical Experiments at, 37  
 clover experiments, 243  
 consolidation of ploughed land at, 59  
 drainage, 237  
 evaporimeters at, 237  
 farmyard manure residues in soil, 47  
 field experiments with formalin, 56, 59  
 field experiments with methyl bromide, 57  
 grassland experiments, 243  
 Intensive Wheat Experiment, 241  
 Long-Term Experiments, 37  
 lucerne experiments, 243, 244  
 phosphate residues in soil, 47  
 Rotation I Experiment, 235, 238, 247  
 Rotation II Experiment, 241  
 soil structure and compaction at, 242  
 weather, 235
- Scout Farm, 108, 251
- Seeds, copper content of, 114
- Selsey Bill, soil map of, 17-24
- Septomyxa affinis*, on wheat-bulb fly, 202, 218
- Sesamex-pyrethrum mixtures, effect on cockroach, 167
- Shading, effect on sugar beet, 95
- Shales, zinc determination in, 80
- Sheep  
 clostridial disease, 254  
 maggot fly, spraying for, 254
- Shelter, effect on insect infestations, 193
- Shropshire, soil survey in, 302
- Sieve, Variable, 177
- Silicates, fluorine in, determination of, 79
- Silver in Lias shales of Yorkshire, 75
- Simazine  
 damage to plants, 250  
 decomposition of, 90  
 spraying on beans, 252, 256
- Sitka spruce (*Picea sitchensis*)  
 experiments at Kennington and Wareham, 40  
 formalised casein for, 40  
 isobutylidene diurea for, 39-42  
 "Nitro-Chalk" for, 40-42  
 seedlings, disease on, 7-11
- Slit-seeded plots, 201
- Slugs, 200-201
- Sodium  
 as plant nutrient, 2-1, 2-23  
 effect on sugar beet, 287  
 in soils, 52
- Sodium metavanadate, as hatching agent for nematodes, 153
- Sodium nitrate, on spring barley, 2-23
- Soil aeration, 33
- Soil aggregates, stability of, 60
- Soil anaerobes, 90
- Soil-borne diseases  
 control of, 78
- Soil-borne diseases (contd.):  
 of wheat, 241
- Soil classification in Britain, 17-11
- Soil compaction, 2-9  
 effect on germination, 2-21  
 effect on nematodes, 141-144  
 effect on sugar beet, 242
- Soil development on tips in South Wales, 17-6
- Soil fauna, effect of gamma radiation on, 10-12
- effect of insecticides on, 198, 200, 9-19, 10-13  
 extraction of from soil, 199
- Soil heat flux, 29
- Soil horizons, identification of, 311
- Soil moisture  
 deficit, 31, 237  
 effect on nematodes, 141-144  
 effect on potato scab, 7-30  
 effect on uptake of insecticides, 9-16  
 on Keuper Marl, 17-19  
 under different crops, 272
- Soil organic matter  
 radio-carbon dating of, 77  
 fixation of trace elements by, 78
- Soil porosity, 2-21
- Soil sampling, 94
- Soil stability  
 effect of clay, sand and gravel on, 60  
 effect of organic matter on, 60
- Soil sterilants, names of  
 chloropicrin, 156, 157, 7-17  
 "D-D", 137, 154-162, 7-17, 8-12, 8-25  
 dazomet, 137, 156, 7-17  
 ethylene dibromide, 161  
 formaldehyde, 77, 7-17  
 formalin, 55-59, 138, 143, 156, 243  
 gamma radiation, 199  
 "Lannate", 155, 162, 276-278  
 methyl bromide, 57-59, 77, 152, 156, 243  
 "Telone", 154, 162  
 "Temik", 154, 162, 276-278
- Soil sterilisation  
 against nematodes, 152-162, 271  
 at Saxmundham, 243  
 effect on Docking disorder, 159-162  
 effect on dry-matter production, 78  
 effect on *Endogone* spores in soil, 88  
 effect on *Fusarium* wilt, 7-17  
 effect on nitrogen in soil, 55, 58, 77, 243, 272  
 effect on pea nodulation, 7-17  
 effect on sugar-beet yield, 273  
 field experiments on, 55-59  
 for barley, 57  
 for grass, 57  
 for peas, 138  
 for potatoes, 36  
 for wheat, 36, 136-139  
 nitrogen released by, 243  
 residues in soil, 59  
 soil drench, 56  
 substitute for break crops, 138
- Soil structure, 59  
 effect on nematodes, 141-144
- Soil water  
 available, 34, 237, 1-8  
 in fine-textured soils, 17-3  
 method of supplying, 9-14  
 movement of, 34, 1-9  
 potential, gradients of, 34  
 potential, measurement of, 74  
 techniques for measuring, 1-5
- Solanum* spp., cyst nematode on, 148-150
- Solar energy, conservation of, 1-7
- Solar radiation  
 fixation of, 28  
 measurement and spectral distribution of, 29
- Sorptivity of soil, 1-9
- Southport, soil map of, 17-20

## INDEX

Entries in italics refer to the Abstracts of Papers on pages 352-410.

- Spectrophotometric analysis, 63  
 flame emission, 2-12  
 for estimating barium, 61  
 Stackyard, Rothamsted, 44, 202, 205, 207  
 Stackyard, Woburn, 59  
 Statistical theory, 227  
 Statistical work  
   for Ministry of Agriculture, 226  
   for N.A.A.S., 220, 224, 226  
   for N.I.R.D., 226  
   for overseas, 220, 227  
   for Potato Marketing Board, 226  
 Stereoscan microscope, 8-11  
 Stomatal resistance, 29, 30, 31  
 Stone orientation of tills in East Yorkshire, 3-9  
 Stored products  
   Farmer's Lung and, 129, 7-27  
   fungi and actinomycetes on, 128, 7-27  
   yeast on, 129  
 Straw, experiments at Woburn, 37, 38  
 Strawberry, pollination of, 214  
*Streptococcus pluton*, relationship to European  
   foulbrood in bees, 217  
*Streptomyces scabies*, on potato, 133-135, 261  
 Stubby root nematode (*Trichodorus* spp.) causal  
   agent of Docking disorder, 159-162  
 Stunt nematodes. *See* Nematode *Tylencho-*  
   *rhynchus* spp.  
 Subsoiling, effect on yield of cereals, lucerne and  
   sugar beet, 16-16  
 Subterranean clover (*Trifolium subterraneum*),  
   effect of temperature on N fixation, 86  
 Suction-traps, distribution of, 195  
 Sugar beet  
   anhydrous ammonia for, 285  
   aphids and yellows on, 265-269  
   aphids, overwintering on, 16-12  
   CCC on, 99  
   cover crops on stecklings, 268  
   crop-rotation experiments, 290  
   defoliation, effect on yield, 269  
   Docking disorder, 144, 159-162, 271-278  
   downy mildew, 270, 279, 16-7, 16-8, 16-9,  
   16-10  
   fertilisers for, 284-289, 16-11, 16-16  
   fumigants for, 153, 161, 243, 269, 273, 274,  
   8-12, 8-25  
   harvesting date, 290  
   herbicides, damage from, 289  
   in Ley-Arable Experiment, 317-320  
   irrigation for, 288  
   "Kainit" as basic fertiliser, 292  
   leaf-area index, 5-1  
   liquid fertiliser for, 285  
   magnesium fertiliser for, 285  
   nematicides for, 275-278  
   nematode diseases of, 142-144, 159-162, 265-  
   278  
   nitrogen fertilisers for, 95, 274, 287, 288  
   pelleted seed, pesticides in, 269  
   pests of, 8-1  
   *Phoma betae* on, 269  
   photoperiod, effect on, 99,  
   photosynthesis by, 97  
   pollen liberation by, 282  
   previous cropping, effect on N requirement,  
   286  
   residues from, effect on barley, 290  
   seed, 278-284, 16-6  
   soil compaction, effect on, 242  
   soil, effect on, 5-1, 5-3  
   sowing date, 279, 288, 290  
   spacing of, 287  
   stunting of seedlings, 143  
   subsoiling, effect on, 16-16  
   sugar content, 95  
   "topping", 281  
 Sugar beet (*contd.*):  
   virus diseases of, 124, 159-162, 265-268, 271,  
   16-12  
   virus-like particles in, 124  
   yellows-tolerant varieties, 266  
 Sulphate reduction in waterlogged soils, 78  
 Sulphur in soils  
   in acid sulphate soils, 80  
   oxidation of, effect of P fertilisers on, 3-1  
 Sussex, soils of coastal plain, 17-2  
 Swede, turnip yellows virus disease of, 125  
 Sweet corn. *See* Maize  
 Sweet potatoes, insecticides for, 335  
 Symbiotic effectiveness in nodulated red clover,  
   genetics of, 4-9  
*Symphyla*, new genus and species, 10-15  
 Take-all. *See* Wheat, take all  
 Talc, x-ray diffraction patterns of, 67  
 Taxonomy, numerical methods in, 12-8  
 Temperature  
   accumulated, 235  
   effect on bees, 214  
   effect on efficiency of cereal leaves, 5-10  
   effect on nitrogen fixation in nodules, 86  
   of soil, comparison at Rothamsted, Saxmund-  
   ham and Woburn, 235  
*Theobroma cacao*, black-pod disease of, 15-1  
*Thermoactinomyces vulgaris*, in decomposition  
   of herbicides, 88  
 Thermoactinophages, 88  
 Thionazin  
   effect on wireworms, 9-17  
   in pelleted seed of sugar beet, 269  
   nematicide on sugar beet, 275-277  
 Thiourea, as nitrogen fertiliser, 42  
 Thiram, on pelleted seed of sugar beet, 269  
 "Thuricide", effect on *Bacillus thuringiensis* on  
   wheat-bulb fly, 204  
 Tillage, minimum,  
   effect on nematodes, 158  
   for wheat and beans, 251  
   in clay soils, 35  
 Tin in Lias shales of Yorkshire, 75  
*Tipula* spp. *See* Leatherjackets  
 Titan yellow for determining magnesium, 81, 3-6,  
   9-22  
 Tobacco, insecticides on, 335  
 Tomato  
   auxin in roots infested with nematodes, 104  
   infection of by *Endogone* spores, 88  
 Toxicity in soil in Central Africa, 83  
 Trace elements  
   fixation of by soil organic matter, 78  
   in rock samples for United States Geological  
   Survey, 82  
 Transfer processes, 1-11  
 Transpiration, 32, 34  
   apparatus for measuring, 29  
   effect on rate of growth of seedlings, 98  
*Trifolium pratense*. *See* Red clover  
*Trifolium subterraneum*. *See* Subterranean clover  
 Trithion, insecticide on houseflies, 164  
 Tryptophan, conversion to auxin in leaves, 103  
 Turnip  
   turnip yellows virus on, 125  
   yields with different treatments, 239  
 Twitchgrass  
   aminotriazole against, 250  
   fallowing against, 251  
 Ultraviolet radiation, effects on viruses, 120,  
   7-35  
 United States Geological Survey, analysis of rock  
   samples for, 82  
 Urea,  
   comparison with thiourea, 42

Entries in italics refer to the Abstracts of Papers on pages 352–410.

## INDEX

- Urea** (*contd.*):  
 nitrate and phosphate for grass and barley, 2·19  
*Ustilago*, on wheat-bulb fly, 202
- Vacuum balance, 74  
 Vermiculite, adsorption of aluminium by, 54  
 Vernalisation of cereals, 99  
 Verticillium wilt  
   of potatoes, 131  
   nematodes and, 152  
 Vesicular-arbuscular mycorrhiza, 4·6  
**Viruses**  
   aphid transmitted, 7·14  
   crystallisation of, 7·34  
   effect of temperature on, 121, 7·18, 7·21  
   effect of ultraviolet radiation on, 120, 7·23, 7·35  
   effect on enzymes in leaves, 113  
   fungus vectors, 126  
   in insects, 123  
   inactivation of, 120  
   insect transmission, 123–126  
   multiplication of, 113, 121  
   of cereals and grass, 125  
   overwintering on sugar beet, 16·12  
   protein composition of, 120–122  
   reactivation, 120  
   soil-borne, 126  
   spray-warning scheme, 16·14  
   time of spraying against, 16·15  
   within plant cells, 122, 7·10  
**Viruses, names of**  
   acute bee paralysis, 216  
   barley yellow dwarf, 126  
   bean leaf-roll, 188–191  
   bee paralysis, 123  
   beet mild yellows, 266  
   beet mosaic, 124  
   beet yellows, 124, 257, 265–269, 16·14, 16·15  
   brome grass mosaic, 121  
   carrot motley dwarf, 125, 255  
   chronic bee-paralysis, 215, 11·4  
   cocksfoot mottle, 126  
   cucumber mosaic, 123, 7·15  
   dolichos enation mosaic, 121, 7·21, 7·32  
   groundnut rosette, 124, 7·38  
   henbane mosaic, 123  
   lucerne mosaic, 190  
   lucerne vein yellowing, 191  
   paracrinkle, 120  
   pea enation mosaic, 188  
   "pea top yellows", 189  
   potato virus Y, 124  
   red clover vein mosaic, 7·2  
   ryegrass mosaic, 125  
   sacbrood of bees, 216, 11·4  
   tobacco mosaic, 114, 120, 122, 6·10, 7·15, 7·21, 7·23, 7·33, 7·34, 7·35  
   tobacco necrosis, 120, 7·9  
   tobacco rattle, 126, 271, 7·18  
   tomato blackring, 271  
   tomato bushy stunt, 121  
   tomato spotted wilt, 122  
   turnip yellows, 125
- Wales**  
   soil development on tips in, 17·6  
   soils in, 310, 17·17, 17·18  
   zoning of grassland and soils in, 17·12  
 Wareham, experiments with Sitka spruce at, 40–42  
 Wasps, 213  
**Water deficit**  
   effect on kale, 98, 5·9  
   interaction with CCC on wheat, 5·8  
**Water potential**, 34, 99
- Waterlogged soil, sulphate reduction in, 78  
**Wax**  
   effect on fungicide efficiency, 9·25  
   in soil, 79  
 Weathering, mineralogical effects on, 73  
**Weeds**, 104–108  
   *See also* Blackgrass; Couch grass; Wild oats  
**Wheat**  
   ammonia fertilisers for, 38  
   break crops, 242  
   CCC on, 99–102, 259, 5·8  
   cereal root-knot nematode on, 145  
   chlorosis caused by Mg deficiency, 53  
   continuous wheat and take-all, 242  
   direct seeding experiment, 159, 261  
   drainage, effect on yield, 312  
   ear size and grain yield, 92  
   *Endogone* spores on, 88  
   grain-leaf ratio, 93  
   Intensive Wheat Experiment, 241  
   irrigation, effect of, 36, 102, 259  
   leaf-area duration in, 94  
   leaf-area indices, 94  
   lodging, 100, 259  
   magnesium deficiency in, 53  
   minimum tillage on, 158  
   National Wheat Survey, 312  
   nematicides on, 156  
   nitrogen fertilisers for, 42, 100, 324  
   paraquat on, 158, 261  
   premature ripening of, 260  
   slug damage, 262  
   soil-borne diseases, 241  
   soil sterilants on, 36, 55  
   sowing, time of, 262  
   sowing, with spinner-broadcaster, 251  
   stem-boring larvae, 325  
   sulphur dioxide in air, damage by, 263  
   take-all on, 88, 135–138, 156, 186, 234, 242, 252, 262  
   varieties, semi-dwarf, 93  
   vernalisation of, 99  
   yield, effect of conditions after anthesis, 92  
   yield, effect of environment on, 92  
   yield, with different treatments, 238–241  
   *See also* Cereals  
**Wheat-bulb fly** (*Leptohylemyia coarctata*), 182–184, 202–206, 335–338  
   *Bacillus thuringiensis* on, 204  
   biological studies of, 182  
   dispersal of adults, 205  
   effect of wheat exudates on larvae, 182  
   effect on wheat yield, 207, 10·10  
   egg laying, factors affecting place of, 182  
   feeding and ovary development, 202  
   food of, 7·36, 10·23  
   insecticides against, 183, 336–338, 341, 344, 346, 9·18, 9·20, 9·24  
   pathogenic fungi on, 218  
   pathology of, 203, 218  
   *Phialophora* on, 203, 218  
   population studies, 202  
   *Septomyxa affinis* on, 218  
**Wild oats**  
   effect of kale seed crops on infestation, 105  
   effect of sulphuric-acid spray on seed production, 105  
   longevity of seed, 104  
**Wireworms** (*Agriotes* spp.)  
   effect of insecticides on, 184, 200, 332–335, 340, 344, 346, 9·17, 9·19, 9·26, 10·22  
   soil type and, 17·13  
**Woburn**  
   Classical Experiments, 37  
   consolidated ploughed land at, 59  
   Cultivation-Weedkiller Experiment, 255

## INDEX

Entries in italics refer to the Abstracts of Papers on pages 352-410.

### Woburn (*contd.*):

- Direct-seeding experiment, 255
- Experimental Station Report, 259-264
- Farm report, 254-258
- Farmyard Manure Experiment, 37, 2-22
- Intensive Cereals Experiment, 53, 256
- Ley-Arable Experiment, 225, 255, 316-323
- Long-term experiments with K, Mg and Na, 51
- magnesium deficiency experiments, 53
- Market-Garden Experiments, 255
- nitrogen experiments, 39, 233
- organic-manure experiments, 37
- weeds on, 108
- Worcestershire, soil survey in, 302
- Worthing, soil map of, 17-25
- Wrest Park, Silsoe, respirometers at, 29, 33

### X-ray diffraction

- of Broadbalk soil clays, 70
- of phlogopites and talc, 66, 67
- of muscovite, 66
- X-ray fluorescence analysis
  - of bromine in soils, 81
  - of sulphur in acid sulphate soils, 80
  - of zinc in shales, 80
  - with Philips Spectrometer, 80

Yorkshire, soil survey in, 295

*Zea mays*. See Maize

### Zinc

- in Lias shales of Yorkshire, 75
- in shales, determination of, 80
- Zinophos, effect on nematodes, 158