


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Report for 1967

[Full Table of Content](#)



Subject Index

Rothamsted Research

Rothamsted Research (1968) *Subject Index* ; Rothamsted Report For 1967, pp 419 - 430 - **DOI:**
<https://doi.org/10.23637/ERADOC-1-120>

SUBJECT INDEX

Entries in italics refer to the Abstracts of Papers on pages 352-410. The General Report by the Director (pp. 21-27) has not been indexed.

- Acarapis woodi* on honey bees, 11-3
Acid soils, effect of phosphate on, 46
Actinomycetes
 in mouldy hay, 7-16
 on stored products, 128
Activants for nematodes, 146, 153
Activity coefficients of ions, 2-14
Agdell field, 48
Agricultural meteorology, 28-30
Agrilolimax reticulatus, control of, 200
Agriotes spp. *See* Wireworms
Agrobacterium, biochemical tests on, 87
Agropyron repens. *See* Couch Grass
Air-dry soils, storage of, 76
Air-flow
 in wind tunnel, 1-11
 measurement of in crops, 1-5
Air pollution
 from sulphur oxides, 262-264
 plants sensitive to, 262
 sampler, 263
 sulphur dioxide, 263
Aldrin
 compared with organophosphorus insecticides, 200, 9-19
 on wireworms, 200, 9-17, 9-26, 10-22
 sorption by houseflies, 164
 toxicity to bees, 175
 toxicity to birds, 332, 336
Alizarin Fluorine Blue, cerium (C.A.F.B.), 79
Alizarin Red S, 80, 82
Allolobophora chlorotica. *See* Earthworm
Alluvial soils, 17-10
Alopecurus myosuroides. *See* Blackgrass
Aluminium
 Alizarin Red S as reagent for, 82
 determination on soil extracts, 17-16
 exchange equilibria in soils, 54
 Aluminium foil as soil cover, 268
Amino-acid
 antimetabolites on nematodes, 152
 in grass, 50
 persistence in plants, 153
o-Aminophenol, oxidation of, by leaf polyphenoloxidase, 113
Amino-triazole
 against twitch grass, 250
 effect on nematodes, 159
Ammonia liberated after soil sterilisation, 55
Ammonia, anhydrous
 comparison with "Nitro-Chalk", 38, 285
 for grass, 39
 for sugar beet, 285
 for wheat, 39
Ammonia, aqueous
 for grass, 39
 for wheat, 39
Ammonium nitrate
 compared with urea nitrate, 2-19
 for grass, 39, 2-19
Ammonium nitrogen in soil, effect of soil sterilants on, 157
Ammonium sulphate
 compared with thiourea, 42
Ammonium sulphate (*contd.*):
 compared with urea nitrate, 2-19
 on barley, 2-18
 on sugar beet, 280
Anaerobic bacteria, 90
Anglesey, mineralogy of drift-derived soils, 312
Anoxia, effect on nerve conduction of cockroach, 168
Aphicides
 effect of soil moisture on, 9-16
 oil-spray addition to, 266
 on sugar beet, 265
"Aphidan", 183
Aphids, names of
 Acyrtosiphon pisum (pea aphid), 188, 189, 190, 218
 Aphis craccivora, 10-19
 Aphis fabae (bean aphid), 189, 191, 192, 193, 196, 219, 257, 265, 267, 9-5
 Brachycaudus helichrysi, 189
 Brevicoryne brassicae, 196
 Cavariella aegopodii, 125
 Hyperomyzus lactucae, 196
 Macrosiphum euphorbiae, 196
 Myzus ascalonicus, 267
 Myzus persicae, 125, 189, 196, 259, 265, 267, 268
 Phorodon humuli, 196
 Rhopalosiphum spp., 196, 267
Aphids
 cannibalism in, 182
 effect of cultural factors on, 268
 feeding of, 181
 flight behaviour of, 191
 fluctuations in numbers of, 9-29, 9-30
 in mangold clamps, 267
 in seed crops, 267
 migration of, 196
 morphometric characters in, 192
 movement of, 194
 on field beans, 219, 9-5, 10-9
 on weeds, 267
 overwintering hosts of, 188, 16-12
 polymorphism and interforms in, 191
 proportions of "migrants", "flyers" and "non-flyers", 191
 reproduction of, 181
 "resistant", selection of, 182
 time of infestation by, 265
 traps, 267, 10-11
 warning systems, 194
 wing loading, 193
Arable farming, leys and, 316-331
Arion hortensis, susceptibility of potatoes to, 201
Ascospaera apis, pathogen of honeybee larvae, 11-2
Aspergillus spp.
 in decomposition of herbicides, 90
 on stored products, 129
Assimilation, apparatus for measuring, 29, 32
Atomiser head, 177
Atrazine, decomposition of, in soil, 90
AutoAnalyzer, Technicon, 61

INDEX

Entries in italics refer to the Abstracts of Papers on pages 352-410.

- Auxin**
 conversion of tryptophan to in leaves, 103
 diamine oxidase in formation of, 114
 in leaves, 92, 5-11
 in roots infested with nematodes, 104
- Azotobacter chroococcum***
 production of gibberellins by, 89, 4-5
 production of indole acetic acid by, 89, 4-5
 production of phenolic acids by, 90
- B9, (B-Nine)**
 effect on beans, 233
 effect on potato, 5-6, 5-7
- Bacillus thuringiensis*** on wheat-bulb fly, 204
- Bacteriophage of *Rhizobium***, 84
- Bagasse, fungi and actinomycetes on**, 129
- Barley**
 CCC on, 99, 102
 cereal cyst-nematode on, 157
 cereal root-knot nematode on, 145
 "D-D" on, 159
 DDT, sensitivity to, 339
 effect of crop sequence on, 43
 effect of legumes on, 233
 effect of nitrogen fertiliser on, 43, 57, 291, 328
 effect of sugar-beet residues on, 290
 formalin as soil sterilant for, 56, 243
 fungi and actinomycetes on stored, 128
 ground chalk on, 56
 in Ley-Arable Experiment, 320
 irrigation for, 35
 liming experiments on, 51
 manure, organic and green, for, 38
 methyl bromide on, 243
 nematodes on, 157
 photosynthesis by, 97
 residual effect of nitrogen on, 327
 vernalisation of, 99
 wheat-bulb fly on, 336
 yields, 238-242
See also Cereals
- Barnfield, new scheme 1968**, 232
- Bayer insecticides**, 332-349
- Bayerite**, 68
- Bean (*Phaseolus vulgaris*)**
 aphids on, 10-9
 auxins in leaves of, 5-11
 bean-leaf roll virus on, 191
 dolichos enation mosaic virus on, 121, 7-21
 effect of betaine on growth, 103
 growth regulators and N on, 233
 irrigation for, 36
 phenolic esters of, 83
 pollination by bees, 11-8
 stem nematode on, 144
 yields, 238-240
- Bees. *See* Honeybees, Bumblebees**
- Beet cyst-nematode (*Heterodera schachtii*)**, 142, 146, 153-155, 8-8
- Bentonite, montmorillonite particles from**, 69
- 5-Benzylfurfuryl chrysanthemate**, 172
- 5-Benzyl-3-furylmethyl chrysanthemate**, 172, 9-7
- Berkshire, soil survey in**, 306
- Betaine, effect on growth of beans**, 103
- BHC**
 for wireworms, 332, 9-17, 9-19
 in pelleted seed of sugar beet, 269
 residual effects of, 10-22
 seed dressings of, 183
 sorption of, by houseflies, 164
 toxicity to bees, 174
- Bio-electric potentials of green plants**, 1-6
- "Biotrol", effect on *Bacillus thuringiensis* on**
 wheat-bulb fly, 204
- Blackcurrant, foraging on by bees**, 214
- Blackgrass (*Alopecurus myosuroides*)**
 biology of, 92
- Blackgrass (*Alopecurus myosuroides*) (contd.):**
 dormancy, induced, 107
 emergence from soil, 106
 ergot fungus on, 108
 germination, periodicity of, 106
 on clay and chalk soils, 108
- Bognor Regis, soil map of**, 17-22
- Brachycaudus helichrysi*. *See* Aphids**
- "Brickearth" soils of Kent**, 71
- Broadbalk**, 70, 77, 90, 108, 203, 205, 231, 250, 252
- Bromine in soil, X-ray fluorescence spectro-**
 metry of, 81
- Broom's Barn Experimental Station**, 265-294
- Brucite**, 68
- Buckinghamshire, soil survey in**, 303
- Bumblebees**, 214
- Calcium nitrate, effect on barley**, 2-18
- Calf Wastage Survey, statistical work for**, 227, 12-10
- Calythone, compounds related to**, 173
- Cambridgeshire, soil survey in**, 298
- Capillary potential, measurement of**, 74
- Carbohydrate, soluble, effect of N and K ferti-**
 lisers on, 49
- Carbohydrate sinks, dependence on photo-**
 synthesis, 5-2
- Carbon-14**
 for dating postglacial land, 17-8
 in measuring decomposition of plant residues, 76, 3-4
- Carbon dioxide**, 29-33
 effect of concentration on crop growth, 5-4
- Carbon in soil, effect on slaking**, 60
- Carbophenothion**, 184, 9-18
- Carrots, fertiliser experiments on**, 13-1
- Cattle, insecticide for warble fly**, 253, 257
- CCC (2-chloroethyltrimethyl ammonium chlo-**
 ride)
 effect on beans, 103, 233
 effect on cereals, 99-102, 135, 259
 effect on potato, 5-7
 effect on sugar beet, 99
 interaction with water deficit, 5-8
 irrigation and, 102
- Cercospora herpotrichoides*. *See* Cereals, eye-**
 spot
- Cereal cyst-nematode (*Heterodera avenae*)**
 effect of rotavation on, 158
 effect of soil sterilants, 156-158
 effect of trap-cropping on, 158
- Cereal root-knot nematode (*Meloidogyne naasi*)**, 145
 number of generations in a year, 146
- Cereals**
 brown rust on, 252
 effect of radiation on leaves, 5-10
 effect of subsoiling on, 16-16
 effect of temperature on leaves, 5-10
 eyespot of, 135, 136, 252
 fertilisers for, 16-16
 field experiments with formalin and N, 55
 flame cultivation of, 136
 foot and root diseases, 135-139, 7-13
 Grain: Leaf Ratio, 94, 5-10
 insect pests and insecticides for, 332-349
 Leaf-Area Duration, 5-10
 mildew on, 251
 thresher for sorting samples, 5-5
 yellow rust on, 251
- Chichester, soil map of**, 17-23
- Chlordane, effect on nematodes**, 158
- Chlorfenvinphos**
 effect on soil fauna, 198, 10-13
 leaching of from soil, 198
 persistence of, 184, 198, 9-18
 sorption of by houseflies, 164

Entries in italics refer to the Abstracts of Papers on pages 352-410.

INDEX

- Chlormequat. *See* CCC
- Chlorophyll
breakdown, 110
lipoxidase and, 111
type compounds in soil, 2-20
- Chlorophyllase, 110
- Chloropicrin as nematicide, 156, 159
- Chlorosis, magnesium deficiency and, 53
- Chlorthion on houseflies, 164-166
- Chloroplasts
copper content of, 114
inhibitors of reduction reactions in, 113
- Cladosporium* on wheat-bulb fly, 202
- Classical Experiments, 37, 231-234
See also names of experiments and fields
- Claviceps purpurea*, on grass, 108
- Clay
aggregates and pore-size distribution, 74
deflocculation of, 35
effect on decomposition of plant residues, 76
effect on soil stability, 59-61
physical chemistry of, 35
physics of, 73-75
- Clay minerals
effect of weathering on, 73
of Broadbalk soils, 70
of Eocene deposits in Kent, 71
pore-size distribution and structure, 74
properties of, 65
specific surface areas of, 73
See also Bayerite; Brucite; Gibbsite; Hydro-
talcite; Nordstrandite
- Clay-with-flints, 71, 3-2, 17-15
- Clinoptilolite, effect on potassium in soil, 53
- Clover
experiments at Saxmundham, 243
infection of by *Endogone* spores, 87
symbiotic effectiveness in, 4-9
See also Red clover; Subterranean clover
- Cluster analysis, methods of, 12-6
- CMPP as herbicide on sugar beet, 289
- Cockroach (*Periplaneta americana*)
insecticides for, 166-169
nervous system, 168, 9-23
poisoning process, 166
- Coefficient of similarity, 12-7
- Coffee, nematode pests of, 8-6
- Cohesive soils, pore-size distribution in, 74
- Collembola
effect of gamma radiation on, 199
effect of organophosphorus insecticides on,
198, 9-19, 10-13
- Computer
experiments analysed, 223
incremental plotter, 225
Ley-Arable Experiment, 225
performance, 221
programs, 223-225
type-of-farming map, 220, 228, 12-3
use by other institutes, 222
volume of work, 221
- Computer Department, 220, 222
- Conductivity, 34
- Conifers
seed fungi, 140
seedlings, diseases of, 139
See also Sitka spruce
- Controlled-environment apparatus, 29
- Coprinus radiatus* on wheat-bulb fly, 202
- Coprosma robusta*, 88
- Cotton stainer (*Dysdercus intermedius*)
aggregation and dispersion of, 169
effect of temperature on, 10-24
glandular secretions of, 169
scent glands of, morphology, 10-25
- Couch grass (*Agropyron repens*), 107
- Coumaphos, as insecticide, 183
- Cover crops
effect on beet yellows, 268
effect on sugar-beet stecklings, 268
- Crickets, insecticides for, 342, 343
- Cultivation-Weedkiller Experiment
at Rothamsted, 251
at Woburn, 255
- Cyclopentenolones, structure of, 174
- Cyst nematodes. *See* Nematodes, names of,
Heterodera spp.
- "D-D" (dichloropropene-dichloropropane)
application to beet rows, 161
application to potatoes, 260
See also Nematicides
- DDT
effect on Collembola in soil, 198
effect on nematodes, 158
encapsulation of, 171
persistence on foliage, 170
resistance of houseflies to, 165, 9-6, 9-27
review of use of, 332
- Deoxyribonucleic acid, isolation from *Borde-
tella pertussis*, 6-6
- Derbyshire, soil survey in, 301
- Devonshire, soil survey in, 309
- Diamine oxidase, 114, 6-1, 6-9
- Diazinon
effect on houseflies, 164, 165
effect on nematodes, 158
effect on soil fauna, 198
toxicity to houseflies, 9-21
- Diazoxon
effect on cockroach nervous system, 167
effect on houseflies, 164
- Dicaphon, effect on houseflies, 164
- Dieldrin
effect on houseflies, 164, 165
in pelleted seed of sugar beet, 269
leaching of from soil, 198
residual effect of, 9-26, 10-22
toxicity to bees, 174
toxicity to birds, 332, 336
- Diffusivity of soil, 34, 1-9
- Difolotan on sugar beet, 269
- Dimethoate, effect of soil moisture on uptake of,
9-16
- N*-Dimethylaminosuccinamic acid. *See* B9
- 2-4-Dimethylphenylacetic acid, 9-8
- Dioxathion, 183
- Diphenyl benzidine for measuring nitrate in
crops, 63
- Disulfoton
adsorption by soil, 9-15
effect on soil fauna, 198
effect of soil moisture on uptake of, 9-16
granules as aphicide, 266
- Docking disorder of sugar beet, 144, 159-161,
271, 278
effect of nitrogen fertiliser on, 274
effect of previous cropping on, 159
effect of soil sterilants on, 159
virus disease associated with, 271
- Drainage water at Saxmundham, 244, 246
- Drought
effect on Docking disorder in sugar beet, 143
effect on nematodes, 143
- "Dursban", 332-349
compared with aldrin on wireworms, 200
in single-row trials, 183
- "Dyfonate", as insecticide, 332-349
- Dysdercus intermedius*. *See* Cotton stainer
- Earthworm
effect of gamma radiation on, 199
effect of insecticides on, 9-19, 10-13
in pastures, 10-18

INDEX

Entries in italics refer to the Abstracts of Papers on pages 352-410.

- Eelworms. *See* Nematodes
 Elateridae. *See* Wireworms
 Electron microscopy
 of brains of bees, 216
 of dolichos enation mosaic virus, 7-32
 of filamentous virus particles, 7-37
 of montmorillonite particles, 70
 of nematodes, 8-11
 of soil-borne virus, 126
 of *Thermoactinomyces vulgaris*, 89
 of viruses within cells, 122
 Electron spin resonance for study of leg-
 haemoglobin of nodules, 87
 EMP on seed of sugar beet, 269
 Endogone spores
 fine structure of, 88
 key to recognition of, 4-6
 number in soil, 87
 separation from soil, 88, 4-8
 Entomophthora spp.
 on field-beans, 192, 219
 on wheat-bulb fly, 218
 Enzyme activity in leaves, 110
 Eocene deposits of N.E. Kent, 71
 Ergot fungus (*Claviceps purpurea*) on black-
 grass, 108
 Erysiphe on wheat-bulb fly, 202
 Essex, soil survey in, 304
 Ethion
 persistence of, 184, 9-18
 single-row trials of, 183
 sorption of by houseflies, 164
 Ethylene dibromide, effect on sugar beet, 161
 Evaporation, 29-32, 1-2, 1-8
 Exhaustion Land, 250

 Factorial designs for experiments, 12-11
 Fallowing effect on onion couch and twitch-
 grass, 251
 Farmer's lung disease, 118, 129
 Micropolyspora faeni as cause of, 129, 7-16,
 7-27
 Farmyard manure (F.Y.M.)
 effect on diffusivity in soil, 34
 effect on soil structure, 34
 experiments at Woburn, 37-38, 316-323, 2-22
 fertilisers compared with, 317-319, 327
 nutrients in, 2-22
 residual effect of, 47, 323
 Fertiliser Practice Survey, 220, 226, 12-2
 Fertiliser
 advice on using, 2-6
 farmyard manure compared with, 317-319, 327
 in solution, 285, 16-4
 long-term effect of, 287
 methods of application for potatoes, 2-24
 on rotation crops, 287
 recoveries by crops, 2-22
 residual effect of, 43, 2-24
 residues of, 2-8
 "Fitios", 183
 Fluorine in silicates, 79
 Flying insects
 census of, 194
 light-trap survey of, 194
 Forest nurseries
 effect of N and K on, 2-5
 nutrition experiments in, 2-2, 2-3, 2-4
 Formaldehyde as soil sterilant, 77-78
 Formalin
 effect on "take-all" in wheat, 88
 effect on nematodes, 143, 158
 partial sterilisation with, 55-59, 243
 Formalised casein, effect on Sitka spruce seed-
 lings, 40-42
 Formby, soil map of, 17-21
 Fosters Field, 45, 59, 127, 252, 326
 422

 Frit fly (*Oscinella frit*)
 effect of phorate on, 209
 effect on sweet corn, 209
 insecticides for, 339-346
 mortality of larvae, 206
 on cereals, 208, 339
 parasites on, 206
 Fumigants. *See* Soil sterilants
 Fungal diseases
 blight of potato, 185-187
 common scab of potato, 133-135
 downy mildew on sugar beet, 270, 16-7, 16-8,
 16-9, 16-10
 Entomophthora on wheat-bulb fly, 218
 eye-spot of cereals, 135-137
 Helminthosporium on potato, 133
 Oospora pustulans on potato, 132, 133
 Rhizoctonia on potato, 133
 take-all of cereals, 135-138, 156-158, 234, 242
 Verticillium wilt, 131
 Fungi
 in roots of oats, 126
 spores, airborne, 7-1, 7-5
 spores, dispersal of, 127, 7-19, 7-20
 spores, traps, 128, 133, 282-284
 Fungicides
 copper-based slurry, 269
 for cereal diseases, 135
 for *Ramularia*, 270
 for "take-all" control, 186
 in pelleted seed of sugar beet, 269
 organo-mercurial, 133, 269
 systemic action of, 186
 See also Difolotan; EMP; Maneb; Thiram
 Furan compound, 172
 Furness, soil associations of, 17-14
 Fusarium wilt, effect of soil fumigants on, 7-17

 Galling, by root-knot nematodes, 145
 effect of antimetabolites on, 153
 on sugar beet, 145
 Gamma radiation
 effect on earthworms, 199
 effect on soil-fauna populations, 10-12
 sterilising soil with, 58, 77, 78, 199
 Garden Clover, 233
 Garden Plots, 127, 206, 231
 Geescroft Wilderness, 141
 Gibberellic acid, effects on tomato plants, 4-5
 Gibberellins, production of by *Azotobacter*, 89
 Gibbsite, 68
 Gloucestershire, soil survey in, 307
 Grass
 ammonia for, 38
 cultivation with injection tines, 39
 effect of fertiliser residues on, 48
 effect of formalin on, 57
 immobilisation of soil nitrogen by roots of, 44
 isobutylidene diurea for, 39-42
 manuring of, 2-13
 nitrogen fertiliser for, 247, 257
 protein and amino acids in, 50
 versus legumes, 248
 virus diseases of, 125-127
 See also Ryegrass
 Great Field, 28
 Great Harpenden Field, 202, 205
 Green manure, experiments with at Woburn, 37
 Griseofulvin, effect on insect larvae, 186
 Groundnuts, pest control on, 8-2
 Growth Analysis technique, 28
 Growth regulators, 100-104, 233
 See also CCC and B9
 Growth substances, 100-104

 Hay, self-heating of, 118
Helminthosporium atrovirens on potato, 133

Entries in italics refer to the Abstracts of Papers on pages 352–410.

INDEX

- Hemp, infection of by *Endogone* spores, 88
 Heptachlor, comparison with experimental insecticides, 183
 Herbicides
 damage to sugar beet, 289
 decomposition of in soil, 90
 See also individual herbicides
 Hercules insecticide, 333, 334
 Herringswell Rotation Experiment, 271–274
 Herefordshire, soil survey in, 302
 Highfield, 45, 206, 251, 252, 326
 Honeybees
 Acarapis woodi on, 11·3
 acute bee-paralysis virus, 216
 Ascospaera apis on larvae, 11·2
 brood rearing, 213
 chronic bee-paralysis virus, 215
 diseases and pests of, 215–218
 drone-cell production, 11·10
 drones, 213, 11·5
 “dysentery” of, 11·1
 European foulbrood, 217
 food consumption, 213
 foraging, 213–215, 11·7
 “inhibitory scent”, 211
 insecticides, effect on, 174–176, 9·13, 11·12
 Malpighamoeba mellificae on, 217
 Nosema apis on, 217
 on oil-seed rape, 175
 9-oxodecenoic acid, 212, 11·5, 11·6
 paralysis, 215
 pheromones of, 211–213, 11·6
 poisoning of, 175, 9·3
 pollen, collection of, 11·9
 pollination by, 213, 11·7, 11·8, 11·11
 queen rearing, 211–213
 “queen substance”, 212
 sacbrood virus of, 216, 11·4
 solitary bees, 214, 11·7
 sucrose, toxicity of, 11·1
 swarming, 212, 11·6
 virus diseases of, 215, 11·4
 weather, effect on, 213, 214
 Hoosfield, 137, 231, 250
 Houseflies (*Musca domestica*)
 insecticides for, 164, 172, 342, 9·21
 resistance to insecticides, 9·4, 9·6, 9·27, 9·28
 SKA strain, 165, 9·6, 9·27, 9·28
 Huntingdonshire, soil survey in, 299
 Hydrotalcite, 68

 Illite, adsorption of aluminium by, 54
 Incomplete block designs, 12·12
 Indole acetic acid, effect on tomato plants, 4·5
 Insect infestations, effect of shelter on, 193
 Insecticidal baits, 333–335, 338, 341
 Insecticides
 adsorption of, by soil, 341–344, 9·15
 chlorohydrocarbon, 170
 commercial seed dressings, 181
 decomposition of, 341–346
 diffusion of, in soil, 178
 effect of irrigation on efficiency of, 9·16
 effect of soil moisture on, 179, 9·15
 effect on soil fauna, 198–200, 9·19, 10·13, 10·14
 hydrolysis of, 345, 346
 leaching from soil, 198, 341–343
 microencapsulation, 171
 organochlorine, substitutes for, 332–349
 organophosphorus, 164, 184, 198, 332–349, 9·19
 pelleted seed, 269
 persistence in soil, 170, 198, 332, 9·18, 9·19, 9·24
 poisoning process in insecticides, 164
 residues in soil, 10·4, 10·5
 resistance to, 164, 332, 9·4
 secretion of into nectar, 176

 Insecticides (*contd.*):
 seed dressings of, 181, 332, 335–340, 9·18, 9·20
 solubility of, 345
 sorption of, by housefly solids, 164
 sorption of, by soil, 177
 sprays, effect of weather on, 338
 time of spraying for viruses, 16·15
 toxicity to bees, 174, 11·12
 toxicity to birds, 332
 toxicity to mammals, 332, 341
 uptake by plants, 178
 volatility of, 345
 See also individual insecticides and Griffiths’ article, 332–349
 Insects
 effect of windbreaks on flight of, 10·21
 list of species reared in Insecticides Department, 180
 migration records, 10·16
 International Biological Programme, 85, 91, 117, 182, 194
 Invertebrates
 effect of insecticides on, 198
 extraction of, from soil, 199
 Ion exchange in soils, 2·14, 2·16
 Irrigation, 28–31, 35
 effect on insecticide efficiency, 9·16
 effect on leys, 253
 effect on nematodes, 142, 156
 effect on potato scab, 134, 7·30
 effect on wheat, 102, 259
 Isobutylidene diurea
 for grass, 39
 for Sitka spruce, 39–42

 “Kainit” basic fertiliser for sugar beet, 292
 Kale
 air flow inside canopy, 30
 effect of water deficit on, 98, 5·9
 irrigation for, 28, 30, 35
 plant physiology of, 32
 Kaolinite, adsorption of aluminium by, 54
 Kennington, experiments with Sitka spruce at, 40–42
 Kent, soil survey in, 305
 Kjeldahl analysis, 62, 63
 Krilium, 242

 Lancashire, soil survey in, 298, 17·1
 Lanolin, effect on fungicides, 9·25
Laphygma exigua in British Isles, 10·17
 Layer silicates, structure of, 67
 Leaching, losses of nitrate by, 246
 Leaf-area duration in wheat, 94
 Leaf-area index, 29, 94
 of sugar beet, effect of shading on, 96
 of sugar beet, plant population and, 5·1
 Leaf-eating insects, effect on plant growth, 208
 Leaf lipoxidase, 111
 Leaf litter, breakdown of, 3·5
 Leaf protein, 110, 115–117
 as human food, 6·4
 by-products of, 115
 digestibility of, 116
 extraction techniques, 115, 117
 production of, 6·4
 reaction with quinones, 112
 yields, 116
 Leatherjackets (*Tipula* spp.)
 effect of weather on, 339
 insecticides against, 339, 341
 Leaves, effect of drying and aging on ability to dissolve ferric oxide, 3·7
 Leg-haemoglobin of nodules, 87
 Legumes
 effect of residues on potatoes, 38

INDEX

Entries in italics refer to the Abstracts of Papers on pages 352–410.

- Legumes (*contd.*):
 seed inoculants, 4·3
 versus grass, 248
 Leicestershire, soil survey in, 300
 "Lenacil" as herbicide on sugar beet, 289
 Lepidoptera as indicator for aphid movement, 195
Leptohylemyia coarctata. See Wheat-bulb fly
 Ley-Arable Experiments at Rothamsted, 45,
 250–252, 323–331
 future of the experiments, 330
 Ley-Arable Experiments at Woburn, 225, 255,
 316–323
 farmyard manure versus fertilisers, 317
 future of the experiments, 330
 Leys
 arable farming and, 316–331
 effect on N in soils, 45
 Lias shales, geochemistry of, 75
 Light traps for survey of flying insects, 194
 Liming experiments, 51
 Linuron
 on market-garden crops, 255
 post-emergent spray, 255
 with paraquat on potatoes, 257
 Lipids in sorption of insecticides, 165
 Little Knott, 55, 136
 Loess
 in clay-with-flints, 71
 weathering of, 71
Lolium perenne. See Ryegrass
 Long Hoos, 144
 "Lovo 192", 171
 Lucerne (*Medicago sativa*)
 aphids on, 180, 189, 218
 effect of fertilisers on, 16·16
 effect of subsoiling on, 16·16
 nitrogen fixation by, 85
 virus diseases of, 180, 189, 190
 Lysogeny, 84, 88
 Magnesium
 amount removed in crops, 51
 deficiencies in crops, 53
 experiments on, 51, 53
 fertiliser for sugar beet, 285
 fertiliser on Ley-Arable Experiments, 319
 nematodes and, 143
 Titan Yellow for determining, 81, 3·6, 9·22
 Magnesium-aluminium hydroxides, 68
 Maize (*Zea mays*)
 effect of phorate on yield, 209
 frit fly on, 209, 339
 insecticides on, 339, 341
 loss of yield from rats, 10·20
 Malaaxon, 164
 Malathion, 164–166, 252
 Maneb
 for *Ramularia* leaf spot, 271
 on sugar-beet seed, 269
 Mangold clamps, aphid-infested, 267
 Manostat, new design for use on clays, 74
Mastigospirium album infection of ryegrass, 7·26
 MCPA and MCPB herbicides on sugar beet, 289
Medicago sativa. See Lucerne
Meloidogyne, new species
 description of, 8·18
 taxonomy of, 8·24
 Menazon
 effect of soil moisture on uptake of, 9·16
 for aphid control, 265
 nematicide, 276
 Metalloproteins in plants, 114
 Metasystox
 against carrot motley dwarf virus, 255
 effect on aphid infestation of lucerne, 189
 effect on virus infection, 189
 on market-garden crops, 256
 Methyl bromide
 as nematicide, 152, 156, 8·23
 partial sterilisation with, 57, 58, 77, 81, 243
 Micas, 65–67
 Microbial decomposition of pesticides, 90
 Microbial existence, limits of, 4·4
 Micro-climate, techniques for measuring, 29–30,
 1·5
Micropolyspora faeni, cause of Farmer's Lung
 disease, 130, 7·16, 7·27
 Mineralogy
 effects of weathering on, 73
 of Eocene deposits of N.E. Kent, 71
 Mites
 effect of gamma radiation on, 199
 effect of insecticides on, 198, 9·19
 Mitochondrial protein, 6·10
 Moisture meter, 30
 Montmorillonite
 adsorption of aluminium by, 54
 effect on potassium in soil, 54
 electron-microscopy study of, 70
 in Broadbalk soils, 70
 morphology of, 69
 specific surface area of, 73
 Mosquitoes, insecticides against, 342
 Mossbauer spectroscopy for study of leg-
 haemoglobin of nodules, 87
 Moths, light trapping, 194
 Mouldy hay, 129
 actinomycetes in, 7·16
 Murphy insecticides, 333–349
Musca domestica. See Houseflies
 Muscovite, alteration of, 66
 Mycorrhiza, effect on plant growth, 88
Myzus persicae. See Aphids
 N2790, 200
 Nabam as hatching agent for nematodes, 153
 National Research Development Corporation,
 163, 177
 National Wheat Survey, 312
 Needle nematode (*Longidorus attenuatus*) causal
 agent of Docking disorder, 159
 Nematicides, 152–162, 260, 271–278
 application methods, 161, 275–278
 as liquids or granules in furrow, 275
 as seed dressings, 275, 277
 as soil drench, 152
 effect on nitrogen in soil, 55
 on pelleted seed, 275
 phytotoxicity, 278
 root fanginess of sugar beet and, 277
 Nematodes
 activants for, 146
 amino-acid antimetabolites for controlling,
 152
 attractants for, 146
 auxin in gall formation by, 92
 auxin in roots infested with, 104
 clumping of, 8·10
 control with chemicals, 152, 156–158
 cyst-nematode genetics, 8·16
 cyst walls, composition of, 119
 dormancy of eggs, 8·19
 economic effect on crops, 8·4
 effect of grazed ley on, 320
 effect of potatoes on development of, 149
 egg shells, composition of, 6·7, 8·7
 electron microscopy, 8·11
 "facultative diapause" of, 8·19
 fertilisation of, 146
 films of, 150, 153
 fumigation, 157, 8·25
 genetic constitution of pathotypes, 8·21
 giant cells, 149
 hatching agents, 153, 6·8, 8·8, 8·9

Entries in italics refer to the Abstracts of Papers on pages 352-410.

INDEX

- Nematodes (contd.):**
 hatching factor, 118
 hatching of, 8·9, 8·19
 host-parasite relationships, 8·22
 irrigation, effect of, 142, 155
 klinokinesis in, 146
 mating behaviour, 146, 8·15
 minimum tillage, effect of, 158
 on conifer seedlings, 139
 on leys, 323
 on potatoes, 321
 plant-growth substances, effect of, 8·22
 population genetics of, 8·16
 reinfestation after fumigation, 8·23
 resistant plants, effect on sex ratio, 8·21
 root diffusates, stimulation by, 150, 8·9
 secretions of females as attractants, 146
 seed spacing, effect on aggregation of, 273
 selection of male and female, 149
 sex attractants, bioassay for, 146
 sex determination of, 8·20
 sex ratio of, 153, 8·21
 soil aggregation, effect on, 141
 trap-cropping, 158
- Nematodes, names of**
Anomyctus xenurus, 8·13, 16·13
Aphelenchoides ritzemabosi, 8·22
Aulolaimus spp., 8·14
Ditylenchus dipsaci, 144-145, 323, 8·10, 8·23
Hemicycliophora, 158
Heterodera avenae, 136, 143, 145, 151, 157
Heterodera carotae, 143
Heterodera cruciferae, 143
Heterodera goettingiana, 143
Heterodera rostochiensis, 118, 132, 142, 146-149, 152-155, 158, 228, 6·7, 6·8, 8·7, 8·8, 8·9, 8·15, 8·16, 8·19, 8·20, 8·21
Heterodera schachtii, 142, 146, 153-155, 8·8
Heterodera turcomanica, 151
Longidorus sp., 142, 143, 158, 271-274, 277, 320, 8·12
Meloidogyne hapla, 153
Meloidogyne incognita, 104, 153
Meloidogyne javanica, 153
Meloidogyne naasi, 145
Meloidogyne poghossianae, 8·24
Pandurinema sp., 8·14
Pratylenchus crenatus, 158
Pratylenchus curvatus, 158
Pratylenchus neglectus, 132, 152, 158
Pseudoaulolaimus sp., 8·14
Trichodorus spp., 142, 143, 158-162, 271, 272, 274, 276, 277, 320, 8·12
Tylenchorhynchus spp., 142, 156, 158, 161
Xiphinema diversicaudatum, 141
- Net assimilation rates in CO₂ concentrations, 5·4**
- New Zealand soils**
Endogone spores in, 4·7
- Nitrate**
 in crops, measurement of, 63
 lost by leaching, 246
- Nitrification inhibitor, 2·17**
- Nitrifiers, isolation of, 90**
- Nitrobacter, 90**
- "Nitro-Chalk"**
 compared with anhydrous ammonia, 38, 39, 285
 for barley, 291
 for beans, 233
 for leys, 253
 for Sitka spruce, 40-42
 for sugar beet, 274
- Nitrogen fertilisers**
 comparison of, 2·23
 comparison of recovery of, 2·18
 effect on composition of ryegrass, 48
 effect on potato scab, 134
- Nitrogen fertilisers (contd.):**
 efficiency of, 246
 for barley, 43, 247, 2·19
 for grass, 39, 2·19
 for sugar beet, 95, 274, 284
 for wheat, 39
 losses of, 246, 247, 2·17
¹⁵N as tracer, 2·17
 placement of, 42
 previous cropping, effect on requirement, 286
 recovered by crops, 247
 residual effect of, 42, 327
 time of application, 42, 325-327
 top dressing on sugar beet, 274
See also, Ammonia; Ammonium sulphate; Isobutylidene diurea; "Nitro-Chalk"; Potassium nitrate; Urea
- Nitrogen fixation**
 by lucerne and clover, 85, 86
 effect of lime and PK on, 85
 selection of legumes for increasing, 86
- Nitrogen in soil**
 effect of formalin on, 58
 effect of fumigation on, 272
 effect on leys on mineralisable, 45
 effect of partial sterilisation on release of, 58, 77, 243
 "glucose" determinations for, 75
 immobilisation of, 44
 measurement of, 63
 mineralisable, tests for, 75
 mineralisation from leys, 45, 77
 potentially available, test for, 75, 3·3
 release of, by sterilisation, 77
- Nitrosomonas, 90**
- Nodules**
 leg-haemoglobin of, 87
 of lucerne, 85
 of subterranean clover, 86
- Nordstrandite, 68**
- Norfolk, soil survey in, 299**
- Northumberland, soil survey in, 298**
- Nottinghamshire, soil survey in, 301**
- Oats**
 frit fly on, 208
 virus disease of, 126
- Oil-seed rape, poisoning of bees on, 175**
- Onion, infection of by *Endogone* spores, 88**
- Oospora pustulans* on potato, 132**
- Ophiobolus graminis*. *See* Wheat, take all**
- Organic manures**
 experiments at Woburn, 37
 residual effect of, 43
- Organic matter in soil**
 effect of grass and arable cropping on, 45
 effect on soil stability, 60
 fixation of trace elements by, 78
 radio-carbon dating of, 77
- Organo-mercury dust on pelleted seed of sugar beet, 269**
- Oscinella frit*. *See* Frit fly**
- Osmotic potential, measurement of, 74**
- Oxazole, toxicity of to insects, 172**
- Paraoxon, as insecticide, 164**
- Paraquat,**
 effect on nematodes, 158
 effect on pea aphid on lucerne, 190
 effect on slugs, 201
 effect on volunteer corn, 251
 for killing rye, 255
 with linuron on potatoes, 257
- Parathion**
 against wireworms, 333
 decomposition of in soil, 90
 effect on soil fauna, 198

INDEX

Entries in italics refer to the Abstracts of Papers on pages 352–410.

- Parathion (*contd.*):
 resistance of houseflies to, 165
 sorption on houseflies, 164
 Park Grass, liming of, 108
 Partial sterilisation. *See* Soil sterilisation
 Pastures (field), 55, 136
 Peas (*Pisum sativum*)
 aphids and virus diseases of, 188
 bean leaf roll virus, susceptibility to, 189
 Fusarium wilt on, 7·17
 nodulation, effect of soil fumigation on, 7·17
 Peat, experiments at Woburn, 37
 Pembrokeshire, soil survey in, 310
Penicillium, on wheat-bulb fly, 202
Periplaneta americana. *See* Cockroach
 Permanent reference plots, wheat-bulb fly studies on, 202
 pF meter, 29
Phaedon cochleariae, effect on plant yield, 208
Phaseolus vulgaris. *See* Bean
 Phenolic esters
 conversion of cryptophan to auxin by, 103
 of *Phaseolus vulgaris*, 83
 Phenoxazone formation, 113
Phialophora, on wheat-bulb fly, 203, 218
 Phlogopite
 alumino-silicate layers in, 66, 67
 changes during artificial alteration, 3·8
 X-ray diffraction patterns of, 67
Phoma betae, on sugar-beet seeds, 269
Phoma spp., cause of gangrene in potato, 131
 Phorate
 as nematocide on sugar beet, 276–278
 effect of soil moisture on uptake of, 9·16
 effect on soil fauna, 198
 effect on sweet corn, 209
 for wireworms, 200, 333, 334
 Phosphate fertilisers
 effect on sulphur in soil, 3·1
 residual effect of, 46–49
 residues in Saxmundham soils, 47, 241
 Phosphate residues in soil, analysis for, 47
 Phospholipids, in sorption of insecticides, 165
 Photoperiod, effect on sugar beet, 99
 Photosynthesis, 97
 carbohydrate sinks and, 5·2
 carbon-dioxide concentration and, 5·4
 of productive systems, 1·1
Phytophthora infestans. *See* Potato blight
Picea sitchensis. *See* Sitka spruce
 Piperonyl butoxide–pyrethrum mixtures, effect on cockroach, 167
 Plant environment, 1·3
 Plant hormones, production of by *Azotobacter*, 89
 Plant population compensation, 270
 Plant residues, decomposition of in soil, 76
 Plant spacing, effect on seed yield of sugar beet, 280
Plutella maculipennis, effect on plant yield, 208
 Polarographic analysis, 63
 Pollen traps
 counts, 7·20
 on sugar beet, 282–284
 rotorod, 127
 Polyphenoloxidase, oxidation of *O*-aminophenol by, 113
 Polyphenols, oxidation of, 112
 Potassium fertiliser
 effect on composition of ryegrass, 48–50
 long-term experiments at Woburn, 51
 nitrate for spring barley, 2·23
 residues of in soil, 48, 49
 Potassium in crops, 51
 Potassium in soil, 53–55
 activity ratios in rain, 52
 amount removed in crops, 51
 fixation and release of, 53–55
 Potassium nitrate, for spring barley, 2·23
 Potato
 B9, effect on, 5·7
 blemishing diseases of, 132
 blight, dispersal gradients, 128
 blight, effect of water on spread of, 7·24
 blight, fungicides for, 185, 9·25
 blight, infection of leaves by, 7·29
 blight, tuber and haulm blight, 187
 CCC, effect on, 5·7
 chlorosis due to magnesium deficiency, 53
 coiled sprout, 132, 7·31
 crop sequence, effect of, 261
 diseases of, 130, 7·8
 diseases, susceptibility of varieties to, 7·24, 7·25, 7·28
 effect of damage on diseases, 131
 fertilisers for, placement, 2·24, 12·1
 gangrene of (*Phoma* spp.), 130
Helminthosporium on, 133
 in Ley–Arable Experiments, 321
 insecticides for, 341
 irrigation for, 36, 260
 magnesium deficiency of, 53
 nematodes on, 142, 155, 260, 321, 8·16
 nematode-resistant, 8·5, 8·16, 8·17
Oospora on, 132
 pathogenic fungi on seed tubers, 7·7
Rhizoctonia on, 133, 322
 scab, 133–135, 257, 261, 7·30
 seed tubers, diseases of, 130, 7·7
 slugs, varieties susceptible to, 201
 soil sterilants on, 36, 243, 260, 261
Verticillium spp. on, 131, 261, 322, 7·31
 virus diseases of, 120, 124
 virus-free clones of, 7·22
 wireworms resistance to insecticides on, 333
 yields with organic or green manures, 38
 Previous cropping
 as guide to nitrogen manuring, 45
 effect on barley, 43
 effect on nitrogen requirements of sugar beet, 286
 effect on nitrogen supply, 43
 Protein, in grass, 50
Puccinia graminis, uredospores of, 7·19, 7·20
 Pyrazon, as herbicide on sugar beet, 289
 Pyrethrins
 new insecticides related to, 9·11
 structure and toxicity of, 171–173
 synthesis of, 9·1, 9·10, 9·12
 Pyrethrum, effect on nervous system of cockroach, 167
Pythium root rot of cereals, 139
 Quinones, reactions with other components of leaf extracts, 112
 Radiant energy, measurement of, 1·10
 Radiation
 and plant growth, 29–31, 1·7
 effect on cereal leaves, 5·10
 measurement of, 1·10
 Radio-carbon dating of organic matter in soil, 77
 Rain
 composition of, 244
 in dispersal of plant diseases, 7·24
 sodium and potassium in, 52
Ramularia, leaf spot, fungicides for, 270
 on sugar beet, 279, 280
 Red clover (*Trifolium pratense*), symbiotic effectiveness in, 86
 Respiration, 29, 31–33
 apparatus for measuring, 29
 Rhizobium
 bacteriophage of, 84
 biochemical tests for, 87

Entries in italics refer to the Abstracts of Papers on pages 352-410.

INDEX

- Rhizobium (contd.):**
 identification methods, 4-2
 inoculation experiments, 85
 species, 84-87
- Rhizoctonia* on potato, 133
- Rhizosphere, micro-organisms in, 4-1
- Ribonucleic acid (RNA), 121, 7-21, 7-23, 7-32, 7-33
- Rothamsted Garden Clover, 233
- Rubidium, 2-11, 2-15
- Ryegrass (*Lolium perenne*)
 ammonium nitrate for, 39
 cereal root-knot nematode on, 145, 146
 infection by *Mastigospodium*, 7-26
 isobutylidene diurea for, 39
 N and K fertilisers, effect of, 49
 response to lime and PK, 85
- Sand and gravel, effect on soil stability, 60
- Saxmundham, 235-248
 Classical Experiments at, 37
 clover experiments, 243
 consolidation of ploughed land at, 59
 drainage, 237
 evaporimeters at, 237
 farmyard manure residues in soil, 47
 field experiments with formalin, 56, 59
 field experiments with methyl bromide, 57
 grassland experiments, 243
 Intensive Wheat Experiment, 241
 Long-Term Experiments, 37
 lucerne experiments, 243, 244
 phosphate residues in soil, 47
 Rotation I Experiment, 235, 238, 247
 Rotation II Experiment, 241
 soil structure and compaction at, 242
 weather, 235
- Scout Farm, 108, 251
- Seeds, copper content of, 114
- Selsey Bill, soil map of, 17-24
- Septomyxa affinis*, on wheat-bulb fly, 202, 218
- Sesamex-pyrethrum mixtures, effect on cockroach, 167
- Shading, effect on sugar beet, 95
- Shales, zinc determination in, 80
- Sheep
 clostridial disease, 254
 maggot fly, spraying for, 254
- Shelter, effect on insect infestations, 193
- Shropshire, soil survey in, 302
- Sieve, Variable, 177
- Silicates, fluorine in, determination of, 79
- Silver in Lias shales of Yorkshire, 75
- Simazine
 damage to plants, 250
 decomposition of, 90
 spraying on beans, 252, 256
- Sitka spruce (*Picea sitchensis*)
 experiments at Kennington and Wareham, 40
 formalised casein for, 40
 isobutylidene diurea for, 39-42
 "Nitro-Chalk" for, 40-42
 seedlings, disease on, 7-11
- Slit-seeded plots, 201
- Slugs, 200-201
- Sodium
 as plant nutrient, 2-1, 2-23
 effect on sugar beet, 287
 in soils, 52
- Sodium metavanadate, as hatching agent for nematodes, 153
- Sodium nitrate, on spring barley, 2-23
- Soil aeration, 33
- Soil aggregates, stability of, 60
- Soil anaerobes, 90
- Soil-borne diseases
 control of, 78
- Soil-borne diseases (contd.):
 of wheat, 241
- Soil classification in Britain, 17-11
- Soil compaction, 2-9
 effect on germination, 2-21
 effect on nematodes, 141-144
 effect on sugar beet, 242
- Soil development on tips in South Wales, 17-6
- Soil fauna, effect of gamma radiation on, 10-12
- effect of insecticides on, 198, 200, 9-19, 10-13
 extraction of from soil, 199
- Soil heat flux, 29
- Soil horizons, identification of, 311
- Soil moisture
 deficit, 31, 237
 effect on nematodes, 141-144
 effect on potato scab, 7-30
 effect on uptake of insecticides, 9-16
 on Keuper Marl, 17-19
 under different crops, 272
- Soil organic matter
 radio-carbon dating of, 77
 fixation of trace elements by, 78
- Soil porosity, 2-21
- Soil sampling, 94
- Soil stability
 effect of clay, sand and gravel on, 60
 effect of organic matter on, 60
- Soil sterilants, names of
 chloropicrin, 156, 157, 7-17
 "D-D", 137, 154-162, 7-17, 8-12, 8-25
 dazomet, 137, 156, 7-17
 ethylene dibromide, 161
 formaldehyde, 77, 7-17
 formalin, 55-59, 138, 143, 156, 243
 gamma radiation, 199
 "Lannate", 155, 162, 276-278
 methyl bromide, 57-59, 77, 152, 156, 243
 "Telone", 154, 162
 "Temik", 154, 162, 276-278
- Soil sterilisation
 against nematodes, 152-162, 271
 at Saxmundham, 243
 effect on Docking disorder, 159-162
 effect on dry-matter production, 78
 effect on *Endogone* spores in soil, 88
 effect on *Fusarium* wilt, 7-17
 effect on nitrogen in soil, 55, 58, 77, 243, 272
 effect on pea nodulation, 7-17
 effect on sugar-beet yield, 273
 field experiments on, 55-59
 for barley, 57
 for grass, 57
 for peas, 138
 for potatoes, 36
 for wheat, 36, 136-139
 nitrogen released by, 243
 residues in soil, 59
 soil drench, 56
 substitute for break crops, 138
- Soil structure, 59
 effect on nematodes, 141-144
- Soil water
 available, 34, 237, 1-8
 in fine-textured soils, 17-3
 method of supplying, 9-14
 movement of, 34, 1-9
 potential, gradients of, 34
 potential, measurement of, 74
 techniques for measuring, 1-5
- Solanum* spp., cyst nematode on, 148-150
- Solar energy, conservation of, 1-7
- Solar radiation
 fixation of, 28
 measurement and spectral distribution of, 29
- Sorptivity of soil, 1-9
- Southport, soil map of, 17-20

INDEX

Entries in italics refer to the Abstracts of Papers on pages 352–410.

- Spectrophotometric analysis, 63
 flame emission, 2·12
 for estimating barium, 61
 Stackyard, Rothamsted, 44, 202, 205, 207
 Stackyard, Woburn, 59
 Statistical theory, 227
 Statistical work
 for Ministry of Agriculture, 226
 for N.A.A.S., 220, 224, 226
 for N.I.R.D., 226
 for overseas, 220, 227
 for Potato Marketing Board, 226
 Stereoscan microscope, 8·11
 Stomatal resistance, 29, 30, 31
 Stone orientation of tills in East Yorkshire, 3·9
 Stored products
 Farmer's Lung and, 129, 7·27
 fungi and actinomycetes on, 128, 7·27
 yeast on, 129
 Straw, experiments at Woburn, 37, 38
 Strawberry, pollination of, 214
Streptococcus pluton, relationship to European
 foulbrood in bees, 217
Streptomyces scabies, on potato, 133–135, 261
 Stubby root nematode (*Trichodorus* spp.) causal
 agent of Docking disorder, 159–162
 Stunt nematodes. *See* Nematode *Tylencho-*
 rhynchus spp.
 Subsoiling, effect on yield of cereals, lucerne and
 sugar beet, 16·16
 Subterranean clover (*Trifolium subterraneum*),
 effect of temperature on N fixation, 86
 Suction-traps, distribution of, 195
 Sugar beet
 anhydrous ammonia for, 285
 aphids and yellows on, 265–269
 aphids, overwintering on, 16·12
 CCC on, 99
 cover crops on stecklings, 268
 crop-rotation experiments, 290
 defoliation, effect on yield, 269
 Docking disorder, 144, 159–162, 271–278
 downy mildew, 270, 279, 16·7, 16·8, 16·9,
 16·10
 fertilisers for, 284–289, 16·11, 16·16
 fumigants for, 153, 161, 243, 269, 273, 274,
 8·12, 8·25
 harvesting date, 290
 herbicides, damage from, 289
 in Ley–Arable Experiment, 317–320
 irrigation for, 288
 “Kainit” as basic fertiliser, 292
 leaf-area index, 5·1
 liquid fertiliser for, 285
 magnesium fertiliser for, 285
 nematicides for, 275–278
 nematode diseases of, 142–144, 159–162, 265–
 278
 nitrogen fertilisers for, 95, 274, 287, 288
 pelleted seed, pesticides in, 269
 pests of, 8·1
 Phoma betae on, 269
 photoperiod, effect on, 99,
 photosynthesis by, 97
 pollen liberation by, 282
 previous cropping, effect on N requirement,
 286
 residues from, effect on barley, 290
 seed, 278–284, 16·6
 soil compaction, effect on, 242
 soil, effect on, 5·1, 5·3
 sowing date, 279, 288, 290
 spacing of, 287
 stunting of seedlings, 143
 subsoiling, effect on, 16·16
 sugar content, 95
 “topping”, 281
 Sugar beet (*contd.*):
 virus diseases of, 124, 159–162, 265–268, 271,
 16·12
 virus-like particles in, 124
 yellows-tolerant varieties, 266
 Sulphate reduction in waterlogged soils, 78
 Sulphur in soils
 in acid sulphate soils, 80
 oxidation of, effect of P fertilisers on, 3·1
 Sussex, soils of coastal plain, 17·2
 Swede, turnip yellows virus disease of, 125
 Sweet corn. *See* Maize
 Sweet potatoes, insecticides for, 335
 Symbiotic effectiveness in nodulated red clover,
 genetics of, 4·9
Symphyla, new genus and species, 10·15
 Take-all. *See* Wheat, take all
 Talc, x-ray diffraction patterns of, 67
 Taxonomy, numerical methods in, 12·8
 Temperature
 accumulated, 235
 effect on bees, 214
 effect on efficiency of cereal leaves, 5·10
 effect on nitrogen fixation in nodules, 86
 of soil, comparison at Rothamsted, Saxmund-
 ham and Woburn, 235
Theobroma cacao, black-pod disease of, 15·1
Thermoactinomyces vulgaris, in decomposition
 of herbicides, 88
 Thermoactinophages, 88
 Thionazin
 effect on wireworms, 9·17
 in pelleted seed of sugar beet, 269
 nematicide on sugar beet, 275–277
 Thiourea, as nitrogen fertiliser, 42
 Thiram, on pelleted seed of sugar beet, 269
 “Thuricide”, effect on *Bacillus thuringiensis* on
 wheat-bulb fly, 204
 Tillage, minimum,
 effect on nematodes, 158
 for wheat and beans, 251
 in clay soils, 35
 Tin in Lias shales of Yorkshire, 75
Tipula spp. *See* Leatherjackets
 Titan yellow for determining magnesium, 81, 3·6,
 9·22
 Tobacco, insecticides on, 335
 Tomato
 auxin in roots infested with nematodes, 104
 infection of by *Endogone* spores, 88
 Toxicity in soil in Central Africa, 83
 Trace elements
 fixation of by soil organic matter, 78
 in rock samples for United States Geological
 Survey, 82
 Transfer processes, 1·11
 Transpiration, 32, 34
 apparatus for measuring, 29
 effect on rate of growth of seedlings, 98
Trifolium pratense. *See* Red clover
Trifolium subterraneum. *See* Subterranean clover
 Trithion, insecticide on houseflies, 164
 Tryptophan, conversion to auxin in leaves, 103
 Turnip
 turnip yellows virus on, 125
 yields with different treatments, 239
 Twitchgrass
 aminotriazole against, 250
 fallowing against, 251
 Ultraviolet radiation, effects on viruses, 120,
 7·35
 United States Geological Survey, analysis of rock
 samples for, 82
 Urea,
 comparison with thiourea, 42

Entries in italics refer to the Abstracts of Papers on pages 352–410.

INDEX

- Urea** (*contd.*):
 nitrate and phosphate for grass and barley, 2-19
Ustilago, on wheat-bulb fly, 202
- Vacuum balance, 74
 Vermiculite, adsorption of aluminium by, 54
 Vernalisation of cereals, 99
 Verticillium wilt
 of potatoes, 131
 nematodes and, 152
 Vesicular-arbuscular mycorrhiza, 4-6
Viruses
 aphid transmitted, 7-14
 crystallisation of, 7-34
 effect of temperature on, 121, 7-18, 7-21
 effect of ultraviolet radiation on, 120, 7-23, 7-35
 effect on enzymes in leaves, 113
 fungus vectors, 126
 in insects, 123
 inactivation of, 120
 insect transmission, 123–126
 multiplication of, 113, 121
 of cereals and grass, 125
 overwintering on sugar beet, 16-12
 protein composition of, 120–122
 reactivation, 120
 soil-borne, 126
 spray-warning scheme, 16-14
 time of spraying against, 16-15
 within plant cells, 122, 7-10
Viruses, names of
 acute bee paralysis, 216
 barley yellow dwarf, 126
 bean leaf-roll, 188–191
 bee paralysis, 123
 beet mild yellows, 266
 beet mosaic, 124
 beet yellows, 124, 257, 265–269, 16-14, 16-15
 brome grass mosaic, 121
 carrot motley dwarf, 125, 255
 chronic bee-paralysis, 215, 11-4
 cocksfoot mottle, 126
 cucumber mosaic, 123, 7-15
 dolichos enation mosaic, 121, 7-21, 7-32
 groundnut rosette, 124, 7-38
 henbane mosaic, 123
 lucerne mosaic, 190
 lucerne vein yellowing, 191
 paracrinkle, 120
 pea enation mosaic, 188
 "pea top yellows", 189
 potato virus Y, 124
 red clover vein mosaic, 7-2
 ryegrass mosaic, 125
 sacbrood of bees, 216, 11-4
 tobacco mosaic, 114, 120, 122, 6-10, 7-15, 7-21, 7-23, 7-33, 7-34, 7-35
 tobacco necrosis, 120, 7-9
 tobacco rattle, 126, 271, 7-18
 tomato blackring, 271
 tomato bushy stunt, 121
 tomato spotted wilt, 122
 turnip yellows, 125
- Wales**
 soil development on tips in, 17-6
 soils in, 310, 17-17, 17-18
 zoning of grassland and soils in, 17-12
 Wareham, experiments with Sitka spruce at, 40–42
 Wasps, 213
Water deficit
 effect on kale, 98, 5-9
 interaction with CCC on wheat, 5-8
Water potential, 34, 99
- Waterlogged soil, sulphate reduction in, 78
Wax
 effect on fungicide efficiency, 9-25
 in soil, 79
 Weathering, mineralogical effects on, 73
Weeds, 104–108
 See also Blackgrass; Couch grass; Wild oats
Wheat
 ammonia fertilisers for, 38
 break crops, 242
 CCC on, 99–102, 259, 5-8
 cereal root-knot nematode on, 145
 chlorosis caused by Mg deficiency, 53
 continuous wheat and take-all, 242
 direct seeding experiment, 159, 261
 drainage, effect on yield, 312
 ear size and grain yield, 92
 Endogone spores on, 88
 grain-leaf ratio, 93
 Intensive Wheat Experiment, 241
 irrigation, effect of, 36, 102, 259
 leaf-area duration in, 94
 leaf-area indices, 94
 lodging, 100, 259
 magnesium deficiency in, 53
 minimum tillage on, 158
 National Wheat Survey, 312
 nematicides on, 156
 nitrogen fertilisers for, 42, 100, 324
 paraquat on, 158, 261
 premature ripening of, 260
 slug damage, 262
 soil-borne diseases, 241
 soil sterilants on, 36, 55
 sowing, time of, 262
 sowing, with spinner-broadcaster, 251
 stem-boring larvae, 325
 sulphur dioxide in air, damage by, 263
 take-all on, 88, 135–138, 156, 186, 234, 242, 252, 262
 varieties, semi-dwarf, 93
 vernalisation of, 99
 yield, effect of conditions after anthesis, 92
 yield, effect of environment on, 92
 yield, with different treatments, 238–241
 See also Cereals
Wheat-bulb fly (*Leptohylemyia coarctata*), 182–184, 202–206, 335–338
 Bacillus thuringiensis on, 204
 biological studies of, 182
 dispersal of adults, 205
 effect of wheat exudates on larvae, 182
 effect on wheat yield, 207, 10-10
 egg laying, factors affecting place of, 182
 feeding and ovary development, 202
 food of, 7-36, 10-23
 insecticides against, 183, 336–338, 341, 344, 346, 9-18, 9-20, 9-24
 pathogenic fungi on, 218
 pathology of, 203, 218
 Phialophora on, 203, 218
 population studies, 202
 Septomyxa affinis on, 218
Wild oats
 effect of kale seed crops on infestation, 105
 effect of sulphuric-acid spray on seed production, 105
 longevity of seed, 104
Wireworms (*Agriotes* spp.)
 effect of insecticides on, 184, 200, 332–335, 340, 344, 346, 9-17, 9-19, 9-26, 10-22
 soil type and, 17-13
Woburn
 Classical Experiments, 37
 consolidated ploughed land at, 59
 Cultivation-Weedkiller Experiment, 255

INDEX

Entries in italics refer to the Abstracts of Papers on pages 352-410.

Woburn (*contd.*):

- Direct-seeding experiment, 255
- Experimental Station Report, 259-264
- Farm report, 254-258
- Farmyard Manure Experiment, 37, 2-22
- Intensive Cereals Experiment, 53, 256
- Ley-Arable Experiment, 225, 255, 316-323
- Long-term experiments with K, Mg and Na, 51
- magnesium deficiency experiments, 53
- Market-Garden Experiments, 255
- nitrogen experiments, 39, 233
- organic-manure experiments, 37
- weeds on, 108
- Worcestershire, soil survey in, 302
- Worthing, soil map of, 17-25
- Wrest Park, Silsoe, respirometers at, 29, 33

X-ray diffraction

- of Broadbalk soil clays, 70
- of phlogopites and talc, 66, 67
- of muscovite, 66
- X-ray fluorescence analysis
 - of bromine in soils, 81
 - of sulphur in acid sulphate soils, 80
 - of zinc in shales, 80
 - with Philips Spectrometer, 80

Yorkshire, soil survey in, 295

Zea mays. See Maize

Zinc

- in Lias shales of Yorkshire, 75
- in shales, determination of, 80
- Zinophos, effect on nematodes, 158