

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Report for 1968 - Part 1

[Full Table of Content](#)



Index

Rothamsted Research

Rothamsted Research (1969) *Index* ; Report For 1968 - Part 1, pp 391 - 404 - DOI:
<https://doi.org/10.23637/ERADOC-1-123>

SUBJECT INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375. The General Report by the Director (pp. 25–30) has not been indexed.

- Absidia* spp. on mouldy hay, 133
Actinomycetes
 in wet and mouldy hay, 132
 on stored products, 132, 133
Agricultural meteorology, 31–34, 1·6, 1·7
Agriotes. See Wireworms; Click beetles
Agropyron repens. See Couch grass
Agrostis gigantea (bent couch grass)
 comparison with growth of wheat, 108
 germination of seeds, 107, 5·19
 in cereals, 137, 256
Alizarin Red S, for determining aluminium, 3·6
Aldrin
 conversion to dieldrin in soil, 10·17
 effect on soil fauna, 10·17
 volatilisation of, 184
Allethrin, toxicity to mustard beetle, 180–181
Alopecurus myosuroides. See Blackgrass
Alpha-aceto-gamma-hydroxy butyramide, for
 sterilising nematodes, 156
Aluminium, in silicate minerals, determination
 of, 3·6
Aluminosilicates, determination of fluorine in,
 3·9
Amino acids in grass, effect of N and K on, 52–
 53
Amino-triazole
 effect on nematodes, 165
 to control couch grass, 268
Amitrole, for weeds in spring barley, 137
Ammonia, anhydrous
 compared with 'Nitro-Chalk', 38–41
 for grass, 38–41
 for spring wheat, 41
 for sugar beet, 287
 spacings of injections on grass, 39–40
 time of application to grass, 38–39
Ammonia, aqueous
 compared with 'Nitro-Chalk', 38–41
 compared with urea, 41
 for barley, 41
 for grass, 38–41
 time of application to grass, 38–39
Ammonium nitrate
 compared with calcium nitrate on wheat, 44
 compared with IBDU, 42–43
 for grass, 38, 42–43
Ammonium nitrogen in plant extracts, 60
Ammonium sulphate for wheat
 compared with calcium nitrate, 44, 2·18
 with nitrification inhibitor, 44, 2·18
Anemometers, for microclimate in crops, 31
Anti-oxidants in cereal leaves, 114
Aphicides
 demeton-methyl, 201
 disulfoton ('Disyston'), 191–192, 204
 effect on beet yellows virus, 270–272
 effect on germination of sugar beet, 271
 effect on yields, 200–201, 204
 menazon ('Saphizon'), 204, 270–272, 16·2, 16·8
 'Metasytox', 203, 264
 on sugar beet, 270–272
 phorate granules, 191–192, 263
 residue in peas in pod, 207
Aphicides (*contd.*):
 'Roger-E', 200
 systemic on peas, 204
 'Temik', 271, 272, 274, 275, 280–283
 See also Insecticides
Aphids
 bioassay on field beans, 191–192
 cannibalism by, 9·7
 catches, monthly totals, 205–206
 cereal aphids as virus vectors, 208
 early records of *Myzus persicae*, 209
 effect of age on flight, 10·24
 effect of fungicides on, 130
 effect of light on migration, 209, 10·24
 effect of nematicides on, 159
 effect of starvation on flight, 10·24
 effect of temperature on eggs, 202
 effect on bean losses, 201
 effect on cereal losses, 129–131, 200
 Entomophthora, on, 230, 231, 16·6
 flight of, factors affecting, 10·24
 micro-organisms on eggs, 202
 migration, 209, 272, 10·2, 10·15, 10·24
 multiplication of, 130
 on cereals, 129, 200, 208, 262
 on lucerne, 203
 on peas, 204
 on sugar beet. See Sugar beet
 on weeds, 272
 overwintering hosts of, 202, 272
 overwintering of pea aphids, 202
 population studies on *Aphis fabae*, 9·25
 predators on, 9·6, 9·7
 sampling for, 10·25, 16·10
 seasonal trends, 208
 spray warning system, 270
 traps for, 129, 208–214, 272, 10·25, 16·10
 virus diseases and, 129, 203–204
Aphids, specific names of
 Acyrtosiphon pisum, 202, 203, 204, 209, 230
 Aphis fabae, 191, 192, 201, 203, 209, 230, 231,
 273, 9·6, 9·25, 10·24, 16·9, 16·10
 Aphis pisum, 231
 Cavariella theobaldi, 231
 Macrosiphum euphorbiae, 264, 272
 Macrosiphum granarium, 209
 Metopolophium dirhodum, 130, 200, 206, 208
 Metopolophium festucae, 206, 208
 Myzus ascalonicus, 272
 Myzus persicae, 129, 192, 203, 209, 231, 272–
 273, 16·9, 16·10
 Rhopalosiphoninus latysiphon, 272
 Rhopalosiphoninus staphyleae, 272
 Rhopalosiphum spp., 130, 205, 208, 209
 Schizaphis graminum, 209, 10·24
 Sitobion avenae, 130, 200, 203, 205, 208, 209,
 262
 Sitobion fragariae, 231
Aspergillus spp.
 in decomposition of herbicides, 83
 on wet and mouldy hay, 132
Astragalus glycyphyllos, bacteroids in nodules of,
 89
Athous bicolor. See Click beetles

INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- Atmospheric humidity, effect on crop, 94
- Auxin
 cell expansion promoted by, 101
 conversion of tryptophans to, 3·12, 5·17, 5·18
 in *Azotobacter chroococcum*, 83
 in plants infested with nematodes, 8·18
- Azinphos-methyl, toxicity to bees, 188
- Azotobacter*
 auxins in, 83
 metabolism of benzoic acids by, 83
 production of growth substances by, 4·2
- B9 (B-nine)
 effect on beans, 257
 effect on protein of bean leaves, 5·11
- Bacteria, isolation of ammonia-oxidising auto-trophic, 4·4
- Bacteriophage of *Rhizobium*, 87
- Bacteriostasis, in soil and rhizosphere, 83
- Bacteroids in nodules, 89–90, 4·3
- Bagassosis, 132, 133
- Barley, 41–46, 133–139, 256, 263, 268
Agrostis gigantea in, 137, 256
 break crops tested with, 256
 calcium nitrate on, 45
 continuous, decline of take-all on, 137
 effect of bare fallow on, 250
 effect of formalin on yield, 45
 effect of N fertilisers on, 41–44, 137–138, 161, 249, 256, 294–295,
 effect of P fertilisers on, 2·21, 2·22
 effect of previous cropping on yield, 43
 effect of sodium on, 2·12
 effect of wild oats on, 109
 farmyard manure for, 248–250
 fertilisers for, 41–46, 137–138, 248–250, 253, 22·21, 2·22
 fungicides on, 93
 in Legumes and Barley Experiment, 256, 257
 in Ley-Arable Experiments, 252–254, 267
 in rotation with sugar beet, 292–294
 irrigation on, 37
 nematode-resistant, 161
 nematodes on, 161–166
 nitrate in sap of, 50
 nurse crops, 256
 root growth, effect of CCC on, 103
 root growth, effect of compacted soil on, 97
 root growth, effect of shading on, 96
 root growth estimated by sampling, 5·16
 silicate for, 248
 undersowing with trefoil, 256
 weeds in, 137, 256
 yields, 45, 137–138, 248–250, 252–254, 263, 266
 See also Cereals; Take-all
- Barley Variety Experiments, 267
- Barnfield
 barley on, 248–250, 260
 beans on, 59, 141, 248, 249, 254, 260
 herbicide adsorption by soils, 60
 modifications in 1968, 247, 251, 260
 wheat on, 248–250, 260
- BASF, effect on aphids, 130
- Beans (*Phaseolus vulgaris*), 263, 268
 bacteroids in nodules of, 90
 castor meal on, 248
 changes in leaf protein in, 5·11
 chocolate spot on, 262
 conversion of tryptophan to auxin in leaves, 5·17
 damage by herbicides, 59, 260
 effect of CCC and glycine betaine on, 5·18
 effect of diquat on, 260
 farmyard manure on, 248–250, 259
- Beans (*Phaseolus vulgaris*) (contd.):
 fertilisers on, 248, 249, 254, 259
 growth regulators on, 257
 irrigation on, 36, 254, 257, 261
 leaf spot on, 262
 nematodes on, 166, 257, 262
 nitrogen fertilisers on, 257
Phytophthora spp. on, 141
 pollination by bees, 11·14
 potassium fertiliser on, 247, 260
Rhizobium strains tested on, 267
 simazine on, 59, 248, 249, 254, 260, 261, 267, 268
 symbiosis in, 27
 yields, 248, 249, 254, 263
 See also Field beans
- Bee Advisory Service, 187
- Bees. See Honey Bees; Bumblebees
- 5-Benzyl-3-furylmethyl chrysanthemate and analogues, insecticidal activity of, 181
 See also Pyrethroids
- Beryllium, effect on plant growth, 2·30, 3·13
- BHC
 effect on pasture productivity, 222
 effect on soil fauna, 222
 effect on sugar-beet seedlings, 274, 275
 poisoning of honey bees by, 187
 seed dressings, 274
- Biotite, K–Na concentrations in, 64
- Blackcurrants, pollination of, 11·16, 11·17
- Blackgrass (*Alopecurus myosuroides*), 5·5
 comparison of plants from seeds of different origin, 105
 fungicides on, 94
 on Broadbalk, 106, 260
 seed dormancy during storage, 106
 seed germination, 106
- Bombus* spp. See Bumblebees
- Boots RD 18502, 275, 282
- British Film Institute, film on *Heterodera* spp., 170
- British Sugar Corporation, 274, 286
- Broadbalk
 analyses of time trends in treatments, 236
 beans on, 59, 247, 254, 260
 blackgrass on, 106, 260
 fertilisers used in revised experiment, 259
 modifications in 1968, 247, 251, 259
 nematodes on, 164
 paraquat on, 260
 potatoes on, 247, 260
 radio-carbon dating of soil organic matter on, 73
 soil survey of, 317
 weeds, changes in growth on, 110
 weeds, effect of simazine on, 110
 wheat on, 247, 259
 See also Report for 1968, Pt. 2
- Buckinghamshire, soil survey in, 305
- Bumblebees (*Bombus* spp.)
 foraging behaviour of, 11·16
 pollination of beans by, 227, 11·14
 'robbers', 227
 scent secretion of males, 174–175
 sex- and species-specific compounds in, 174–175
- Calcium
 for Sitka spruce, 56–57
 in silicate minerals, 79
 nitrate, compared with ammonium fertilisers, 44, 2·18
 nitrate, effect on barley yields, 45
- Calcium-aluminium exchange in soils and clays, 2·15
- Cambridgeshire and Isle of Ely, soil survey in, 302

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

INDEX

- Carbaryl
 effect on earthworms and wireworms, 217
 poisoning of bees by, 187
- Carbon dioxide measurement, 33, *1.4*, *1.5*
- Carbon in soil, equipment for measuring, 61
- Cardiganshire, soil survey in, 309
- Carrots, *14.1*
- Castor meal on barley and beans, 248
- CCC (2-chloroethyltrimethyl ammonium chloride)
 effect on bean, 257
 effect on bean leaves, *5.11*, *5.18*
 effect on cereals, 102–104, *5.1*, *5.3*
 effect on potatoes, 157
- Cereal Disease Reference Plots, 134
- Cereals
 anti-oxidants in leaves, 114
 aphids on, 129–131, 200–201, 208, 262
 'break'-crops, 262
 damage by symphylans, *10.23*
 effect of CCC on, 102–104, *5.1*, *5.3*
 effect of cultivation on, *1.1*
 effect of 2,4-D on nematode-infested, *8.19*
 eyespot on, 137–139, 141, 262
 foot and root diseases, 133–141
 fungus diseases, 93, 133–141, 262, 266, 268
 grain/straw ratio, 260, 267
 herbicides on, 58, 137, 260, 262
 lodging of, 45, 102–104, 140, 250, 256, 261–263, 266, 268
 mildew on, 93, 262, 266, 268
 nematodes on, 141, 161–164, 169
 perennial grass weeds in, *5.7*
 viruses on, 129
See also Barley; Maize; Oats; Wheat; Take-all
- Chalcedony
 in Batcombe series of soils, 67
 in Chiltern soils, 67
 in clay-with-flints, 67
 in Rothamsted soils, 67
 origin of, 67
- Cheshire, soil survey in, 301
- Chorbenside on pasture, 222
- Chlordane, effect on soil fauna, 218
- Chlorfenvinphos (Birlane)
 effect on soil fauna, 217, *10.4*
 effect on sugar-beet seedlings, 275, 282
 leaching from soil, 217, *10.4*
- Chlorophyll
 bleaching of, 114
 'changed' chlorophylls, 122
 in assays for chlorophyllase, 113
- Chlorophyllase, 113
- Chlorophyllides, 114, 123
- Chloropicrin, 150, 267
- Chloroxon, resistance of housefly to, 173
- 'Chlorthion', resistance of housefly to, 172–174
- Ciba 10015, 275
- Ciba 14421, 275, 282
- Clay
 aggregates, 69
 artifacts in soil sections, 70
 clay minerals and, *3.11*
 deflocculation of, 75
 effect of extracts of plant residues on, 75
 orientation in soil sections, 70
 physics of, 69–70
 porosity of clay films, 70
 ratios in soils, 310
 surface charge on, 36
 translocation of, 310
- Clay soils, shrinkage of, 236
- Claycroft field, fumigation comparisons, 140
- Click beetles, sex attractants in, 195
- Clinoptilolite
 in sediments and soils, 66
- BB
- Clover
 copper in, 112, 115
 effect of light on flowering, 88
 manganese in seedlings, 116
 nematodes on, 167, 168
 nitrogen fixed by, 48
 odulation in, 88
 symbiosis in, 82
See also Cluster clover; Subterranean clover
- Cluster clover (*Trifolium glomeratum*), 82, 88
- Cockroach (*Periplaneta americana*)
 effect of diazoxon on, 178, *9.8*
 effect of pyrethrins on, 175–178
 nervous system of, 175–178
 nervous system, staining of, 190
- Computers
 data conversion from Orion to new computer, 244
 multiaccess computing, 240, 243, 245
 new computer (ICL 4/70), 233–234, 243–245
 details of, 243
 Fortran IV, 244–245
 programs, 233–234, 244
- Orion, 233
 experiments analysed, 241
 performance, 240
 programs, 233, 242
 volume of work, 241
 programming languages, 233–235, 244–245
 programs. *See* Statistical programming service for other institutes, 236, 240, 243
- Conifers
 manuring experiments on, *2.4*, *2.5*
 nutrition and soil fumigation, *2.2*
 seedlings, diseases of, 151
 sulphur deficiency in, 56–57
See also Sitka spruce
- Controlled-environment, 88, 93, 134, 191
- Copper
 deficiency in Sitka spruce, 57, 116
 enzymes containing copper, 112, 115, 116
 in clover seedlings, 112, 115
- Coprosma robusta*, inoculation with *Endogone* spores, 85
- Corn buttercup (*Ranunculus arvensis*), 110
- Cotton stainer. *See* *Dysdercus intermedius*
- Couch grass (*Agropyron repens*)
 amino-triazole for controlling, 268
 competition with growth of wheat, 107–109
 effect of light on germination, 107
 effect of shading on, 109
 fungicides on, 94
 germination of seeds, 106, *5.19*
 host for nematodes, 164
 in spring barley, 137
 paraquat for, 260
 viability of seeds, 106–107
- Crop growth
 effect of humidity on, 94
 effect of CCC on, 102–104, *5.18*
 effect of glycine betaine on, *5.18*
 effect of insect attack on, 199–204
 in controlled environments, 93
- Crop physiology, *5.8*
- Crop rotations for experimental stations, *14.2*
- Crop sequence, effect on barley yield, 43
- Cultivation–Weedkiller Rotation Experiment (Rothamsted)
 barley yields on, 253
 bean yields on, 254
 potato yields on, 255, 261
 sowing methods for cereals, 261
 wheat yields on, 261
- Cytokinins, cell division promoted by, 101
- 2,4-D, effect on nematode-infested cereals, *8.19*
- Dazomet, 140, 157, 159, *7.13*

INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- 'D-D'
 as nematicide, 157–162, 165, 168, 169, 277–280
 deformed wheat ears caused by, 140
 effect on sugar-beet yields, 277–280
 effect on wheat, 7·13
 taint of potatoes from, 161
- DDT
 effect on predators of frit fly, 221
 effect on soil fauna, 216, 218, 10·17
 effect on sugar-beet seedlings, 2·75
 penetration into excised leaves, 186
 penetration into houseflies, 9·20
 rates of removal in 'rainwashing', 184
- Deep-drilled Fertiliser Experiment, 267
- Demeton-methyl, effect on aphids, 201, 272
- Derbyshire, soil survey in, 304
- Devonshire, soil survey in, 308
- Diazinon
 effect on soil fauna, 217
 metabolism by housefly, 171, 172
 penetration into housefly, 9·20
 resistance of housefly to, 172–174, 9·22
- Diazoxon
 effect on cockroach, 178
 resistance of housefly to, 172
- Dibutyltin, 197
- Dieldrin
 as seed dressing on sugar beet, 274
 conversion from aldrin in soil, 10·17
 effect on Wheat Bulb fly, 200
 leaching from soil, 217
 on honey bees, 9·13
 resistance of housefly to, 9·23
 volatilisation of, 184
- Dimethoate
 effect of soil moisture on diffusion, 191
 movement in soil, 9·16
 secretion into nectar, 9·21
 sorption of, by soils, 190
 timing of sprays on Wheat Bulb fly, 9·17
- Diquat
 for weeds in beans, 260
 for weeds in potatoes, 264
- Disulfoton
 aqueous solutions of, 192
 as aphicide, 204
 effect of soil moisture on diffusion, 191
 effect of watering on effectiveness, 191–192
 effect on soil fauna, 217
 movement in soil, 9·16
- Docking disorder of sugar beet, 277–282, 16·1
 acreage affected, 277
 Barney type, 282
 nematode numbers and fanginess, 277
 viruses and, 277
- Drainage water, loss of nitrate in, 51
- 'Dursban', effect on sugar-beet seedlings, 275
- Dysdercus intermedius* (Cotton stainer)
 aggregation and dispersal of, 174, 10·33
 behaviour towards decoys, 10·33
 glandular secretions of, 174, 9·12, 10·16
- Earthworms
 burial of litter by, 236
 effect of insecticides on, 217
 effect of paraquat on, 218
 effect of ploughing on, 218
- East Anglia, soil survey in, 302
- Electron microscopy
 of bee-paralysis viruses, 11·10
 of clay fractions, 3·11
 of nematodes, 152
 of potato virus X, 126
 of *Rhizobium* cultures, 90
 of soya bean nodules, 91
 of tomato spotted wilt virus, 126
 of virus protein, 126
- Ely, Isle of, soil survey in, 302
- Endogone* spores, 84–86
- Endosulfan, toxicity to bees, 188
- Entomophthora* spp.
 on aphids, 230, 231, 16·6
 on Wheat Bulb fly, 230
- Enzymes in leaves, 112–116
- Essex, soil survey in, 305
- Ethion, for control of Wheat Bulb fly, 195
- 'Ethrel', effect on barley and oats, 105
- Evaporation rates and surface properties of
 crops, 32–33, 1·10
- Exhaustion Land
 barley on, 250, 260
 couch grass on, 260
 fallowing of, 250, 251
- Eyespot (*Cercospora herpotrichoides*)
See Cereals, eyespot
- Fallow
 effect on barley, 250
 to control twitchgrass, 262
- Farmers' lung disease, 132, 7·9
- Farmyard manure
 effects on arable crops and grass, 2·28
 on barley, 248–250
 on beans, 247–250
 on wheat, 247–250
- Fenitrothion, effect on earthworms and wire-
 worms, 217
- Ferrous sulphide in soil, determination of, 3·10
- Fertiliser Manufacturers' Association, 236
- Fertilisers
 amounts used in United Kingdom, 2·7
 future trends in use of, 2·8
 granular compared with liquid, 41–42
 liquid, 38–42, 287
 methods of application, 41–42, 2·7
 residual effects of, 42
 use of, in England and Wales, 12·2, 12·3
See also names of individual fertilisers
- Field balances, 34
- Field beans (*Vicia faba*)
 aphids on, 201
 bee poisoning on, 187
 diseases of, 141
 insecticides on, 187, 191, 192
 nitrogen metabolism of, 6·31
 nucleic-acid metabolism of, 6·30
 virus diseases of, 7·14
See also Beans
- Flooded soils, 74
- Fluorine
 in aluminosilicates, 79, 3·9
 in micas, 65–66
- Food resources, 6·1
- Formaldehyde, 72
- Formalin
 effect on barley yield, 45, 46
 effect on *Endogone* spores, 84
 effect on grass, 46
 effect on nitrogen in soil, 45–47
 effect on take-all, 139–140
 effect on wheat, 46–47
 residual and cumulative effects of, 47, 139–140
- Formalised casein for Sitka spruce seedlings, 2·3
- Fosters Field
 barley and wheat on, 251–252
 herbicide absorption by soil on, 60
 oats on, 263
- Frit fly (*Oscinella frit*)
 distribution of eggs on plants, 220
 effect of phorate on, 201, 10·30
 hymenopterous parasites of, 10·29
 larval competition, 220
 on maize, 201, 10·30
 oviposition, effect of carabids on, 10·28

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

INDEX

- Frit fly (*Oscinella frit*) (cont.):
 predators of, 221
 Frost-heave, measurement of, 17-10
 Fumigation. *See* Soil sterilisation
 Fungicides
 as protectant for sugar beet at drilling, 275
 BASF, 130
 benzimidazole, 144–145
 captan for sugar beet, 275
 chlorinated phenols, 144–145
 copper oxyquinolate, 276
 damage to potatoes from, 198
 'Dexon' for sugar beet, 275
 dibutyltin dilaurate, 197
 'Difolatan' (captafol), for sugar beet, 275
 dithiocarbamate, 144–145
 effect on aphids, 130–131
 EMP steep for sugar beet, 275
 fentin acetate, 196–198
 fentin hydroxide, 276
 'Fernacol', for sugar beet, 275
 for cereal diseases, 93–94, 130, 197
 for potato diseases, 142–144, 171, 196–198
 for sugar beet diseases, 275
 griseofulvin, effect on aphids, 130
 maneb for sugar beet, 275
 organo-mercurial, 142, 144, 145
 organo-tin compounds for potatoes, 171, 196–197
 oxathiins, 144, 145
 'PP 149', 93
 'PP 781', 93
 'Phygon' (dichlone) for sugar beet, 275
 thiram, 151, 275
 Fungus diseases
 bagassosis, 132, 133
 control of, 144–149
 effect of heat treatment on potato, 145
 effect of nitrogen fertilisers on, 147
 effect of soil moisture on, 147–149
 farmer's lung, 132, 7-9
 from stored crops, 132, 133
 mildew on cereals, 93, 262, 266, 268
 mildew (downy) on sugar beet, 275, 16-5
 on cereals, 133–141, 7-23
 on conifer seedlings, 151
 on damp hay, 132
 on potato, 128, 141–150, 157
 on Wheat Bulb fly, 219, 230
 Ramularia leaf spot of sugar beet, 276
 Verticillium wilt, 146, 149, 150, 157
 Fungus spores
 concentration on farms, 132
 deposition within crops, 131
 splash dispersal, 131
 Gas-liquid flow control valve, 189
 Garden Clover, magnesium in soil of, 250
 Geescroft, 73
 Gibberellins
 cell expansion promoted by, 101
 production of, by bacteria, 83
 Glacial deposits, radio-carbon dating of, 68
 Gloucestershire, soil survey in, 306
Glycine max. *See* Soyabean
 Grass
 amino acids in, 52
 ammonia (anhydrous and aqueous) on, 38–41
 ammonium hydroxide on, 40
 ammonium nitrate on, 40, 42–43
 effect of formalin on, 45–46
 effect of insecticides on, 222
 effect of liming and fertilisers on, 5-6
 effect of pests on, 222
 effect on mineralisable N in soil, 2-17
 IBDU compared with ammonium nitrate on, 42–43
 Grass (cont.):
 irrigation on, 264
 liquid nitrogen fertilisers for, 39–41
 magnesium, effect on, 54–55
 nitrate in sap of, 51
 nitrogen fertilisers on, 39–43, 47, 52, 91, 264
 potassium fertilisers, 52–53
 protein content, 53
 Great Field, potato yields on, 254–255
 Great Harpenden Field, 219
 Growth regulators, 83, 101–105, 257, 5-2, 5-11
 See also B9; CCC; 'Ethrel'; Gibberellins;
 Morphactins
 Growth substances
 effect of CCC and glycine betaine on bean, 5-18
 in tomato roots infected with nematodes, 5-13, 5-18
 in wheat, 101
 production of, by *Azotobacter*, 4-2
 Zanthophylls and, 122
 See also Auxin; Cytokinins; Gibberellins
 Hay. *See* Mouldy hay
 Heavy metals, retention of, in soils, 70
 Heptachlor, for Wheat Bulb fly, 195
 Herbicides
 adsorption of, by soil, 60
 amino-triazole, 268
 anilines and substituted ureas, 60
 Aspergillus in decomposition of, 83
 'Asulox' for docks, 269
 barban for cereals, 60, 262
 behaviour in soils, 38
 'Betanal' on sugar beet, 292
 breakdown in soil, 60
 carbamates for sugar beet, 60
 CMPP, 292
 damage from residues in soil, 59
 damage to beans, 59, 260
 damage to sugar beet, 292
 degradation of, by fungi, 83
 dinoseb for beans, 60
 diquat, 260, 264
 disulfoton, effect on soil fauna, 217
 diuron, 60
 effect of drift from, 292
 for weeds in carrots, 267
 for weeds in cereals, 58, 137, 260, 262
 for weeds in potatoes, 264
 for weeds in sugar beet, 292
 linuron, 60, 264, 267
 linuron/paraquat as spray for potato, 264, 268
 MCPA, 292
 MCPB, 292
 metoxuron for cereals, 60
 monolinuron for beans, 60
 monuron, 60
 'Murbetex' for sugar beet, 292
 persistence in soil, 60
 'Pyramin' for sugar beet, 292
 soil organic matter and adsorption of, 60
 tillage systems and, 1-3
 time of application to sugar beet, 292
 trifluralin, 60, 292
 Herefordshire, soil survey in, 304
 Herringswell Rotation Experiment, Broom's Barn, 277–279
 Hesse Tills, parent material of soils, 68
 Highfield
 cereals on, 251–253, 261, 263
 potatoes on, 254–255
 viruses on sugar beet, 129
 Honeybees (*Apis mellifera*)
 acute bee-paralysis virus, 228, 7-12, 11-6, 11-8, 11-10
 brood rearing, effect of colony size on, 11-21

INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- Honeybees (*Apis mellifera*) (contd.):**
 choice of flower species, *11-15, 11-19*
 chronic bee-paralysis virus, 227, *7-12, 11-8, 11-9, 11-10*
 colonies, size of, 223, 226, *11-21*
 control of wax moths with *Bacillus thuringiensis*, *11-11*
 dandelion as competitor to fruit trees for visits, *11-15*
 danger from sprays, 201
 dysentery, *11-7*
 flight room for, 223
 food consumption, effect of colony size on, *11-21*
 foraging, effect of colony size on, 226
 2-heptanone in mandibular glands, 225, *11-22*
 hive space, 223
 hypopharyngeal glands, *11-10, 11-23*
 insecticide toxicity, 187–189, 191, *9-2, 9-13, 9-24*
 iso-amyl acetate in sting pheromone, 225, *11-22*
 longevity in winter, effect of colony size on, *224, 11-21*
 Nassanoff glands, 175, 225, *9-9, 11-12*
Nosema apis on, *11-7*
 on oil-seed rape, 188, 226
 pathology of, *11-1*
 pheromones of, 175, 224, *9-10, 11-12, 11-13, 11-22*
 physiology of, 223
 pollination by, 226–227, *11-14, 11-16, 11-17, 11-18, 11-20*
 queen piping, 223–226
 queen's inhibitory scent, *11-13*
 sacbrood virus, 229, *11-6, 11-8*
 smoke for subduing, 224
 sucrose, denatured, for feeding, 224
 'summer' and 'winter' bees, *11-23*
 swarming, 223
 virus diseases, 227–229, *11-6–11-8, 11-10, 11-16*
 wasps as predators, 227
 winter survival of colonies, 224, *11-21*
- Hoos Barley, 248
 modifications in 1968, 247, 251
 Hoosfield, 138, 260
 Housefly. *See Musca domestica*
 Huntingdonshire, soil survey in, 303
- IBDU (Isobutylidene diurea)**
 compared with ammonium nitrate, 42–43
 for Sitka spruce seedlings, 2-3
 in forest nurseries, 2-5
- Infra-red gas analyser**, 32, 33, *1-4*
- Insect survey at Rothamsted**, 205–214
- Insect traps**
 for aphids, 129, 208–214, 272, *10-25, 16-10*
 height of, 208–209
 light traps, surveys with, 214
 monthly catches in, 205, 206, 208
 moths caught in, 214
 pitfall traps, 216, 221
 reporting service as standard for warning system, 207
 sticky, 209
 suction, 207–209
- Insecticides**
 5-benzyl-9-furylmethyl chrysanthemates and analogues, 181
 diffusion of, in soil, 191, *9-16*
 effect of watering on effectiveness, 191–192
 effect on earthworms, 217
 effect on parasitic and predatory insects, 189
 effect on pollen beetles, 188, 263
 effect on soil fauna, 216–219
 effect on sugar beet, 274–275
 emulsifiable concentrates, 188
- Insecticides (contd.):**
 for sheep maggot fly, 265
 for warble fly on cattle, 269
 granular, 187, 191
 leaching from soil, 217
 losses of, from treated seed, 193–194
 'LOVO' to reduce losses, 184–186
 metabolism by insects, 171, 178
 microencapsulation, 187, *9-3*
 organochlorine, replacements for, 171, 194–195
 organophosphorus, 171–174, 187, 191, 192, 216–218
 penetration into insects, 177–179, *9-8, 9-20*
 polarography of, 192
 pyrethrins, 171, 175–184, 185
 rain washing, persistence to, 184–185
 resistance of insects to, 171–174, *9-20, 9-22, 9-23*
 secretion into nectar, *9-21*
 seed dressings, efficiency of application, 193, *9-15*
 single-row trials, 195
 sorption by insects, *9-8, 9-20*
 sorption by soil, 190
 systemic, 190–192, *9-16, 9-21*
 timing of sprays on Wheat Bulb fly, *9-17*
 toxicity to honey bees, 187–189, 191, *9-2, 9-13, 9-24*
 toxicity to houseflies, 180–184, *9-20, 9-22, 9-23*
 toxicity to *Phaedon cochleariae*, 178–183
 volatilisation of, 184
See also individual insecticides; Aphicides
- Insecticides, apparatus**
 atomiser heads, 189
 counters, portable, 189, *9-5*
 insect aspirator, 189
 sieve, variable, 189
 spore-trap turbine, 189
 suction sampler, 188, 189
 valve, gas-liquid control, for slurry, 189, *9-4*
- Insects**
 census of pests in Europe, *10-7*
 distribution of, edge infestations, 216
 distribution of, effect of shelter on, 215–216
 effect of windbreaks on flight, 215, *10-10*
 effect on plant growth, 199–207
 list of species reared, 192–193
 migration, *10-1, 10-21*
 nervous system, effect of pyrethrins on, 175–178
 nervous system, staining of, 190
 sex attractants in, 195
- Intensive Spring Barley Experiment**, 137, 253
Intensive Winter Barley Experiment, 138
International Biological Program (IBP), 82, 91, 118, *6-10*
- Iron in soils**, 80
Iron oxides, formation of, 68–69
- Irrigation**
 effect on nematodes, 159, 160
 effect on net assimilation rate, 98
 effect on potato scab, 148, *7-21*
 effect on potato yields, 36
 effect on soil fauna, 219
 effect on sugar content of sugar beet, 98
 evaporation and, 36
 on barley, 37
 on beans, 36, 254, 257, 261
 on grass, 264
 on potatoes, 36
 on sugar beet, 98, 288, 291
Irrigation Experiment, 254, 261
- Kale**
 effect of sodium on, *2-12*
 microclimate in, 31
 soil aeration and respiration under, 34–35

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

INDEX

- Kaolinite, deflocculation of, 75
 Kent, soil survey in, 306
 Knotgrass. *See* *Polygonum aviculare*
 Krillium, effect on sugar-beet growth, 2·20
- Lancashire, soil survey in, 300
- Lannate
 as nematocide on sugar beet, 274, 275, 281
 effect on plant vigour, 281
 effect on sugar beet in the field, 283
 effect on sugar-beet seedlings, 274, 275
 solutions and granules, 282
- Leaf-area index of sugar beet, 5·10
 distribution of, in crops, 5·12
 effect of irrigation on, 98
 effect of light on, 99
 effect of shading on, 97–99
- Leaf area of plants, humidity on, 94
- Leaf extracts, 75–77
o-quinones and, 117, 6·32, 6·33
 ribonucleases in, 112, 114–115
- Leaf lipoxidase, 114
- Leaf protein, 117–121, 6·10, 6·13, 6·18, 6·19, 6·23
 adducts, 117
 air-drying of, 120
 amino acids in, 120
 by-products of, 118, 121
 changes in, during storage, 6·3
 changes in, related to photosynthesis, 5·11
 composition of dry matter and liquor, 121
 content of grass, 52–53
 digestion with fungal amyloglucosidases, 121
 digestion with papain, 120, 6·26
 effect of fertilisers on, 53
 effect of simazine on, 119
 extracted fibre as food for sheep, 121
 extraction units used abroad, 112, 118
 freeze-drying of, 119
 from by-products of crops, 119
 lipid extraction, 6·25
 nutritive value of, 6·24
 press (laboratory scale) for extracting juice, 6·28
 production of, 118, 6·22
 pulper (laboratory scale) for leafy material, 6·27
 release of, from pulped leaves, 6·2
 research in the International Biological Program, 6·10
 yields, 119
- Leghaemoglobin of nodules, 90, 91, 4·3
- Legumes and Barley Experiment, 256–257
- Lepidoptera, migration of, 214–215
- Leptohylemyia coarctata*. *See* Wheat Bulb fly
- Ley Arable Experiments at Rothamsted
 barley as first and second test crops, 267
 barley yields on, 252–253
 changes in cropping, 1968, 251–252
 grazing on, 267
 herbicide adsorption on, 60
 oats in, 263
 potato in, 254–255, 261
 wheat yields on, 251–252
- Leys. *See* Grass
- Lias sediments, geochemistry of, 3·3
- Liming, 268
- Little Knot, 46–47, 84, 106, 137, 139
- Livestock
 on Broom's Barn farm, 297
 on Rothamsted farm, 264–265
 on Woburn farm, 269
 statistical experiments on, 238
- Loess, radiocarbon dating of, 68
- Lolium perenne*. *See* Ryegrass
- Lotus corniculatus*, bacteroids in nodules of, 89
- Lotus hispidus*, bacteroids in nodules of, 89
- Lotus uliginosus*, bacteroids in nodules of, 89
- Lucerne (*Medicago sativa*)
 aphids on, 203
 effect of weeds on yield, 203
 inoculation with Rhizobia, 91
 nitrogen fixation by, 48, 91
Verticillium wilt on, 203
 virus diseases of, 203
- Magnesium
 content of sugar beet, 288
 deficiency in light soils, 38, 53–55
 effect of treatments 1876–1927 on soil content, 54–55
 effect on yield and crop composition, 2·12
 exchangeable, effect of fertiliser residues on, 54–55
 fertiliser on light soils, 38, 54–55
 for grass/clover ley, 54
 for potato, 149
 for sugar beet, 287–288, 16·7
 for wheat, 53–55
 in Garden Clover soil, 250
 residual effect of, 54
 take-all and, 139
- Magnesium–aluminium hydroxides, 3·2, 3·4
- Maize (*Zea mays*)
 effect of phorate on yield, 201, 10·30
 frit fly on, 201, 10·30
- Malaaxon, resistance of housefly to, 173
- Malathion
 against pollen beetle on rape, 263
 effect on foraging bees, 188
 resistance of housefly to, 172
- Manganese, in clover seedlings, 115
- Mangold clamps, aphid infested, 272
- Mangold fly, control of, 274
- Mayweed (*Tripleurospermum maritimum*)
 in spring barley, 137
 linuron for control of, 267
- Medicago sativa*. *See* Lucerne
- Medicago truncatula*, nodules of, 90
- Menazon seed dressing as aphicide, 16·2, 16·8
- 6-mercapto-purine, for sterilising nematodes, 156
- Metaldehyde, effect on pasture productivity, 222
- Methyl bromide
 as soil sterilant for nematodes, 141, 157, 164
 bromine content of wheat after application, 71
 effect on eyespot and take-all of wheat, 141
 effect on mineralisation of soil nitrogen, 71
 effect on nitrification in soil, 71
 effect on potato yield, 157
 scorching of wheat by, 71
- Micas, 63–66
- Microbial decomposition of pesticides, 83
- Microclimate, techniques for measuring, 31
- Micropolyspora faeni*, cause of Farmers' lung disease, 132
- Millipede (*Blaniulus guttulatus*), sugar-beet seed damage by, 274
- Mineralogy, 63–69
- 'Mobam', effect on sugar-beet seedlings, 275
- 'Mocap', effect on sugar-beet seedlings, 275, 282
- Morphactins, effect on potato, 104
- Moths, immigration of, 10·22
- Mouldy hay, 132
- Musca domestica* (Housefly)
 genetic mutants, 172
 insecticide toxicity to, 180–183, 9·20, 9·22, 9·23
 metabolism of organophosphorus insecticide by, 171
 resistance to insecticides, 171–175
 synergism in, 172
- Mustard beetle. *See* *Phaedon cochleariae*
- Myzus persicae*. *See* Aphids

INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- National Agricultural Advisory Service, 187, 195, 207, 236, 237, 238, 315, 317
 National Coal Board, soil survey for, 315
 National Environment Research Council Unit for Experimental Cartography, 318
 National Institute of Agricultural Botany, 276
 National Institute of Agricultural Engineering, 193
 National Research Development Corporation, provisional patent filed by, 189
- Nematicides**
 application methods, 156–159, 168–169
 effect on nematode numbers, 279
 on different soil types, 157–158, 166–168
 residues in potato tubers, 159
 time of application, 168–169
See also Soil sterilants; and names of chemicals used as nematicides
- Nematodes**
 antibody production, 8·21
 attacking coffee, tea and cocoa, 8·9
 attraction to plant roots, 166
 cereal cyst, 141, 161, 169
 cereal root-knot, 155, 162–164, 8·2, 8·22
 classification, 8·5, 8·6
 clumping, 8·20
 control, 157, 8·8, 8·9
 cuticle, 152
 cyst nematodes, 152–162
 cyst walls, composition of, 152, 8·11
 distribution of, 8·8
 ectoparasitic, 166, 8·16
 effect of amino-triazole on, 165
 effect of crop rotations on, 159, 162
 effect of cropping on, 279
 effect of 2,4-D on infested cereals, 8·19
 effect of nitrogen on, 161–162
 effect of rainfall on, 8·16
 effect on cereals, 161–164
 effect on sugar beet, 166–169, 271, 277–283
 endoparasitic, 8·16
 fertilisation of, 153–156
 fertility, 156, 8·12
 films of, 170
 galls, 8·18
 giant cells, 163
 growth substances in infected roots, 8·18
 hatching factor, 153
 hatching of, 156–157, 163
 host-parasite relationships, 8·2
 hybridisation of, 155
 identification of, 8·5, 8·6
 incubation, effect on larvae, 163
 inter- and intraspecific differences in, 8·21
 irrigation, effect of, 159, 160
 mating behaviour, 153–157
 mating between species, 155
 Mexican cyst, 153, 154
 needle, 166
 on various crops, 166–168
 Osborne's cyst, 155
 pathotypes, 155, 161, 8·7
 population changes, 162, 8·7
 potato cyst, 149, 152–161
 quarantine measures for, 152, 8·8
 radiation, effect of, 156
 reproduction, 8·1
 resistant plants, 155, 159–160, 8·17
 root lesion, 164–169
 round cyst, 155
 sampling methods, 162–163
 sex attractants, 153–156, 8·14
 sex determination of, 8·3
 soil moisture, effect of, 8·16
 soil structure, effect of, 8·16
 soil temperature, effect of, 163
 soil type, effect of, 277
- Nematodes (contd.):**
 sterilisation by chemicals and radiation, 156
 stylet and body length, 8·13
 techniques in handling, 8·4
 tomato root-knot, 197
 trap cropping, 161
Verticillium wilt and, 157
- Nematodes, specific names of**
Aphelenchus spp., 279, 8·12, 8·13
Ditylenchus spp., 8·21
Ditylenchus dipsaci, 262, 8·19, 8·20
Enchodorella spp., 8·15
Hemicycliophora spp., 279
Hemicycliophora typica, 166
Heterodera spp., 170, 8·16, 8·21
Heterodera avenae, 141, 153, 154, 161, 8·16
Heterodera carotae, 153, 154
Heterodera cruciferae, 153, 154
Heterodera glycines, 153, 154
Heterodera goettingiana, 153, 154, 8·16
Heterodera rostochiensis, 149, 152–160, 8·1, 8·3, 8·7, 8·11, 8·14, 8·16, 8·17
Heterodera schachtii, 152, 153, 282, 8·14, 8·16
Heterodera tabacum, 153, 154, 155
Heterodera trifolii, 153, 154
Heterodera virginiae, 155
Longidorella spp., 8·15
Longidorus spp., 167, 271, 277, 279, 8·16
Longidorus attenuatus, 168, 169, 279
Longidorus caespiticola, 166
Longidorus elongatus, 166
Longidorus leptocephalus, 166
Meloidogyne spp., 8·2, 8·18, 8·22
Meloidogyne arenaria, 155
Meloidogyne hapla, 8·22
Meloidogyne naasi, 162, 163
Paratylenchus sp., 167, 8·13
Paratylenchus bukowinensis, 166
Paratylenchus microdorus, 166
Pratylenchus spp., 164, 167, 279
Pratylenchus fallax, 164, 165
Pratylenchus minyus (formerly *P. neglectus*), 149, 164–165
Pratylenchus thornei, 164
Thorneia spp., 8·15
Trichodorus spp., 279–282, 8·16
Trichodorus cylindricus, 166
Trichodorus pachydermus, 7·15
Trichodorus primitivus, 166
Tylenchorhynchus spp., 279
Tylenchorhynchus brevidens, 168
Tylenchorhynchus dubius, 166, 168
Tylenchorhynchus icarus, 168
Tylenchorhynchus maximus, 166
Xiphinema, 8·16
- Neutron moisture meter, 34
 'Niagara 10242' (furan), 282
- Nitrate**
 in crops, 49–51, 2·23
 in drainage water, 49, 51, 52
 leaching of, by rain, 52
- Nitrification, in soil, 82**
- Nitrification inhibitor, 2-chloro-6-(trichloromethyl)-pyridine, 44, 2·18, 2·23**
- Nitrifiers, isolation of, 82**
- 'Nitro-Chalk'**
 compared with ammonia, 38, 41
 for barley, 41
 for grass, 264
 for lucerne, 91
 for Sitka spruce seedlings, 2·3
 for spring wheat, 41
- Nitrococcus, 82**
- Nitrogen fertilisers, 38–53**
 effect of soil fumigation on need for, 280
 effective area fertilised, 40
 efficient use of, 38

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

INDEX

- Nitrogen fertilisers (*contd.*):
 for barley, 41, 43, 50, 137–138, 161, 248–249, 256, 294–295
 for beans, 257
 for clover, 48
 for grass, 38–43, 47, 51–53, 91, 264, 2-28
 for lucerne, 48, 91
 for potatoes, 51
 for ryegrass, 91, 2-19
 for sugar beet, 50, 284–285
 for wheat, 41, 44–47, 49, 138, 2-18
 forms of, related to water, 44
 interaction with CCC on cereals, 102–104
 leaching of, 49, 51, 52
 liquid, 39–42
 residues of, effect on yields, 43–44
 with formalin on cereals, 45–47
See also Ammonia; Ammonium; IBDU; 'Nitro-Chalk'; Urea
 Nitrogen fixation, 82, 89, 91, 4-1
 Nitrogen in plant material, 60–61
 Nitrogen in soil
 available, effect of leys on, 2-17
 available, effect of management on, 2-10
 available, effect of previous cropping on, 2-19
 effect of 'DD' on, 278, 279
 effect of formaldehyde on, 72
 effect of formalin on, 45–47
 leaching of, 51
 mineralisable, effect on leys, 2-17
Nitrosomonas, 82
 Nodulation
 effect of day-length and light intensity on, 87
 effect of root temperature on, 88
 Nodule bacteria, infection of root hairs, 170
 Nodules
 bacteroids in, 90, 4-3
 leghaemoglobin of, 90, 4-3
 of subterranean clover, 88
 peroxidase activity in, 91, 4-3
 structure of, 90
 Norfolk, soil survey in, 303
 Northumberland, soil survey in, 302
 Nottinghamshire, soil survey in, 304
 Nuclear magnetic resonance, for measuring water content of soil, 34
 Oak apple, *n*-alkanes of, 9-11
 Oats
Agrostis gigantea in, 256
 effect of CCC on, 102–103
 lodging of, 102–103, 263
 nematodes on, 166, 168
 undersown with trefoil, 256
 virus diseases of, 130, 7-22
 yields, 263
 Oil palms, on acid sulphate soils, 3-1
Olpidium brassicae
 systematics of, 7-10
 transmission of virus to plants by, 125, 7-11, 7-19
Oospora pustulans on potato, 141–146, 150
Ophiobolus graminis. *See* Take-all
 Organic carbon in soil, 73
Ornithopus sativus, bacteroids in nodules of, 90
Oscinella frit. *See* Frit fly
 Paraquat
 effect on earthworms, 218
 for crops, 260, 262, 264, 267, 269
 for stubble, 259, 260, 262, 268
 on Broadbalk, 260
 slit-seeding and, 218
 Parathion
 effect on earthworms and wireworms, 217
 effect on predators of frit fly, 221
 resistance of housefly to, 172
 Park Grass
 changes in flora of, 110
 isolation of nitrifier from, 82
 radiocarbon dating of organic matter on, 73
 Parklands, 39
 Pastures Field, 46, 47, 139
 Patent on gas-liquid flow control valve, 189
 Peas (*Pisum sativum*)
 aphids and virus diseases of, 204
 diamine oxidase in seedlings, 6-4, 6-5, 6-29
 Peltier effect psychrometer, 34
 Pembrokeshire, soil survey in, 309
Phaedon cochleariae (Mustard beetle)
 effect on radish and turnip yield, 10-31
 effect on plant growth, 10-3
 leaf injury by, 10-31, 10-32
 toxicity of insecticides to, 178–184
 Phlogopite, 64–66
Phoma spp. on potato, 141, 142, 142–146, 150
 Phorate
 effect on frit fly, 201, 10-30
 effect on soil fauna, 217
 for controlling aphids on beans, 191, 263
 on sweet corn, 201
 secretion into nectar, 9-21
 toxicity to honey bees, 187
 'Phosdrin', 222
 Phosphate fertilisers
 comparison of nitrophosphate, potassium metaphosphate, Gafsa rock phosphate, basic slag, superphosphate and dicalcium phosphate, 2-21, 2-22
 effect on arable crops and grass, 284–285, 2-21, 2-22, 2-28
 evaluation of, 2-21
 for sugar beet, 284
 residual value of, 2-22
 Phosphate in soil, rate of release of, 2-27
 Phosphorus in soil extracts, automatic determination of, 2-24
 Photosynthesis
 effect of di-methyl silicones on, 33
 effect on virus synthesis, 117
 measurement with phytometers, 5-12
 of semi-dwarf wheats, 95
 of single leaves, 33
 rates of, 95
 related to changes in leaf protein, 5-11
Phytophthora infestans on potato, 141
Picea sitchensis. *See* Sitka spruce
 Pigments, effect on plant growth, 123
 Pigmy mangold beetle, sugar-beet seed damage by, 274
 Plant nutrients, cation-anion relationships 2-16
 Plant Pathology Laboratory, 193
 Plant residues in soil, 75
Plutella maculipennis
 effect on radish and turnip yield, 10-31
 effect on plant growth, 10-3
 leaf injury by, 10-32
 Podsolisation, 75
 Podsolis, iron and organic carbon in, 17-8
Polygonum aviculare (knotgrass), 110, 137
Polygonum convolvulus (black bindweed), 110
 Polyphenols, 76, 77
 Potassium fertiliser
 for arable crops and grass, 52–53, 247, 284, 2-12, 2-28
 residual effect of, 55
 Potassium in soils
 and clays, 2-11
 release from micas, 63
 release to ion-exchange resins, 55
 reserves in Rothamsted soils, 2-25
 reserves in soils from different parent materials, 2-26

INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- Potato
 aphids on, 264
 axillary branches of, 100
 black scurf (*Rhizoctonia solani*), 141–145, 147, 150
 blight (*Phytophthora infestans*), 141, 171, 196–197, 259, 264
 burning to control weeds in, 260
Cephalosporium sp. on, 150
 coiled sprout, 146
 common scab (*Streptomyces scabies*), 141, 147–149, 196, 197, 198, 7·21
 compensatory growth of, 142, 143
Cylindrocarpon on, 150
 dry rot (*Fusarium caeruleum*), 141
 effect of CCC on, 157
 effect of morphactins on, 104
 fertilisers on, 247, 249, 254, 255
 fumigation of, 150
 fungicides for, 142, 144, 171, 196–198
 fungus diseases of, 128, 141–150, 196–198, 264
 fungus diseases of, control of, 144–146, 196–198, 264
 fungus diseases of, effect of heat treatment on, 145
 fungus diseases of, effect of soil moisture on, 147
 gangrene (*Phoma* spp.), 141–146, 150
 irrigation on, 36, 148, 149, 159, 7·21
 leaf dropstreak on, 261
 magnesium deficiency, 149, 256
 nematocidal residues in tubers, 159
 nematode-resistant, 159, 160
 nematodes on, 149, 153, 154, 157–161, 166–168
 nitrate in sap of haulms, 51
 nitrogen fertilisers on, 51, 147, 247
 on Broadbalk, 247, 259–260
 pathogen-free tubers, 145
 pathogenic fungi, measurement of prevalence, 7·17
 phosphate fertiliser on, 2·22
 powdery scab (*Spongospora subterrenea*), 128, 141
 silver scurf (*Helminthosporium atrovirens*), 145
 skin spot (*Oospora pustulans*), 141–145, 150
 slugs, susceptibility of varieties to, 221
 soil sterilants on, 150, 267
 stem cuttings, 145
 taint from fumigation with 'D-D', 161
 tuber blight, 197
Verticillium spp. on, 146, 149, 150, 157
 varieties, diseases of, 141–148, 157–159, 261, 264
 virus diseases of, 124, 126–129, 261, 7·15
 weeds in, 260, 264
 yields, 143–144, 150, 157–160, 254–256, 260–261, 264, 269
- Potato Marketing Board, 141, 237
 PP 511, 282
 Previous cropping
 effect on yields, 43, 2·19
 Protein, in *Septomyxa affinis* spores, 118
See also Leaf protein
 Pyrethrins and related compounds, 175–184, 9·14
 Pyrethroids (synthetic), 178–184
 Pyridoxal, oxidation of, by pea-seedling extracts, 6·29
 Pyrites, oxidation of, in soil, 3·1
 Pyrohydrolysis, separation of fluorine from aluminous silicates by, 79
Pythium sp.
 on field beans, 141
 on potato, 150
- o*-Quinones, 117, 6·32, 6·33
- 400
- Radiobiological Research Laboratory, Wantage, 34
 Radiocarbon dating
 of glacial deposits and loess, 68
 of soil organic matter, 73
 Radiometry, 34
 Rape, oil-seed (*Brassica napus*)
 as break crop, 256, 263
 insecticide for pollen beetle on, 263
 insecticide poisoning of bees on, 188
 pollination of, by bees, 226, 11·20
 Raspberry, pollination by bees, 11·16
 Residual Phosphate Experiments, yields, 253–255
Rhizobium trifolii, 86–90
Rhizoctonia solani on potato, 141–145, 147–150
 Rhizosphere, micro-organisms in, 83
 Ribonucleases in leaf extracts, 112, 114
 Ribonucleic acid (RNA), 124–127
 Roots
 distribution in soil, 97
 effect of CCC on growth, 103
 effect of compacted soil layer on, 97
 effect of shading on growth, 96
 growth, methods of measuring, 95, 5·16
 sampling equipment, 5·9
 soil volume used by, 2·14
 Rotation experiments at Broom's Barn, 292–295
 Rotations
 on Broom's Barn farm, 295
 on Rothamsted farm, 262
 on Woburn farm, 268
 Rothamsted Insect Survey, 205–214, 10·13
 Ryegrass (*Lolium perenne*)
 composition of, 52
 effect of nitrogen fertilisers on, 42, 52–53, 91
 effect of phosphate fertilisers on, 52–53, 2·21
 effect of potassium fertilisers on, 52–53
 nematodes on, 279
See also Grass
- Sawyers Field, potato yields on, 254–255
 Saxmundham
 barley at, 45–46
 efficiency of nitrogen fertiliser at, 47–48
 Intensive Wheat Experiment at, 49, 138
 nitrate in crops at, 49–52
 nitrate in drainage water at, 49, 51–52
 nitrogen fertilisers on wheat at, 49
 Scout Farm, 199, 200, 262, 265
 Sesamex, 173
 Sewage sludge, contamination of plants and soils, 70, 3·7
 Shading
 effect on couchgrass, 109
 effect on net assimilation rate, 97
 effect on root growth in barley, 96
 effect on sugar-beet, 97
 'Tygan' screencloth for, 96, 98, 109
 Shropshire, soil survey in, 304
 Silicate analysis for major elements, 77
 Silicate minerals
 aluminium in, determination of, 3·6
 calcium in, determination of, 79
 Silicates
 fluorine in, determination of, 79, 3·9
 for barley, 248
 Simazine
 adsorption by soils, 59, 2·29
 effect of fertilisers on, 59
 effect of soil moisture on, 59
 effect of soil organic matter on, 59
 effect on beans, 59, 248–249, 254, 260, 261, 263, 267, 268
 effect on leaf-protein yields, 119
 effect on weeds on Broadbalk, 110

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

INDEX

- Sitka spruce (*Picea sitchensis*)
 calcium fertilisers for, 56–57
 copper-containing enzymes in, 116
 copper deficiency in, 57, 116
 formalised casein for, 2·3
 nitrogen fertilisers on seedlings, 2·3
 seedlings, diseases of, 151
 sulphur deficiency in, 56–57
- Slit-seeding, paraquat and, 218
- Slugs, 10·12
 effect of paraquat and slit seeding on, 218
 potato varieties susceptible to, 221
 toxicity of contact poisons to, 9·18, 9·19, 10·26, 10·27
- Sodium fertilisers
 effect on kale and barley, 2·12
 residual effect of, 55
- Soil aeration, 34–35
- Soil aggregates, effect on nutrients used by roots, 2·13
- Soil classification, 311, 17·6
- Soil compaction
 coiled sprout of potatoes and, 146
 effect on response to fertilisers, 289
 effect on root growth, 97
 effect on sugar-beet yield, 289
- Soil conditioners, effect on sugar-beet growth, 2·20
- Soil fauna, 216–219
 effect of insecticides on, 216–218, 10·17
 effect of irrigation on, 219
 effect of paraquat and slit seeding on, 218
 effect of temperature on, 219
 effect on turnover of soil nutrients, 10·6
 methods of extraction, 10·19
 micro-arthropods, effect of agricultural practice on, 10·18, 10·20
- Soil fumigation. *See* Soil sterilisation
- Soil groups, distribution of, 310
- Soil identification, 310
- Soil linear fabric analysis, 311
- Soil map users, 314
- Soil mapping
 new concepts, 318
 new principle of, 298
- Soil micromorphology, 310, 311
- Soil moisture, apparatus for measuring, 34
- Soil moisture, effect on potato scab, 149
- Soil moisture, movement of, 1·8
- Soil organic matter
 effect on determination of ferrous iron in soils, 80
 effect on sorption of insecticides, 190
 mineralisation of, 72
 radio-carbon dating of, 73
 trace-element reactions with, 74
- Soil particle size distribution, 17·7
- Soil respiration, 34, 72
- Soil sampling, 314
- Soil series, 298–311
- New series
 Aldeby, 303
 Beccles, 303
 Hall, 303
 Warmley, 307
 Waveney, 303
 Yate, 307
- Soil sterilants
 chloropicrin, 150, 165, 267
 dazomet, 140, 157–159, 7·13
 'D-D', 157–161, 278, 7·13
 formaldehyde, 72
 formalin, 84, 140
 methyl bromide, 71, 72, 141, 157, 164
 'Telone', 169
See also Aphicides; Nematicides; and names of chemicals used as sterilants
- Soil sterilisation
 effect on agricultural crops, 7·1
 effect on nematodes, 157, 161, 164, 279, 280
 effect on N fertiliser need by sugar beet, 280
 effect on N mineralisation, 71, 278–279
 effect on sugar-beet yields, 277, 278
 for cereals, 71, 72, 139–141, 164–166, 7·13
 for potatoes, 150, 267
 nutrition of conifers and, 2·2
 residual effect of, 278
 scorching of plants by, 71, 72
- Soil surveying
 air photography in, 318
 storage of data, 314
- Soil surveys
 in Buckinghamshire, 305
 in Cambridgeshire and Isle of Ely, 302
 in Cardiganshire, 309
 in Cheshire, 301
 in Derbyshire, 304
 in Devonshire, 308
 in East Anglia, 302
 in Ely, Isle of, 302
 in Essex, 305
 in Gloucestershire, 306
 in Herefordshire, 304
 in Huntingdonshire, 303
 in Kent, 306
 in Lancashire, 300
 in Norfolk, 303
 in Northumberland, 302
 in Nottinghamshire, 304
 in Pembrokeshire, 309
 in Shropshire, 304
 in Wales, 309
 in Westmorland, 300
 in Worcestershire, 304
 in Yorkshire, 298
 of Broadbalk, 316
 of Paignton, 315
 of Parr Moss, 315
- Soyabean (*Glycine max*)
 nodules of, 90, 91
 symbiosis in, 87
- Spectroscopy, of soil contaminated with heavy metals, 70
- Spongopora subterranea*
 on potato, 141
 potato mop top virus and, 128
- Spore traps, 189, 285
- Stackyard Field, 201
- Statistical analyses
 canonical, 236
 classification methods, 236, 238
 crop experiments, 238
 discriminant, 236
 fertiliser response of potato, 238
 fertiliser usage, 12·2, 12·3, 12·8
 for silicates in major elements, 77
 livestock experiments, 238
 National Agricultural Advisory Service, 236–238
 nitrogen response curve, 238
 of rates of volatilisation of insecticides, 184
 of sulphate leaching in latosols, 58
 potato, fertiliser response, 238
 Potato Marketing Board survey, 237
 principal co-ordinates, 236
 regression, 236
 routine analysis, 237
 statistical service for other institutes, 236, 240, 243
 Survey of Fertiliser Practice, 236
 time series, 236
 type-of-farming map, 237
- Statistical programming
 algorithms, 233, 12·7, 12·13, 12·15

INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- Statistical programming (*contd.*):
 canonical correlation, 233
 cluster analysis, 235, 12·13
 General Factorial Program, 233, 235
 General Survey Program, 233, 242
 GENSTAT, 234
 graphical presentation, 233
 minimum spanning tree, 12·13
 multidimensional arrays, 12·5
 polynomial regression, 233
 principal components analyses, 233
 programming languages, 234–235
 summary program, 233
- Statistical theory
 angular transformations, 235
 classification, 12·6, 12·14
 cluster analysis, 235, 12·7
 design of experiments, 12·10, 12·11, 12·12
 maximum likelihood, 235
 minimum spanning tree, 235, 12·7
 missing values, 235
 multivariate analysis, 12·4
 ordination analysis, 235, 12·6
- Stomatal resistance of leaves, 32
- Stored products
 actinomycetes in, 132–133
 hazards to health from, 132–133
 moulds on, 132
- Straw
 length, effect of CCC on, 102–103
 yields, 261
- Strawberries, pollination of, by bees, 11·16, 11·18
- Streptomyces scabies* on potato, 141, 147–149, 196–198, 7·21
- Subterranean clover (*Trifolium subterraneum*), 88, 170
- Suction traps. *See* Insect traps
- Sugar beet
 agricultural salt for, 284, 287, 288, 289
 aphids on, 270–273, 16·2, 16·3, 16·8–16·10
 cover crops, effect on beet yellows, 273
 defoliation, effect on yield, 273
 Docking disorder, 277–282, 16·1
See also separate entry
 downy mildew (*Peronospora farinosa*), 275, 16·5
 effect of pesticides on, 274–275, 279–283
 effect of previous cropping on, 293
 effect of soil compaction on, 289
 effect of soil conditioners on, 2·20
 effect of soil type on yield, 289, 5·10
 fanginess, 282
 farmyard manure on, 287
 fertilisers for, 284, 286–289, 291, 292, 16·13
 fungicides as seed and soil treatments, 275
 fungus diseases, 275–276
 fungus diseases, *Ramularia* leaf spot, 276
 growth on different soils, 5·10
 harvesting date, 291
 herbicides for, 292
 in rotation with cereals, 292–295
 irrigation on, 98, 288, 291
 leaf-area index, 97, 99, 5·10
 magnesium fertiliser for, 287–289, 16·7
 nematodes on, 166–169, 271, 277, 279–283
 net assimilation rate, 98, 5·10
 nitrate in sap of petioles, 50, 16·13
 plant spacing, 289–291
 pollen traps in, 285
Ramularia leaf spot on, 276
 root shape, effect of nematicide on, 282
 seed damage by millipedes and beetles, 274
 seed dressings with pesticides, 274
 seed production, 283–285, 16·4, 16·12
 seed quality, 285
 seedlings, effect of light on, 99
 shading on, 97
- Sugar beet (*contd.*):
 soil sterilisation, effect on yield, 277–280
 sowing date and plant population, 290
 sugar content, 97–99, 277
 virus diseases, 127, 129, 270–273, 16·2, 16·8, 16·9, 16·11
 yields, 271, 274, 278, 291
see also Herringswell Rotation Experiment
- Sulphate fertilisers
 for lupin and radish, 57
 for Sitka spruce, 56
- Sulphur in air
 from industrial fuels, 56
 measurement of absorption by leaves, 58
- Sulphur in soils
 deficiency, 38, 56
 determination of, 79, 3·5
 from industrial fuels, 56
 leaching, 58
- Surface properties of crops
 evaporation and assimilation rates and, 32
 infra-red gas analyser for studying, 32, 33, 1·4
 mesophyll resistance and, 32–33
 stomatal resistance and, 32
 resistance of crop canopies, 32, 1·11
 transpiration rate and, 32
- Surface properties of leaves, 33
- Symbiosis
 effect of light on, 87
 genetics of, in legumes, 82, 4·1
- Symphylans, damage to corn by, 10·23
- Take-all on cereals, 133–141
 after long 'break', 262
 bioassay of, 133–136
 effect of soil fumigation on, 139–141
 effect on wheat composition, 54
 fungicides for, 196, 197
 growth in soil, 84
 'infection index' of, 134, 135
 'infective units', 134, 135
 infested soils, 134–136
 lesions, measurement of, 134
 magnesium deficiency and, 54, 139
 microbiology of, 84, 137
 nematodes and, 169
 nitrogen fertilisers and, 138–139
 on barley, 137, 138
 on High Field, 251–253
 persistence in soil, 134
 seasonal fluctuations in soil, 136
 serological identification of, 137
- TBTP (S,S,S-tributyl-phosphorotrithioate), 173
- 'Telone', 169
- 'Temik'
 as aphicide, 271, 272
 as insecticide, 274
 as nematicide, 157–159, 165, 274, 280–283
 effect on plant vigour, 274
 effect on sugar beet, 274–275, 280–283
 methods of application, 281
- 'Terracur', on sugar beet, 275, 282
- Thermoactinomyces vulgaris* in decomposition of herbicides, 83
- Thionazin
 damage to sugar-beet seedlings, 282
 effect on earthworms and wireworms, 217
 timing of sprays on Wheat Bulb fly, 9·17
- Tillage
 effect on cereal production, 1·1
 herbicides and, 1·3
 herbicides and, on light and heavy soils, 35
- Torquay National History Museum, soil survey for, 315
- Trace elements
 reaction with soil organic matter, 74
 technique for concentration of, 3·8

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

INDEX

- Transpiration, 32
 Traps. *See* Insect traps; Spore traps
 Trichloronate, timing of sprays on Wheat Bulb fly, 9·17
 Trichlorphon, effect on wireworms and earthworms, 217
Trifolium glomeratum. *See* Cluster clover
Trifolium subterraneum. *See* Subterranean clover
 Tryptophan, conversion to auxin in bean leaves, 3·12, 5·17, 5·18
 'Tygan' screen cloth for shading plants, 96, 98, 109
 Urea, compared with aqueous ammonia on barley, 41
Verticillium spp. on potato, 146, 149, 150, 157
Vicia faba. *See* Field beans
Vicia sativa, symbiosis in, 87
Vigna sinensis, symbiosis in, 87
 Viruses, 124–131
 aphid transmitted, 129, 202–207
 defective strains, of TMV, 127
 effect of aphicides on, 203–207, 270–272
 effect of changes in metabolism on, 116
 effect of cover crops on, in sugar beet, 273
 effect of light on, 117
 electron microscopy of, 126
 inactivation of, 124, 7·5
 'inclusion bodies' in infected leaf cells, 127
 methods of assay, 7·6
 multiplication of, 116
 on horseradish, 7·16
 on lucerne, 203
 on oats, 130
 on sugar beet, 127, 129, 270–272, 277
 on wheat, 129–130
 photosynthesis and TMV, 117
 protein of, 126, 7·8
 purification of chronic bee paralysis, 11·9
 reactivation, 124–125, 7·20
 ribonucleic acid (RNA) of, 124–127
 sap-transmissible, 7·16, 7·22
 satellites of tobacco necrosis, 125, 7·4, 7·18
 soil-borne, 277, 7·22
 structure of, 125–127
 transmission of, by *Oplidium* sp., 125, 7·10, 7·11, 7·19
 ultraviolet inactivation of, 124, 7·20
 variability in, 127
 virus-like particles, 127
 weather, effect on, 128
 Viruses, names of
 acute bee paralysis, 228, 7·12, 11·6, 11·8, 11·10
 arabis mosaic, 7·16
 barley yellow dwarf, 130, 200
 bean leaf roll, 202–204
 beet mild yellows, 272
 beet mosaic, 127
 beet yellows, 129, 270–273, 16·8, 16·11
 broad-bean mosaic, 7·14
 broad-bean stain, 7·14
 cabbage black ring spot, 7·16
 carrot motley dwarf, 267
 cauliflower mosaic, 7·16
 chronic bee paralysis, 227, 7·12, 11·8, 11·9, 11·10
 cocksfoot mottle, 203
 cocksfoot streak, 203
 cowpea mosaic, 7·14
 cucumber mosaic, 129
 henbane mosaic, 128
 lucerne mosaic, 203
 pea enation mosaic, 204
 pea mosaic, 204
 potato mop top, 128
 potato virus X, 124, 127
 potato virus Y, 127
 red-clover mottle, 7·14
 sacbrood of bees, 229, 11·6, 11·8
 satellite virus of tobacco necrosis, 125
 squash mosaic, 7·14
 tobacco mosaic, 114, 116, 126, 127, 7·8
 tobacco necrosis, 124, 125, 7·11, 7·18, 7·19, 7·20
 tobacco rattle, 277, 7·15
 tomato black ring, 277
 tomato spotted wilt, 126
 yellow blotch, 277
 Viruses, names of (*contd.*):
 potato virus Y, 127
 red-clover mottle, 7·14
 sacbrood of bees, 229, 11·6, 11·8
 satellite virus of tobacco necrosis, 125
 squash mosaic, 7·14
 tobacco mosaic, 114, 116, 126, 127, 7·8
 tobacco necrosis, 124, 125, 7·11, 7·18, 7·19, 7·20
 tobacco rattle, 277, 7·15
 tomato black ring, 277
 tomato spotted wilt, 126
 yellow blotch, 277
 Wales, soils, 309, 17·4, 17·5, 17·9, 17·11
 Wasps (*Vespula germanica* and *V. vulgaris*)
 foraging of, 227
 predators on honey bees, 227
 Water vapour
 measurement of, 1·5, 1·9
 stomatal resistance to, in leaves, 32
 Watering, effect on wheat given N fertiliser, 44
 Waterlogged soil, sulphate reduction in, 74
 Weather
 effect on aphids, 270
 effect on crops, 250, 258, 259
 records at Broom's Barn 1968, 380
 records at Rothamsted 1967–68, 378
 records at Saxmundham 1968, 381
 records at Woburn 1967–68, 379
 Weeds, 105–110
 aphids on, 272
 competition with crops, 107, 108, 109
 effect of fungicides on, 93–94
 Equisetum arvense (horse tail) on Broadbalk, 110, 260
 in potatoes, 260, 264
 on Broadbalk, changes in growth, 110
 perennial grass in cereals, 5·7
 Polygonum aviculare (knotgrass), 110, 137
 Polygonum convolvulus (black bindweed), 110
 Ranunculus arvensis (corn buttercup), 110
 seed dormancy, 106
 Tripleurospermum maritimum (mayweed), 137
 twitch grass, fallow to control, 262
 Veronica hederifolia (ivy-leaved speedwell), 110
 wild oats, 94, 109–110, 137, 260, 262
 See also Agrostis gigantea; Blackgrass; Couch grass
 Wheat
 ammonium fertilisers on, 41, 44
 anhydrous ammonia and 'Nitro Chalk' for, 41
 aphids on, 200, 262
 competition with grasses, 107–109
 drilling compared with broadcasting seed, 261
 effect of CCC on, 102, 5·1, 5·3, 5·4
 effect of formalin and nitrogen on, 46, 47
 effect of insecticides on plant growth, 9·17
 effect of soil fumigation on, 7·13
 effect of water and nitrogen on, 44
 farmyard manure on, 247–250
 fertilisers for, 41, 44–49, 54, 138–139, 247–252, 2·18
 formaldehyde, residual effect on, 72
 fungicides on, 93–94, 130
 growth, comparison with weeds, 108
 growth in artificial climates, 5·14
 growth yield of varieties and, 5·15
 growth substances in, 101
 in Ley-Arable Experiment, 251
 in rotation with sugar beet, 292
 lodging, 102, 140
 magnesium for, 53–55
 Mexican variety, growth and yield of, 5·15
 nematodes on, 161, 162, 164–166
 nitrate in sap of, 49
 on Barnfield, 249, 260

INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- Wheat (*contd.*):
on Broadbalk, 247, 249, 259
photosynthesis and translocation in, 95
root growth, effect of CCC on, 103
semi-dwarf, 95
soil sterilants on, 71–72, 139–141, 164
varieties, yields from, 261, 262, 5·15
virus diseases of, 130
Wheat Bulb fly on, 199, 200, 262
yields, 138, 251, 261–262
See also Cereals; Take-all on Cereals
- Wheat Bulb fly (*Leptohylemyia coarctata*)
clumping of eggs, 199
distribution of attacked plants, 199
effect on wheat yield, 199, 262
Entomophthora spp. on, 230
fungus diseases of, 219, 230
insecticides for, 171, 194, 195
odour detection by, 219
on Broadbalk, 247
on permanent reference plots, 219
oviposition of, 10·14
Phialophora infection on eggs, 219
prediction of effects on yields, 199
seed dressings of insecticides against, 194
Septomyxa affinis and, 118
Strongwellsea castrans on, 230
Tarichium hylemyiae on, 230
timing of sprays on, 9·17
wheat extracts, response to, 194
- Wireworms (*Agriotes* spp.)
effect of insecticides on, 195, 217
sex attractant in, 196
- Woburn 265–269
Barley Variety Experiment, 267
cropping at, 268–269
Deep-drilled Fertiliser Experiment, 267
effect of weather on crops, 265
field experiments at, 266–267, 14·1
Intensive Cereal Experiment, 54, 55, 138, 252, 253, 255, 256
irrigation, 36, 219
Ley–Arable Experiment, 150, 166, 253, 267
magnesium deficiency, 53–55
Market Garden Experiment, 70, 267
nematodes at, 157, 164, 165, 166
nitrogen-fixing experiments, 91
potato growing at, 145, 147, 149, 219
rotations used, 268
take-all at, 134, 136
viruses on sugar beet, 129
- Worcestershire, soil survey in, 304
- X-ray fluorescence analysis, 77–79
- Xanthophylls and plant-growth inhibition, 121
- Yorkshire, soil survey in, 298
- Zeolite, 66–67
'Zinophos', effect on soil fauna, 218