

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Report for 1968 - Part 1

[Full Table of Content](#)



### Index

#### Rothamsted Research

Rothamsted Research (1969) *Index* ; Report For 1968 - Part 1, pp 391 - 404 - DOI:  
<https://doi.org/10.23637/ERADOC-1-123>

## SUBJECT INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375. The General Report by the Director (pp. 25–30) has not been indexed.

- Absidia* spp. on mouldy hay, 133  
Actinomycetes  
  in wet and mouldy hay, 132  
  on stored products, 132, 133  
Agricultural meteorology, 31–34, 1·6, 1·7  
*Agriotes*. See Wireworms; Click beetles  
*Agropyron repens*. See Couch grass  
*Agrostis gigantea* (bent couch grass)  
  comparison with growth of wheat, 108  
  germination of seeds, 107, 5·19  
  in cereals, 137, 256  
Alizarin Red S, for determining aluminium, 3·6  
Aldrin  
  conversion to dieldrin in soil, 10·17  
  effect on soil fauna, 10·17  
  volatilisation of, 184  
Allethrin, toxicity to mustard beetle, 180–181  
*Alopecurus myosuroides*. See Blackgrass  
Alpha-aceto-gamma-hydroxy butyramide, for  
  sterilising nematodes, 156  
Aluminium, in silicate minerals, determination  
  of, 3·6  
Aluminosilicates, determination of fluorine in,  
  3·9  
Amino acids in grass, effect of N and K on, 52–  
  53  
Amino-triazole  
  effect on nematodes, 165  
  to control couch grass, 268  
Amitrole, for weeds in spring barley, 137  
Ammonia, anhydrous  
  compared with 'Nitro-Chalk', 38–41  
  for grass, 38–41  
  for spring wheat, 41  
  for sugar beet, 287  
  spacings of injections on grass, 39–40  
  time of application to grass, 38–39  
Ammonia, aqueous  
  compared with 'Nitro-Chalk', 38–41  
  compared with urea, 41  
  for barley, 41  
  for grass, 38–41  
  time of application to grass, 38–39  
Ammonium nitrate  
  compared with calcium nitrate on wheat, 44  
  compared with IBDU, 42–43  
  for grass, 38, 42–43  
Ammonium nitrogen in plant extracts, 60  
Ammonium sulphate for wheat  
  compared with calcium nitrate, 44, 2·18  
  with nitrification inhibitor, 44, 2·18  
Anemometers, for microclimate in crops, 31  
Anti-oxidants in cereal leaves, 114  
Aphicides  
  demeton-methyl, 201  
  disulfoton ('Disyston'), 191–192, 204  
  effect on beet yellows virus, 270–272  
  effect on germination of sugar beet, 271  
  effect on yields, 200–201, 204  
  menazon ('Saphizon'), 204, 270–272, 16·2, 16·8  
  'Metasystox', 203, 264  
  on sugar beet, 270–272  
  phorate granules, 191–192, 263  
  residue in peas in pod, 207  
Aphicides (*contd.*):  
  'Roger-E', 200  
  systemic on peas, 204  
  'Temik', 271, 272, 274, 275, 280–283  
  See also Insecticides  
Aphids  
  bioassay on field beans, 191–192  
  cannibalism by, 9·7  
  catches, monthly totals, 205–206  
  cereal aphids as virus vectors, 208  
  early records of *Myzus persicae*, 209  
  effect of age on flight, 10·24  
  effect of fungicides on, 130  
  effect of light on migration, 209, 10·24  
  effect of nematicides on, 159  
  effect of starvation on flight, 10·24  
  effect of temperature on eggs, 202  
  effect on bean losses, 201  
  effect on cereal losses, 129–131, 200  
  *Entomophthora*, on, 230, 231, 16·6  
  flight of, factors affecting, 10·24  
  micro-organisms on eggs, 202  
  migration, 209, 272, 10·2, 10·15, 10·24  
  multiplication of, 130  
  on cereals, 129, 200, 208, 262  
  on lucerne, 203  
  on peas, 204  
  on sugar beet. See Sugar beet  
  on weeds, 272  
  overwintering hosts of, 202, 272  
  overwintering of pea aphids, 202  
  population studies on *Aphis fabae*, 9·25  
  predators on, 9·6, 9·7  
  sampling for, 10·25, 16·10  
  seasonal trends, 208  
  spray warning system, 270  
  traps for, 129, 208–214, 272, 10·25, 16·10  
  virus diseases and, 129, 203–204  
Aphids, specific names of  
  *Acyrtosiphon pisum*, 202, 203, 204, 209, 230  
  *Aphis fabae*, 191, 192, 201, 203, 209, 230, 231,  
  273, 9·6, 9·25, 10·24, 16·9, 16·10  
  *Aphis pisum*, 231  
  *Cavariella theobaldi*, 231  
  *Macrosiphum euphorbiae*, 264, 272  
  *Macrosiphum granarium*, 209  
  *Metopolophium dirhodum*, 130, 200, 206, 208  
  *Metopolophium festucae*, 206, 208  
  *Myzus ascalonicus*, 272  
  *Myzus persicae*, 129, 192, 203, 209, 231, 272–  
  273, 16·9, 16·10  
  *Rhopalosiphoninus latysiphon*, 272  
  *Rhopalosiphoninus staphyleae*, 272  
  *Rhopalosiphum* spp., 130, 205, 208, 209  
  *Schizaphis graminum*, 209, 10·24  
  *Sitobion avenae*, 130, 200, 203, 205, 208, 209,  
  262  
  *Sitobion fragariae*, 231  
*Aspergillus* spp.  
  in decomposition of herbicides, 83  
  on wet and mouldy hay, 132  
*Astragalus glycyphylus*, bacteroids in nodules of,  
  89  
*Athous bicolor*. See Click beetles

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- Atmospheric humidity, effect on crop, 94
- Auxin  
 cell expansion promoted by, 101  
 conversion of tryptophans to, 3·12, 5·17, 5·18  
 in *Azotobacter chroococcum*, 83  
 in plants infested with nematodes, 8·18
- Azinphos-methyl, toxicity to bees, 188
- Azotobacter*  
 auxins in, 83  
 metabolism of benzoic acids by, 83  
 production of growth substances by, 4·2
- B9 (B-nine)  
 effect on beans, 257  
 effect on protein of bean leaves, 5·11
- Bacteria, isolation of ammonia-oxidising auto-trophic, 4·4
- Bacteriophage of *Rhizobium*, 87
- Bacteriostasis, in soil and rhizosphere, 83
- Bacteroids in nodules, 89–90, 4·3
- Bagassosis, 132, 133
- Barley, 41–46, 133–139, 256, 263, 268  
*Agrostis gigantea* in, 137, 256  
 break crops tested with, 256  
 calcium nitrate on, 45  
 continuous, decline of take-all on, 137  
 effect of bare fallow on, 250  
 effect of formalin on yield, 45  
 effect of N fertilisers on, 41–44, 137–138, 161, 249, 256, 294–295,  
 effect of P fertilisers on, 2·21, 2·22  
 effect of previous cropping on yield, 43  
 effect of sodium on, 2·12  
 effect of wild oats on, 109  
 farmyard manure for, 248–250  
 fertilisers for, 41–46, 137–138, 248–250, 253, 22·21, 2·22  
 fungicides on, 93  
 in Legumes and Barley Experiment, 256, 257  
 in Ley-Arable Experiments, 252–254, 267  
 in rotation with sugar beet, 292–294  
 irrigation on, 37  
 nematode-resistant, 161  
 nematodes on, 161–166  
 nitrate in sap of, 50  
 nurse crops, 256  
 root growth, effect of CCC on, 103  
 root growth, effect of compacted soil on, 97  
 root growth, effect of shading on, 96  
 root growth estimated by sampling, 5·16  
 silicate for, 248  
 undersowing with trefoil, 256  
 weeds in, 137, 256  
 yields, 45, 137–138, 248–250, 252–254, 263, 266  
*See also* Cereals; Take-all
- Barley Variety Experiments, 267
- Barnfield  
 barley on, 248–250, 260  
 beans on, 59, 141, 248, 249, 254, 260  
 herbicide adsorption by soils, 60  
 modifications in 1968, 247, 251, 260  
 wheat on, 248–250, 260
- BASF, effect on aphids, 130
- Beans (*Phaseolus vulgaris*), 263, 268  
 bacteroids in nodules of, 90  
 castor meal on, 248  
 changes in leaf protein in, 5·11  
 chocolate spot on, 262  
 conversion of tryptophan to auxin in leaves, 5·17  
 damage by herbicides, 59, 260  
 effect of CCC and glycine betaine on, 5·18  
 effect of diquat on, 260  
 farmyard manure on, 248–250, 259
- Beans (*Phaseolus vulgaris*) (contd.):  
 fertilisers on, 248, 249, 254, 259  
 growth regulators on, 257  
 irrigation on, 36, 254, 257, 261  
 leaf spot on, 262  
 nematodes on, 166, 257, 262  
 nitrogen fertilisers on, 257  
*Phytophthora* spp. on, 141  
 pollination by bees, 11·14  
 potassium fertiliser on, 247, 260  
*Rhizobium* strains tested on, 267  
 simazine on, 59, 248, 249, 254, 260, 261, 267, 268  
 symbiosis in, 27  
 yields, 248, 249, 254, 263  
*See also* Field beans
- Bee Advisory Service, 187
- Bees. *See* Honey Bees; Bumblebees
- 5-Benzyl-3-furylmethyl chrysanthemate and analogues, insecticidal activity of, 181  
*See also* Pyrethroids
- Beryllium, effect on plant growth, 2·30, 3·13
- BHC  
 effect on pasture productivity, 222  
 effect on soil fauna, 222  
 effect on sugar-beet seedlings, 274, 275  
 poisoning of honey bees by, 187  
 seed dressings, 274
- Biotite, K–Na concentrations in, 64
- Blackcurrants, pollination of, 11·16, 11·17
- Blackgrass (*Alopecurus myosuroides*), 5·5  
 comparison of plants from seeds of different origin, 105  
 fungicides on, 94  
 on Broadbalk, 106, 260  
 seed dormancy during storage, 106  
 seed germination, 106
- Bombus* spp. *See* Bumblebees
- Boots RD 18502, 275, 282
- British Film Institute, film on *Heterodera* spp., 170
- British Sugar Corporation, 274, 286
- Broadbalk  
 analyses of time trends in treatments, 236  
 beans on, 59, 247, 254, 260  
 blackgrass on, 106, 260  
 fertilisers used in revised experiment, 259  
 modifications in 1968, 247, 251, 259  
 nematodes on, 164  
 paraquat on, 260  
 potatoes on, 247, 260  
 radio-carbon dating of soil organic matter on, 73  
 soil survey of, 317  
 weeds, changes in growth on, 110  
 weeds, effect of simazine on, 110  
 wheat on, 247, 259  
*See also* Report for 1968, Pt. 2
- Buckinghamshire, soil survey in, 305
- Bumblebees (*Bombus* spp.)  
 foraging behaviour of, 11·16  
 pollination of beans by, 227, 11·14  
 'robbers', 227  
 scent secretion of males, 174–175  
 sex- and species-specific compounds in, 174–175
- Calcium  
 for Sitka spruce, 56–57  
 in silicate minerals, 79  
 nitrate, compared with ammonium fertilisers, 44, 2·18  
 nitrate, effect on barley yields, 45
- Calcium-aluminium exchange in soils and clays, 2·15
- Cambridgeshire and Isle of Ely, soil survey in, 302

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

## INDEX

- Carbaryl  
 effect on earthworms and wireworms, 217  
 poisoning of bees by, 187
- Carbon dioxide measurement, 33, *1-4*, *1-5*
- Carbon in soil, equipment for measuring, 61
- Cardiganshire, soil survey in, 309
- Carrots, *14-1*
- Castor meal on barley and beans, 248
- CCC( 2-chloroethyltrimethyl ammonium chloride)  
 effect on bean, 257  
 effect on bean leaves, *5-11*, *5-18*  
 effect on cereals, 102–104, *5-1*, *5-3*  
 effect on potatoes, 157
- Cereal Disease Reference Plots, 134
- Cereals  
 anti-oxidants in leaves, 114  
 aphids on, 129–131, 200–201, 208, 262  
 'break'-crops, 262  
 damage by symphylans, *10-23*  
 effect of CCC on, 102–104, *5-1*, *5-3*  
 effect of cultivation on, *1-1*  
 effect of 2,4-D on nematode-infested, *8-19*  
 eyespot on, 137–139, 141, 262  
 foot and root diseases, 133–141  
 fungus diseases, 93, 133–141, 262, 266, 268  
 grain/straw ratio, 260, 267  
 herbicides on, 58, 137, 260, 262  
 lodging of, 45, 102–104, 140, 250, 256, 261–263, 266, 268  
 mildew on, 93, 262, 266, 268  
 nematodes on, 141, 161–164, 169  
 perennial grass weeds in, *5-7*  
 viruses on, 129  
*See also* Barley; Maize; Oats; Wheat; Take-all
- Chalcedony  
 in Batcombe series of soils, 67  
 in Chiltern soils, 67  
 in clay-with-flints, 67  
 in Rothamsted soils, 67  
 origin of, 67
- Cheshire, soil survey in, 301
- Chorbenside on pasture, 222
- Chlordane, effect on soil fauna, 218
- Chlorfenvinphos (Birlane)  
 effect on soil fauna, 217, *10-4*  
 effect on sugar-beet seedlings, 275, 282  
 leaching from soil, 217, *10-4*
- Chlorophyll  
 bleaching of, 114  
 'changed' chlorophylls, 122  
 in assays for chlorophyllase, 113
- Chlorophyllase, 113
- Chlorophyllides, 114, 123
- Chloropicrin, 150, 267
- Chloroxon, resistance of housefly to, 173
- 'Chlorthion', resistance of housefly to, 172–174
- Ciba 10015, 275
- Ciba 14421, 275, 282
- Clay  
 aggregates, 69  
 artifacts in soil sections, 70  
 clay minerals and, *3-11*  
 deflocculation of, 75  
 effect of extracts of plant residues on, 75  
 orientation in soil sections, 70  
 physics of, 69–70  
 porosity of clay films, 70  
 ratios in soils, 310  
 surface charge on, 36  
 translocation of, 310
- Clay soils, shrinkage of, 236
- Claycroft field, fumigation comparisons, 140
- Click beetles, sex attractants in, 195
- Clinoptilolite  
 in sediments and soils, 66
- BB
- Clover  
 copper in, 112, 115  
 effect of light on flowering, 88  
 manganese in seedlings, 116  
 nematodes on, 167, 168  
 nitrogen fixed by, 48  
 odulantion in, 88  
 symbiosis in, 82  
*See also* Cluster clover; Subterranean clover
- Cluster clover (*Trifolium glomeratum*), 82, 88
- Cockroach (*Periplaneta americana*)  
 effect of diazoxon on, 178, *9-8*  
 effect of pyrethrins on, 175–178  
 nervous system of, 175–178  
 nervous system, staining of, 190
- Computers  
 data conversion from Orion to new computer, 244  
 multiaccess computing, 240, 243, 245  
 new computer (ICL 4/70), 233–234, 243–245  
 details of, 243  
 Fortran IV, 244–245  
 programs, 233–234, 244
- Orion, 233  
 experiments analysed, 241  
 performance, 240  
 programs, 233, 242  
 volume of work, 241  
 programming languages, 233–235, 244–245  
 programs. *See* Statistical programming service for other institutes, 236, 240, 243
- Conifers  
 manuring experiments on, *2-4*, *2-5*  
 nutrition and soil fumigation, *2-2*  
 seedlings, diseases of, 151  
 sulphur deficiency in, 56–57  
*See also* Sitka spruce
- Controlled-environment, 88, 93, 134, 191
- Copper  
 deficiency in Sitka spruce, 57, 116  
 enzymes containing copper, 112, 115, 116  
 in clover seedlings, 112, 115
- Coprosma robusta*, inoculation with *Endogone* spores, 85
- Corn buttercup (*Ranunculus arvensis*), 110
- Cotton stainer. *See* *Dysdercus intermedius*
- Couch grass (*Agropyron repens*)  
 amino-triazole for controlling, 268  
 competition with growth of wheat, 107–109  
 effect of light on germination, 107  
 effect of shading on, 109  
 fungicides on, 94  
 germination of seeds, 106, *5-19*  
 host for nematodes, 164  
 in spring barley, 137  
 paraquat for, 260  
 viability of seeds, 106–107
- Crop growth  
 effect of humidity on, 94  
 effect of CCC on, 102–104, *5-18*  
 effect of glycine betaine on, *5-18*  
 effect of insect attack on, 199–204  
 in controlled environments, 93
- Crop physiology, *5-8*
- Crop rotations for experimental stations, *14-2*
- Crop sequence, effect on barley yield, 43
- Cultivation–Weedkiller Rotation Experiment (Rothamsted)  
 barley yields on, 253  
 bean yields on, 254  
 potato yields on, 255, 261  
 sowing methods for cereals, 261  
 wheat yields on, 261
- Cytokinins, cell division promoted by, 101
- 2,4-D, effect on nematode-infested cereals, *8-19*
- Dazomet, 140, 157, 159, *7-13*

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- 'D-D'  
 as nematicide, 157–162, 165, 168, 169, 277–280  
 deformed wheat ears caused by, 140  
 effect on sugar-beet yields, 277–280  
 effect on wheat, 7·13  
 taint of potatoes from, 161
- DDT  
 effect on predators of frit fly, 221  
 effect on soil fauna, 216, 218, 10·17  
 effect on sugar-beet seedlings, 2·75  
 penetration into excised leaves, 186  
 penetration into houseflies, 9·20  
 rates of removal in 'rainwashing', 184
- Deep-drilled Fertiliser Experiment, 267
- Demeton-methyl, effect on aphids, 201, 272
- Derbyshire, soil survey in, 304
- Devonshire, soil survey in, 308
- Diazinon  
 effect on soil fauna, 217  
 metabolism by housefly, 171, 172  
 penetration into housefly, 9·20  
 resistance of housefly to, 172–174, 9·22
- Diazoxon  
 effect on cockroach, 178  
 resistance of housefly to, 172
- Dibutyltin, 197
- Dieldrin  
 as seed dressing on sugar beet, 274  
 conversion from aldrin in soil, 10·17  
 effect on Wheat Bulb fly, 200  
 leaching from soil, 217  
 on honey bees, 9·13  
 resistance of housefly to, 9·23  
 volatilisation of, 184
- Dimethoate  
 effect of soil moisture on diffusion, 191  
 movement in soil, 9·16  
 secretion into nectar, 9·21  
 sorption of, by soils, 190  
 timing of sprays on Wheat Bulb fly, 9·17
- Diquat  
 for weeds in beans, 260  
 for weeds in potatoes, 264
- Disulfoton  
 aqueous solutions of, 192  
 as aphicide, 204  
 effect of soil moisture on diffusion, 191  
 effect of watering on effectiveness, 191–192  
 effect on soil fauna, 217  
 movement in soil, 9·16
- Docking disorder of sugar beet, 277–282, 16·1  
 acreage affected, 277  
 Barney type, 282  
 nematode numbers and fanginess, 277  
 viruses and, 277
- Drainage water, loss of nitrate in, 51
- 'Dursban', effect on sugar-beet seedlings, 275
- Dysdercus intermedius* (Cotton stainer)  
 aggregation and dispersal of, 174, 10·33  
 behaviour towards decoys, 10·33  
 glandular secretions of, 174, 9·12, 10·16
- Earthworms  
 burial of litter by, 236  
 effect of insecticides on, 217  
 effect of paraquat on, 218  
 effect of ploughing on, 218
- East Anglia, soil survey in, 302
- Electron microscopy  
 of bee-paralysis viruses, 11·10  
 of clay fractions, 3·11  
 of nematodes, 152  
 of potato virus X, 126  
 of *Rhizobium* cultures, 90  
 of soya bean nodules, 91  
 of tomato spotted wilt virus, 126  
 of virus protein, 126
- Ely, Isle of, soil survey in, 302
- Endogone* spores, 84–86
- Endosulfan, toxicity to bees, 188
- Entomophthora* spp.  
 on aphids, 230, 231, 16·6  
 on Wheat Bulb fly, 230
- Enzymes in leaves, 112–116
- Essex, soil survey in, 305
- Ethion, for control of Wheat Bulb fly, 195
- 'Ethrel', effect on barley and oats, 105
- Evaporation rates and surface properties of  
 crops, 32–33, 1·10
- Exhaustion Land  
 barley on, 250, 260  
 couch grass on, 260  
 fallowing of, 250, 251
- Eyespot (*Cercospora herpotrichoides*)  
*See* Cereals, eyespot
- Fallow  
 effect on barley, 250  
 to control twitchgrass, 262
- Farmers' lung disease, 132, 7·9
- Farmyard manure  
 effects on arable crops and grass, 2·28  
 on barley, 248–250  
 on beans, 247–250  
 on wheat, 247–250
- Fenitrothion, effect on earthworms and wire-  
 worms, 217
- Ferrous sulphide in soil, determination of, 3·10
- Fertiliser Manufacturers' Association, 236
- Fertilisers  
 amounts used in United Kingdom, 2·7  
 future trends in use of, 2·8  
 granular compared with liquid, 41–42  
 liquid, 38–42, 287  
 methods of application, 41–42, 2·7  
 residual effects of, 42  
 use of, in England and Wales, 12·2, 12·3  
*See also* names of individual fertilisers
- Field balances, 34
- Field beans (*Vicia faba*)  
 aphids on, 201  
 bee poisoning on, 187  
 diseases of, 141  
 insecticides on, 187, 191, 192  
 nitrogen metabolism of, 6·31  
 nucleic-acid metabolism of, 6·30  
 virus diseases of, 7·14  
*See also* Beans
- Flooded soils, 74
- Fluorine  
 in aluminosilicates, 79, 3·9  
 in micas, 65–66
- Food resources, 6·1
- Formaldehyde, 72
- Formalin  
 effect on barley yield, 45, 46  
 effect on *Endogone* spores, 84  
 effect on grass, 46  
 effect on nitrogen in soil, 45–47  
 effect on take-all, 139–140  
 effect on wheat, 46–47  
 residual and cumulative effects of, 47, 139–140
- Formalised casein for Sitka spruce seedlings, 2·3
- Fosters Field  
 barley and wheat on, 251–252  
 herbicide absorption by soil on, 60  
 oats on, 263
- Frit fly (*Oscinella frit*)  
 distribution of eggs on plants, 220  
 effect of phorate on, 201, 10·30  
 hymenopterous parasites of, 10·29  
 larval competition, 220  
 on maize, 201, 10·30  
 oviposition, effect of carabids on, 10·28

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

## INDEX

- Frit fly (*Oscinella frit*) (*cont.*):  
 predators of, 221  
 Frost-heave, measurement of, 17-10  
 Fumigation. *See* Soil sterilisation  
 Fungicides  
   as protectant for sugar beet at drilling, 275  
   BASF, 130  
   benzimidazole, 144–145  
   captan for sugar beet, 275  
   chlorinated phenols, 144–145  
   copper oxyquinolate, 276  
   damage to potatoes from, 198  
   'Dexon' for sugar beet, 275  
   dibutyltin dilaurate, 197  
   'Difolatan' (captafol), for sugar beet, 275  
   dithiocarbamate, 144–145  
   effect on aphids, 130–131  
   EMP steep for sugar beet, 275  
   fentin acetate, 196–198  
   fentin hydroxide, 276  
   'Fernacol', for sugar beet, 275  
   for cereal diseases, 93–94, 130, 197  
   for potato diseases, 142–144, 171, 196–198  
   for sugar beet diseases, 275  
   griseofulvin, effect on aphids, 130  
   maneb for sugar beet, 275  
   organo-mercurial, 142, 144, 145  
   organo-tin compounds for potatoes, 171, 196–197  
   oxathiins, 144, 145  
   'PP 149', 93  
   'PP 781', 93  
   'Phygon' (dichlone) for sugar beet, 275  
   thiram, 151, 275  
 Fungus diseases  
   bagassosis, 132, 133  
   control of, 144–149  
   effect of heat treatment on potato, 145  
   effect of nitrogen fertilisers on, 147  
   effect of soil moisture on, 147–149  
   farmer's lung, 132, 7-9  
   from stored crops, 132, 133  
   mildew on cereals, 93, 262, 266, 268  
   mildew (downy) on sugar beet, 275, 16-5  
   on cereals, 133–141, 7-23  
   on conifer seedlings, 151  
   on damp hay, 132  
   on potato, 128, 141–150, 157  
   on Wheat Bulb fly, 219, 230  
   *Ramularia* leaf spot of sugar beet, 276  
   *Verticillium* wilt, 146, 149, 150, 157  
 Fungus spores  
   concentration on farms, 132  
   deposition within crops, 131  
   splash dispersal, 131  
 Gas-liquid flow control valve, 189  
 Garden Clover, magnesium in soil of, 250  
 Geescroft, 73  
 Gibberellins  
   cell expansion promoted by, 101  
   production of, by bacteria, 83  
 Glacial deposits, radio-carbon dating of, 68  
 Gloucestershire, soil survey in, 306  
*Glycine max.* *See* Soyabean  
 Grass  
   amino acids in, 52  
   ammonia (anhydrous and aqueous) on, 38–41  
   ammonium hydroxide on, 40  
   ammonium nitrate on, 40, 42–43  
   effect of formalin on, 45–46  
   effect of insecticides on, 222  
   effect of liming and fertilisers on, 5-6  
   effect of pests on, 222  
   effect on mineralisable N in soil, 2-17  
   IBDU compared with ammonium nitrate on, 42–43  
 Grass (*cont.*):  
   irrigation on, 264  
   liquid nitrogen fertilisers for, 39–41  
   magnesium, effect on, 54–55  
   nitrate in sap of, 51  
   nitrogen fertilisers on, 39–43, 47, 52, 91, 264  
   potassium fertilisers, 52–53  
   protein content, 53  
 Great Field, potato yields on, 254–255  
 Great Harpenden Field, 219  
 Growth regulators, 83, 101–105, 257, 5-2, 5-11  
   *See also* B9; CCC; 'Ethrel'; Gibberellins;  
   Morphactins  
 Growth substances  
   effect of CCC and glycine betaine on bean, 5-18  
   in tomato roots infected with nematodes, 5-13, 5-18  
   in wheat, 101  
   production of, by *Azotobacter*, 4-2  
   Zanthophylls and, 122  
   *See also* Auxin; Cytokinins; Gibberellins  
 Hay. *See* Mouldy hay  
 Heavy metals, retention of, in soils, 70  
 Heptachlor, for Wheat Bulb fly, 195  
 Herbicides  
   adsorption of, by soil, 60  
   amino-triazole, 268  
   anilines and substituted ureas, 60  
   *Aspergillus* in decomposition of, 83  
   'Asulox' for docks, 269  
   barban for cereals, 60, 262  
   behaviour in soils, 38  
   'Betanal' on sugar beet, 292  
   breakdown in soil, 60  
   carbamates for sugar beet, 60  
   CMPP, 292  
   damage from residues in soil, 59  
   damage to beans, 59, 260  
   damage to sugar beet, 292  
   degradation of, by fungi, 83  
   dinoseb for beans, 60  
   diquat, 260, 264  
   disulfoton, effect on soil fauna, 217  
   diuron, 60  
   effect of drift from, 292  
   for weeds in carrots, 267  
   for weeds in cereals, 58, 137, 260, 262  
   for weeds in potatoes, 264  
   for weeds in sugar beet, 292  
   linuron, 60, 264, 267  
   linuron/paraquat as spray for potato, 264, 268  
   MCPA, 292  
   MCPB, 292  
   metoxuron for cereals, 60  
   monolinuron for beans, 60  
   monuron, 60  
   'Murbetex' for sugar beet, 292  
   persistence in soil, 60  
   'Pyramin' for sugar beet, 292  
   soil organic matter and adsorption of, 60  
   tillage systems and, 1-3  
   time of application to sugar beet, 292  
   trifluralin, 60, 292  
 Herefordshire, soil survey in, 304  
 Herringswell Rotation Experiment, Broom's Barn, 277–279  
 Hesse Tills, parent material of soils, 68  
 Highfield  
   cereals on, 251–253, 261, 263  
   potatoes on, 254–255  
   viruses on sugar beet, 129  
 Honeybees (*Apis mellifera*)  
   acute bee-paralysis virus, 228, 7-12, 11-6, 11-8, 11-10  
   brood rearing, effect of colony size on, 11-21

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- Honeybees (*Apis mellifera*) (contd.):**  
 choice of flower species, *11-15, 11-19*  
 chronic bee-paralysis virus, 227, *7-12, 11-8, 11-9, 11-10*  
 colonies, size of, 223, 226, *11-21*  
 control of wax moths with *Bacillus thuringiensis*, *11-11*  
 dandelion as competitor to fruit trees for visits, *11-15*  
 danger from sprays, 201  
 dysentery, *11-7*  
 flight room for, 223  
 food consumption, effect of colony size on, *11-21*  
 foraging, effect of colony size on, 226  
 2-heptanone in mandibular glands, 225, *11-22*  
 hive space, 223  
 hypopharyngeal glands, *11-10, 11-23*  
 insecticide toxicity, 187–189, 191, *9-2, 9-13, 9-24*  
 iso-amyl acetate in sting pheromone, 225, *11-22*  
 longevity in winter, effect of colony size on, *224, 11-21*  
 Nassanoff glands, 175, 225, *9-9, 11-12*  
*Nosema apis* on, *11-7*  
 on oil-seed rape, 188, 226  
 pathology of, *11-1*  
 pheromones of, 175, 224, *9-10, 11-12, 11-13, 11-22*  
 physiology of, 223  
 pollination by, 226–227, *11-14, 11-16, 11-17, 11-18, 11-20*  
 queen piping, 223–226  
 queen's inhibitory scent, *11-13*  
 sacbrood virus, 229, *11-6, 11-8*  
 smoke for subduing, 224  
 sucrose, denatured, for feeding, 224  
 'summer' and 'winter' bees, *11-23*  
 swarming, 223  
 virus diseases, 227–229, *11-6–11-8, 11-10, 11-16*  
 wasps as predators, 227  
 winter survival of colonies, 224, *11-21*
- Hoos Barley, 248  
 modifications in 1968, 247, 251
- Hoosfield, 138, 260
- Housefly. *See Musca domestica*
- Huntingdonshire, soil survey in, 303
- IBDU (Isobutylidene diurea)**  
 compared with ammonium nitrate, 42–43  
 for Sitka spruce seedlings, 2-3  
 in forest nurseries, 2-5
- Infra-red gas analyser, 32, 33, *1-4*
- Insect survey at Rothamsted, 205–214
- Insect traps**  
 for aphids, 129, 208–214, 272, *10-25, 16-10*  
 height of, 208–209  
 light traps, surveys with, 214  
 monthly catches in, 205, 206, 208  
 moths caught in, 214  
 pitfall traps, 216, 221  
 reporting service as standard for warning system, 207  
 sticky, 209  
 suction, 207–209
- Insecticides**  
 5-benzyl-9-furylmethyl chrysanthemates and analogues, 181  
 diffusion of, in soil, 191, *9-16*  
 effect of watering on effectiveness, 191–192  
 effect on earthworms, 217  
 effect on parasitic and predatory insects, 189  
 effect on pollen beetles, 188, 263  
 effect on soil fauna, 216–219  
 effect on sugar beet, 274–275  
 emulsifiable concentrates, 188
- Insecticides (contd.):**  
 for sheep maggot fly, 265  
 for warble fly on cattle, 269  
 granular, 187, 191  
 leaching from soil, 217  
 losses of, from treated seed, 193–194  
 'LOVO' to reduce losses, 184–186  
 metabolism by insects, 171, 178  
 microencapsulation, 187, *9-3*  
 organochlorine, replacements for, 171, 194–195  
 organophosphorus, 171–174, 187, 191, 192, 216–218  
 penetration into insects, 177–179, *9-8, 9-20*  
 polarography of, 192  
 pyrethrins, 171, 175–184, 185  
 rain washing, persistence to, 184–185  
 resistance of insects to, 171–174, *9-20, 9-22, 9-23*  
 secretion into nectar, *9-21*  
 seed dressings, efficiency of application, 193, *9-15*  
 single-row trials, 195  
 sorption by insects, *9-8, 9-20*  
 sorption by soil, 190  
 systemic, 190–192, *9-16, 9-21*  
 timing of sprays on Wheat Bulb fly, *9-17*  
 toxicity to honey bees, 187–189, 191, *9-2, 9-13, 9-24*  
 toxicity to houseflies, 180–184, *9-20, 9-22, 9-23*  
 toxicity to *Phaedon cochleariae*, 178–183  
 volatilisation of, 184  
*See also individual insecticides; Aphicides*
- Insecticides, apparatus**  
 atomiser heads, 189  
 counters, portable, 189, *9-5*  
 insect aspirator, 189  
 sieve, variable, 189  
 spore-trap turbine, 189  
 suction sampler, 188, 189  
 valve, gas-liquid control, for slurry, 189, *9-4*
- Insects**  
 census of pests in Europe, *10-7*  
 distribution of, edge infestations, 216  
 distribution of, effect of shelter on, 215–216  
 effect of windbreaks on flight, 215, *10-10*  
 effect on plant growth, 199–207  
 list of species reared, 192–193  
 migration, *10-1, 10-21*  
 nervous system, effect of pyrethrins on, 175–178  
 nervous system, staining of, 190  
 sex attractants in, 195
- Intensive Spring Barley Experiment, 137, 253
- Intensive Winter Barley Experiment, 138
- International Biological Program (IBP), 82, 91, 118, *6-10*
- Iron in soils, 80
- Iron oxides, formation of, 68–69
- Irrigation**  
 effect on nematodes, 159, 160  
 effect on net assimilation rate, 98  
 effect on potato scab, 148, *7-21*  
 effect on potato yields, 36  
 effect on soil fauna, 219  
 effect on sugar content of sugar beet, 98  
 evaporation and, 36  
 on barley, 37  
 on beans, 36, 254, 257, 261  
 on grass, 264  
 on potatoes, 36  
 on sugar beet, 98, 288, 291
- Irrigation Experiment, 254, 261
- Kale**  
 effect of sodium on, *2-12*  
 microclimate in, 31  
 soil aeration and respiration under, 34–35

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

## INDEX

- Kaolinite, deflocculation of, 75  
 Kent, soil survey in, 306  
 Knotgrass. *See* *Polygonum aviculare*  
 Krillium, effect on sugar-beet growth, 2·20
- Lancashire, soil survey in, 300
- Lannate  
 as nematocide on sugar beet, 274, 275, 281  
 effect on plant vigour, 281  
 effect on sugar beet in the field, 283  
 effect on sugar-beet seedlings, 274, 275  
 solutions and granules, 282
- Leaf-area index of sugar beet, 5·10  
 distribution of, in crops, 5·12  
 effect of irrigation on, 98  
 effect of light on, 99  
 effect of shading on, 97–99
- Leaf area of plants, humidity on, 94
- Leaf extracts, 75–77  
 o-quinones and, 117, 6·32, 6·33  
 ribonucleases in, 112, 114–115
- Leaf lipoxidase, 114
- Leaf protein, 117–121, 6·10, 6·13, 6·18, 6·19, 6·23  
 adducts, 117  
 air-drying of, 120  
 amino acids in, 120  
 by-products of, 118, 121  
 changes in, during storage, 6·3  
 changes in, related to photosynthesis, 5·11  
 composition of dry matter and liquor, 121  
 content of grass, 52–53  
 digestion with fungal amyloglucosidases, 121  
 digestion with papain, 120, 6·26  
 effect of fertilisers on, 53  
 effect of simazine on, 119  
 extracted fibre as food for sheep, 121  
 extraction units used abroad, 112, 118  
 freeze-drying of, 119  
 from by-products of crops, 119  
 lipid extraction, 6·25  
 nutritive value of, 6·24  
 press (laboratory scale) for extracting juice, 6·28  
 production of, 118, 6·22  
 pulper (laboratory scale) for leafy material, 6·27  
 release of, from pulped leaves, 6·2  
 research in the International Biological Program, 6·10  
 yields, 119
- Leghaemoglobin of nodules, 90, 91, 4·3
- Legumes and Barley Experiment, 256–257
- Lepidoptera, migration of, 214–215
- Leptohylemyia coarctata*. *See* Wheat Bulb fly
- Ley Arable Experiments at Rothamsted  
 barley as first and second test crops, 267  
 barley yields on, 252–253  
 changes in cropping, 1968, 251–252  
 grazing on, 267  
 herbicide adsorption on, 60  
 oats in, 263  
 potato in, 254–255, 261  
 wheat yields on, 251–252
- Leys. *See* Grass
- Lias sediments, geochemistry of, 3·3
- Liming, 268
- Little Knot, 46–47, 84, 106, 137, 139
- Livestock  
 on Broom's Barn farm, 297  
 on Rothamsted farm, 264–265  
 on Woburn farm, 269  
 statistical experiments on, 238
- Loess, radiocarbon dating of, 68
- Lolium perenne*. *See* Ryegrass
- Lotus corniculatus*, bacteroids in nodules of, 89
- Lotus hispidus*, bacteroids in nodules of, 89
- Lotus uliginosus*, bacteroids in nodules of, 89
- Lucerne (*Medicago sativa*)  
 aphids on, 203  
 effect of weeds on yield, 203  
 inoculation with Rhizobia, 91  
 nitrogen fixation by, 48, 91  
*Verticillium* wilt on, 203  
 virus diseases of, 203
- Magnesium  
 content of sugar beet, 288  
 deficiency in light soils, 38, 53–55  
 effect of treatments 1876–1927 on soil content, 54–55  
 effect on yield and crop composition, 2·12  
 exchangeable, effect of fertiliser residues on, 54–55  
 fertiliser on light soils, 38, 54–55  
 for grass/clover ley, 54  
 for potato, 149  
 for sugar beet, 287–288, 16·7  
 for wheat, 53–55  
 in Garden Clover soil, 250  
 residual effect of, 54  
 take-all and, 139
- Magnesium–aluminium hydroxides, 3·2, 3·4
- Maize (*Zea mays*)  
 effect of phorate on yield, 201, 10·30  
 frit fly on, 201, 10·30
- Malaaxon, resistance of housefly to, 173
- Malathion  
 against pollen beetle on rape, 263  
 effect on foraging bees, 188  
 resistance of housefly to, 172
- Manganese, in clover seedlings, 115
- Mangold clamps, aphid infested, 272
- Mangold fly, control of, 274
- Mayweed (*Tripleurospermum maritimum*)  
 in spring barley, 137  
 linuron for control of, 267
- Medicago sativa*. *See* Lucerne
- Medicago truncatula*, nodules of, 90
- Menazon seed dressing as aphicide, 16·2, 16·8
- 6-mercapto-purine, for sterilising nematodes, 156
- Metaldehyde, effect on pasture productivity, 222
- Methyl bromide  
 as soil sterilant for nematodes, 141, 157, 164  
 bromine content of wheat after application, 71  
 effect on eyespot and take-all of wheat, 141  
 effect on mineralisation of soil nitrogen, 71  
 effect on nitrification in soil, 71  
 effect on potato yield, 157  
 scorching of wheat by, 71
- Micas, 63–66
- Microbial decomposition of pesticides, 83
- Microclimate, techniques for measuring, 31
- Micropolyspora faeni*, cause of Farmers' lung disease, 132
- Millipede (*Blaniulus guttulatus*), sugar-beet seed damage by, 274
- Mineralogy, 63–69
- 'Mobam', effect on sugar-beet seedlings, 275
- 'Mocap', effect on sugar-beet seedlings, 275, 282
- Morphactins, effect on potato, 104
- Moths, immigration of, 10·22
- Mouldy hay, 132
- Musca domestica* (Housefly)  
 genetic mutants, 172  
 insecticide toxicity to, 180–183, 9·20, 9·22, 9·23  
 metabolism of organophosphorus insecticide by, 171  
 resistance to insecticides, 171–175  
 synergism in, 172
- Mustard beetle. *See* *Phaedon cochleariae*
- Myzus persicae*. *See* Aphids



## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- National Agricultural Advisory Service, 187, 195, 207, 236, 237, 238, 315, 317  
 National Coal Board, soil survey for, 315  
 National Environment Research Council Unit for Experimental Cartography, 318  
 National Institute of Agricultural Botany, 276  
 National Institute of Agricultural Engineering, 193  
 National Research Development Corporation, provisional patent filed by, 189  
**Nematicides**  
   application methods, 156–159, 168–169  
   effect on nematode numbers, 279  
   on different soil types, 157–158, 166–168  
   residues in potato tubers, 159  
   time of application, 168–169  
   *See also* Soil sterilants; and names of chemicals used as nematicides  
**Nematodes**  
   antibody production, 8·21  
   attacking coffee, tea and cocoa, 8·9  
   attraction to plant roots, 166  
   cereal cyst, 141, 161, 169  
   cereal root-knot, 155, 162–164, 8·2, 8·22  
   classification, 8·5, 8·6  
   clumping, 8·20  
   control, 157, 8·8, 8·9  
   cuticle, 152  
   cyst nematodes, 152–162  
   cyst walls, composition of, 152, 8·11  
   distribution of, 8·8  
   ectoparasitic, 166, 8·16  
   effect of amino-triazole on, 165  
   effect of crop rotations on, 159, 162  
   effect of cropping on, 279  
   effect of 2,4-D on infested cereals, 8·19  
   effect of nitrogen on, 161–162  
   effect of rainfall on, 8·16  
   effect on cereals, 161–164  
   effect on sugar beet, 166–169, 271, 277–283  
   endoparasitic, 8·16  
   fertilisation of, 153–156  
   fertility, 156, 8·12  
   films of, 170  
   galls, 8·18  
   giant cells, 163  
   growth substances in infected roots, 8·18  
   hatching factor, 153  
   hatching of, 156–157, 163  
   host-parasite relationships, 8·2  
   hybridisation of, 155  
   identification of, 8·5, 8·6  
   incubation, effect on larvae, 163  
   inter- and intraspecific differences in, 8·21  
   irrigation, effect of, 159, 160  
   mating behaviour, 153–157  
   mating between species, 155  
   Mexican cyst, 153, 154  
   needle, 166  
   on various crops, 166–168  
   Osborne's cyst, 155  
   pathotypes, 155, 161, 8·7  
   population changes, 162, 8·7  
   potato cyst, 149, 152–161  
   quarantine measures for, 152, 8·8  
   radiation, effect of, 156  
   reproduction, 8·1  
   resistant plants, 155, 159–160, 8·17  
   root lesion, 164–169  
   round cyst, 155  
   sampling methods, 162–163  
   sex attractants, 153–156, 8·14  
   sex determination of, 8·3  
   soil moisture, effect of, 8·16  
   soil structure, effect of, 8·16  
   soil temperature, effect of, 163  
   soil type, effect of, 277  
**Nematodes (contd.):**  
   sterilisation by chemicals and radiation, 156  
   stylet and body length, 8·13  
   techniques in handling, 8·4  
   tomato root-knot, 197  
   trap cropping, 161  
   *Verticillium* wilt and, 157  
**Nematodes, specific names of**  
   *Aphelenchus* spp., 279, 8·12, 8·13  
   *Ditylenchus* spp., 8·21  
   *Ditylenchus dipsaci*, 262, 8·19, 8·20  
   *Enchodorella* spp., 8·15  
   *Hemicycliophora* spp., 279  
   *Hemicycliophora typica*, 166  
   *Heterodera* spp., 170, 8·16, 8·21  
   *Heterodera avenae*, 141, 153, 154, 161, 8·16  
   *Heterodera carotae*, 153, 154  
   *Heterodera cruciferae*, 153, 154  
   *Heterodera glycines*, 153, 154  
   *Heterodera goettingiana*, 153, 154, 8·16  
   *Heterodera rostochiensis*, 149, 152–160, 8·1, 8·3, 8·7, 8·11, 8·14, 8·16, 8·17  
   *Heterodera schachtii*, 152, 153, 282, 8·14, 8·16  
   *Heterodera tabacum*, 153, 154, 155  
   *Heterodera trifolii*, 153, 154  
   *Heterodera virginiae*, 155  
   *Longidorella* spp., 8·15  
   *Longidorus* spp., 167, 271, 277, 279, 8·16  
   *Longidorus attenuatus*, 168, 169, 279  
   *Longidorus caespiticola*, 166  
   *Longidorus elongatus*, 166  
   *Longidorus leptocephalus*, 166  
   *Meloidogyne* spp., 8·2, 8·18, 8·22  
   *Meloidogyne arenaria*, 155  
   *Meloidogyne hapla*, 8·22  
   *Meloidogyne naasi*, 162, 163  
   *Paratylenchus* sp., 167, 8·13  
   *Paratylenchus bukowinensis*, 166  
   *Paratylenchus microdorus*, 166  
   *Pratylenchus* spp., 164, 167, 279  
   *Pratylenchus fallax*, 164, 165  
   *Pratylenchus minyus* (formerly *P. neglectus*), 149, 164–165  
   *Pratylenchus thornei*, 164  
   *Thorneia* spp., 8·15  
   *Trichodorus* spp., 279–282, 8·16  
   *Trichodorus cylindricus*, 166  
   *Trichodorus pachydermus*, 7·15  
   *Trichodorus primitivus*, 166  
   *Tylenchorhynchus* spp., 279  
   *Tylenchorhynchus brevidens*, 168  
   *Tylenchorhynchus dubius*, 166, 168  
   *Tylenchorhynchus icarus*, 168  
   *Tylenchorhynchus maximus*, 166  
   *Xiphinema*, 8·16  
**Neutron moisture meter**, 34  
**'Niagara 10242'** (furan), 282  
**Nitrate**  
   in crops, 49–51, 2·23  
   in drainage water, 49, 51, 52  
   leaching of, by rain, 52  
**Nitrification**, in soil, 82  
**Nitrification inhibitor**, 2-chloro-6-(trichloro-methyl)-pyridine, 44, 2·18, 2·23  
**Nitrifiers**, isolation of, 82  
**'Nitro-Chalk'**  
   compared with ammonia, 38, 41  
   for barley, 41  
   for grass, 264  
   for lucerne, 91  
   for Sitka spruce seedlings, 2·3  
   for spring wheat, 41  
*Nitrococcus*, 82  
**Nitrogen fertilisers**, 38–53  
   effect of soil fumigation on need for, 280  
   effective area fertilised, 40  
   efficient use of, 38

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

## INDEX

- Nitrogen fertilisers (*contd.*):  
 for barley, 41, 43, 50, 137–138, 161, 248–249, 256, 294–295  
 for beans, 257  
 for clover, 48  
 for grass, 38–43, 47, 51–53, 91, 264, 2-18  
 for lucerne, 48, 91  
 for potatoes, 51  
 for ryegrass, 91, 2-19  
 for sugar beet, 50, 284–285  
 for wheat, 41, 44–47, 49, 138, 2-18  
 forms of, related to water, 44  
 interaction with CCC on cereals, 102–104  
 leaching of, 49, 51, 52  
 liquid, 39–42  
 residues of, effect on yields, 43–44  
 with formalin on cereals, 45–47  
*See also* Ammonia; Ammonium; IBDU; 'Nitro-Chalk'; Urea
- Nitrogen fixation, 82, 89, 91, 4-1  
 Nitrogen in plant material, 60–61  
 Nitrogen in soil  
 available, effect of leys on, 2-17  
 available, effect of management on, 2-10  
 available, effect of previous cropping on, 2-19  
 effect of 'DD' on, 278, 279  
 effect of formaldehyde on, 72  
 effect of formalin on, 45–47  
 leaching of, 51  
 mineralisable, effect on leys, 2-17
- Nitrosomonas*, 82  
 Nodulation  
 effect of day-length and light intensity on, 87  
 effect of root temperature on, 88  
 Nodule bacteria, infection of root hairs, 170  
 Nodules  
 bacteroids in, 90, 4-3  
 leghaemoglobin of, 90, 4-3  
 of subterranean clover, 88  
 peroxidase activity in, 91, 4-3  
 structure of, 90
- Norfolk, soil survey in, 303  
 Northumberland, soil survey in, 302  
 Nottinghamshire, soil survey in, 304  
 Nuclear magnetic resonance, for measuring water content of soil, 34
- Oak apple, *n*-alkanes of, 9-11  
 Oats  
*Agrostis gigantea* in, 256  
 effect of CCC on, 102–103  
 lodging of, 102–103, 263  
 nematodes on, 166, 168  
 undersown with trefoil, 256  
 virus diseases of, 130, 7-22  
 yields, 263
- Oil palms, on acid sulphate soils, 3-1  
*Olpidium brassicae*  
 systematics of, 7-10  
 transmission of virus to plants by, 125, 7-11, 7-19
- Oospora pustulans* on potato, 141–146, 150  
*Ophiobolus graminis*. *See* Take-all  
 Organic carbon in soil, 73  
*Ornithopus sativus*, bacteroids in nodules of, 90  
*Oscinella frit*. *See* Frit fly
- Paraquat  
 effect on earthworms, 218  
 for crops, 260, 262, 264, 267, 269  
 for stubble, 259, 260, 262, 268  
 on Broadbalk, 260  
 slit-seeding and, 218
- Parathion  
 effect on earthworms and wireworms, 217  
 effect on predators of frit fly, 221  
 resistance of housefly to, 172
- Park Grass  
 changes in flora of, 110  
 isolation of nitrifier from, 82  
 radiocarbon dating of organic matter on, 73
- Parklands, 39  
 Pastures Field, 46, 47, 139  
 Patent on gas-liquid flow control valve, 189  
 Peas (*Pisum sativum*)  
 aphids and virus diseases of, 204  
 diamine oxidase in seedlings, 6-4, 6-5, 6-29
- Peltier effect psychrometer, 34  
 Pembrokeshire, soil survey in, 309  
*Phaedon cochleariae* (Mustard beetle)  
 effect on radish and turnip yield, 10-31  
 effect on plant growth, 10-3  
 leaf injury by, 10-31, 10-32  
 toxicity of insecticides to, 178–184
- Phlogopite, 64–66  
*Phoma* spp. on potato, 141, 142, 142–146, 150  
 Phorate  
 effect on frit fly, 201, 10-30  
 effect on soil fauna, 217  
 for controlling aphids on beans, 191, 263  
 on sweet corn, 201  
 secretion into nectar, 9-21  
 toxicity to honey bees, 187
- 'Phosdrin', 222  
 Phosphate fertilisers  
 comparison of nitrophosphate, potassium metaphosphate, Gafsa rock phosphate, basic slag, superphosphate and dicalcium phosphate, 2-21, 2-22  
 effect on arable crops and grass, 284–285, 2-21, 2-22, 2-28  
 evaluation of, 2-21  
 for sugar beet, 284  
 residual value of, 2-22
- Phosphate in soil, rate of release of, 2-27  
 Phosphorus in soil extracts, automatic determination of, 2-24  
 Photosynthesis  
 effect of di-methyl silicones on, 33  
 effect on virus synthesis, 117  
 measurement with phytometers, 5-12  
 of semi-dwarf wheats, 95  
 of single leaves, 33  
 rates of, 95  
 related to changes in leaf protein, 5-11
- Phytophthora infestans* on potato, 141  
*Picea sitchensis*. *See* Sitka spruce  
 Pigments, effect on plant growth, 123  
 Pigmy mangold beetle, sugar-beet seed damage by, 274
- Plant nutrients, cation-anion relationships 2-16  
 Plant Pathology Laboratory, 193  
 Plant residues in soil, 75  
*Plutella maculipennis*  
 effect on radish and turnip yield, 10-31  
 effect on plant growth, 10-3  
 leaf injury by, 10-32
- Podsolisation, 75  
 Podsolis, iron and organic carbon in, 17-8  
*Polygonum aviculare* (knotgrass), 110, 137  
*Polygonum convolvulus* (black bindweed), 110  
 Polyphenols, 76, 77  
 Potassium fertiliser  
 for arable crops and grass, 52–53, 247, 284, 2-12, 2-28  
 residual effect of, 55
- Potassium in soils  
 and clays, 2-11  
 release from micas, 63  
 release to ion-exchange resins, 55  
 reserves in Rothamsted soils, 2-25  
 reserves in soils from different parent materials, 2-26

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- Potato  
 aphids on, 264  
 axillary branches of, 100  
 black scurf (*Rhizoctonia solani*), 141–145, 147, 150  
 blight (*Phytophthora infestans*), 141, 171, 196–197, 259, 264  
 burning to control weeds in, 260  
*Cephalosporium* sp. on, 150  
 coiled sprout, 146  
 common scab (*Streptomyces scabies*), 141, 147–149, 196, 197, 198, 7·21  
 compensatory growth of, 142, 143  
*Cylindrocarpon* on, 150  
 dry rot (*Fusarium caeruleum*), 141  
 effect of CCC on, 157  
 effect of morphactins on, 104  
 fertilisers on, 247, 249, 254, 255  
 fumigation of, 150  
 fungicides for, 142, 144, 171, 196–198  
 fungus diseases of, 128, 141–150, 196–198, 264  
 fungus diseases of, control of, 144–146, 196–198, 264  
 fungus diseases of, effect of heat treatment on, 145  
 fungus diseases of, effect of soil moisture on, 147  
 gangrene (*Phoma* spp.), 141–146, 150  
 irrigation on, 36, 148, 149, 159, 7·21  
 leaf dropstreak on, 261  
 magnesium deficiency, 149, 256  
 nematocidal residues in tubers, 159  
 nematode-resistant, 159, 160  
 nematodes on, 149, 153, 154, 157–161, 166–168  
 nitrate in sap of haulms, 51  
 nitrogen fertilisers on, 51, 147, 247  
 on Broadbalk, 247, 259–260  
 pathogen-free tubers, 145  
 pathogenic fungi, measurement of prevalence, 7·17  
 phosphate fertiliser on, 2·22  
 powdery scab (*Spongospora subterrenea*), 128, 141  
 silver scurf (*Helminthosporium atrovirens*), 145  
 skin spot (*Oospora pustulans*), 141–145, 150  
 slugs, susceptibility of varieties to, 221  
 soil sterilants on, 150, 267  
 stem cuttings, 145  
 taint from fumigation with 'D-D', 161  
 tuber blight, 197  
*Verticillium* spp. on, 146, 149, 150, 157  
 varieties, diseases of, 141–148, 157–159, 261, 264  
 virus diseases of, 124, 126–129, 261, 7·15  
 weeds in, 260, 264  
 yields, 143–144, 150, 157–160, 254–256, 260–261, 264, 269
- Potato Marketing Board, 141, 237  
 PP 511, 282  
 Previous cropping  
 effect on yields, 43, 2·19  
 Protein, in *Septomyxa affinis* spores, 118  
*See also* Leaf protein  
 Pyrethrins and related compounds, 175–184, 9·14  
 Pyrethroids (synthetic), 178–184  
 Pyridoxal, oxidation of, by pea-seedling extracts, 6·29  
 Pyrites, oxidation of, in soil, 3·1  
 Pyrohydrolysis, separation of fluorine from aluminous silicates by, 79  
*Pythium* sp.  
 on field beans, 141  
 on potato, 150
- o*-Quinones, 117, 6·32, 6·33
- 400
- Radiobiological Research Laboratory, Wantage, 34  
 Radiocarbon dating  
 of glacial deposits and loess, 68  
 of soil organic matter, 73  
 Radiometry, 34  
 Rape, oil-seed (*Brassica napus*)  
 as break crop, 256, 263  
 insecticide for pollen beetle on, 263  
 insecticide poisoning of bees on, 188  
 pollination of, by bees, 226, 11·20  
 Raspberry, pollination by bees, 11·16  
 Residual Phosphate Experiments, yields, 253–255  
*Rhizobium trifolii*, 86–90  
*Rhizoctonia solani* on potato, 141–145, 147–150  
 Rhizosphere, micro-organisms in, 83  
 Ribonucleases in leaf extracts, 112, 114  
 Ribonucleic acid (RNA), 124–127  
 Roots  
 distribution in soil, 97  
 effect of CCC on growth, 103  
 effect of compacted soil layer on, 97  
 effect of shading on growth, 96  
 growth, methods of measuring, 95, 5·16  
 sampling equipment, 5·9  
 soil volume used by, 2·14  
 Rotation experiments at Broom's Barn, 292–295  
 Rotations  
 on Broom's Barn farm, 295  
 on Rothamsted farm, 262  
 on Woburn farm, 268  
 Rothamsted Insect Survey, 205–214, 10·13  
 Ryegrass (*Lolium perenne*)  
 composition of, 52  
 effect of nitrogen fertilisers on, 42, 52–53, 91  
 effect of phosphate fertilisers on, 52–53, 2·21  
 effect of potassium fertilisers on, 52–53  
 nematodes on, 279  
*See also* Grass
- Sawyers Field, potato yields on, 254–255  
 Saxmundham  
 barley at, 45–46  
 efficiency of nitrogen fertiliser at, 47–48  
 Intensive Wheat Experiment at, 49, 138  
 nitrate in crops at, 49–52  
 nitrate in drainage water at, 49, 51–52  
 nitrogen fertilisers on wheat at, 49  
 Scout Farm, 199, 200, 262, 265  
 Sesamex, 173  
 Sewage sludge, contamination of plants and soils, 70, 3·7  
 Shading  
 effect on couchgrass, 109  
 effect on net assimilation rate, 97  
 effect on root growth in barley, 96  
 effect on sugar-beet, 97  
 'Tygan' screencloth for, 96, 98, 109  
 Shropshire, soil survey in, 304  
 Silicate analysis for major elements, 77  
 Silicate minerals  
 aluminium in, determination of, 3·6  
 calcium in, determination of, 79  
 Silicates  
 fluorine in, determination of, 79, 3·9  
 for barley, 248  
 Simazine  
 adsorption by soils, 59, 2·29  
 effect of fertilisers on, 59  
 effect of soil moisture on, 59  
 effect of soil organic matter on, 59  
 effect on beans, 59, 248–249, 254, 260, 261, 263, 267, 268  
 effect on leaf-protein yields, 119  
 effect on weeds on Broadbalk, 110

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

## INDEX

- Sitka spruce (*Picea sitchensis*)  
 calcium fertilisers for, 56–57  
 copper-containing enzymes in, 116  
 copper deficiency in, 57, 116  
 formalised casein for, 2·3  
 nitrogen fertilisers on seedlings, 2·3  
 seedlings, diseases of, 151  
 sulphur deficiency in, 56–57
- Slit-seeding, paraquat and, 218
- Slugs, 10·12  
 effect of paraquat and slit seeding on, 218  
 potato varieties susceptible to, 221  
 toxicity of contact poisons to, 9·18, 9·19, 10·26, 10·27
- Sodium fertilisers  
 effect on kale and barley, 2·12  
 residual effect of, 55
- Soil aeration, 34–35
- Soil aggregates, effect on nutrients used by roots, 2·13
- Soil classification, 311, 17·6
- Soil compaction  
 coiled sprout of potatoes and, 146  
 effect on response to fertilisers, 289  
 effect on root growth, 97  
 effect on sugar-beet yield, 289
- Soil conditioners, effect on sugar-beet growth, 2·20
- Soil fauna, 216–219  
 effect of insecticides on, 216–218, 10·17  
 effect of irrigation on, 219  
 effect of paraquat and slit seeding on, 218  
 effect of temperature on, 219  
 effect on turnover of soil nutrients, 10·6  
 methods of extraction, 10·19  
 micro-arthropods, effect of agricultural practice on, 10·18, 10·20
- Soil fumigation. *See* Soil sterilisation
- Soil groups, distribution of, 310
- Soil identification, 310
- Soil linear fabric analysis, 311
- Soil map users, 314
- Soil mapping  
 new concepts, 318  
 new principle of, 298
- Soil micromorphology, 310, 311
- Soil moisture, apparatus for measuring, 34
- Soil moisture, effect on potato scab, 149
- Soil moisture, movement of, 1·8
- Soil organic matter  
 effect on determination of ferrous iron in soils, 80  
 effect on sorption of insecticides, 190  
 mineralisation of, 72  
 radio-carbon dating of, 73  
 trace-element reactions with, 74
- Soil particle size distribution, 17·7
- Soil respiration, 34, 72
- Soil sampling, 314
- Soil series, 298–311
- New series  
 Aldeby, 303  
 Beccles, 303  
 Hall, 303  
 Warmley, 307  
 Waveney, 303  
 Yate, 307
- Soil sterilants  
 chloropicrin, 150, 165, 267  
 dazomet, 140, 157–159, 7·13  
 'D-D', 157–161, 278, 7·13  
 formaldehyde, 72  
 formalin, 84, 140  
 methyl bromide, 71, 72, 141, 157, 164  
 'Telone', 169  
*See also* Aphicides; Nematicides; and names of chemicals used as sterilants
- Soil sterilisation  
 effect on agricultural crops, 7·1  
 effect on nematodes, 157, 161, 164, 279, 280  
 effect on N fertiliser need by sugar beet, 280  
 effect on N mineralisation, 71, 278–279  
 effect on sugar-beet yields, 277, 278  
 for cereals, 71, 72, 139–141, 164–166, 7·13  
 for potatoes, 150, 267  
 nutrition of conifers and, 2·2  
 residual effect of, 278  
 scorching of plants by, 71, 72
- Soil surveying  
 air photography in, 318  
 storage of data, 314
- Soil surveys  
 in Buckinghamshire, 305  
 in Cambridgeshire and Isle of Ely, 302  
 in Cardiganshire, 309  
 in Cheshire, 301  
 in Derbyshire, 304  
 in Devonshire, 308  
 in East Anglia, 302  
 in Ely, Isle of, 302  
 in Essex, 305  
 in Gloucestershire, 306  
 in Herefordshire, 304  
 in Huntingdonshire, 303  
 in Kent, 306  
 in Lancashire, 300  
 in Norfolk, 303  
 in Northumberland, 302  
 in Nottinghamshire, 304  
 in Pembrokeshire, 309  
 in Shropshire, 304  
 in Wales, 309  
 in Westmorland, 300  
 in Worcestershire, 304  
 in Yorkshire, 298  
 of Broadbalk, 316  
 of Paignton, 315  
 of Parr Moss, 315
- Soyabean (*Glycine max*)  
 nodules of, 90, 91  
 symbiosis in, 87
- Spectroscopy, of soil contaminated with heavy metals, 70
- Spongospora subterranea*  
 on potato, 141  
 potato mop top virus and, 128
- Spore traps, 189, 285
- Stackyard Field, 201
- Statistical analyses  
 canonical, 236  
 classification methods, 236, 238  
 crop experiments, 238  
 discriminant, 236  
 fertiliser response of potato, 238  
 fertiliser usage, 12·2, 12·3, 12·8  
 for silicates in major elements, 77  
 livestock experiments, 238  
 National Agricultural Advisory Service, 236–238  
 nitrogen response curve, 238  
 of rates of volatilisation of insecticides, 184  
 of sulphate leaching in latosols, 58  
 potato, fertiliser response, 238  
 Potato Marketing Board survey, 237  
 principal co-ordinates, 236  
 regression, 236  
 routine analysis, 237  
 statistical service for other institutes, 236, 240, 243  
 Survey of Fertiliser Practice, 236  
 time series, 236  
 type-of-farming map, 237
- Statistical programming  
 algorithms, 233, 12·7, 12·13, 12·15

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- Statistical programming (*contd.*):  
 canonical correlation, 233  
 cluster analysis, 235, 12·13  
 General Factorial Program, 233, 235  
 General Survey Program, 233, 242  
 GENSTAT, 234  
 graphical presentation, 233  
 minimum spanning tree, 12·13  
 multidimensional arrays, 12·5  
 polynomial regression, 233  
 principal components analyses, 233  
 programming languages, 234–235  
 summary program, 233
- Statistical theory  
 angular transformations, 235  
 classification, 12·6, 12·14  
 cluster analysis, 235, 12·7  
 design of experiments, 12·10, 12·11, 12·12  
 maximum likelihood, 235  
 minimum spanning tree, 235, 12·7  
 missing values, 235  
 multivariate analysis, 12·4  
 ordination analysis, 235, 12·6
- Stomatal resistance of leaves, 32
- Stored products  
 actinomycetes in, 132–133  
 hazards to health from, 132–133  
 moulds on, 132
- Straw  
 length, effect of CCC on, 102–103  
 yields, 261
- Strawberries, pollination of, by bees, 11·16, 11·18
- Streptomyces scabies* on potato, 141, 147–149, 196–198, 7·21
- Subterranean clover (*Trifolium subterraneum*), 88, 170
- Suction traps. *See* Insect traps
- Sugar beet  
 agricultural salt for, 284, 287, 288, 289  
 aphids on, 270–273, 16·2, 16·3, 16·8–16·10  
 cover crops, effect on beet yellows, 273  
 defoliation, effect on yield, 273  
 Docking disorder, 277–282, 16·1  
*See also* separate entry  
 downy mildew (*Peronospora farinosa*), 275, 16·5  
 effect of pesticides on, 274–275, 279–283  
 effect of previous cropping on, 293  
 effect of soil compaction on, 289  
 effect of soil conditioners on, 2·20  
 effect of soil type on yield, 289, 5·10  
 fanginess, 282  
 farmyard manure on, 287  
 fertilisers for, 284, 286–289, 291, 292, 16·13  
 fungicides as seed and soil treatments, 275  
 fungus diseases, 275–276  
 fungus diseases, *Ramularia* leaf spot, 276  
 growth on different soils, 5·10  
 harvesting date, 291  
 herbicides for, 292  
 in rotation with cereals, 292–295  
 irrigation on, 98, 288, 291  
 leaf-area index, 97, 99, 5·10  
 magnesium fertiliser for, 287–289, 16·7  
 nematodes on, 166–169, 271, 277, 279–283  
 net assimilation rate, 98, 5·10  
 nitrate in sap of petioles, 50, 16·13  
 plant spacing, 289–291  
 pollen traps in, 285  
*Ramularia* leaf spot on, 276  
 root shape, effect of nematicide on, 282  
 seed damage by millipedes and beetles, 274  
 seed dressings with pesticides, 274  
 seed production, 283–285, 16·4, 16·12  
 seed quality, 285  
 seedlings, effect of light on, 99  
 shading on, 97
- Sugar beet (*contd.*):  
 soil sterilisation, effect on yield, 277–280  
 sowing date and plant population, 290  
 sugar content, 97–99, 277  
 virus diseases, 127, 129, 270–273, 16·2, 16·8, 16·9, 16·11  
 yields, 271, 274, 278, 291  
*see also* Herringswell Rotation Experiment
- Sulphate fertilisers  
 for lupin and radish, 57  
 for Sitka spruce, 56
- Sulphur in air  
 from industrial fuels, 56  
 measurement of absorption by leaves, 58
- Sulphur in soils  
 deficiency, 38, 56  
 determination of, 79, 3·5  
 from industrial fuels, 56  
 leaching, 58
- Surface properties of crops  
 evaporation and assimilation rates and, 32  
 infra-red gas analyser for studying, 32, 33, 1·4  
 mesophyll resistance and, 32–33  
 stomatal resistance and, 32  
 resistance of crop canopies, 32, 1·11  
 transpiration rate and, 32
- Surface properties of leaves, 33
- Symbiosis  
 effect of light on, 87  
 genetics of, in legumes, 82, 4·1
- Symphylans, damage to corn by, 10·23
- Take-all on cereals, 133–141  
 after long 'break', 262  
 bioassay of, 133–136  
 effect of soil fumigation on, 139–141  
 effect on wheat composition, 54  
 fungicides for, 196, 197  
 growth in soil, 84  
 'infection index' of, 134, 135  
 'infective units', 134, 135  
 infested soils, 134–136  
 lesions, measurement of, 134  
 magnesium deficiency and, 54, 139  
 microbiology of, 84, 137  
 nematodes and, 169  
 nitrogen fertilisers and, 138–139  
 on barley, 137, 138  
 on High Field, 251–253  
 persistence in soil, 134  
 seasonal fluctuations in soil, 136  
 serological identification of, 137
- TBTP (S,S,S-tributyl-phosphorotrithioate), 173
- 'Telone', 169
- 'Temik'  
 as aphicide, 271, 272  
 as insecticide, 274  
 as nematicide, 157–159, 165, 274, 280–283  
 effect on plant vigour, 274  
 effect on sugar beet, 274–275, 280–283  
 methods of application, 281
- 'Terracur', on sugar beet, 275, 282
- Thermoactinomyces vulgaris* in decomposition of herbicides, 83
- Thionazin  
 damage to sugar-beet seedlings, 282  
 effect on earthworms and wireworms, 217  
 timing of sprays on Wheat Bulb fly, 9·17
- Tillage  
 effect on cereal production, 1·1  
 herbicides and, 1·3  
 herbicides and, on light and heavy soils, 35
- Torquay National History Museum, soil survey for, 315
- Trace elements  
 reaction with soil organic matter, 74  
 technique for concentration of, 3·8

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

## INDEX

- Transpiration, 32  
 Traps. *See* Insect traps; Spore traps  
 Trichloronate, timing of sprays on Wheat Bulb fly, 9·17  
 Trichlorphon, effect on wireworms and earthworms, 217  
*Trifolium glomeratum*. *See* Cluster clover  
*Trifolium subterraneum*. *See* Subterranean clover  
 Tryptophan, conversion to auxin in bean leaves, 3·12, 5·17, 5·18  
 'Tygan' screen cloth for shading plants, 96, 98, 109  
 Urea, compared with aqueous ammonia on barley, 41  
*Verticillium* spp. on potato, 146, 149, 150, 157  
*Vicia faba*. *See* Field beans  
*Vicia sativa*, symbiosis in, 87  
*Vigna sinensis*, symbiosis in, 87  
 Viruses, 124–131  
   aphid transmitted, 129, 202–207  
   defective strains, of TMV, 127  
   effect of aphicides on, 203–207, 270–272  
   effect of changes in metabolism on, 116  
   effect of cover crops on, in sugar beet, 273  
   effect of light on, 117  
   electron microscopy of, 126  
   inactivation of, 124, 7·5  
   'inclusion bodies' in infected leaf cells, 127  
   methods of assay, 7·6  
   multiplication of, 116  
   on horseradish, 7·16  
   on lucerne, 203  
   on oats, 130  
   on sugar beet, 127, 129, 270–272, 277  
   on wheat, 129–130  
   photosynthesis and TMV, 117  
   protein of, 126, 7·8  
   purification of chronic bee paralysis, 11·9  
   reactivation, 124–125, 7·20  
   ribonucleic acid (RNA) of, 124–127  
   sap-transmissible, 7·16, 7·22  
   satellites of tobacco necrosis, 125, 7·4, 7·18  
   soil-borne, 277, 7·22  
   structure of, 125–127  
   transmission of, by *Oplidium* sp., 125, 7·10, 7·11, 7·19  
   ultraviolet inactivation of, 124, 7·20  
   variability in, 127  
   virus-like particles, 127  
   weather, effect on, 128  
 Viruses, names of  
   acute bee paralysis, 228, 7·12, 11·6, 11·8, 11·10  
   arabis mosaic, 7·16  
   barley yellow dwarf, 130, 200  
   bean leaf roll, 202–204  
   beet mild yellows, 272  
   beet mosaic, 127  
   beet yellows, 129, 270–273, 16·8, 16·11  
   broad-bean mosaic, 7·14  
   broad-bean stain, 7·14  
   cabbage black ring spot, 7·16  
   carrot motley dwarf, 267  
   cauliflower mosaic, 7·16  
   chronic bee paralysis, 227, 7·12, 11·8, 11·9, 11·10  
   cocksfoot mottle, 203  
   cocksfoot streak, 203  
   cowpea mosaic, 7·14  
   cucumber mosaic, 129  
   henbane mosaic, 128  
   lucerne mosaic, 203  
   pea enation mosaic, 204  
   pea mosaic, 204  
   potato mop top, 128  
   potato virus X, 124, 127  
   potato virus Y, 127  
   red-clover mottle, 7·14  
   sacbrood of bees, 229, 11·6, 11·8  
   satellite virus of tobacco necrosis, 125  
   squash mosaic, 7·14  
   tobacco mosaic, 114, 116, 126, 127, 7·8  
   tobacco necrosis, 124, 125, 7·11, 7·18, 7·19, 7·20  
   tobacco rattle, 277, 7·15  
   tomato black ring, 277  
   tomato spotted wilt, 126  
   yellow blotch, 277  
 Viruses, names of (*contd.*):  
   potato virus Y, 127  
   red-clover mottle, 7·14  
   sacbrood of bees, 229, 11·6, 11·8  
   satellite virus of tobacco necrosis, 125  
   squash mosaic, 7·14  
   tobacco mosaic, 114, 116, 126, 127, 7·8  
   tobacco necrosis, 124, 125, 7·11, 7·18, 7·19, 7·20  
   tobacco rattle, 277, 7·15  
   tomato black ring, 277  
   tomato spotted wilt, 126  
   yellow blotch, 277  
 Wales, soils, 309, 17·4, 17·5, 17·9, 17·11  
 Wasps (*Vespula germanica* and *V. vulgaris*)  
   foraging of, 227  
   predators on honey bees, 227  
 Water vapour  
   measurement of, 1·5, 1·9  
   stomatal resistance to, in leaves, 32  
 Watering, effect on wheat given N fertiliser, 44  
 Waterlogged soil, sulphate reduction in, 74  
 Weather  
   effect on aphids, 270  
   effect on crops, 250, 258, 259  
   records at Broom's Barn 1968, 380  
   records at Rothamsted 1967–68, 378  
   records at Saxmundham 1968, 381  
   records at Woburn 1967–68, 379  
 Weeds, 105–110  
   aphids on, 272  
   competition with crops, 107, 108, 109  
   effect of fungicides on, 93–94  
   *Equisetum arvense* (horse tail) on Broadbalk, 110, 260  
   in potatoes, 260, 264  
   on Broadbalk, changes in growth, 110  
   perennial grass in cereals, 5·7  
   *Polygonum aviculare* (knotgrass), 110, 137  
   *Polygonum convolvulus* (black bindweed), 110  
   *Ranunculus arvensis* (corn buttercup), 110  
   seed dormancy, 106  
   *Tripleurospermum maritimum* (mayweed), 137  
   twitch grass, fallow to control, 262  
   *Veronica hederifolia* (ivy-leaved speedwell), 110  
   wild oats, 94, 109–110, 137, 260, 262  
   *See also Agrostis gigantea*; Blackgrass; Couch grass  
 Wheat  
   ammonium fertilisers on, 41, 44  
   anhydrous ammonia and 'Nitro Chalk' for, 41  
   aphids on, 200, 262  
   competition with grasses, 107–109  
   drilling compared with broadcasting seed, 261  
   effect of CCC on, 102, 5·1, 5·3, 5·4  
   effect of formalin and nitrogen on, 46, 47  
   effect of insecticides on plant growth, 9·17  
   effect of soil fumigation on, 7·13  
   effect of water and nitrogen on, 44  
   farmyard manure on, 247–250  
   fertilisers for, 41, 44–49, 54, 138–139, 247–252, 2·18  
   formaldehyde, residual effect on, 72  
   fungicides on, 93–94, 130  
   growth, comparison with weeds, 108  
   growth in artificial climates, 5·14  
   growth yield of varieties and, 5·15  
   growth substances in, 101  
   in Ley-Arable Experiment, 251  
   in rotation with sugar beet, 292  
   lodging, 102, 140  
   magnesium for, 53–55  
   Mexican variety, growth and yield of, 5·15  
   nematodes on, 161, 162, 164–166  
   nitrate in sap of, 49  
   on Barnfield, 249, 260

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 320–375.

- Wheat (*contd.*):  
on Broadbalk, 247, 249, 259  
photosynthesis and translocation in, 95  
root growth, effect of CCC on, 103  
semi-dwarf, 95  
soil sterilants on, 71–72, 139–141, 164  
varieties, yields from, 261, 262, 5·15  
virus diseases of, 130  
Wheat Bulb fly on, 199, 200, 262  
yields, 138, 251, 261–262  
*See also* Cereals; Take-all on Cereals
- Wheat Bulb fly (*Leptohylemyia coarctata*)  
clumping of eggs, 199  
distribution of attacked plants, 199  
effect on wheat yield, 199, 262  
*Entomophthora* spp. on, 230  
fungus diseases of, 219, 230  
insecticides for, 171, 194, 195  
odour detection by, 219  
on Broadbalk, 247  
on permanent reference plots, 219  
oviposition of, 10·14  
*Phialophora* infection on eggs, 219  
prediction of effects on yields, 199  
seed dressings of insecticides against, 194  
*Septomyxa affinis* and, 118  
*Strongwellsea castrans* on, 230  
*Tarichium hylemyiae* on, 230  
timing of sprays on, 9·17  
wheat extracts, response to, 194
- Wireworms (*Agriotes* spp.)  
effect of insecticides on, 195, 217  
sex attractant in, 196
- Woburn 265–269  
Barley Variety Experiment, 267  
cropping at, 268–269  
Deep-drilled Fertiliser Experiment, 267  
effect of weather on crops, 265  
field experiments at, 266–267, 14·1  
Intensive Cereal Experiment, 54, 55, 138, 252, 253, 255, 256  
irrigation, 36, 219  
Ley–Arable Experiment, 150, 166, 253, 267  
magnesium deficiency, 53–55  
Market Garden Experiment, 70, 267  
nematodes at, 157, 164, 165, 166  
nitrogen-fixing experiments, 91  
potato growing at, 145, 147, 149, 219  
rotations used, 268  
take-all at, 134, 136  
viruses on sugar beet, 129
- Worcestershire, soil survey in, 304
- X-ray fluorescence analysis, 77–79
- Xanthophylls and plant-growth inhibition, 121
- Yorkshire, soil survey in, 298
- Zeolite, 66–67  
'Zinophos', effect on soil fauna, 218