


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Rothamsted Experimental Station Report for 1968 - Part 2



[Full Table of Content](#)

## Index

### Rothamsted Research

Rothamsted Research (1969) *Index* ; Rothamsted Experimental Station Report For 1968 - Part 2, pp 211 - 215 - DOI: <https://doi.org/10.23637/ERADOC-1-2>

## INDEX

- Acrasiae in soils, 176  
Actinomycetes in soil, 176, 183  
Agriculture, Lawes definition of, 14  
Algae in soil, 175  
*Alopecurus myosuroides*. *See* Blackgrass  
Ammonium fertilisers  
  compared with complete mineral fertiliser, 31  
  compared with farmyard manures, 30  
  compared with nitrate, 30, 34, 35  
  effect of increasing amounts, 32  
  history of application, 23  
  on first crop in 1844, 27  
  residual effect, 28, 36  
  time of application, effect on yield, 30, 32, 34, 35  
Amoeba. *See* Protozoa  
Analytical methods  
  direct-count method for soil organisms, 176  
  for chemical analysis of crops, 50  
  for chemical analysis of mineralogical samples, 76–79  
  for chemical analysis of surface soil, 93–112  
  for nitrogen in soil, 98  
  for organic matter in soil, 97, 111  
  for particle-size distribution, 76, 82  
  for phosphorus in soil, 101–105, 112  
  for potassium in soil, 101, 102, 105, 112  
  for soil mineralogy, 81, 82  
  on representative profiles, 76–80  
Aphis, corn aphid, 117  
Bacteria in soil  
  *Azotobacter chroococcum*, 178  
  *Clostridium pasteurianum*, 178  
  nitrifiers, 177  
  *Nitrobacter winogradskyi*, 178  
  nitrogen-fixing, 178–179  
  *Nitrosomonas europaea*, 178  
  partial sterilisation, effect of, 175  
Blackgrass (*Alopecurus myosuroides*)  
  biology of, 206  
  effect of fallow on, 207  
  effect of fertilisers on, 207  
  effect of 'twist' on, 208  
  effect of Wheat Bulb fly, 207  
  herbicides on, 187  
  surveys of, 188  
Boussingault, J. B., 12, 13, 14  
Brenchley, W. E., 187–207  
Brick-earth, 69  
Broadbalk Wilderness  
  *Azotobacter* in, 178  
  *Fusarium* sp. in soil, 134  
  mineralogy of soil, 81  
  nematodes in, 157  
  nitrifying bacteria in, 177  
  shelter from, effect on midges, 144  
Brown earths, 80  
Brown footrot, 134  
Calcium  
  carbonate content of soil, 95  
  uptake by wheat, 60–61  
Castor meal  
  use since 1941, 22, 38  
  *See also* Rape Cake  
*Cephalosporium gramineum*, 117, 134  
*Cercospora herpotrichoides*. *See* Eyespot  
Chalk, additions of, 66, 67, 80, 83, 92, 95  
Clay  
  origin and development of soil clays, 91  
  translocation of, 69, 70, 76, 90, 91  
  *See also* Soil mineralogy  
Clay fraction of soil  
  cation-exchange capacity of, 80, 86  
  expanding minerals in, 86, 92  
  of surface soils, 87  
  origin and development of, 91–93  
Clay mineralogy. *See* Soil mineralogy  
Clay-with-flints  
  mineralogy of, 85, 86, 87, 90, 91, 92  
  nature and origin of, 63, 69, 90  
  potassium in, 89  
Combine harvesting  
  effect on distribution of weed seeds, 202  
  straw and chaff in, 202  
  weed seeds in, 202  
'Complete minerals', use of phrase by Lawes and Gilbert, 27  
Composition of crops, 50, 55–62  
Continuous wheat  
  effect on nitrogen content of soil, 100  
  end of, in 1926, 15, 29  
  herbicides used on, 24, 40  
  middle period 1852–1925, 28  
  preliminary period 1844–1851, 27  
  re-introduction of, 15, 40  
  slow changes in yield, 41  
  take-all, decline of, 133, 138  
  weeds in, 191  
  yields compared with fallow system, 40  
Crop samples taken on Broadbalk, 50  
Cropping, history of 1844–1967, 24–25  
Crops other than wheat, introduction of, 9, 148  
Cultivation, history of, on Broadbalk, 23, 186–187  
Drainage on Broadbalk, 7, 22, 63, 66, 67, 102  
Dyer, B., 94, 98, 101, 104, 106, 108  
*Endogone* spores in soil, 183  
Ergot, 117, 135  
Experiments in agriculture  
  design of, on Rothamsted farm, 15  
  early views on need for, 13  
Eyespot (*Cercospora herpotrichoides*)  
  date of sowing wheat, effect of, 121  
  edge effects, 123  
  fallow, effect of, 119–122, 130  
  fertilisers, effect of, 122–123  
  first recorded in Britain 1935, 118  
  lodging, effect on, 8, 118, 125, 130  
  susceptibility of varieties, 118  
  watering, effect of, 120  
  weather, effect of, 118, 120, 124  
  year-to-year variation, 119–120  
  yield, effect on, 8, 123–125  
Fallowing  
  cycles 1931–1964, 23, 38  
  effect of nitrogen fertiliser on, 40  
  effect on amount of Na, Ca and Mg removed by crop, 60



## INDEX

### Fallowing (*contd.*):

- effect on eyespot, 119, 121, 125
- effect on lodging, 127, 129
- effect on nematodes, 164
- effect on nitrogen content of soil, 9, 100
- effect on nitrogen fixation, 178
- effect on nitrogen removed by crop, 52, 54
- effect on phosphorus content of wheat, 56
- effect on potassium content of wheat, 58
- effect on straw numbers, 125
- effect on take-all, 131, 132
- effect on weeds, 8, 23, 187, 190, 191, 192, 193, 197, 198, 207
- effect on Wheat Blossom midges, 146, 149
- effect on Wheat Bulb fly, 9, 10, 39, 125, 149
- effect on yield, 9, 10, 39, 51
- history of, on Broadbalk, 15, 23, 26, 29
- yields compared with continuous wheat, 41

### Farm notebooks

- Mr. Keenan's Notebook 1867, 116, 126
- records of fungus diseases in, 116
- 'White Books' 1843-1957, 16, 116, 141

### Farmyard manure (FYM), 12, 15, 22

- comparison with inorganic fertilisers, 30
- effect on fallowing cycle, 39
- effect on lodging, 129
- effect on N content of soil, 98, 100
- effect on nematodes, 174
- effect on soluble-K content of soil, 105
- effect on soluble-P content of soil, 104
- nitrogen content of, 22
- NPK content of, 31, 106
- on first crop 1844, 27

### Felspar

- determination of, 82
- in soil fractions, 82, 84, 86, 87, 88
- potassium in, 82, 87

### Fertiliser

- applications 1844-1967, 19-20, 23
- comparison on Broadbalk with other farms, 29
- comparison with farmyard manure, 30
- 'complete minerals', 27
- decisions on, by Lawes and Gilbert, 15, 26
- effect on weeds, 190, 207
- effect on Wheat Blossom midge, 146
- effect on Wheat Bulb fly, 150-154
- history of application, 15, 16, 19, 23, 28, 29
- 'mineral manures', 27
- See also* names of individual fertilisers

### Fisher, R. A., 46

### Fluorine content of soil, 112

### Fungi

- numbers in soil, 176
- of rhizoplane and rhizosphere, 181

### Fungus diseases, 116-140

- records from farm notebooks, 116
- surveys 1938-1967, 117
- See also* Eyespot, Take-all and names of other diseases

### *Fusarium* spp., 134

### Gall midges (Cecidomyiidae), 141, 154

### *Gibellina cerealis*, 134

### Gilbert, J. H., 14, 28, 50, 126

*See also* Lawes and Gilbert

### Grain-straw ratio, 34

### Grey, E., 17, 23, 29

### Hall, A. D., 28, 30, 57, 64, 66, 102

### Hapludalfs, 81

### Harvesting

- effect of methods on K content of straw, 59
- history of, on Broadbalk, 24

### Herbicides

- effect on nodule bacteria in soils, 181
- effect on take-all of wheat, 137

### Herbicides (*contd.*):

- effect on weeds, 10, 192, 193, 194, 195, 197, 199
- history of, on Broadbalk, 10, 24, 26, 40
- on continuous wheat, 40, 187, 191

### Hessian fly (*Mayetiola destructor*), grain lost by, 141

### Highfield, numbers of rhizobia on, 181

### Hoosfield

- design of experiments, 15
- effect of manures and fertilisers on wheat, 29
- effect of superphosphate on barley, 45
- silica content of wheat on, 56

### Hutchinson, H. B., 175, 176

### Iron oxides in soil, 80, 86, 92

### Keenan, A., 116

### 'Land', definition of, 14

### *Lathyrus pratensis* (meadow vetchling), host of

### *Rhizobium leguminosarum*, 181

### Lawes, J. B., 7, 10, 12, 13, 14, 15

### Lawes, J. B. and Gilbert, J. H., 7, 15, 16, 26, 27,

28, 50, 51, 54, 64, 93, 94, 101, 106, 126

### Leaf miner (*Domomyza ambigua*), 141

### Leaf spot, 135

### Liebig, H., von, 101

### Liebig, J., 7, 13, 16, 27

### Liming, history of, on Broadbalk, 22

### Lodging

- effect of eyespot on, 118, 125, 126, 130
- effect of fallow on, 127-129
- effect of farmyard manure on, 127-129
- effect of fertilisers on, 31, 127-129
- effect of straw length on, 128, 129
- effect of straw weight on, 126, 130
- effect of weather on, 125, 130
- effect of weeds on, 129
- effect of wheat variety on, 128
- effect on yield, 126, 130
- measured areas 1938-1967, 129
- records 1852-1937, 116, 126-128
- Loess, 69, 79, 85, 87, 89, 90, 91, 92
- Loose smut, 135

### *Lotus corniculatus*, for testing presence of *Rhizobium lupini*, 180

### Magnesium

- as fertilisers 1844-1967, 21
- early analyses for, in crops, 55, 60
- effect on yield, 37
- uptake by grain and straw, 61

### Manurial history of winter-wheat plots, 10, 19

### *Medicago lupulina* (Black medick)

### effect of combine harvester on, 204-205

### effect of fallow on, 198

### effect of fertiliser on, 189

### effect of herbicides on, 198, 199

### effect of in blank rows, 206

### nodule bacteria on, 181

### *Medicago sativa*, for testing presence of *Rhizobium meliloti*, 180

### *Melanospora damnosa*, 134

### Mica, 83-87, 92

### Mildew, 134-135

### 'Mineral manures', use of phrase by Lawes and Gilbert, 27

### Mycorrhiza, vesicular-arbuscular, 183

### Myxobacteria in soils, 176

### Nematodes

- cereal cyst, surveys of, 157
- distribution at depth in soil, 169
- effect of fallow on, 164
- effect of farmyard manure on, 157, 174
- effect of fertilisers on, 163
- in Broadbalk drains, 174



## INDEX

- Nematodes (contd.):**  
in Broadbalk Wilderness, 157  
migratory, 157, 158, 164  
numbers in roots, 163  
numbers in soil, fluctuation in, 159–173  
plot populations of genera 1960, 158  
root-lesion, species found, 158
- Nitrogen fertiliser**  
amounts applied, 21, 54  
comparison of nitrate with ammonium, 34  
early applications, 7, 16, 28  
effect of, in first year after fallow, 40  
effect on lodging, 129  
effect on nitrogen content of soil, 98  
effect on weeds, 189–207  
grain-straw ratio with, 34  
recovery of, by grain and straw, 53  
time of application, 23, 32, 34, 35,
- Nitrogen fixation**, 178–181
- Nitrogen in crops**, 52–54
- Nitrogen in soil**  
accumulation in a fallow year, 54  
changes in content 1936–1966, 100  
effect of castor meal on, 98  
effect of continuous wheat on, 100  
effect of cropping on, 96.  
effect of fallowing on, 9, 100  
effect of farmyard manure on, 98, 100, 101  
methods of analysis, 98
- Nodule bacteria**, symbiotic nitrogen fixation by, 179
- Odonites verna***  
dormancy of seeds, 189  
effect of combine harvester on, 206  
effect of fallow on, 189  
effect of nitrogen fertilisation, 190
- Ophiobolus graminis***. See Take-all
- Ophiobolus herpotrichus***, 134
- Organic manures**. See Castor meal, Farmyard manure, Rape cake
- Paleudalfs**, 81
- Partial soil sterilisation**, 175
- Paths**, introduction of, on Broadbalk, 15
- Phosphorus fertiliser**  
details of application, 21  
effect on grain and straw yield, 37  
reversion of superphosphate to apatite, 112
- Phosphorus in crops**  
content, 55–57  
early analyses for, 57  
no change in, 56
- Phosphorus in soil**  
analytical methods, 101–104  
early analyses for, 101  
fractionation of, 112
- Plant nutrients**  
in crops, 50, 55–62  
in soils, 93–112
- Plant residues**, effect on N content of soil, 98
- Ploughing**, history of, 1844–1967, 23
- Podzolic soils**, grey-brown and red-yellow, 81
- Potassium fertiliser**  
details of application, 21, 108  
amount removed in grain and straw, 89, 108  
effect on grain and straw yield 1852–1967, 37  
effect on Wheat Bulb fly, 39
- Potassium in crops**  
content, 58, 59, 89, 108  
early analyses for, 55, 58–61  
effect of fallow on, 58  
effect of harvesting technique on, 59
- Potassium in soil**  
analytical methods, 101–102, 105–111  
balance sheet for, 106  
content of soil, 92, 101–102, 104–111
- Potassium in soil (contd.):**  
early analyses for, 55–58  
in Clay-with-flints, 89  
in feldspar, 87–88  
in mica, 87–88, 92  
in soil fractions, 87–89, 92  
loss in drainage, 102
- Protozoa in soil**  
effect of partial sterilisation on, 175  
*Leptomyxa reticulata*, 177  
method of counting amoebae, 176  
numbers, 175, 176  
*Pythium* sp., 134
- Rape cake**  
compared with ammonium salts, 38  
compared with complete fertilisers, 16, 38  
details of use 1852–1967, 19, 22  
effect on nitrogen content of soil, 98
- Reading Beds**, 63, 74, 84, 90, 91, 92
- 'Red gum' (*Cecidomyia tritici*)**, 117
- Rhizobium* in soil**, 179–181
- Rhizoctonia solani***. See Sharp eyespot
- Row spacing**, history of, 1844–1967, 24
- Russell, E. J.**, 28, 30, 34, 175
- Rusts**, 117, 134
- Saussure, T. de**, 12
- Sawyers Field**, numbers of rhizobia on, 181
- Sections of plots**, introduction of, 15, 23
- Seed dressings used**, 25
- Seed rates used**, 24
- Sharp eyespot (*Rhizoctonia solani*)**, 134
- Silica in wheat-straw and grass**, 56
- Silicate test on winter wheat 1862–1879**, 22
- Sodium**  
as fertiliser 1852–1967, 21  
early analyses for, in crops, 55, 58, 60, 61  
effect on yield, 37  
uptake by grain and straw, 61
- Soil**  
acid leaching of, 92, 93  
amorphous materials in, 82, 86  
available-water capacity, 64  
bulk density, 64  
cation-exchange capacity, 80, 86  
chemical analyses, (mineralogical samples), 76, 79  
chemical analyses (surface soils), 93–112  
ferrimanganiferous concentrations in, 75, 76, 91  
origin of, on Broadbalk, 89–91  
particle-size distribution, 64, 69, 76, 77, 88  
plasmic fabrics in, 75, 81  
stoniness, 64  
working qualities, 64
- Soil acidity**, 80, 95
- Soil base-saturation**, 80
- Soil classification**, 67, 80, 90
- Soil erosion**, 67, 90
- Soil fertility**, early views on, 13
- Soil mineralogy**  
analytical methods, 81–82  
clay minerals, development of, 91  
expanding minerals in clay fraction, 86, 87, 92  
interstratified clay minerals, 85, 86, 87, 92, 93  
of clay fractions, 85–87, 91  
of coarse silt fraction, 84  
of fine-sand fraction, 82  
of fine-silt fraction, 85
- Soil morphology**, 63–81  
micro-morphology, 70, 75, 76, 81, 90  
profile morphology, 67, 70, 91
- Soil organic matter**  
analytical methods, 79, 97, 111  
biochemistry of, 111



## INDEX

- Soil organic matter (*contd.*):  
content of soil, 67, 80, 96  
effect of cropping on, 97  
effect of manuring on, 97  
radiocarbon dating, 97
- Soil profile  
analytical data, 76  
variants, 67, 85
- Soil samples  
methods of taking, 93, 98  
preparation of, 94  
variation between samples, 95  
years when taken, 93
- Soil series  
Batcombe, 69, 81–85, 89–91  
Hook, 69  
Nettleden, 70  
Park Gate, 76
- Soil structure, 66, 67–76
- Soil texture, 64, 67–76
- Sol lessivé*, 69, 80, 90, 91
- 'Stragglings' of wheat, 116, 117, 131
- Symbiotic nitrogen fixation. *See* Nitrogen fixation
- Take-all (*Ophiobolus graminis*)  
at Woburn, continuous wheat, 117, 133, 138  
decline of, in intensive cereal growing, 8, 133–134  
development of, 131, 138  
effect of fallow on, 131, 132  
effect of fertilisers on, 132, 137  
effect of herbicides on, 137  
effect of soil acidity on, 132  
factors inimical to, 133, 138  
rhizosphere and rhizoplane fungi and, 181  
surveys, 131–134
- Thrips, 141
- Tractors, first use of, 23
- Trifolium pratense* for testing presence of  
*Rhizobium trifolii*, 180
- Udalfs, 81
- Upper Chalk, 63, 83, 90
- Varieties of wheat  
effect of lodging on, 128  
straw length of, 128  
used in 1844–1967, 9, 25
- Vicia hirsuta* for testing presence of *Rhizobium leguminosarum*, 180
- Vicia sativa* (common vetch)  
dormancy of, 199–200  
effect of blank rows, on, 206  
effect of combine harvester on, 203–205  
effect of fallow on, 198, 199  
effect of fertiliser on, 189  
effect of herbicides on, 197, 199  
effect of lodging of wheat, 129  
host of *Rhizobium leguminosarum*, 181
- Virus, striate mosaic on wheat, 117
- Warrington, K., 187–208
- Warrington, R., 102
- Weather  
effect on eyespot, 118, 120, 124  
effect on lodging, 125, 128  
effect on midge emergence, 146  
effect on weeds, 189, 197, 199  
effect on Wheat Bulb fly, 154  
effect on yields, 9, 46, 124
- records 1892–1967, 209
- Weeds  
abundance of, 194, 195  
contamination of grain and straw by seeds of, 200–205  
dormancy of seeds, 189, 190, 191, 199, 200, 206
- Weeds (*contd.*):  
effect of fallow on, 8, 23, 187, 190–193, 197, 198, 207  
effect of fertiliser on, 190, 207  
effect of herbicides on, 192–195, 197  
effect of weather on, 197, 199  
effect on grain yield, 192, 193  
effect on lodging, 129  
first record 1854, 117, 186  
history of control, 23, 28  
hoeing for, 23, 186, 187  
in blank rows, 205  
plot-by-plot surveys, 187  
routine visual surveys, 188, 194  
species present in stubble, 1869, 186  
survey methods, 188  
weed-seed content of grain, 200, 201  
weed-seed content of soil, 191, 193, 195, 196, 197, 198  
weed-seed content of straw, 201
- Wheat Blossom midges (*Contarinia tritici* and *Sitodiplosis mosellana*)  
annual census, need for, 154  
cycle of outbreaks, 144  
damage on Broadbalk compared with commercial fields, 147  
dormancy of pupae, 144  
effect of Broadbalk Wilderness on, 144  
effect of fallow on, 146, 149  
effect of fertilisers on, 146  
effect of weather on emergence, 145, 146, 147  
effect on wheat yield, 147  
fluctuations from year to year, 143, 147  
larvae numbers 1927–1964, 143  
life histories of, 141  
parasites of, 144, 146  
percentage grain attacked by, 1927–1964, 143  
populations during 38 consecutive years, 144, 145  
prediction of outbreaks, 146  
'pre-sampling', 145  
sampling methods, 145
- Wheat Bulb fly (*Leptohylemyia coarctata*)  
annual census, need for, 154  
comparison of population on Broadbalk with commercial fields, 157  
effect of fallow on, 9, 10, 125, 149  
effect of manuring on, 149  
effect of potassium on, 39, 154  
effect of sowing date of wheat, 149, 154  
effect of weather on, 149, 154  
effect on blackgrass, 207  
effect on yield, 149  
fluctuations from year to year, 154  
in first crop after fallow, 39, 125  
life history of, 148  
relation of larval population to shoots attacked, 148
- White books, 16, 116, 141
- Wild oats (*Avena ludoviciana* and *A. fatua*)  
biology of, 206  
hand pulling of, 187  
history of control, 23, 187  
surveys of, 188
- Wireworms, 117, 141
- Woburn  
comparison of yields with Broadbalk, 29  
continuous wheat at, 31, 117  
fungus diseases at, 117  
take-all at, 117, 133, 138
- Wojnowicia graminis*, 134
- Yields  
effect of eyespot on, 123, 125  
effect of lodging on, 126, 130  
effect of numbers of straws on, 124  
effect of rainfall on, 46, 128

## INDEX

### Yields (*contd.*):

effect of weather on, 9, 46, 124, 128  
effect of Wheat Blossom midges on, 147  
effect of Wheat Bulb fly on, 149  
first wheat crop on Broadbalk, 27  
from different varieties, 123  
in 1966–1967, 51  
long-period means, (tables), 42–45  
on Broadbalk compared with other farms,  
29

### Yields (*contd.*):

on newly established continuous wheat, 41  
recorded in 1844–1851, 26  
recorded in 1852–1967, 28–30, 43, 44  
rubbish in grain, 200  
slow changes in, 42  
ten-year means of grain and straw 1852–1967,  
43, 44  
under fallowing system, 39, 43–46, 51  
weed seeds in grain, 200