

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Report for 1969 - Part 1

[Full Table of Content](#)



---

## Index

### Rothamsted Research

Rothamsted Research (1970) *Index* ; Report For 1969 - Part 1, pp 447 - 462 - **DOI:**  
**<https://doi.org/10.23637/ERADOC-1-124>**

## SUBJECT INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 362–428. The General Report by the Director (pp. 23–30) has not been indexed.

- Aedes aegypti*  
toxicity of synthetic pyrethroids to, 214
- Agmatine  
accumulation in K-deficient crops, 41
- Agricultural meteorology, 36
- Agriotes* spp. *See* Wireworms
- Agropyron repens*. *See* Couch grass
- Agrostis gigantea*, 122–124
- Air conductivity in soils, 355
- Air pollutants at Woburn, 174
- Aldicarb ('Temik')  
as aphicide on sugar beet, 309  
as nematocide, 171, 190, 191, 198–203, 317, 322
- Aldrin  
as liquid seed dressing, 225  
determination of on seeds, 225  
effect on soil microarthropods, 10-19  
persistence in soil, 231
- Alizarin Red S for determining aluminium, 92
- Alopecurus myosuroides*. *See* Blackgrass
- Aluminium in clay minerals  
determination of, 92
- Aluminium in soil, 65
- Aluminium phosphide  
as fumigant for nematodes, 203
- Aluminosilicates, surface area of, 2-26
- Amino acids in grass, effect of potassium and sodium on, 55
- Ammonia, anhydrous  
compared with ammonium nitrate and aqueous ammonia, 42–45  
compared with liquid and solid fertiliser for sugar beet, 16-18  
reactions with soil, 44  
spacings between injections, 44
- Ammonia, aqueous  
compared with anhydrous ammonia and ammonium nitrate, 42–45  
for barley, 45  
for grass, 42–44
- Ammonium nitrate  
compared with anhydrous ammonia and urea, 41, 2-28
- Anopheles stephensi*  
toxicity of synthetic pyrethroids to, 214
- Anthocyanins in conifer seedlings, 88
- Anti-locust Research Centre, 241
- Aphicides  
aldicarb on sugar beet, 309  
demeton-S-methyl, 231, 309, 312  
menazon, 147, 149, 309, 310  
'Metasystox', 150, 233, 301  
methomyl ('Lannate'), 310  
phorate granules on beans, 231  
*See also* Insecticides
- Aphidius matricariae*  
parasite on aphids, 237
- Aphids  
black bean, 236  
bulletin on catches in traps, 237  
cannibalism, 10-1  
cereal aphids, 236–240  
counts transformation of, 10-37  
dates of first appearance, 238  
ecology of, 236  
effect of light and temperature on take-off, 10-18  
*Entomophthora* on, 11-16, 16-14  
feeding, 9-7  
infestation warning, 240  
leaf-curling plum aphid, 235  
migration, 237  
multiplication, 150, 223, 9-7, 10-13  
on carrots, 147  
on field beans, 231, 236, 243, 301  
on lucerne, 233, 235  
on peas, 233  
on potatoes, 235  
on red clover, 235  
on sugar beet, 235, 308  
on weeds in sugar beet, 310  
parasites and predators, 149, 237, 311, 10-1, 16-7, 16-21  
phenology, 148  
predicting outbreaks of, 236  
resistant to insecticides, 9-11, 9-29  
sampling methods, 236, 243, 10-11  
surveys, 236  
susceptibility to rogor, 223  
technology of, 10-8  
tree aphids, 238  
virus diseases and, 147, 233, 235
- Aphids, specific names of  
*Acyrtosiphon pisum*, 233, 234, 235, 236, 262  
*Aphis craccivora*, 143, 235  
*Aphis fabae*, 143, 231, 235, 236, 238, 243, 262, 301, 308, 309, 310, 311, 9-7, 10-13, 10-37  
*Aphis franguli*, 238  
*Aphis nasturtii*, 238  
*Brachycaudus heliochrysi*, 235  
*Cavariella aegopodii*, 147, 235, 238, 311  
*Drepanosiphum platanoidis*, 238  
*Elatobium abietinum*, 238  
*Euceraphis punctipennis*, 238  
*Macrosiphum euphorbiae*, 235, 302  
*Metopolophium dirhodum*, 148, 236  
*Metopolophium festucae*, 150  
*Myzocallis* spp., 238  
*Myzus ascalonicus*, 235  
*Myzus circumflexus*, 150  
*Myzus persicae*, 143, 144, 223, 224, 234, 235, 310, 311, 9-11  
*Rhopalosiphum padi*, 148, 149, 150, 236  
*Sitobion avenae*, 148, 149, 150, 236  
*Sitobion fragariae*, 148, 236
- Apis mellifera*. *See* Honeybees
- Arable Reference plots at Rothamsted and Woburn, 250
- Army worm (*Spodoptera exempta*), 241
- Aromatic compounds  
microbial degradation of, 99
- Arthur Rickwood Experimental Husbandry Farm, Mepal, nematocide trials at, 202
- Arvicola*, taxonomy of 12-6
- Atrazine  
residual effect on crops, 293



## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 362–428.

- Aureofungin**  
 effect on take-all in wheat, 161  
 Auxin in wheat, 98  
*Avena fatua*. See Wild oats  
 Azinphos-methyl, poisoning of honeybees by, 218  
*Azotobacter* spp., 98, 99, 4·2, 4·19
- B9**  
 effect on beans, 293, 14·2, 14·3  
 effect on potato, 117
- BABT** (2-n-butylamido-5-bromothiazole), effect on plant growth, 120
- Bacteriophage of *Rhizobium***, temperate and virulent phages, 103
- Bagassosis**, 172
- Barley**  
 competition with wild oats, 120  
 effect of beet residues on, 335  
 effect of 'D-D' on yield, 317  
 effect of ethirimol on yield, 46, 152  
 effect of IBDU on, 46  
 effect of trace elements on, 56  
 fertilisers for, 45, 46, 47, 51  
 irrigation for, 36, 1·11  
 leaf analysis for, 51  
 Mexican dwarf varieties, 150  
 nematodes on, 190, 194  
 on Cultivation-Weedkiller Rotation Experiment, 287, 299  
 residual and cumulative effect of super-phosphate on, 53  
 root growth of, 109  
 Survey of Foliar Diseases, 269  
 variety resistant to *Heterodera*, 194  
 viruses and aphids on, 149  
 yields, 286–289, 301  
 See also Cereals; Take-all
- Barnfield**  
 age of soil carbon in drain gauges, 85  
 beans on, 67, 162, 234, 283, 289  
 organic P in soils, 61  
 revised cropping on, 298  
 yields on, 283, 284, 289
- Bean weevil (*Sitona lineatus*)**  
 effect of dieldrin on, 232  
 virus transmission by, 234
- Beans**. See Field beans
- Bees**. See Honeybees, Bumblebees
- Beetles**, effect of insecticides on, 246
- Benomyl**  
 as fungicide on potatoes, 167, 168, 198, 229  
 as fungicide on sugar-beet seedlings, 314  
 compared with organo-mercurial fungicide, 166  
 for take-all on wheat, 159, 230
- Berkshire**, soil survey in, 347
- BHC**  
 as seed dressing, 225, 227  
 as soil insecticide, 314  
 determination of on seeds, 225  
 poisoning of honeybees by, 218
- 'Bidrin'**  
 nematocidal activity of, 203
- Blackgrass (*Alopecurus myosuroides*)**  
 ergot (*Claviceps purpurea*) on, 125  
 germination and viability of seeds, 121  
 plants from seed of different origins, 122  
 'Prebane' to control, 298  
 pre-emergence spraying with terbutryne, 125  
 twist (*Dilophospora alopecuri*) on, 125
- Bombus* spp. See Bumblebees
- 'Boots RD8502'** as nematocide, 318
- Botrytis**, nematodes feeding on, 176
- British Sugar Corporation**, 313, 326
- Broad bean**, virus disease of, 234
- Broadbalk**  
 bromine residues after fumigation, 83  
 effect of fumigation on organic-matter mineralisation, 82  
 field experiments on, 282, 298  
 rotations, 282  
 trends in yields, 14·1  
 weeds on, 125  
 Wheat Bulb fly on, 252  
 yields on, 282, 284, 289, 298
- Broadbalk Wilderness**, organic P in soils, 61
- Bumblebees (*Bombus* spp.)**  
 egg eating by, 255  
 foraging behaviour of, 258  
 pollination of beans by, 11·13  
 sex- and species-specific compounds in, 207, 9·9
- Buried soils**, 76
- Butt Close**, 82
- C14421**, nematocidal activity of, 203
- Cabbage root fly**, effect of insecticides on, 246
- Calcium**  
 colorimetric determination of in silicate minerals, 3·12  
 effect on crops in Reference Experiments, 56
- Cambridgeshire**, soil survey in, 341
- Capsids**, control of in Ghana, 10·24, 10·25
- Captafol**  
 as fungicide on sugar beet, 314  
 effect on potato scab, 229
- Carbaryl** for control of wireworms, 10·20
- Carbon-dioxide measurement**, 1·5, 1·6
- Carbon disulphide** as fumigant for nematodes, 203
- Carbon in soil**  
 effect of organic manures on, 60
- Caribbean volcanic ash soils**, 78
- Carmarthenshire**, soil survey in, 349
- Carrot**, nematodes feeding on, 176
- Cation-exchange capacity of clays**  
 determination of by X-ray fluorescence spectrometry, 90
- CCC (chlormequat)**  
 as seed dressing on wheat, 118  
 effect on beans, 14·2, 14·3  
 effect on cereals, 118, 5·6, 5·11, 7·20  
 effect on eyespot, 5·11, 7·20  
 effect on potato, 117  
 effect on sugar beet, 5·5
- Cephalosporium* sp.** on potato, 171
- Cercospora herpotrichoides***. See Cereals, eyespot
- Cereals**  
 aphids on, 147, 236  
 break crops, 154, 300, 7·6  
 competition with weeds, 120, 124, 5·12  
 crop rotations and take-all, 154, 158  
 diseases in glasshouses, 153  
 diseases and pests at Rothamsted, 300  
 effect of CCC on, 118, 5·6, 5·11, 7·20  
 effects of frequent cropping on yields, 154  
 ergot (*Claviceps purpurea*) on, 300  
 eyespot (*Cercospora herpotrichoides*) on, 159, 161, 300, 5·11, 7·19, 7·20  
 fungicides on, 152, 153, 228, 335  
 fungus diseases, 108, 151–162, 300, 305, 7·19, 7·20  
*Fusarium* spp. on, 7·19  
 irrigation for, 35, 36, 1·10  
*Erysiphe graminis* on, 151, 153, 300, 305  
 nematodes in, 190, 194–198, 300, 8·7, 8·9, 8·14  
 on Broom's Barn farm, 334–336  
 physiology of yield, 5·3  
 powdery mildew on, 152, 153, 300, 305  
*Pythium* spp. on, 7·19  
*Rhizoctonia solani* on, 159



Numbers in italics refer to the Abstracts of Papers on pp. 362-428.

INDEX

- Cereals (*contd.*):  
 root growth, 109  
 soil fumigation, effects of, 162, 2-15, 7-19  
 soil-borne diseases, 7-6  
 take-all, 98, 154, 300, 7-19  
 virus diseases on, 142, 144, 147-150  
*See also* Barley; Maize; Oats; Wheat; Take-all
- Ceylon soils  
 effect of Al on tea growth in, 65  
 K : Al exchange in, 66  
 organic P in, 62
- Cheshire, soil survey in, 341
- Chlordane  
 effect on soil fauna, 160, 247
- Chlorfenvinphos  
 against Wheat Bulb fly, 227  
 as liquid seed dressing, 225  
 as nematicide, 203  
 effect on soil fauna, 256  
 for control of wireworms, 10-20  
 movement of in soil, 10-23  
 persistence in natural waters, 10-17
- Chloride  
 in sugar-beet tops and roots, 70  
 methods of analysis in plants, 70  
 residual effects in soil, 55
- (2-Chloroethyl) trimethyl ammonium chloride,  
 effect on sugar beet, 5-5
- Chloroform vapour  
 effect on mineralisation of soil organic matter,  
 82  
 effect on soil metabolism, 83
- Chlorophyll  
 bleaching of, 128, 135  
 breakdown of in leaves, 135  
 in *Epipactis sessilifolia*, 136
- 6-Chloropicolinic acid, sorption of by soils, 69
- Chloropicrin, 162, 171, 190, 191
- Chloroxon, resistance of housefly to, 207
- Chlorothion, resistance of housefly to, 207
- Chrysanthemum carinatum*, virus disease of, 235
- 'Ciba C10015', as seed and soil dressing, 313
- 'Ciba C14421' as nematicide, 318
- Classical Barley Experiment, barley yields on, 286
- Claviceps purpurea* (ergot) on cereals, 300
- Clay minerals  
 K content of clay fractions, 80  
 micromorphology, 77  
 of N.A.A.S. Experimental Husbandry Farms,  
 79  
 of volcanic ash soils, 78  
 semi-micro analysis of major elements, 92, 3-18  
*See also* Mineralogy
- Clay soils, 80, 3-9
- Claycroft, 162
- Clostridium* spp., nitrogen fixation by, 100
- Clover  
 copper in, 137  
 effect of cold pretreatment on infection by  
*Rhizobium*, 105  
 irrigation for, 35, 1-10  
 phyllody or witch's broom on, 147  
 roots inoculated with *Rhizobium*, 104, 105  
*See also* *Trifolium*
- Cockroach (*Periplaneta americana*)  
 effect of pyrethrin on, 209  
 haemolymph, pyrethrin content of, 210  
 nervous systems of, 209, 210, 220  
 staining of nervous system, 220  
 tracheal system and insecticides, 210
- Cocoa (*Theobroma cacao*)  
 analysis of experiments on, 270  
 capsid control, 10-24, 10-25  
 fungi found on beans, 173  
 swollen shoot virus of, 146
- Coffee, fungi found on beans, 173
- Collembola  
 caught in traps, 312  
 effect on soil temperature on, 248  
 molluscicides to control, 247
- Colombia, mineralogy of soils of Rio Cauca  
 Valley, 3-2
- Computer performance  
 experiments analysed, 273  
 jobs run, 275, 276  
 line transmission, 275  
 measurements of, 273-277  
 value of work, 273  
*See also* Computers
- Computer programming  
 Extended Mercury Autocode (E.M.A.), 277  
 data logging, 278  
 Fortran, 264, 278  
 General Survey Program (G.S.P.), 268, 269,  
 277  
 graph plotting, 279  
 simulation, 279  
 translation E.M.A.-Fortran, 277  
*See also* Computers
- Computers  
 Edinburgh Regional Computing Centre  
 (E.R.C.C.), 274-277  
 equipment, 279  
 Harwell (H.U.W.), 274  
 multiaccess service, other institutes, 274, 278  
 new computer, 272  
 Newsletter, 280  
 Orion, 264, 272, 281  
 transmission data, 274  
 University College London (U.C.L.), 274  
*See also* Statistical analysis; Statistical  
 programming
- Conifers  
 anthocyanins in seedlings, 88  
 copper deficiency in seedlings, 65  
 forest growth, effect of N in nursery crops on,  
 49  
 K content and 'purpling', 88  
 N fertilisers, effect on bud development, 50  
 sulphur for, 2-3  
*See also* Sitka spruce
- Controlled environments, 97, 125, 221  
 liquid metering device, 220  
 'Saxcil' cabinets, 143, 150, 156
- Copper  
 deficiency in conifer seedlings, 65  
 diamine oxidase for measuring, 128, 132, 138  
 in clover seedlings, 137  
 residues in soil from foliar sprays, 65  
 mobilisation of by decomposing plant matter  
 85, 3-3
- Copra, fungi found on, 173
- Coprosma robusta*  
 culture of *Endogone* on, 97  
 effect of mycorrhiza on, 95
- Cotton  
 analysis of experiments on, 270  
 effect of P fertiliser on yield, 2-17  
 effects of defoliation on carbon dioxide trans-  
 port in, 39  
 mesophyll resistance in, 39  
 respiration rates in, 38, 39
- Cotton bollworm (*Earias biplaga*), 241
- Cotton stainer. *See* *Dysdercus*
- Couch grass (*Agropyron repens*)  
 competition with cereals, 124, 5-12  
 dormancy of seeds, 122  
 effect of N fertiliser on, 124  
 effect of shading on, 124  
 growth in Rothamsted and Woburn soils, 124  
 paraquat on, 298



## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 362-428.

- Couch grass (*Agropyron repens*) (*contd.*):  
seed-production survey, 123
- Cropping  
on Rothamsted farm, 300  
on Woburn farm, 306
- Crops  
composition of, 49  
physiology of growth, 108
- Cultivation, effect on soil-invertebrate populations, 247
- Cultivation—Weedkiller Rotation Experiment, 286, 287, 289, 291, 299
- Cyclopropane carboxylic acids  
preparation and resolution of, 213
- Cylindrocarpum* sp. on potato, 171
- Cytochrome C, catalytic activity of, 132
- Cytokinins, 116
- Dasyneura* spp.  
gall formation, promoted by larvae of, 208
- Dazomet  
as nematicide, 199-202, 294  
residual effect on cereals, 162
- 'D-D'  
as nematicide, 190, 194, 198, 199-203, 317-319  
effect on soil microarthropods, 10-19  
residual effect on cereals, 162
- DDT  
effect on soil insects, 247, 314  
resistance of housefly to, 208
- Demeton-S-methyl  
as aphicide on sugar beet, 309, 312  
as nematicide, 203  
polarographic response of demeton, 222
- Derbyshire, soil survey in, 342
- Devonshire, soil survey in, 349
- 'Dexon', as fungicide for sugar beet seedlings, 314, 318
- Diazinon  
as nematicide, 203, 318  
effect on soil fauna, 160, 246, 314  
for wireworm control, 10-20  
metabolism of by housefly, 206
- Diazoxon  
effect on cockroach, 210  
metabolism of by housefly, 205
- Dibromochloropropane ('Nemagon'), as fumigant for nematodes, 203
- Dichlone as fungicide for sugar beet seedlings, 314
- Dichloropropene, effect on soil microarthropods, 10-19
- Dieldrin  
effect on bean weevil, 232  
factory trials with, 312  
movement in soil, 10-21  
poisoning of honeybees by, 218  
seed applications, 313  
volatilisation, 215
- Dimefox as nematicide, 203
- Dimethoate, uptake from solution by wheat, 221
- Dimlington silts, East Yorkshire, age of, 3-16
- Disulfoton  
effect of environment on effectiveness, 221  
for control of wireworms, 10-20  
polarographic response of, 222  
uptake from solution by wheat, 221
- Dithizone for determining zinc and lead, 93
- Docking disorder of sugar beet  
acreage affected, 316  
control with 'D-D', 198  
effect of herbicide on, 198  
effect of N fertiliser on, 16-6  
effect of soil fumigation on, 319, 16-6  
effect on sugar yield, 199  
Herringswell Rotation Experiment, 316
- Docking disorder of sugar beet (*contd.*):  
nematode survey of, 316  
seed and row treatment with nematicides, 16-20
- Drainage water, nitrate lost in, 51, 52, 2-29
- 'Dursban'  
insecticidal seed dressing, 313  
insecticidal soil dressing, 314  
nematicidal activity of, 203
- 'Dyfonate', effect on soil fauna, 246
- Dysdercus* spp., 207, 241, 9-10
- Earias biplaga* (cotton bollworm), 241
- Electron microscopy  
of nematodes, 178  
of *Rhizobium* cultures, 104, 4-4  
of virus-infected tissues, 145-147, 259, 7-17  
thin sections and negative staining, 7-17
- Ely, Isle of, soil survey in, 341
- EMP steep, as fungicide for sugar-beet seedlings, 313, 314
- Endogone*  
culture of, 97  
effect on plant growth, 95  
fine structure, 97, 4-9  
honey-coloured sessile spores, 97, 4-8, 4-9, 4-10  
life history, 4-8  
numbers in soil, 4-6  
mycorrhiza, effect of temperature and light on, 97  
vesicular-arbuscular mycorrhiza and, 4-6  
wall structure, 4-10
- Endosulfan, poisoning of honey bees by, 219
- Endothion, nematicidal activity of, 203
- Endrin, 246
- Entomophthora* spp.  
adaption to specific hosts, 262  
effect of light and humidity on, 262  
on aphids, 262, 11-16, 16-14  
on scatophagid flies, 261, 262  
on syrphid flies, 261  
on Wheat Bulb fly, 261  
sporulation on pea aphids, 11-16
- Enzymes  
in leaves, 131  
in rhizosphere of clover, 104
- Epipactis sessilifolia* (violet helleborine), chlorophyll in, 136
- Essex, soil survey in, 346
- Ethion, for control of Wheat Bulb fly, 227
- Ethirimol (PP 149), effect on barley yields, 46, 152, 335
- 'Ethrel'  
effect on beans, 293  
effect on oats, 119  
effect on potato, 117  
effect on sugar beet, 119
- Ethyl bromide, as fumigant for nematodes, 203
- Ethyl chlorthion, resistance of housefly to, 206, 207
- Ethyl malathion, resistance of housefly to, 207
- European Weed Research Council, 121
- Exhaustion Land, paraquat for couch grass on, 298
- Eyespot (*Cercospora herpotrichoides*). See Cereals, eyespot
- Farmyard manure  
applied with NPK on Reference Experiments, 57  
residues from, value of, 2-9, 2-10, 2-11, 2-14
- Fenitrothion for wireworm control, 10-20
- Fenthion as soil insecticide, 314
- Fertilisers  
history of sites for long-period use of, 2-11  
leaching of in lysimeters, 2-22



Numbers in italics refer to the Abstracts of Papers on pp. 362-428.

## INDEX

- Fertilisers (*contd.*):  
 NPK on barley and kale, 2-28  
 on rotation crops, 334  
 residues from beet, effect on barley, 335  
 residues from long-period use of, 2-9, 2-10, 2-11, 2-12, 2-13  
 Survey of Fertiliser Practice, 268  
*See also* Names of individual fertilisers
- Field Beans (*Vicia faba*)  
 aphids on, 231, 236, 243, 301  
 effect of simazine on, 42, 67, 162, 299  
 effect of soil fumigation on, 162, 294  
 growth regulators on, 293, 14-2, 14-3  
 irrigation for, 35, 1-11  
 losses caused by bean weevil, 232  
 'Metasystox' sprays for, 301  
 nematodes on, 294, 299  
 N fertilisers for, 14-2, 14-3  
 nitrogen fixation in, 104, 105  
 on Broom's Barn farm, 337  
 on Cultivation-Weedkiller Rotation Experiment, 289, 299  
 pollination by bees, 11-13  
*Pythium* root rot on, 162  
 systemic insecticides on, 221  
 varieties, virus diseases on, 235  
 virus diseases of, 234, 235  
 wilting on, 162  
 yields, 283, 284, 289, 301
- Fison's East of England Arable Units, soil map of, 359
- Flooded soils. *See* Waterlogged soils
- Fluorine as air pollutant, 174
- Fodder crops, on Broom's Barn farm, 337
- 'Folimat', nematocidal activity of, 203
- Forestry, nematode numbers in reference plots, 191-194
- Formaldehyde, 82, 83
- Formalin  
 effect on cereals, 162, 2-15, 7-19  
 effect on grass, 2-15  
 effect on N content of soil, 2-15  
 effect on nematode numbers in soil, 197, 8-21  
 effect on soil microarthropods, 10-19
- Fosters Field  
 barley on, 286  
 potatoes on, 289  
 wheat on, 285
- 'Frescon', to control liver fluke, 247
- Frit fly (*Oscinella frit*)  
 effect of phorate on, 292, 10-28  
 effect on weather on, 10-26  
 on maize, 292, 10-28  
 on oats, 10-27 10-29  
 parathion for control of, 10-26
- Fumagillin, tested for control of chronic bee-paralysis virus, 259
- Fumigation. *See* Soil sterilisation
- Fungicides  
 benzimidazoles, 166, 7-10  
 benomyl, 159, 166, 168, 198, 230, 314  
 for potatoes, 166, 229, 7-10, 9-26  
 'Dexon' for sugar-beet seedlings, 314, 318  
 dichlone for sugar beet, 314  
 EMP steep, 313, 314  
 ethirimol for barley, 46, 152, 153  
 factory trials with, 313  
 for sugar-beet seedlings, 314, 318  
 mercury, assay of on wheat seeds, 226, 227  
 organo-mercurial, 166  
 organo-tin compounds, 228  
 systemic, 46, 152  
 'Vitavax'/organomercury compound, 300
- Fungus diseases  
 bagassosis, 172
- Fungus diseases (*contd.*):  
 on cereals, 98, 108, 151-162, 300, 305, 5-11, 7-19, 7-20  
 on potatoes, 163-171, 198, 228-230, 7-1, 7-10, 7-11, 9-26  
 on sugar beet, 314, 315, 16-1  
 on weeds, 125  
 on Wheat Bulb fly, 261  
*Fusarium caeruleum* on potato, 163, 171  
 Fuchsia, mycorrhiza on, 95
- Galleria mellonella*. *See* Wax moth
- Gamma-ray irradiation, effect on soil metabolism, 83
- Garden Clover, *Heterodera trifolii* on, 294
- Garden Plots  
 fertilisers on, 292  
 use of Orion computer for randomising experiments, 281
- 'Gardona' effect on soil fauna, 246
- Gas-liquid control valve, patent for, 220
- Gibberellin  
 in wheat, 117  
 production of by soil bacteria, 98
- 'Geigy GS 13006'  
 as nematicide, 318  
 as soil insecticide, 314
- Glasshouse experiments  
 test plants for artificial lighting of, 70  
 to supplement field experiments, 2-8
- Glaucanite in loess soils, 77
- Gloucestershire, soil survey, in, 348
- Glycine max.* *See* Soya bean
- Grass  
 ammonia fertilisers for, 41, 42-44  
 carbohydrate content of, 2-25  
 effect of aldrin on, 231  
 effect of nematodes on, 199  
 effect of trace elements on, 56  
 free amino-acid content of, 2-25  
 IBP experiments with, 105  
 irrigation for, 35, 1-10  
 K fertilisers for, 41, 47-49, 54, 2-19, 2-25  
 microplot experiments, 43  
 mycorrhiza on, 95  
 N fertilisers for, 47-49, 302, 2-25  
 N residues in, 47  
 'N-serve' on, 43  
 nematode control in, 199  
 non-protein nitrogen in, 49  
 productivity, effect of pests on, 231  
 uptake of available K by, 2-19  
 yields, 59
- Grassland Research Institute, 231
- Great Field IV, residual and cumulative effect of superphosphate on, 53
- Great Harpenden Field, Wheat Bulb fly on, 252
- Great Hoos, paraquat for barley stubble on, 298
- Griseofulvin, nematocidal activity of, 203
- Growth analysis of spring wheat, 37
- Growth regulators, 98, 116-120, 293, 5-2, 5-4, 5-5, 14-2, 14-3  
*See also* BAPT; B9; CCC; 'Ethrel'; Morphactin
- Growth substances  
 chlorophyll breakdown in leaves and, 135  
 in wheat, 116  
*See also* Auxin, Cytokinins, Gibberellin
- Gryllotalpa africana* (mole cricket), 241
- Harwoods Piece, take-all fluctuations on, 157
- Hawk moth (*Herse convolvuli*), 241
- Hay. *See* Mouldy hay
- Heliothis armigera*, 241
- Helminthosporium solani*, effect of fungicides on, 167



## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 362–428.

- Heptachlor as soil insecticide, 314
- Herbicides
- 'Avadex BW' for wild oats, 300
  - 'Betanal', 299
  - chemical structure and sorption of, 68
  - diuron, inhibition of photosynthesis by, 129
  - microbial degradation of, 99
  - molecular structure of, 2-23
  - paraquat, 247, 298, 300
  - 'Prebane' to control blackgrass, 298
  - simazine, 42, 67, 162, 299
  - sorption of by soil, 68, 2-23
  - spray drift from, 333
  - terbutryne for blackgrass, 125
- Herefordshire, soil survey in, 343
- Herringswell Rotation Experiment, Broom's Barn, 47, 316, 318
- Herse convolvuli* (Hawk moth), 241
- Highfield, 285, 286, 289
- Honeybees (*Apis mellifera*)
- Acarapis woodi* on, 11-6
  - acute bee-paralysis virus, 259, 11-4
  - behaviour and physiology, 254, 11-2
  - chronic bee paralysis virus, 259, 11-6
  - contamination of wax with dichlorvos-resin strips, 218
  - denatured sucrose for feeding, 254
  - diseases and pests, 259
  - drone production, 255
  - European foulbrood, 11-7
  - field behaviour, 260
  - 'footprint' substance, 257, 11-8
  - foraging behaviour, 258, 11-11, 11-12, 12-7
  - hive space required, 11-14
  - hypopharyngeal glands, 142, 254, 260, 11-4
  - inhibitory power of queens, 256
  - invertase content of glands, 254
  - Malpighamoeba mellifica* on, 11-3, 11-6
  - mandibular-gland secretion, 256
  - Nassanoff glands, 256, 11-9
  - nest-entrance marking with pheromones, 11-8
  - Nosema apis*, infection by, 259, 11-3, 11-6
  - odour of food store, 11-11
  - organochlorine residues in, 218
  - parasites of, 11-3
  - pheromones of, 256, 11-1, 11-8
  - physiological cycle, 254
  - poisoning of by insecticides, 218, 9-2, 9-3
  - pollination of beans by, 11-13
  - queen confinement, piping and swarming, 254, 11-15
  - queen selection, 256
  - response to shape of flowers, 257
  - sacbrood virus, 142, 259, 11-4, 11-5
  - size of colony and foraging behaviour, 11-12, 12-7
  - smoking hives, effect on food in honey stomachs, 11-10
  - stinging, food in honey stomachs and, 11-10
  - Streptococcus pluton* and European foulbrood, 11-7
  - 'washboard dance', 260
  - wax-moth larvae on combs, 261
- Hoos Permanent Barley experiment
- yields on, 283, 284, 289
- Housefly. *See Musca domestica*
- Huntingdonshire, soil survey in, 342
- Hydrocarbons
- gas chromatography of, 99
  - in waterlogged soils, 99
  - reduction of by nitrogenase enzyme, 101
- IBDU. *See* Isobutylidene diurea
- Indolyl-3-acetic acid (IAA), assay of in wheat, 98
- Insect survey at Rothamsted, 237, 10-12
- 452
- Insect traps
- Atomaria linearis* caught in, 312
  - catches, effect of weather on, 148, 241
  - Chaetocnema concinna* caught in, 312
  - Feronia melanaria* caught in, 312
  - for aphids, 235, 311
  - for forewarning of crop infestation, 239
  - in Africa, 240-242
  - light traps, 240
  - pitfall traps, 246, 312
  - sites of in Britain, 237-240
  - suction traps, 235, 237
- Insecticides
- BHC, 225, 227, 314
  - carbamate, 10-20
  - desethylation, resistance to, 206
  - determination of on seeds, 225
  - diffusion in soils, 9-17
  - effect of soil moisture on, 9-15
  - effect on 'infection index' of take-all, 158
  - effect on soil fauna, 246
  - factory trials with, 312
  - for Wheat Bulb fly, 227
  - granular, effect of rain on, 205
  - metabolism of by housefly, 205, 9-30, 9-25
  - microcapsules, 215-218
  - NRDC 104, 205, 208, 227
  - NRDC 114, 215
  - organochlorine, 218
  - organophosphorus, 203, 205, 218, 221, 222, 227, 9-17, 9-20, 10-20
  - penetration into houseflies, 207, 9-30
  - persistence, 215, 246, 10-3, 10-17
  - poisoning of honeybees by, 218, 9-2, 9-3
  - residues in soils, 10-2
  - resistance to, 205, 245, 312, 9-11, 9-29
  - seed dressings, 205, 225, 226, 312
  - soil treatment with, 312
  - systemic, 221
  - uptake from solution by wheat, 221
  - volatilisation, 215
  - wireworm control by, 9-20, 10-20
  - See also* Aphicides; Pyrethroids, synthetic; and names of individual insecticides
- Insects
- barrier, 219, 9-6
  - behaviour, compounds influencing, 207
  - colony counts, 220
  - distribution in crops, 10-7
  - effect of moonlight on catches, 240
  - effect of weather on catches, 241
  - effect of windbreaks on, 243-246, 10-31, 10-32, 10-33, 10-34
  - electrical confinement, 219, 9-6
  - in orchards, 246, 10-34
  - rearing chambers, humidity control in, 10-35
  - resistance to insecticides, 205, 247, 313, 9-11, 9-29
  - suction samplers for, 219
  - vacuum sampler for, 219, 10-32
  - See also Musca domestica*
- Institute of Geological Sciences, 72
- Intensive Barley Experiment, 158
- Intensive Wheat Experiments, Rothamsted, 154
- International Biological Program, 40, 105, 135, 138
- International Hydrological Decade, 40
- Iron in soils
- effect of organic matter on determination of, 3-17
  - mobilisation of by decomposing plant matter, 85, 3-3
- Irrigation
- at Rothamsted, 35
  - at Woburn 1960-69, 34, 1-9, 1-10, 1-11
  - crop productivity and, 1-12



Numbers in italics refer to the Abstracts of Papers on pp. 362-428.

INDEX

- Irrigation (*contd.*):  
 effect on nematodes, 8-16, 8-21  
 for sugar beet, 35, 328, 330, 1-11
- Isobutylidene diurea (IBDU)  
 as fertiliser for barley, 46  
 as seed dressing for sugar beet, 313, 318
- Isoflavones in leaf protein, 137
- 'Isolan', nematicidal activity of, 203
- Javesella pellucida*  
 virus-like particles in, 144, 146, 150, 7-7
- Kale  
 effect of trace elements on, 56  
 photosynthesis and leaf area index in, 5-10  
 respiration rates in, 38
- Kennington forest nursery, 50, 193
- Kent, soil survey in, 346
- Lake Victoria, sulphur in mud of, 88
- 'Lannate'. See Methomyl
- Latosol, fertiliser leaching in, 2-22
- Lawes and Gilbert  
 biochemistry at Rothamsted started by, 127  
 results of experiments on fertilisers started by, 2-9, 2-10
- Leaf area  
 effect of growth regulators on, 117  
 effect of seedling treatment of sugar beet on, 112, 5-5  
 effect of sucrose-solution sprays on potato, 115  
 of short and tall wheats, 108  
 photosynthesis and leaf-area index in kale, 5-10  
 transpiration rate and, 31, 37
- Leaf canopy enclosures for studying effects of environment on plant growth, 1-5
- Leaf protein, 6-1, 6-2, 6-4, 6-5  
 advantages of quick processing, 133  
 air-drying of, 6-7  
 appearance and quality, 134  
 available amino acids in, 133  
 extraction equipment, 128, 135  
 flavour improvement, 134  
 fractionation of, 132  
 isoflavones in, 137  
 methionine sulphoxide in, 133  
 new species extracted, 134  
 yields, 128, 134
- Leatherjackets, effect of cultivation on, 248
- Leaves  
 age and virus infection, 127  
 chlorophyll bleaching in, 128, 135  
 chlorophyll breakdown in, 135  
 enzymes in, 131  
 leaf analysis to indicate fertiliser need, 41, 47, 51  
 lipoxidase, 131, 6-9  
 metabolic behaviour of, 127  
 pigments in, 135  
 respiration and virus multiplication, 129  
 silicone coatings, effect of, 1-7
- Legumes, aphids and viruses on, 234
- Lepidoptera  
 immigrant in Britain, 10-4  
 migration of, 242
- Leptohylemia coarctata*. See Wheat Bulb fly
- Ley Arable Experiment at Rothamsted, 284, 286, 289, 299, 301, 14-1
- Leys, See Grass
- Lincolnshire, soil survey in, 343
- Linoleic acid in leaves, 128, 131
- Liquid nitrogen level controllers, 91
- Liquidambar styraciflua*, mycorrhiza on, 95
- Little Hoos field, virus diseases of beans on, 234
- Little Knott, 158, 162
- Liver fluke (*Fasciola hepatica*)  
 molluscicides to control, 247  
 snails as hosts, 249
- Livestock  
 diseases of beef cattle, 269  
 experiments, 270  
 foot-and-mouth disease vaccines, 12-2  
 on Broom's Barn farm, 337  
 on Rothamsted farm, 302  
 on Woburn farm, 307  
 sheep dipping in Britain, 12-15
- Loess soils, 76-78
- Long Ashton Research Station, soil survey of, 359
- Lucerne (*Medicago sativa*)  
 aphid and virus diseases of, 233  
 IBP experiments with, 105  
 irrigation for, 1-10  
 nitrogen fixation in, 104-106  
 trace-element content of residues, 86
- Lysimeters  
 fertiliser leaching in, 2-22
- Magnesium fertiliser  
 effect on crops in Reference Experiments, 56  
 for potatoes, 57  
 for sugar beet, 57, 151, 327, 328, 16-4, 16-5, 16-16  
 on clay-with-flints soil, 41  
 residual effects of, 54  
 slug damage to potatoes and, 250  
 soil analysis for, 329
- Maize (*Zea mays*)  
 effect of P fertiliser on yield, 2-17  
 effect on phorate on yield, 10-28  
 effects of seed spacing, phorate and N on, 292  
 frit fly on, 292, 10-28  
 mycorrhiza on, 95  
 residual effect of atrazine on, 293  
 take-all on, 159
- Malathion  
 poisoning of bees by, 219  
 resistance of housefly to, 207  
 to control pollen beetles, 301
- Malaya  
 acid sulphate soils from, 87  
 leaching of fertilisers in a latosol, 2-22  
 nutrient status of rubber soils, 2-27
- Maneb, as fungicide for sugar beet seedlings, 314
- Manganese  
 deficiency in sugar beet, 329  
 mobilisation of by decomposing plant matter, 85, 3-3  
 uptake by peas, 87
- Mangold clamps, aphid infested, 310
- Mecarbam, as soil insecticide, 314
- Medicago sativa*. See Lucerne
- Medicago truncatula* (barrel medic), nitrogen fixation in, 104, 105
- Menazon  
 as aphicide, 147, 149, 309, 310  
 as nematicide, 319  
 effect on seedling emergence, 309
- Mercury content of seeds,  
 determination of by X-ray fluorescence spectrometry, 89
- Mesophyll resistance of leaves, 31, 38, 39
- 'Metasystox' as aphicide, 150, 233, 301, 302
- Methiocarb  
 as soil insecticide, 314  
 to control soil arthropods, 247
- Methomyl ('Lannate')  
 as aphicide, 310  
 as insecticide, 313, 314  
 as nematicide, 203, 318, 319



## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 362–428.

- Methyl bromide  
as fumigant for nematodes, 198, 200, 203  
bromine residues in wheat and soil, 83  
effect on mineralisation of soil organic matter, 82
- Methyl chloride, as fumigant for nematodes, 203
- Methylene dichloride, as fumigant for nematodes, 203
- Mica, 72–76, 3·14, 3·15
- Microclimate, 36  
airflow inside the crop, 37  
automatic recording of, 40  
changes in soil water content, 37
- Mineralogy, 72–80  
of buried loess soils, 76  
of Colombian soils, 3·2  
of Palaeogene sediments in Kent, 3·20  
*See also* Clay minerals
- Ministry of Agriculture, Fisheries and Food  
aphid surveys, 240
- 'Mocap' (*O*-ethyl S, S-dipropyl phosphorodithioate)  
as nematicide, 199
- Mole cricket, 241
- Molecular weight of leaf extracts  
determination of with Sephadex gels, 91
- Molluscicides, 247
- Montgomeryshire, soil survey in, 352
- Morphactin  
effect on beans, 293  
effect on oats, 119  
effect on potato, 117, 5·9  
effect on sugar beet, 119
- Mortierella* sp. on potato, 171
- Mosquitoes, toxicity of synthetic pyrethroids to, 214
- Moths, survey of in Britain, 10·5
- Moulding of stored products, 172–174
- Mouldy hay  
*Aspergillus flavus* on, 174  
health hazards, 7·5  
methods of examining, 173
- Municipal composts, toxic elements in, 81
- Mustard beetle. *See Phaenon cochleariae*
- Musca domestica* (housefly)  
metabolism of insecticide by, 205–207, 9·25, 9·30  
penetration of insecticides in, 207, 9·30  
resistance to insecticides, 205–207, 208, 9·24, 9·29  
toxicity of synthetic pyrethroids to, 213
- Mycoplasmas, detection of in red clover, 147
- Mycorrhiza  
effect on plant growth, 96  
on maize, 95
- Nabam, effect on take-all in wheat and nematodes in soil, 8·21
- Nardus stricta*, mycorrhiza on, 95
- National Agricultural Advisory Service  
aphid surveys, 236, 239  
Experimental Husbandry Farms, 79, 163, 169  
interpretation of experiments for, 269
- National Environment Research Council Experimental Cartography Units, 358
- National Institute of Agricultural Botany, Trawscod, 315
- National Research Development Corporation  
patent completed by, 220  
*See also* Insecticides, NRDC 104 and NRDC 114
- National Vegetable Research Station, Wellesbourne  
soil map of, 359
- Nature Conservancy  
soil survey of Dead Man's Grave, Bury St. Edmunds, 359
- 'Nemagon' (Dibromochloropropane)  
as nematicide, 203
- Nematicides  
activity assessment of, 203  
effect of in peat soils, 199  
effect on potato yields, 171, 191, 199  
effect on root-parasitic nematodes, 8·1  
effect on sugar-beet yields, 198  
for Docking disorder of sugar beet, 198, 316–322, 16·20  
organophosphorus insecticide as, 203  
potato-cyst nematodes and, 199–203, 8·4  
residual effect of, 162, 190  
trials in East Anglia and Yorkshire, 317  
*See also* Soil sterilisation; and names of chemicals used as nematicides
- Nematodes  
at Docking, Norfolk, 198  
at Mepal, Isle of Ely, 202  
at Terrington, Norfolk, 202  
at Woburn, 185–203  
beet cyst, 180  
cereal cyst, 194–198, 8·14  
cuticle of, 177  
cyst nematodes, 176–187, 322, 8·14  
damage to wheat roots, 190  
diversity of, 8·22  
*Dorylaimoidea*, oesophago-intestinal junction in, 8·26  
ectoparasitic, 191, 8·16  
effect of fertilisers on, 192, 194, 321, 8·21  
effect of irrigation on, 8·16, 8·21  
effect of Nabam on, 8·21  
effect of ploughing on, 188, 189, 195, 8·11  
effect of soil compaction on, 190  
effect of soil sterilants on, 190, 194–203, 294, 319, 8·16, 8·21  
effect of soil type on, 8·1, 8·9  
effect of temperature on, 193, 8·19  
fecundity and longevity, 193  
feeding mechanisms, 176  
from Antarctica, 8·23  
from Florida, 8·18  
from India, 8·18  
from Mediterranean, 8·14  
from Orkney Islands, 8·22, 8·24  
from Wicken Fen, 8·24  
giant cell groups, 182, 183, 8·17, 8·20  
hatching agents, 178, 8·13  
hatching factors, 179, 214  
hybridisation, 187  
in barley, 190, 194  
in bean fields, 294, 299  
in fen peat soil, 199, 201, 202  
in sandy loam, 200  
in silt soil, 202  
in Sitka spruce nurseries, 191  
insecticides, effect on numbers, 8·11  
interbreeding, 8·25  
internal structure, 178  
laboratory methods with, 8·2  
lesion nematodes, 190  
maintenance under mineral oil, 8·10  
mating, 179, 183–187  
mating of pathotypes, 183–187  
median bulb pump of, 176  
microvilli, 177  
migratory, 190, 8·1, 8·11  
movement, measurement of, 8·12  
needle nematodes, 199  
oesophago-intestinal junction in, 8·26  
oesophago-intestinal valve of, 177  
on sugar beet, 180, 198, 316–322



Numbers in italics refer to the Abstracts of Papers on pp. 362–428.

## INDEX

- Nematodes (contd.):**  
 on wheat, 189, 190, 194, 197, 8·7, 8·11, 8·21  
 Osborne's cyst, 181  
 pathotypes, 181, 183–187  
 pheromones as sex attractants, 179  
 phytomones as stimulants, 179  
 Poiseuille's formula, 176  
 potato cyst, 179, 181–188, 191, 199, 8·3, 8·4, 8·13, 8·16, 8·19  
 protein in extracts from, 185  
 reciprocal crosses of *Heterodera rostochiensis*, 184  
 rectal glands, 179  
 reproduction, 188, 193  
 resistant plants, 183, 8·4, 8·20  
 root exudates, 179, 8·13  
 root knot, 188  
 root parasitic, 8·1  
 round cyst, 181, 187  
 seasonal changes in numbers, 190, 8·13  
 sex attraction, 179–181, 188, 8·15  
 sex determination, effect of temperature on, 8·19  
 sex ratio related to infestation, 182, 8·17  
 Solanaceae as host plants, 181, 188  
 take-all on cereals and, 196, 197  
 temperature, effect on survival, 181  
 virus transmission by, 176
- Nematodes, specific names of**  
*Anaplectus arenicola*, 8·23  
*Aphelenchoides blastophthorus*, 176  
*Aphelenchoides gynotylurus*, 8·18  
*Aphelenchoides marinus*, 8·18  
*Boleodorus thylactus*, 8·24  
*Cephalobus persegnis*, 8·6  
*Ditylenchus destructor*, 176  
*Ditylenchus dipsaci*, 176, 299, 300  
*Dorylaimellus globatus*, 8·24  
*Dorylaimus antarcticus*, 8·23  
*Eudorylaimus antarcticus*, 8·23  
*Eudorylaimus rhopalocercus*, 8·24  
*Globodera* spp., 187  
*Hemicycliophora* spp., 177  
*Heterodera* spp., 178, 188, 8·15, 8·25  
*Heterodera avenae*, 194–197, 8·15, 8·21  
*Heterodera carotae*, 8·15, 8·25  
*Heterodera cruciferae*, 178, 188, 8·15, 8·25  
*Heterodera glycines*, 8·15  
*Heterodera goettingiana*, 8·15, 8·25  
*Heterodera latipons* n.sp., 8·14  
*Heterodera mexicana*, 181, 8·15  
*Heterodera rostochiensis*, 178–181, 184, 187, 188, 191, 8·12, 8·13, 8·15, 8·17, 8·19, 8·20  
*Heterodera schachtii*, 178, 180, 188, 322, 8·15  
*Heterodera tabacum*, 178, 181, 8·15  
*Heterodera trifolii*, 294, 8·15  
*Heterodera virginiae*, 181  
*Hexatylus* spp., 177  
*Longidorus* spp., 316–320, 322  
*Longidorus attenuatus*, 198  
*Longidorus elongatus*, 199, 319  
*Meloidogyne* spp., 188  
*Meloidogyne ardenensis*, 188  
*Meloidogyne arenaria*, 188  
*Meloidogyne hapla*, 188  
*Meloidogyne naasi*, 188  
*Meloidogyne thamesi*, 188  
*Paratylenchus* spp., 191  
*Plectus murrayi* n.sp., 8·23  
*Pratylenchus* spp., 191, 294, 321, 8·9  
*Pratylenchus crenatus*, 191, 8·9  
*Pratylenchus fallax*, 190, 8·9  
*Pratylenchus minyus*, 191, 8·9  
*Pratylenchus pinguicaudatus* n.sp., 8·7, 8·9  
*Pratylenchus thornei*, 8·9  
*Rhabditis* spp., 321
- Nematodes, specific names of (contd.):**  
*Rotylenchus robustus*, 193  
*Thornenema* spp., 177  
*Thornenema wickeni*, 8·24  
*Trichodorus* spp., 191, 198, 294, 316, 317, 319, 321  
*Trichodorus cylindricus*, 198, 320  
*Trichodorus pachydermus*, 193  
*Tylencholaimus coronatus*, 8·24  
*Tylencholaimus feni* n.sp., 8·24  
*Tylenchorhynchus* spp., 191–193, 294, 321  
*Tylenchorhynchus brevidens*, 193  
*Tylenchorhynchus dubius*, 193, 8·16  
*Tylenchus* spp., 191–194, 321  
*Tylenchus costatus*, 193  
*Tylenchus emarginatus*, 193, 194  
*Xiphinema index*, 177  
 'Neosar' as nematocide, 318  
 Neutron moisture meter, 37, 40  
*Nicotiana* spp. *See* Tobacco
- Nitrate**  
 in crops, 2·29  
 in drainage water, 51, 52, 2·29  
 leaching of by rain, 51
- 'Nitro-Chalk'**  
 compared with ammonia, 42–45  
 compared with IBDU, 46  
 compared with organic manures, 58  
 on forest nurseries, 49
- Nitrogen fertilisers**  
 effect on carbohydrates and free amino acids in grass, 2·25  
 effect on nematodes, 321  
 effect on take-all in wheat, 160  
 efficiency of, 51  
 for arable crops, 2·5  
 for barley, 46, 51  
 for conifer seedlings, 49  
 for sugar beet, 51, 321, 16·6  
 for wheat, 51, 109, 160, 5·6  
 residual effect of, 47  
 time of application, 51  
*See also* Ammonia; Ammonium nitrate; IBDU, 'Nitro-Chalk'; Urea
- Nitrogen fixation**  
 by blue-green algae, 101  
 by soil clostridia, 100  
 effect of combined nitrogen on, 4·5  
 effect of drying soil on, 101  
 effect of light intensity on, 105  
 effect of temperature on, 101, 104  
 effect on legume yields, 105  
 granulose reaction for anaerobes, 100  
 on Broadbalk soil, 101
- Nitrogen in soil**  
 correlation with crop performance, 2·7  
 effects of organic and inorganic manures on, 60, 61  
 leaching of, 41, 51  
 measurement of in laboratory, 2·7  
 mineralisable, 61  
 processes affecting, 2·6
- Nitrogenase activity in soil, 101, 104, 105**
- Nodulation**  
 effect of combined nitrogen on, 4·5  
 effect of light intensity on, 105  
 effect of temperature on, 104
- Norfolk, soil survey in, 342**
- Northumberland, soil survey in, 341**
- Norway spruce (*Picea abies*)**  
 PK fertilisers for seedlings and transplants, 2·21
- Nosema apis***  
 bee infection by, 259
- Nottinghamshire, soil survey in, 343**



## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 362–428.

- 'N-serve' (2-chloro-6-trichloromethyl-pyridine)  
 effect on *Rhizoctonia solani*, 160  
 effect on potato diseases, 228–230  
 effect on sugar-beet yield, 199  
 effect on take-all in wheat, 160  
 effect with anhydrous ammonia on grass, 44  
 hydrolysis of in soil, 69
- Oats  
 effect of growth regulators on, 119  
 frit fly on, 10·26, 10·27, 10·29  
 root growth of, 109  
 yields, 301
- Ochre in field drains, oxidation of pyrites and, 87
- Olpidium brassicae*, as virus vector, 7·18
- Onion (*Allium cepa*)  
 effect of phosphate on, 96  
 mycorrhiza on, 96
- Oospora pustulans* on potato, 163, 167, 168, 171, 7·1, 7·11
- Ophiobolus graminis*. See Take-all
- Organic manures  
 compared with 'Nitro-Chalk', 58  
 cumulative effect of at Woburn, 57  
 effects of C, N, organic P and soluble P on, 60  
 effects on mineralisable N in soils, 61
- Organo-phosphorus insecticides  
 control of wireworms with, 10·20  
 diffusion in soils, 9·17  
 metabolism of by housefly, 205  
 nematocidal activity of, 203  
 poisoning of bees by, 218  
 polarography of, 222  
 seed dressings against Wheat Bulb fly, 227, 9·20  
 uptake from solution by wheat, 221
- Oscinella frit*. See Frit fly
- Oxycarboxin for wheat diseases, 108, 159
- Paraquat  
 for barley stubble, 298, 300  
 for couch grass, 298  
 on Broadbalk, 298  
 slit seeding and, 247
- Parathion  
 for frit-fly control, 10·26  
 for wireworm control, 10·20  
 metabolism of by housefly, 206  
 resistance of housefly to, 207
- Park Grass plots, 5·1  
 organic P in, 61  
*Rhizobium* in, 4·1
- Pastures field, 82, 162
- Peas (*Pisum sativum*)  
 aphids and viruses on, 233, 235
- Pembrokeshire, soil survey in, 351
- Periplaneta americana*. See Cockroach
- Pesticides  
 nematocidal activity of, 203
- Phaedon cochleariae* (Mustard beetle)  
 toxicity of synthetic pyrethroids to, 213  
 virus transmission by, 234
- Phlogopite, structure of, 74
- Phoma* spp. on potato, 163–166
- Phorate  
 as nematocide, 319  
 effect of environment on effectiveness, 221  
 effect on frit fly, 292, 10·28  
 effect on soil fauna, 246, 247  
 effect on sweet corn yield, 10·28  
 for wireworm control, 10·20  
 polarographic response of, 222
- Phosphamidon, nematocidal activity of, 203
- Phosphate fertilisers  
 effect on maize and cotton yields, 2·17  
 in 2000 A.D., 2·4
- Phosphate fertilisers (*contd.*):  
 mono-urea phosphate compared with super-phosphate, 2·28  
 residual effects of, 41, 52–54, 12·23  
 superphosphate as seed dressing, 313, 318  
 superphosphate, cumulative effects of, 53–54, 2·12, 2·14
- Phosphorus in soil  
 analysis of total content, 2·24  
 effect of organic manures on, 60  
 estimation of organic, 60, 61  
 hexa-, 62  
 in Tanzania, 2·16, 2·17  
 inositol penta-, 62  
 leaching on sandy podzol, 2·21  
 organic, in acid tea soils, 62  
 organic, in Rothamsted soils, 62  
 phosphate potential, measurement of, 2·16, 2·17
- Photosynthesis  
 carbon-dioxide output from subsoil and, 33  
 equipment for studying, 40  
 estimation of in laboratory, 38  
 growth analysis and, 37  
 inhibition of by diuron, 129  
 leaf age and, 127  
 leaf removal and, 39  
 leaf-area index and, 5·10  
 mesophyll resistance and, 39
- Phytophthora infestans* on potato, 163  
 control of, 228, 302, 9·26, 9·27
- Picea abies*. See Norway spruce
- Picea sitchensis*. See Sitka spruce
- Piperonyl butoxide, resistance of housefly to, 208
- Plant residues  
 trace elements in soil mobilised by, 86, 3·3
- Plant-water relationships, 34
- Plant growth processes  
 radiation intensities and, 32, 37  
 rates of net assimilation and, 32  
 resistance to carbon dioxide transfer and, 32  
 transport constant and, 31, 38
- Plant hopper (*Javesella pellucida*)  
 virus-like particles on, 144, 146, 150, 7·7
- 'Plant Protection JF 2614' as nematocide, 318
- Ploughing, effect on nematode populations, 188–190, 8·11
- Plusia* spp., 241  
 food use by *P. gamma*, 242  
 migration of, 242
- Plutella xylostella*, behaviour of larvae, 242
- Pollen beetle (*Meligethes* spp.), 218  
 control of by malathion, 301  
 control of by synthetic pyrethroids, 215
- Potassium deficiency in crops  
 agmatine for diagnosing, 49
- Potassium fertilisers  
 effect of rainfall on, 2·21  
 for grass, 41, 47–49, 54–56, 2·19, 2·25  
 for Sitka spruce seedlings and transplants, 2·21  
 'luxury' uptake by grass, 41  
 residual effects of, 54, 2·13
- Potassium in soils  
 ability of extracts to remove, 63, 2·18  
 available, uptake by grass, 2·19  
 buffering capacity of, 2·2  
 K : Al exchange, 66  
 leaching on sandy podzol, 2·21  
 non-exchangeable, 64  
 quantity/activity ratio curves, 63  
 quantity/intensity relationships, 2·20  
 quantity/potential relationships, 62, 2·18  
 release from soils, effect of pH on, 64  
 'uptake potentials', 63
- Potato Marketing Board Experimental Station, Sutton Bridge, 165



Numbers in italics refer to the Abstracts of Papers on pp. 362–428.

## INDEX

- Potatoes
- aphids on, 151, 325
  - bacterial soft rot (*Erwinia carotovora*), 170
  - blackleg, 163, 170
  - black scurf (*Rhizoctonia solani*), 163, 167, 168, 171
  - blight (*Phytophthora infestans*), 163, 228, 9·26
  - Cephalosporium* on, 171
  - common scab (*Streptomyces scabies*), 163, 168, 205, 228, 229
  - cyst nematodes, 199–203, 8·4
  - damage from air pollution, 174
  - damage to apical meristems by 'Hibitane' and 'Triton X', 114
  - dry rot (*Fusarium caeruleum*), 163
  - effect of growth regulators on, 117, 5·9
  - effect of nematicides on, 171, 199–203
  - effect of 'N-serve' on diseases, 228–230
  - effect of partial defoliation on tuber growth, 113
  - effect of pesticides on yields, 203
  - effect of ploughing on nematodes in, 188–190, 8·11
  - effect of soil fumigation on fungus diseases, 166–167, 171, 198, 228–230
  - effect of sucrose solution sprays on tuber formation, 114
  - farmyard manure + NPK for, 57
  - fertilisers for, 47–49, 53, 54, 57, 58, 250, 283, 284, 289–292
  - fertilisers and damage by slugs, 250
  - fungicides for, 166, 171, 198, 228–230, 7·10, 9·26
  - fungus diseases, 163–171, 7·1, 7·10, 7·11
  - gangrene (*Phoma* spp.), 163–166
  - healthier seed, 167, 168
  - irrigation for, 35, 36, 1·11
  - leaf analysis for K in, 49
  - magnesium fertiliser, 57, 250
  - N and K fertilisers, 48, 49, 57
  - nematicides, 171, 191, 198–203
  - nematode-resistant, 183–188
  - nematodes on, 179–188, 191, 199–203, 8·13, 8·16, 8·19, 8·20
  - net assimilation rate and leaf area, 113
  - on Arable Reference Plots, 250
  - on Cultivation Weedkiller Rotation experiment, 291, 299
  - powdery scab (*Spongospora subterranea*), 163
  - residual and cumulative value of superphosphate on, 53
  - residual effect of N and K fertilisers on, 48, 49
  - skin spot (*Oospora pustulans*), 163, 167, 171, 7·1, 7·11
  - slug damage to varieties, 249
  - sulphanilamide to prevent bacterial growth on, 114
  - surveys of maincrop and early, 268, 12·5
  - Verticillium* wilt on, 166, 198
  - viruses, 140, 142, 143, 145, 151, 235, 7·9, 7·16, 7·21
  - varieties, 188, 191, 200–202, 113–115, 151, 250, 302, 305
  - yields on Classical experiments, 283–284, 289–292, 299
- Potential transpiration, 37
- Potentiometer recorders, 91
- Powdery mildew of cereals (*Erysiphe graminis*)
- epidemiology of, 151, 300
  - systemic fungicides on, 152
- 'Prebane', to control blackgrass, 298
- Propylene oxide, as fumigant for nematodes, 203
- Protein nitrogen in grass
- effect of potassium and sodium on, 55
- Pseudomonas* sp., aniline utilisation by, 99, 4·18
- Psychrometer, Peltier effect, 40
- Putrescine in K-deficient crops, 49
- Pyrethrin I, toxicity to cockroach, 209–215
- Pyrethroids, synthetic
- chemistry of, 213
  - insecticidal activity of, 212
  - pollen-beetle control by, 215
  - resistance of housefly to, 208
  - seed dressings against Wheat Bulb fly, 227
  - toxicity to housefly, 213
- Pyrethrum extract
- resistance of housefly to, 208
- Pyrites
- in Lake Victoria mud, 88
  - oxidation of in soils, 87
- Pythium* sp. on potato, effect of soil fumigation on, 171
- o*-Quinones, reaction with tobacco mosaic virus, 130
- Quintozene, effect on potato scab, 229
- Radiocarbon dating
- of buried soils, 76
  - of soil organic matter, 76, 83–85
- Radiocarbon in soil, natural and bomb-derived, 83–85
- Radiometers, 40
- Radish
- fla beetles on, 10·16
  - sulphur deficiency in, 64
- Rape, oil-seed (*Brassica napus*)
- insecticide poisoning of bees on, 218
  - insecticides for pollen beetle on, 218, 301
- Reference experiments at Rothamsted and Woburn, 56
- Residual Phosphate Rotations
- barley on, 288
  - potatoes on, 291
- Respiration rates in plants, 38
- RH 893 as fungicide on sugar beet, 314
- Rhizobiophages, mutation of, 4·7
- Rhizobium*
- bacteriophage, 103
  - effect of antibiotics on, 102
  - effect of cold pretreatment on, 104
  - effect of yeast extracts on, 101
  - effect on root nodules of *Trifolium subterraneum*, 4·12, 4·15, 4·16, 4·17
  - electron microscopy of roots inoculated with, 104, 4·4
  - exudates of seedlings inoculated with, 104
  - fine structure of, 4·3
  - growth in batch culture, 101
  - in soils of Rothamsted and Woburn farms, 4·1
  - nodulation by, 4·5
  - polysaccharide of, 103
  - R. trifolii* in peat culture, 4·4
- Rhizoctonia solani* on wheat, 159, 160
- effect of 'N-serve' on, 160
  - on potato, 163, 167, 168, 171
- Rhizosphere, pectic enzymes in, 104
- Ribonuclease in leaf extracts, 128, 131
- Ribonucleic acid (RNA), 131, 139, 141
- Ribosomes, isolation from cell walls, 6·10
- Rice, analysis of experiments on, 270
- Roots, penetration of soil by, 32, 1·13
- Rotations
- fertilisers on, 334
  - frequency of beet and barley in, 334
  - on Broom's Barn farm, 334
  - on Rothamsted farm, 300
  - on Woburn farm, 306
- Rothamsted Reference Plots
- leaf analysis for K in potatoes on, 49
- Rubber, nutrient status of soils for, 2·27
- Rye, effect of soil fumigation on, 162



## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 362-428.

- Salpicella fasciata*, a snail-killing fly, 10-30
- Sawyers I Field  
residual and cumulative effect of super-phosphate on, 53
- Saxmundham  
bean weevil at, 232  
barley at, 46, 47  
effect of leaching on nitrate in crops at, 51  
field experiments at, 281  
grass experiments at, 43  
Intensive Wheat Experiment at, 51, 154  
residual effect of farmyard manure and super-phosphate, 2-14  
Rotation I experiment, 51  
Rotation II experiment, 60  
sugar beet at, 326  
take-all in wheat at, 156  
weather at, 433
- Scatophagid flies, *Entomophthora* spp. on, 261
- Schradan, nematicidal activity of, 203
- Sciomyzidae, snail-killing flies, 10-30, 10-36
- Sephadex gels, for determination of molecular weight of leaf extracts, 91, 131
- Sesamex, 208
- Silicates, determination of major elements in, 90, 92
- Silicate minerals, colorimetric determination of calcium in, 3-12
- Simazine  
effect on beans, 42, 67, 162, 299  
effect of soil organic matter on, 67  
residues in soil, 67
- Sitka spruce (*Picea sitchensis*)  
forest growth, effect of N on nursery crop on, 49  
K fertiliser for seedlings and transplants, 2-21  
nematodes on, 191, 194  
nitrogen, effect on bud development, 50  
on K-deficient soils, 89  
PK fertilisers for seedlings and transplants, 2-21  
rainfall, relationship to K fertilisers on, 2-21
- Sitona lineatus*. See Bean weevil
- Slit-seeding, paraquat and, 247
- Slugs  
effect of extracts of potato tubers on, 249  
metaldehyde, effect of, 9-21  
potato varieties susceptible to, 249, 250
- Snails, 249
- Sodium dodecylsulphate, preincubation of virus with, 130
- Sodium fertilisers  
effect on composition of grass, 55  
for sugar beet, 328, 16-19  
residual effects of, 55  
substitute for potassium, 42, 55
- Soil acidity, effect on K release by soil, 64
- Soil aeration, 33
- Soil air, distribution of, 1-3
- Soil bacteria, production of growth regulators by, 98
- Soil classification, numerical approach to, 3-19
- Soil compaction  
effect on nematodes, 188-190  
sugar-beet growth and, 330
- Soil conditioners, effect on sugar-beet, 326
- Soil consolidation apparatus, 91
- Soil fauna  
effect of cultivation on, 247  
effect of moisture and temperature on, 248  
effect of pesticides on, 160, 246, 10-19  
invertebrates, 247  
method of extraction, 10-22  
of Dimlington Silts, East Yorkshire, 3-16
- Soil fumigation see Soil sterilisation
- Soil geochemistry, 81
- Soil mapping, automated cartography, 358
- Soil mapping units, physical properties of, 2-1
- Soil metabolism effect of fumigation on, 83
- Soil micromorphology, 77, 92, 353, 3-2, 3-18, 3-20
- Soil mineralogy, 353
- Soil moisture  
effect on soil fauna, 248  
effect on take-all in cereals, 156  
measurement of, 354
- Soil morphology and chemistry, 352
- Soil nutrients, distribution of, 1-3
- Soil organic matter  
effect of methyl bromide on, 82  
effect on determination of ferrous iron in soils, 3-17  
effect on simazine, 67  
fixation of by ammonia, 44  
fractionation of, 66  
K : Al exchange and, 66  
mineralisation, effect of formaldehyde on, 82  
radiocarbon dating of, 76, 83  
reactions with trace elements, 85  
residual effects of fumigation on mineralisation, 82
- Soil respiration, 33  
effect of fumigation on, 82, 83  
movement of gases in, 1-4
- Soil sampling, in the Sherborne series, 357
- Soil series  
Denchworth series, 81  
variability of soils in, 81
- Soil sterilisation  
Docking disorder and, 319, 16-6  
effect on beans, 162, 294  
effect on cereals, 162, 2-15, 7-19  
effect on grass, 2-15  
effect on mineralisation of organic matter, 82  
effect on N content of crops, 2-15  
effect on potato diseases, 171  
effect on soil metabolism, 83  
residual effect of on cereals, 162  
to control nematodes, 190, 194, 198-203, 294, 317-332, 8-16, 8-21  
See also Aphicides; Nematicides, and names of chemicals used as sterilants
- Soil surveying  
air photography in, 356  
storage of data, 357
- Soil Surveys in  
Berkshire, 347  
Cambridgeshire, 341  
Carmarthenshire, 349  
Cheshire, 341  
Derbyshire, 342  
Devonshire, 349  
Essex, 346  
Gloucestershire, 348  
Herefordshire, 343  
Huntingdonshire, 342  
Isle of Ely, 341  
Kent, 346  
Lincolnshire, 343  
Montgomeryshire, 352  
Norfolk, 342  
Northumberland, 341  
Nottinghamshire, 343  
Pembrokeshire, 351  
Yorkshire, 339
- Soil temperature  
effect on soil fauna, 248  
effect on take-all in cereals, 156  
measurement of, 355
- Soils from sedimentary rocks  
thin sections, preparation of, 3-10  
trace elements in, 3-1



Numbers in italics refer to the Abstracts of Papers on pp. 362–428.

## INDEX

- Solar radiation, efficiency of conversion in plants, 37
- Soil water  
distribution of, 1-3  
measurement of, 1-14
- Solanum multidissectum*, potato cyst nematodes on, 183–187, 8-20
- Solanum dulcamara* (woody nightshade), as host of nematodes, 188
- Solanum nigrum* (black nightshade), as host of nematodes, 188
- Solanum tuberosum*, ssp. *andigena*, potato cyst nematodes on, 183–187, 8-20
- Soyabean (*Glycine max*)  
nitrogen fixation in, 104
- Spectrometry, X-ray fluorescence, 89
- Spodoptera exempta* (army worm), 241
- Spongospora subterranea*  
on potato, 163  
potato mop top virus and, 142
- Spore traps, 263  
radial outflow turbine for, 220, 9-5
- Staphylinid beetles, predators on aphids, 237
- Stackyard, Wheat Bulb fly on, 252
- Statistical analysis  
classification problems, 267  
crop experiments with N fertiliser, 269  
experiments for Commonwealth and Overseas, 270  
for N requirement of sugar beet, 12-4  
for National Agricultural Advisory Service, 269  
livestock experiments, 270  
of foot-and-mouth disease vaccines, 12-2  
principal coordinate analysis, 268  
residual phosphate experiments, 12-23  
routine analysis, 269  
sheep dipping in Britain, 12-15  
soil-profile classification, 12-16  
survey of diseases of beef cattle, 270  
Survey of Fertiliser Practice, 268  
Survey of Foliar Diseases of Barley, 269  
surveys of main crop and early potatoes, 268, 12-5  
*See also* Computer
- Statistical programming  
algorithms, 266, 12-8, 12-9, 12-10, 12-13, 12-14, 12-18  
analysis of variance, 265  
autocodes, 12-11  
cluster analysis, 265  
data structures, 12-17  
derived variates, 265  
General Lattice Program, 264  
General Survey Program, 268, 269, 277  
GENSTAT system, 264  
hierarchical agglomerative cluster analysis, 266  
input-output, 264  
maximum likelihood estimation, 267  
Maximum Likelihood Program, 264  
multidimensional scaling, 266  
Multivariate Analysis Program, 264, 265, 12-1  
principal coordinate analysis, 266  
regression analysis, 265  
*See also* Computer
- Statistical theory  
approximate representation of samples, 267  
classification and geology, 12-12  
combinatorial problems, 266, 12-13  
computing languages, 266  
data structures, 266  
divisive hierarchical clustering, 267  
errors of long-term experiments, 12-19  
fractional factorial designs, 267, 12-20  
Kruskal's measure of monotone stress, 267  
maximum likelihood estimation, 267
- Statistical theory (*contd.*):  
missing values in experiments, 12-21  
regression, 267
- Stomatal resistance of leaves, 31, 38, 1-7, 1-8
- Stored products, moulding of, 172–174
- Streptomyces scabies* on potato, 163  
control of, 168, 205, 228  
susceptibility of potatoes, 168
- Subterranean clover. *See* *Trifolium subterraneum*
- Sugar beet  
*Aphanomyces cochlidioides* on, 314  
aphids on, 235, 308–315, 16-6  
boron deficiency on, 151  
cell size and sugar content, 112  
chloride in tops and roots, 70  
chlorophyllase of leaves, 6-8  
cyst eelworms on, 322  
defoliation, effect on yield, 312  
Docking disorder, 198, 316–322, 16-6, 16-20  
downy mildew, 315, 16-1  
effect of growth regulators on, 119, 5-5  
effect of N fertilisers on, 51, 110, 321, 16-6  
effect of 'N-serve' on, 199  
effect of seedling treatment on, 112, 5-5, 5-8  
farmyard manure and NPK for, 57, 16-15  
fertilisers for, 57, 323, 324, 326–334, 337, 16-12, 16-13, 16-17, 16-18, 16-22, 16-23  
fungicides for, 314, 318  
harvest methods, 323  
herbicides, damage from spray drift of, 333  
irrigation for, 35, 328, 330, 1-11  
leaf diseases, 315  
liming, long-term effects of, 327  
machine for rubbing fruit, 16-11  
magnesium fertiliser for, 57, 151, 327, 328, 16-4, 16-5, 16-16  
manganese deficiency, 329  
N fertilisers for, 326, 327, 329, 330, 332, 16-13, 16-17, 16-18  
N requirement, statistical analysis of, 12-4  
nematicides for, 198, 317, 16-20  
nematodes on, 180, 198, 316–322  
*Phoma betae* on, 314  
plant spacing, 330  
P fertiliser as seed dressing, 313, 318  
pollen liberation, 324  
potassium fertilisers for, 16-19  
*Ramularia* leaf spot, 315  
root fanginess, 322  
root growth and photosynthesis, 5-7  
root studies, 331  
seed production, 322  
seed storage, 326  
seed washing for germination tests, 325  
sodium fertiliser for, 328, 16-19  
soil compaction and growth, 330  
soil conditioners, effect on growth, 326  
sowing time, effect on seed yield, 323, 324, 332, 16-22  
statistical analysis of N requirement, 12-4  
sugar content, 110, 301, 312  
virus diseases, 151, 308–311, 316–322  
yields, 283, 284, 337  
*See also* Docking disorder; Herringswell  
Rotation Experiment
- Sugar-cane bagasse, 172
- Sulphate reduction in waterlogged soils, 3-4
- Sulphate soils, oxidation of pyrite and, 87
- Sulphur  
deficiency in radishes, 64  
determination of in soil, 90, 3-5  
effect on crops in Reference Experiments, 56  
for conifers, 2-3  
in Lake Victoria mud, 88
- Sulphur dioxide as air pollutant, 174, 3-13



## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 362-428.

- Surface area of aggregates, 3-8
- Swedes  
residual and cumulative effects of super-phosphate on, 53
- Sweet corn. *See* Maize
- Syrphid flies  
*Entomophthora* spp. on, 261
- Take-all on cereals (*Ophiobolus graminis*)  
benomyl for, 159, 230  
bioassays for, 159  
chemical control of, 159, 162, 7-19  
crop rotations and, 154, 158  
effect of aureofungin on, 161  
effect of 'break crops' on, 154, 159  
effect of direct seeding on, 159  
effect of insecticides on, 159  
effect of N fertiliser on, 160  
effect of Nabam on, 8-21  
effect of 'N-serve' on, 160  
effect of paraquat on, 160  
effect of soil fumigation on, 159, 162, 7-19  
effect of soil moisture on, 156  
effect of soil temperature on, 156  
fluctuations in, 157  
fungicides for, 228, 230  
growth in rhizosphere, 98  
host nutrition and, 160  
'infection index', 158, 160  
infectivity assays in soil, 156, 7-12, 7-13  
microbiology of, 98, 161  
nematodes and, 161, 196, 197  
on maize, 159  
on Rothamsted farm, 300  
serological identification, 161  
'take-all decline', 155
- Tea (*Thea chinensis*)  
bud dormancy, 116  
effect of aluminium on growth in Ceylon, 65  
leaf production, effect of temperature and light on, 115  
organic P in acid soils in Ceylon, 62
- Tecnazene, effect on potato scab, 229
- 'Telone'  
as nematocide, 200, 319
- Temik. (*See* Aldicarb)
- Thiabendazole compared with organo-mercurial fungicide, 166
- Thimetphorate, 160
- Thionazin  
as nematocide, 203, 318  
for wireworm control, 10-20
- Thrips (*Thrips tabaci*)  
virus transmission by, 234
- Tillage, cereal production and, 32
- Tobacco  
analysis of experiments on, 270  
virus diseases of, 127-131, 139, 140, 141, 142, 143, 144, 145, 146, 316, 7-8, 7-14, 7-18
- Tomato  
as host for nematodes, 188  
mycorrhiza on, 95  
sex ratio of nematodes on, 182  
virus diseases of, 145, 316, 7-15, 7-17
- Trace elements  
amounts dissolved from oxides by plant residues, 86, 3-3  
determination of in soils and plants, 90  
effect on crops in Reference Experiments, 56  
in lucerne residues, 86  
in soils from sedimentary rocks, 3-1  
reaction with soil organic matter, 85  
sprays for clay-with-flints soil, 41
- Transpiration  
equipment for studying, 40
- Transpiration (*contd.*):  
leaf area and, 31, 37  
potential, 37  
Transport constant within a crop, 31, 38
- Traps. *See* Insect traps
- Trichlorphon, for wireworm control, 10-20
- Trifolium incarnatum*, aphids and virus disease on, 236
- Trifolium pratense* (red clover)  
nitrogen fixation in, 104, 105
- Trifolium subterraneum*  
effect of *Rhizobium* on, 4-12, 4-15, 4-16, 4-17  
effect of root temperature on nodules, 4-12, 4-14, 4-15  
nitrogen fixation by, 104, 105, 4-12, 4-14  
nitrogenase activity of nodules, 4-14  
root-hair infection and temperature, 4-13, 4-16, 4-17
- Twitch grasses, fallows to control, 300
- Urea  
compared with ammonium nitrate for barley, 41, 2-28  
compared with 'Nitro-Chalk' for barley, 45  
mono-urea phosphate compared with super-phosphate, 2-28
- Ustilago nuda* (loose smut)  
on cereals, 300, 305  
'Vitavax'/organomercury compound for control, 300
- Verticillium* wilt on potato  
soil fumigation for control, 171, 198  
benomyl for control, 166, 168, 198, 229  
nematodes and, 166, 198
- Vesicular-arbuscular mycorrhiza  
*Endogone* spores and, 4-6  
plant growth response to, 4-11
- Vetch  
nematodes feeding on, 176
- Vicia atropurpurea*, nodulation in, 104, 105, 4-5
- Vicia faba*. *See* Field beans
- Vicia hirsuta* (hairy vetch)  
nitrogen fixation in, 104, 105
- Vigna sinensis*, nodulation in, 104, 4-5
- Viruses  
aphid vectors of, 147, 223, 233-237  
beetle-transmitted, 141  
biochemistry of, 6-6  
defective strains of tobacco mosaic, 7-14  
effect of time of infection on crop yield, 233  
electron microscopy of, 145-147, 7-17  
electrophoresis, 140  
epidemiology of cereals, 147-150  
fungus vector *Spongospora subterranea*, 142  
in sugar beet seed, 311  
inactivation of nucleic acid, 128  
infectivity of extracts of infected plants, 128  
lamellae associated with, 145  
leaf age and, 127  
leaf respiration and, 129  
multiplication of, 128, 129, 139, 144, 7-15  
mycoplasmas, 147  
myxoviruses, 145  
on beans, 234  
on carrots, 147  
on cereals, 142, 144, 147-150  
on lucerne, 233  
on peas, 233  
overwintering of, 148  
protein in chloroplasts of, 144  
reaction with *o*-quinones, 130  
research in crop protection, 7-2  
ribonucleic acid (RNA) of, 139, 141, 7-8  
ribosomes associated with, 146  
salt concentration of, 141



Numbers in italics refer to the Abstracts of Papers on pp. 362–428.

## INDEX

- Viruses (*contd.*):  
 serology, 140, 7-21  
 soil-borne, 142, 316  
 spray-warning system for, 16-8  
 spread of, 149  
 stylet-borne, 235  
 synthesis of, 129  
 ultraviolet radiation of, 141, 7-8, 7-9, 7-16  
 virus particles on *Javesella pellucida*, 144, 146, 150, 7-7  
 virus-particle development, 145
- Viruses, names of  
 acute bee paralysis, 259  
 Andean potato latent, 141  
 barley yellow dwarf, 147–150  
 bean leaf roll, 233  
 bean yellow mosaic, 234, 236  
 beet mosaic, 236  
 broad bean stain, 234  
 broad bean vascular wilt, 143, 162  
 bromegrass mosaic, 7-15  
 cabbage black ring spot, 236  
 carrot motley dwarf complex, 147  
 cauliflower mosaic, 236  
 chronic bee paralysis, 259  
 clover yellow vein, 7-21  
 cocoa swollen shoot, 147  
 cocksfoot mottle, 150  
 cucumber mosaic, 236  
 'dense-nucleus' of wax moth, 261  
 eggplant mosaic, 141  
 European wheat striate mosaic, 144, 146, 150  
 henbane mosaic, 143  
 leaf roll, 151  
 oat mosaic, 142  
 pea mosaic, 224  
 polyhedrosis, 142, 261  
 potato C, 143  
 potato mop top, 142  
 potato X, 140, 145, 151, 7-9, 7-16, 7-21  
 potato Y, 143, 146, 151, 236, 7-21  
 red clover vein mosaic, 7-21  
 sacbrood of bees, 142, 259  
 satellite virus of tobacco necrosis, 140, 146, 7-18  
 sugar beet mosaic, 224  
 sugar beet yellow net, 144  
 sugar beet yellows, 151, 308, 311  
 swollen shoot of cocoa, 146  
 tobacco mosaic, 127, 128, 129, 130, 131, 139, 141, 7-8, 7-14  
 tobacco necrosis, 140, 145, 146, 7-18  
 tobacco rattle, 316  
 tomato black ring, 316  
 tomato bushy stunt, 7-15  
 tomato spotted wilt, 145, 7-17  
 tropaeolum ring spot, 143  
 turnip yellow mosaic, 141
- Volcanic ash soils, 78
- Wareham forest nursery, 50
- Wasps (*Vespula vulgaris*)  
 nest entrance markings with pheromones, 11-8
- Water movement in plants, 34
- Water Resources Board  
 study of soils of River Dee Catchment for, 358
- Waterlogged soils  
 free hydrogen sulphide in, 3-4  
 hydrocarbons in, 99  
 sulphate reduction in, 3-4
- Wax moth (*Galleria mellonella*)  
 'dense-nucleus' virus of, 261  
 on honeybee combs, 261  
 polyhedrosis virus of, 261
- Weather  
 effect on crops, 296, 304  
 records at Broom's Barn 1968–69, 432  
 records at Rothamsted 1968–69, 296, 430  
 records at Saxmundham 1969, 433  
 records at Woburn 1968–69, 304, 431
- Weed Research Organisation, 120
- Weeds, 120–125  
 aphids on, in sugar beet, 310  
 competition with crops, 120, 125, 5-12  
 fungi on, 125  
 on Broadbalk, 125  
*Ranunculus arvensis* (corn buttercup), 125  
 seed dormancy, 122  
*Veronica hederifolia* (ivy-leaved speedwell), 125  
 See also *Agrostis*; Blackgrass, Couchgrass; Wild Oats
- Weevils  
 bean (*Sitona lineatus*), effect of dieldrin on, 232  
 bean, virus transmission by, 234  
 clover seed (*Apion* spp.), virus transmission by, 234
- Welsh Plant Breeding Station, 194
- Wheat  
 competition with *Agropyron repens*, 5-12  
 dwarf, eyespot on, 161  
 effect of CCC on, 118, 5-6, 5-11  
 effect of N on, 51, 58, 110, 160, 5-6  
 effect of organic manures on, 58  
 effect of trace elements on, 56  
 growth substances in, 116  
 irrigation for, 36, 1-11, 5-6  
 leaf analysis for, 51  
 mildew on, 108, 151–154, 300, 305  
 nematodes on, 189, 190, 194–198, 8-7, 8-11, 8-21  
 in Cultivation-Weedkiller Experiment, 286, 299  
 in Woburn Intensive Cereals Experiment, 286  
 on Broadbalk, 282, 284  
 on Fosters, 285  
 on Highfield, 285  
 on Ley-Arable Experiment, 284, 285  
 paraquat slit-seeding and yield, 247  
 residual effect of fertilisers on, 47, 58  
 semi-dwarf, 108  
 take-all and nematodes on, 196–197, 8-21  
 yellow rust on, 108  
 Wheat Bulb fly on, 250  
 yields, 58, 108, 282, 284, 285, 301  
 See also Cereals, Take-all
- Wheat Bulb fly (*Leptohylemyia coarctata*)  
 BHC dressings against, 227  
 effect of insecticides on, 227, 246, 9-20  
 egg development, 252  
 emergence dates, 252  
*Entomophthora* spp. on, 261  
 feeding, 251, 10-6  
 infestation distribution, 252  
 infestation measurement, 10-14  
 movement of larvae, 250  
 on Rothamsted farm, 252, 300  
 seed dressings of insecticides for, 227  
*Septomyxa affinis* spores as food, 251  
 wheat extracts, larval response to, 208
- Wild oats (*Avena fatua*)  
 'Avadex BW' as herbicide for, 300  
 competition with barley, 126
- Windbreaks, effect on insect distribution, 243–246
- Wireworms (*Agriotes* spp.)  
 bait to control, 208, 9-18  
 effect of cultivation on, 248  
 insecticides for, 247, 9-19, 10-20
- Woburn  
 air pollution at, 174



## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 362-428

### Woburn (*contd.*):

bean weevils, 232  
Direct Seeding Experiment, 160  
effect of organic manures at, 57  
effect of simazine on beans at, 67  
field experiments, 281, 284-294, 303-307  
grass leys, 59  
IBP experiments with lucerne and grass, 105  
Intensive Cereals Experiment, 154, 286, 288, 292  
irrigation at 1960-69, 34, 1-9  
Ley-Arable Experiment, 162, 171, 191, 288  
long-period manuring, value of residues, 2-9, 2-10, 2-11, 2-12, 2-13  
mineralisable N in soils, 61  
nematodes at, 185, 188-195, 199-203  
pesticides, assessment of as nematicides, 203  
powdery mildew on cereals, 152  
potato yields, effect of soil fumigation on, 171  
Reference Experiments, 56  
take-all on wheat, 154-158, 160, 162

### Woburn (*contd.*):

uptake of available K by grass, 2-19  
weather, 304, 431

### X-ray diffraction apparatus, 89

X-ray fluorescence analysis  
in determining cation-exchange capacity, 90  
in determining major elements in silicates, 90  
in determining sulphur in soils, 3-5  
in determining trace elements, 90  
in study of mercury content of seeds, 89  
sulphur contamination in, 3-11  
thin windows for flow counters for, 3-6  
Xanthophylls and leaf pigments, 136

### Yorkshire, soil survey in, 339

### *Zea mays*. See Maize

Zeolites in South East England, 3-7  
'Zinophos', effect on soil fauna, 160, 247