

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Experimental Station Report for 1969 Part 2




[Full Table of Content](#)

Maps of Rothamsted and Woburn Farms

Rothamsted Research

Rothamsted Research (1970) *Maps of Rothamsted and Woburn Farms* ; Rothamsted Experimental Station Report For 1969 Part 2, pp 192 - 193 - DOI: <https://doi.org/10.23637/ERADOC-1-4>



ROTHAMSTED EXPERIMENTAL STATION

Acres 813 acres. (330 hectares)
Elevation 310'-440' above sea level.
Rainfall 1951-66: Mean 29" per annum.
 (Extremes 21" to 35")
Soil Well drained or moderately well drained flinty loams on clay-with-flints and/or chalk.

FIELD EXPERIMENTS

Classical
 Broadbalk Continuous Wheat since 1843.
 Hoorfield Continuous Barley since 1852.
 Park Grass Continuous Hay since 1856.
 Barnfield Continuous Mangolds 1876-1959.
 Agbell 4 Course Rotation 1848-1951.
 Y Wheat and Fallow since 1851.
 Z Exhaustion Land.

Modern Long Term
 Gt. Harpenden Cultivation Weedkiller Rotation.
 Highfield Highfield Rotations.
 Fosters

Short Term experiments not shown.

