

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Rothamsted Experimental Station Report for 1970 Part 2



[Full Table of Content](#)

---

## Index

### Rothamsted Research

Rothamsted Research (1971) *Index* ; Rothamsted Experimental Station Report For 1970 Part 2, pp 255 - 257 - DOI: <https://doi.org/10.23637/ERADOC-1-5>

## INDEX

- Agrostis gigantea* in liming experiments, 102  
Aluminium toxicity in acid soils, 103
- Barley  
composition of grain, 103  
effect of lime, P and K on, 98, 101, 103, 109–111  
in Saxmundham Rotation I experiment, 69–79, 93  
irrigation for, 164  
yields compared at Rothamsted, Saxmundham,  
Woburn and nationally, 93
- Beans  
damage to by simazine, 100  
effect of lime, P and K on, 98–100  
foraging of bees on, 192, 193  
in Saxmundham Rotation I experiment, 69–79, 93  
irrigation for, 166  
pollination requirements, 184–185  
yields compared at Rothamsted, Saxmundham,  
Woburn and nationally, 93
- Blowflies as crop pollinators, 186
- Brassicas  
foraging of bees on, 193  
pollination requirement of, 184
- Broadbalk Wilderness. *See* Uncultivated soils
- Bumblebees as crop pollinators, 185, 186, 192
- Cercospora herpotrichoides*. *See* Wheat, eyespot
- Clover  
foraging of bees on, 192, 194  
irrigation for, 160  
pollination requirements, 185
- Docking disorder of sugar beet  
areas affected in England, 221, 224–226  
control of, 227–234  
effect of 'D-D' on, 219  
effect of hoof and horn on, 228  
effect of isobutyridene diurea on, 228  
effect of kieserite on, 228  
effect of nutrition on, 227  
effect of 'shoddy' on, 219, 228  
effect of soil moisture on, 226  
effect of soil type on, 225  
fungi and, 219  
history of, 219–221  
nematicides for, 229–234  
nematodes involved in, 220  
symptoms of, 220
- Drainage water at Saxmundham and Woburn  
ammonium-N in, 42, 44, 45, 53  
Ca, Mg, Na and K in, 43, 44, 46, 47, 52, 53  
comparison of Rothamsted, Woburn and Sax-  
mundham, 49, 59  
composition of water on land surface, 59, 60  
effect of nitrate on composition, 56  
effects of storage on composition, 58  
effects of weather on, 37, 40, 41  
methods of analysis, 65  
nitrate in, 42, 44, 45, 47, 48, 78  
nutrients in, 42–47, 51–55  
pH and conductivity, 44, 47, 55, 56  
phosphorus, sulphate and chloride in, 42, 44, 45,  
47, 54, 55  
rates of flow, 40  
relationship to rainfall and soil temperature, 37, 40,  
41  
removal of crop nutrients in, 59  
surface water at Saxmundham, 59
- Formalin  
comparison with other fumigants, 145  
direct and residual effects on take-all, 138–142, 143,  
145  
effect of repeated treatment, 144  
effect on eyespot, 143, 145  
effect on fungi in crop debris, 145  
effect on *Fusarium* spp., 143  
effect on mineralisation of N, 144  
effect on *Pythium*, 143  
effect on *Rhizoctonia solani*, 143
- Fruit trees  
foraging of bees on, 190–194  
pollination of, 184, 190
- Fusarium* spp.  
effect of formalin on, 143
- Geescroft Wilderness. *See* Uncultivated soils
- Honeybees (*Apis mellifera*)  
*Acarapis woodi* on, 171, 173, 176  
'Acarine disease', 171, 176  
acute bee-paralysis virus, 172, 179–181  
'Amoeba disease', 171, 176  
chronic bee-paralysis virus, 172–176  
crop pollination by, 184–198  
effect of insecticides and herbicides on, 186  
effect of queen and brood on pollen collection, 195,  
196  
feeding with sugar syrup, 188, 195  
foraging, 187, 189, 190, 192, 193  
fruit trees and pollination, 184, 190  
*Malpighamoeba mellifica* on, 171  
Nasonov scent gland of, 189  
nectar and pollen attractiveness to, 189  
nectar and pollen gatherers, 192  
*Nosema apis* on, 171  
'Nosema disease', 171, 176  
pollinating efficiency of, 192  
'robber' bees, 192  
sacbrood virus, 176–178  
size of colonies needed for pollination, 186  
virus diseases of, 171–183
- Insect survey  
insects in light traps, 238, 246–253  
insects in suction traps, 237, 239–245  
weekly bulletins, 237
- Irrigation  
at Woburn, 147–170  
for crops grown in rotation, 160  
in Britain, 147  
maximum response, 150, 167  
need, calculation of, 148, 149, 167–168  
on barley, 164  
on beans, 166  
on leys, 151–160  
on potatoes, 161  
on spring wheat, 165  
on sugar beet, 162  
nitrogen fertilisers and, 151–160
- Legumes, irrigation for, 159, 160
- Leys, irrigation on, 151–160
- Lime  
effect on barley, 98, 101, 103, 109–111  
effect on beans, 98–100  
effect on crop composition, 103  
effect on potatoes, 98, 102, 103, 112



## INDEX

- Lime (*contd*):  
effect on soil pH, 103, 105  
interactions with P and K fertilisers, 98, 100–104, 108–110  
interactions with simazine, 98, 100  
lime-induced potassium deficiency, 102  
long-term experiments, 98–112  
losses from soil, 105
- Limiting deficit of soil moisture, 150
- Longidorus* spp. and Docking disorder of sugar beet, 219–234  
bionomics of, 224  
description of, 222  
distribution of, 224  
effect of nematicides on, 229  
effect of plant nutrition on, 227  
effect of soil type on distribution, 225  
numbers in soil, 222  
*See also* Docking disorder and Nematodes
- Manganese  
effect of liming on content of barley, 103  
toxicity in acid soils, 103
- Mangolds in Saxmundham Rotation I experiment, 71
- Nematodes  
Docking disorder in sugar beet and, 219–236  
effect of soil fumigation on, 138, 142, 219, 229–234  
extraction of from soil, 223  
*Heterodera avenae*, effect of soil fumigation on, 138, 142  
*Hemicycliophora similis* on sugar beet, 223  
nematicides, 229–234  
on Little Knot, 138  
other than *Longidorus* spp. and *Trichodorus* spp.  
associated with Docking disorder, 223  
*See also* *Longidorus* spp. and *Trichodorus* spp.
- Ophiobolus graminis*. *See* Take-all of wheat
- Phosphate  
effects on potatoes, beans and barley, 100–104, 107–112  
interactions with liming, 100–103, 108–112
- Physical measurements on soils  
correlation with mechanical and chemical properties, 7, 13  
dry slaking instability, 6, 8–34  
linear regression coefficients, 14, 17, 27  
methods of analysis, 6  
on arable and grassland soils, 5–35  
partial regression analysis, 26–31  
relationship with soil composition, 5–35  
relationship with soil nitrogen, 24, 25  
relevance to practical problems, 31  
reproducibility of on different soils, 9  
total mechanical slaking, 6, 8–34  
water slaking instability, 6, 8–34
- Pollination of crops  
by blowflies, 186  
by bumblebees, 185, 186  
by honeybees, 184–198  
effect of insecticides and herbicides on, 186  
in glasshouses and cages, 185  
pollen availability, 188  
pollen collection, factors controlling, 195, 196  
pollen on bees' bodies, 191  
pollinating efficiency of flower visits, 192  
requirements of various crops, 184  
size of honeybee colonies needed, 186
- Polyphenoloxidases, *o*-quinones and, 200, 204, 215
- Potassium  
effects on potatoes, beans and barley, 100–104, 107–112  
interactions with liming, 100–104, 108–112
- Potatoes  
composition of tubers, 103  
effect of lime, P and K on, 98, 102, 103, 112  
irrigation for, 161  
yields compared at Rothamsted, Saxmundham, Woburn and nationally, 93
- Potential evaporation, 148
- Pythium* spp.  
effect of formalin on, 143, 145, 146
- Quinones, natural occurrence, 199
- o*-Quinones  
adventitious production of, 207  
effect on nutritional value of proteins, 211  
enzymic formation of, 200–204  
formation during food preparation and storage, 211  
in melanin formation, 205–207  
metabolic processes and, 204  
polyphenoloxidases and, 200, 204, 215  
prevention of formation, 215  
reaction with amino acids, 202–203  
reaction with enzymes, 214  
reaction with indol-3-yl acetic acid (IAA), 214  
reaction with plant viruses, 214–215  
reaction with proteins, 203, 205, 211, 214  
reaction with reducing agents, 202  
reaction with thiol compounds, 214  
resistance to apple rots and scab, 208  
resistance to potato scab, 208  
resistance to *Verticillium* wilt, 208  
role in insect-cuticle formation, 204  
role in plant resistance, 207  
role in tanning of nematode membranes, 205  
role in tea fermentation, 212  
soil humus formation and, 210
- Rainfall  
at Saxmundham, 39, 41, 47, 87–92  
at Woburn, 39, 40, 49  
composition of, 87  
nitrogen supplied by, 87, 130  
nutrients supplied by, 87, 130  
relationship to drainage, 37, 41, 44, 47
- Rhizoctonia solani*  
effect of formalin on, 143  
fangy roots in sugar beet and, 220
- Rotation I experiment at Saxmundham, 68–97  
'classical' treatments, main effects of fertilisers, 70  
'classical' treatments, nutrients removed, 73  
'classical' treatments, yields, 69  
crop analyses, methods used, 95  
drainage water, loss of nitrate in, 78  
history of, 68  
new treatments, main effects of fertilisers, 74  
new treatments, nutrients removed, 79–81  
new treatments, yields, 75–81  
nutrients supplied by rainfall, 87  
soils, 81–88  
soil analyses, 81, 96  
weather, 88–92  
yields compared with Rothamsted, Woburn and nationally, 93
- Rothamsted  
drainage water compared with Saxmundham and Woburn, 49  
insect survey, 237–253  
long-term liming experiments, 98–112  
yields compared with Saxmundham, Woburn and nationally, 93  
Wildernesses, accumulation of organic matter in soils, 113–137  
*See also* Uncultivated soils
- Sawyers, long-term liming experiment on, 98–112
- Saxmundham  
drainage water compared with Rothamsted and Woburn, 49  
drains, chemical composition of water from, 36–67  
rainfall at, 39, 41, 47, 87–92  
Rotation I experiment, 68–97  
surface water at, 59



## INDEX

- weather at, 39, 40, 41, 49, 88–92  
yields compared with Rothamsted, Woburn and nationally, 93  
*See also* Rotation I experiment
- Simazine, interactions with liming, 98, 100
- Slaking of soil  
dry slaking instability, 6, 8–34  
methods of measuring, 6  
of arable and grassland soils, 5–35  
total mechanical slaking, 6, 8–34  
visual assessment and measurement, 19  
water slaking instability, 6, 8–34
- Soil analyses  
methods used for physical measurements, 6  
used in Broadbalk and Geescroft Wildernesses, 118  
used in Rotation I experiment, Saxmundham, 81, 96
- Soil composition, physical measurements and, 5  
*See also* Physical measurements on soils
- Soil fumigation  
comparison of fumigants, 145  
effect of repeated treatment, 144  
effect on fungi in plant debris, 145  
effect on mineralisation of N, 144  
effect on nematodes, 138, 142  
effect on take-all of wheat, 138–146  
for Docking disorder of sugar beet, 219, 229–234  
on Little Knott, 138  
on Pastures, 138  
plastic sheets for sealing soil surface, 146  
residual effect of, 232  
root rots of wheat and, 138–146  
row fumigation, 231, 233
- Soil heterogeneity, 106
- Soil instability  
effect of mechanical composition, 7, 10, 11, 13, 17, 25  
effect of organic matter, 7, 10, 11, 12  
physical measurements of, 6, 8–34
- Soil organic matter  
accumulation in uncultivated soil, 113–137  
effect on soil instability, 7, 10, 11, 12
- Soil pH  
effect of liming on, 103, 105  
exchangeable Ca and, 105  
in long-term liming experiments, 99, 101, 105, 110, 112  
methods of measuring, 6, 66, 96, 118  
of drainage water at Saxmundham, 44, 47, 56  
of Wilderness soils, 124
- Soil strength  
effect of mechanical composition on, 10–17  
effect of organic matter on, 12, 21, 23  
of arable and grassland soils, 8–15, 21–26, 30
- Strawberry  
foraging of bees on, 193  
pollination requirements, 185
- Sugar beet  
Docking disorder of, 219–236  
in Saxmundham Rotation I experiment, 70–79, 93  
irrigation for, 162  
yields compared at Rothamsted, Saxmundham, Woburn and nationally, 93  
*See also* Docking disorder
- Sunflower  
foraging of bees on, 192, 194  
pollination requirements, 184
- Take-all of wheat (*Ophiobolus graminis*)  
effect of N fertilisers on, 138, 140  
effect of soil fumigation on, 138–146  
interaction with P and lime, 109  
on Little Knott, 138  
on Pastures, 138
- Trichodorus* spp. and Docking disorder of sugar beet, 219–234  
bionomics, of, 224  
description of, 222  
distribution of, 224  
effect of nematicides on, 229  
effect of plant nutrition on, 227  
effect of soil type on distribution, 225  
numbers in soil, 222  
*See also* Docking disorder and Nematodes
- Uncultivated soils on Broadbalk and Geescroft Wildernesses  
analytical methods on, 118  
changes in soils from 1881 to 1964, 124  
history of, 113  
mechanical composition of, 115  
mineralisation of nitrogen and carbon in, 127  
nitrogen in, 119, 124, 130–133  
nutrient accumulation in, 122  
organic carbon in, 124, 129  
organic-matter accumulation in, 113–137  
pH changes in, 124  
phosphorus in, 125, 126  
soil expansion in, 121  
soil profile descriptions, 134  
soil sampling of, 114  
soils of, 114–135  
sulphur in, 125, 133  
tree measurement on, 116, 128
- Weather  
at Saxmundham, 37, 39, 41, 47, 88–92  
at Woburn, 37, 39, 40, 49  
effects on drainage, 37, 40, 41  
effects on irrigation need, 148, 162, 166, 167
- Wheat  
effect of soil fumigation on, 138–146  
eyespot, 138, 143  
in Saxmundham Rotation I experiment, 69–79, 93  
irrigation for, 165  
root rots, 138–146  
take-all, 109, 138–146
- Wilderness soils. *See* Uncultivated soils
- Woburn  
drainage water compared with Rothamsted and Saxmundham, 49  
drains, chemical composition of water from, 36  
irrigation experiments at, 147–170  
liming experiments, 98–112  
weather at, 37, 39, 40, 49  
yields compared with Rothamsted, Saxmundham and nationally, 93