


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Report for 1973 - Part1

[Full Table of Content](#)



## Index

### Rothamsted Research

Rothamsted Research (1974) *Index* ; Report For 1973 - Part1, pp 389 - 404 - DOI:  
<https://doi.org/10.23637/ERADOC-1-130>

## SUBJECT INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 318–375. The General Report by the Director (pp. 29–36) has not been indexed.

- Abacarus hystrix*, as virus vector, 136, 138  
*Abies grandis*, 2·15  
Abscisic acid, effect on sugar-beet growth, 100  
'AC 92100', for pests in sugar beet, 259, 263, 265, 16·23  
Acid sulphate soils, 3·2  
Actinomycetes  
  in human and animal diseases, 121  
  in stored products, 121  
Aerial pollution  
  cereal growth and, 96  
  sulphur and fluoride from brickworks, 96  
*Aethusa cynapium* on Broadbalk, 106  
Affinity chromatography  
  of diamine oxidase, 112  
  of ribonucleases, 6·13  
Agricultural Development and Advisory Service (ADAS)  
  blackleg on potato, 142  
  crop responses to fertilisers, 219  
  Drainage Arm of, 306, 309  
  effect of sodium on soil physical properties, 269  
  livestock experiments, 221  
  milk, keeping quality of, 222  
  soil mapping, 313, 314  
  soil type and crop yield, 305  
  survey of fertiliser practice, 222  
  timing of fungicide sprays for barley, 127  
  toxins in animal feeding stuffs, 121  
  wheat bulb fly populations, 200, 220, 12·16  
Agricultural meteorology, 38  
Agricultural Research Council  
  Advisory Committee on Computing, 230  
  Sub-Committee on Library Services, 235  
*Agrobacterium* spp., reduction of dye Nile Blue by, 82  
*Agropyron repens* (Couchgrass)  
  aminotriazole for controlling, 249, 253  
  cultivation and germination, 102  
  effect of N fertiliser on, 104  
  fallows for controlling, 249  
  germination and persistence, 102  
  growth in wheat, 103, 5·15  
  variation in growth of, 5·13  
  wheat bulb fly on, 200  
*Agrostis gigantea* (common bent grass)  
  cultivation and germination, 102  
  effect of N fertiliser on, 104  
  germination and persistence, 102  
  growth in wheat, 103, 5·15  
  host of take-all fungus, 132  
  on Broadbalk, 106, 249  
  on West Barnfield, 132  
  seed germination of, 102, 5·14  
Air photographs for soil survey, 310, 17·24  
Alanine, 91, 100  
Aldicarb  
  absorption of, by soil, 62  
  as aphicide for sugar beet, 263, 264  
  as fungicide, 138  
  as pesticide in beans, 141, 159, 207, 246  
  effect on cereals, 158  
  effect on nematodes, 150, 158, 159, 160, 162, 163, 164, 165, 265, 266, 275, 16·4, 16·16  
  effect on potato yield, 244  
  effect on virus diseases, 138, 140, 141  
  effect on weevils in beans, 140  
  for pests in sugar beet, 259, 275, 16·4, 16·16, 16·23, 16·24  
Aldicarb (*contd.*):  
  uptake by earthworms, 180  
Aldrin  
  as pesticide on grass, 201  
  effect on cockroach, 171  
  effect on myriapods, 10·35  
  in bait for leaf-cutting ants, 10·41  
Algal growth  
  blue-green crusts and nitrogenase activity, 84  
  *Chlamydomonas* growth in shallow pools, 62  
  composition of water and growth, 62  
  *Euglena* in silage effluent, 62  
  in lakes, 45, 61  
  in land drainage water, 62  
  phosphorus and, 62  
Alkali metals  
  anionic complexes of, 11·5  
  classical coordination chemistry of, 212  
  complexes with cyclic polyethers, 214, 11·10  
  complexes with macrocyclic 'crown' ethers, 214, 11·13  
  complexes with phenacyl kojate, 213, 11·4  
  'crown' compounds, 214  
  crystal structure, 11·3, 11·5, 11·6, 11·10  
  macrocyclic ring, 214  
  membrane studies, 215  
Allergy produced by fungi, 119  
*Alopecurus myosuroides* (Blackgrass)  
  herbicides for control of, 106, 249  
  on Broadbalk, 249  
  periodicity of germination, 106  
Aluminium, reaction with montmorillonite, 3·5  
Amino acids  
  assessing resemblance between, 221  
  biosynthesis in crops, 108, 6·2, 6·5  
  effect of K and Na on, in grass, 2·25  
  in different parts of pea plants, 111  
  non-protein, 6·2  
  oxidation of complexes of, 111  
  purification for analysis, 2·23  
Aminoacyl-tRNA synthetases, 6·4, 6·17  
2-Aminobutane, as fungicide for potato, 145  
Aminotriazole, as herbicide, 104, 249, 253  
Ammonia, anhydrous  
  absorption of, by soil, 53  
  autumn versus spring application, 2·27  
  compared with 'Nitro-Chalk', 2·27  
  injection of, into soil, 44  
Ammonia, aqueous  
  autumn versus spring applications, 2·27  
  compared with ammonium nitrate, 271  
  compared with ammonium sulphate, 53  
  compared with 'Nitro-Chalk', 2·27  
  compared with sulphur-coated urea, 44, 53  
  for grass, 44, 45, 53  
  for sugar beet, 271  
  injection into soil, 44  
  nitrification of, 52, 2·14  
Ammonium nitrate  
  compared with aqueous ammonia, 271  
  for grass, 64  
  for potatoes, 48  
  sulphur-coated for sugar beet, 271  
Ammonium sulphate  
  compared with aqueous ammonia, 53  
  for grass, 53, 64  
  nitrification of, 41, 52  
  with 'N-serve' for grass, 64  
Animal Virus Research Institute, Pirbright, 210

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

- Anticholinesterases, poisoning of honeybees by, 175  
 Ants. *See* Leaf-cutting ants  
*Aphanocladium album*, in dust during harvesting, 121  
*Aphanomyces cochlioides*, in sugar beet, 261  
 Aphicides  
   demeton-S-methyl, 196, 262  
   dimethoate, 174, 176  
   effect on beneficial insects, 176  
   for beans, 196, 251  
   for grass, 138  
   for sugar beet, 263  
   menazon, 125, 176  
   'Metastox' (demeton-methyl), 251, 255  
   phorate granules, 125, 141, 196, 251, 254, 7·8  
   *See also*: Insecticides, Pesticides  
 Aphids  
   artificial diets for, 111, 175, 186  
   bionomics of, 10·30  
   caught in glandular hairs of *Solanum* spp., 147, 7·7  
   cornicle secretions in, 184, 9·16  
   damage to predators by insecticides, 175  
   direct feeding damage on cereals, 125  
   *Entomophthora* infection, 197, 198, 10·33, 10·54  
   *Euonymus europaeus* as host of, 185, 196, 197, 263, 8·22  
   fungal diseases of, 197  
   host selection, 186  
   lipids in, 184  
   on beans, 139, 177, 196, 197, 251, 254  
   on cereals, 196, 10·30, 10·31, 10·32  
   on grass, 10·30  
   on potato, 147, 10·38  
   on sugar beet, 256, 262, 263, 264  
   overwintering on beet-seed crops, 263  
   overwintering on spindle trees, 185, 196, 197, 263, 8·22  
   parasitised, 197  
   predators of, 197, 264  
   prediction of infestations, 177, 185  
   resistance to insecticides, 174  
   spray warnings to sugar-beet growers, 256  
   traps for, 124, 193, 263  
   triglycerides in, 185, 9·16  
   virus transmission by, 117, 124, 137, 139, 141, 7·8, 7·9, 7·10, 7·19, 7·22, 10·3  
   weekly bulletin on, 193  
 Aphids, specific names of  
   *Acyrtosiphon pisum*, 111, 141, 198, 10·54  
   *Aphis evonymi*, 185  
   *Aphis fabae*, 111, 141, 176, 185, 194, 196, 197, 198, 251, 263, 264  
   *Aphis gossypii*, 118  
   *Macrosiphum euphorbiae*, 147, 193, 7·8, 10·38  
   *Metopolophium dirhodum*, 124, 137, 196, 7·19, 10·30, 10·31, 10·32, 10·33  
   *Metopolophium festucae*, 137, 10·33  
   *Myzus persicae*, 111, 137, 147, 173, 185, 186, 193, 263, 264, 7·19, 9·10, 9·16  
   *Rhopalosiphum padi*, 124, 137, 193, 196, 7·19, 10·30, 10·31  
   *Sitobion avenae*, 124, 137, 194, 196, 7·19, 10·30, 10·31, 10·32, 10·33  
   *Sitobion fragariae*, 196  
 Apple trees, self-fertile, 209  
 Arable Reference Plots, 128  
 Aromatic amines, microbial metabolism of, 2·20, 4·4  
 Aspartic acid, 91  
*Aspergillus fumigatus*, in dust during harvesting, 121  
 Asulam, to control docks in grass, 251, 255  
 Aswan Dam, effect on silt accumulation in Nile Delta, 71  
 Atmospheric humidity, effect on plant growth, 5·7  
*Aureobasidium bolleyi*, on cereals, 131, 134  
 Auxins, 102, 5·12  
*Avena fatua*. *See* Wild Oats  
 Avon, soil survey in, 299  
 Azinphos  
   as insecticide, 9·8, 9·18  
 Azinphos (*contd.*):  
   as nematicide, 161  
   toxicity to honey bees, 9·25  
*Azotobacter paspali*, 80  
*Bacillus polymyxa*, on potato, 142  
 Barley  
   combine drilling of fertilisers for, 52  
   effect of air pollution on, 88, 96  
   effect of nutrition on mildew, 128  
   effect of soil moisture on, 95  
   effect of soil salinity on, 59  
   fertiliser experiments, design of, 221  
   fungus diseases, 120, 125–134, 189, 190, 220, 250, 254, 280  
   irrigation for, 49, 95  
   K fertiliser for, 131  
   liquid fertilisers for, 44, 51  
   lodging, 120, 249, 280  
   moulds and toxins in, 120  
   N fertiliser for, 95  
   P fertilisers for, 56, 131  
   paraquat spray for stubble, 249  
   Permanent Barley experiment on Hoosfield, 131  
   risk to germination from urea, 51  
   root growth related to soil moisture, 16·25  
   root rots of, 131–134  
   rotations, 241  
   seed treatment with fungicides, 178  
   silicate of soda for, 241  
   sulphur uptake by, 97  
   sulphur-coated urea for, 52  
   virus diseases, 124, 135, 7·19  
   yields, 50, 51, 56, 58, 127, 132, 241–243, 250, 254, 278, 279  
   *See also*: Cereals; *Erysiphe graminis*; Take-all  
   Barnfield, 132, 141, 243, 249  
   'BAS 3170 F' (benodanil)  
     as fungicide for cereals, 120, 280, 7·13  
     as fungicide on grass, 138  
 Beans (*Vicia faba*)  
   aphids on, 139, 177, 196, 197, 251, 254  
   effect of salinity on, 59  
   *Endogone* spp. on, 141  
   *Equisetum* in, 104, 106  
   fertilisers and farmyard manure for, 243, 246  
   fungus diseases, 141  
   irrigation for, 246  
   nematodes on, 141, 159, 246  
   on Broadbalk, 243, 249  
   pesticides for, 141  
   roguing to decrease seed virus infection, 140  
   Rothamsted-grown seed, 251  
   simazine for, 250, 251, 254  
   sucrose for, 92  
   sucrose synthesis in, 92  
   virus diseases of, 139–141, 246, 251, 7·23  
   weevils in, 139–141, 207, 246  
   wilt on, 141  
   yields, 246, 251, 254  
 Beetles  
   as predators of aphids, 264  
   as predators of wheat bulb fly, 200  
   in sugar beet, 256, 258, 261, 16·23  
   pygmy beetles, 256, 258, 261, 16·23  
 Bendiocarb. *See* 'NC 6897'  
 Benodanil. *See*: 'BAS 3170F'  
 Benomyl  
   as fungicide, 119, 120, 138, 145, 147, 178, 7·13  
   breakdown product 'MBC', 147, 160, 186  
   effect on earthworms, 204, 205  
   effect on mycorrhiza, 81  
   effect on nematodes, 150, 160, 161  
   effect on potato yield, 145  
   effect on *Sclerotinia* rot of clover, 138  
   movement in soil, 147  
   used in ant baits, 184  
 Benzimidazoles  
   as fungicide on potato, 145, 146  
   effect on mycorrhiza, 81

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

## INDEX

- Benzoylprop-ethyl, effect on soil fauna, 204, 205  
 Benzyladenine  
   effect on *Equisetum* germination, 105  
   effect on sugar-beet growth, 100  
 Berkshire, soil survey in, 297  
 BHC  
   as liquid fungicide, 179  
   effect on bean yield, 141  
   effect on weevils in beans, 141, 207  
   for pests in sugar beet, 258, 259  
   microencapsulation of, 179  
   phytotoxicity of, 179  
   poisoning of honey bees by, 175  
   pre-treatment of cereal seeds with, 9·20  
   retention of, by seed, 177  
   volatilisation of, in tropics, 9·21  
 Biodeterioration, 119  
 Bioresmethrin, 168, 169, 170, 174, 9·11, 9·14  
 Blackgrass. *See Alopecurus myosuroides*  
 'Bladex' (cyanasine), effect on soil fauna, 204, 205  
 Boron  
   deficiency in sugar beet, 45, 61, 270  
   effect of organic matter on, 61  
   in crops and soils at Woburn, 45, 61  
   in light soils, 45, 61  
   in organic manures, 61  
*Botrytis cinerea*, 165  
 Breckland forest soils, 17·2  
 British Sugar Corporation, 100, 268  
 Broadbalk  
   beans on, 243, 249  
   biomass measurement on, 76  
   cereals on, 43, 50, 134, 240, 249  
   fungi on cereal roots on, 134  
   nitrogen fixation in soils, 84  
   potatoes on, 244, 249  
   radiocarbon dating of soil organic matter on, 75  
   *Rhizobium* spp. on, 82  
   root zone of wheat, K and NO<sub>3</sub> concentrations in, 2·24  
   sulphur, zinc and copper in wheat on, 51  
   weeds on, 106, 249  
 Broadbalk Wilderness  
   biomass in, 77  
   N fixation in soils, 84  
 Bromophos, as insecticide, 9·18  
 'Bronopol', for bacterial rot in potato, 143  
 Broom's Barn farm  
   cereal growth and yield compared with Rothamsted, 43, 49, 88, 94, 278  
   changes in soil analyses (1960–73), 280  
   cropping, 281  
   livestock, 282  
   soil survey of, 280  
   weather, 380  
 Brussels sprouts  
   foraging of honey bees on, 10·36  
   pollination of, 209  
 Bulk density of soils, Gamma Transmission sets for measuring, 308  
  
 Cabbage, iron deficiency and *Oplidium* infection in, 124  
 Calcareous soils  
   carbonates in, 60  
   phosphate adsorption surfaces in, 58  
   phosphate distribution in, 60  
   weathering of, in a catenary sequence, 60  
 Calcium, in British and Malayan soils, 2·16  
 'Calixin'. *See*: Tridemorph  
 Cambridgeshire  
   soil survey in, 291  
   soil temperature measurements in, 311  
 Captafol  
   as fungicide, 120, 127, 138, 7·13  
   uptake by earthworms, 180  
 Captan  
   absorption of, by soil, 62  
   uptake by worms, 180  
  
 Carbaryl  
   poisoning of honey bees by, 175  
   uptake by earthworms, 180  
 Carbofuran  
   effect on earthworms, 204  
   for pests in sugar beet, 259, 263  
 Carbon dioxide  
   output from soil, 41  
   response curves of leaves, 40  
   uptake by plants, 1·4  
 Carbophenothion  
   dimethyl and diethyl forms of, 9·18  
   for control of saddle gall midge, 180  
   for control of wheat bulb fly, 180  
 Catechol  
   as soil conditioner, 188  
   for control of potato scab, 188, 189  
 Cation-exchange parameters, Genstat program for calculating, 65  
 CCC. *See*: Chlormequat chloride  
*Cercospora herpotrichoides*. *See* Eyespot  
 Cereals  
   aphids on, 196, 10·30, 10·31, 10·32  
   at Broom's Barn, 43, 276–280, 281  
   at Broom's Barn and Rothamsted compared, 43, 49, 88, 94, 278  
   at Saxmundham, 43, 44, 48  
   at Woburn, 44, 241, 242, 245, 253, 254  
   *Aureobasidium bolleyi* on, 131, 134  
   'break' crops for, 253  
   chytrids on, 134  
   copper deficiency and 'scorch', 44, 158  
   Cultivations for Cereals experiment, 135  
   effect of aerial pollution on, 96  
   effect of cultivation on diseases, 135  
   effect of growth regulating compounds on grain metabolism, 88, 94  
   effect of rainfall on yield, 44  
   effect of soil nitrogen on, 44  
   effect of temperature on growth, 88, 93  
   *Equisetum* in, 104, 106  
   *Erysiphe graminis* on, 125–128, 190, 250, 254, 7·12  
   eyespot on, 135, 250, 7·12  
   foliar diseases, statistical analysis of, 223  
   fungicides for, 54, 120, 127, 178, 189, 7·12, 7·13  
   fungus diseases on, 54, 79, 118, 120, 123, 125–135, 190, 220, 250, 254, 7·12, 7·13  
   grain yield, physiology of, 5·3  
   irrigation for, 43, 49, 94, 95, 96, 278  
   K fertilisers for, 279  
   leaf and ear water potentials, 96  
   leaf area index, 89, 94, 95  
   liquid fertilisers for, 44  
   lodging, 51, 239, 241, 248, 250, 252, 253, 254  
   N fertilisers for, 44, 48, 49–51, 89, 94, 158, 240, 246, 277, 278, 2·27  
   nematodes in, 134, 149, 158, 163, 8·2  
   nitrate concentrations in stems, 49–51  
   on Broadbalk, 43, 50, 134, 239, 249  
   P fertilisers for, 45, 279  
   *Rhizoctonia solani* on, 136  
   root growth, 5·1, 5·2, 5·4, 5·9  
   root rots, 128  
   rotations with sugar beet, 276, 279  
   'scorch', 44, 54, 55, 158  
   seed-borne pathogens, 189  
   seed dressings of pesticides, 9·4  
   shoot and root growth, 5·9  
   soil nitrate and growth, 50  
   straw disposal and disease control, 135  
   take-all on, 79, 118, 123, 128–132, 134, 135, 250, 4·7, 7·12, 7·18, 7·22  
   trash-borne pathogens, 135  
   virus diseases, 118, 124, 135, 137, 138, 7·19, 7·22  
   wheat bulb fly on, 181, 198, 220, 9·32  
   yellow rust on, 135, 254, 7·12  
   *See also* Barley, Eyespot, Maize, Oats, Take-all, Wheat  
 Cereals Disease Reference Plots, 164

NSS

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 318-375.

- 'CGA 12223'  
 as nematocide, 161, 265  
 for pests in sugar beet, 259, 263, 265
- Chalk, shallow soils over, 308
- Cheshire  
 mineralogy of soils, 307  
 soil survey in, 283  
 soils in, 17.4
- Chloraniformethan, as fungicide for sugar beet, 264
- Chlorfenvinphos  
 effect on myriapods, 10.35  
 for control of wheat bulb fly, 180
- Chloromequat chloride (CCC)  
 effect on gibberellic acid in wheat grain, 94  
 effect on potato scab, 188  
 effect on wheat yield, 254
- 4-Chloroaniline, microbial metabolism of, 2.20, 4.4
- Chlorophenols, metabolism of, 4.9, 4.10
- Chlorophyll in plants  
 breakdown products in leaf protein, 108, 6.10  
 chlorophyllase and, 6.10  
 increased by magnesium, 46, 64
- Chloropicrin, effect on potato yield, 244
- Chloroplasts  
 enzymes in, 92  
 nitrite reduction by, 6.16  
 pigments in plants, 6.10, 6.12  
 pseudocrystalline bodies in, 7.17
- Chlorpyrifos. *See* 'Dursban'
- Chlorthiamid, as herbicide on *Equisetum*, 104
- Chlortoluron, for control of blackgrass, 106
- Chromatography  
 ion-exchange, of free amino acids, 2.23  
 liquid, for assay of pesticide residues, 186  
 of cytokinin, 101  
 of diamine oxidase, 112  
 of ribonucleases, 6.13
- Chytrids, on wheat roots, 134
- Cicer arietinum*, nitrogenase activity in, 85
- Cladosporium* spp. on wheat, fungicides for, 7.13
- Clay minerals  
 in Nile-Delta sediments, 71  
 interstratified expanding, 68  
*See also* Soil Mineralogy
- Clay soil  
 accumulation of P in coarse clay, 74  
 distribution of major elements between size fractions, 74  
 preparation of, for determining soil structure, 3.8
- Clover  
 effect of benomyl sprays on, 138  
*Erysiphe polygoni* on, 138  
 infection by nodule bacteria, 79, 8.3  
*Sclerotinia* rot of, 138  
 yield, 139
- Clwyd, soil survey in, 301
- Cockroach (*Periplaneta americana*), nervous system of, 171, 172, 185, 9.17
- Codling moth, synthetic attractants for, 181
- Collembola, in sugar beet, 258
- Colocasia esculenta*, virus disease of, 118, 7.11
- Computer programming  
 ARC Advisory Committee on Computing, 230  
 communication processor, 236  
 Fast Fourier Transform, 217  
 for agricultural meteorology, 38  
 for calculating accumulated temperature in soil, 305  
 for calculating cation-exchange parameters, 65  
 for land-capability classification, 304  
 General Survey Program, 234  
 information retrieval, 235  
 languages, 235  
 M800, 231, 232, 233, 234  
 MACRO Language Processor, 235  
 MLP for ICL 4-70 computer, 308  
 multi-solution program, MULSA, 217  
 Multijob, 231, 232, 233, 234, 236  
 Numerical Algorithms Group, 234  
 of movement of salts and pesticides in soils, 40
- Computer programming (*contd.*):  
 SYMAP, 309  
 tele-communication, 236  
*See also* Statistical programming
- Computers  
 4-70, 226, 227, 231, 308, 309  
 advisory service, 233  
 ARC 'Advisory Committee on Computing', 230  
 ARC centralised computing service, 230  
 ARC Sub-Committee on Library Services, 235  
 Bristol University Computer Centre, 226  
 CDC 6000 range, 227  
 communications processor, 236  
 Edinburgh Regional Computing Centre, 226, 230, 233, 235  
 equipment, 230  
 IBM 360/50, 66  
 IBM 360/370, 226  
 IBM 1130, 217  
 ICL 1900, 227  
 image analysing ('Quantimet'), 307  
 Manchester University Regional Computing Centre, 227  
 operations, 231, 233  
 Oxford University Computing Laboratory, 227  
*See also* Computer Programming, Statistical analyses, Statistical Programming
- Conifers  
 compared with agricultural crops, 2.10  
 nutrient concentrations in healthy seedlings and transplants, 2.15  
 Reference experiment at Woburn, 2.10
- Convolvulus arvensis*, on Broadbalk, 106
- Copper  
 for sugar beet, 270  
 in diamine oxidase, 112, 6.11  
 in plant materials, 6.11  
 in wheat on Broadbalk, 51  
 reactions with pyrazine, 11.3  
 'scorch' in cereals and, 44, 158
- Cork  
 air spores in factory, 7.15  
 suberosis caused by dust from, 122
- Cornwall  
 Late Pliocene marine formation in, 3.6  
 soil survey in, 299
- Cotton, cross experiments in Uganda, 228
- Couchgrass. *See* *Agropyron repens*
- Coumaphos, as nematocide, 161
- Creeping thistle (*Cirsium arvense*)  
 2,4-D for control of, 251  
 effect of farmyard manure on, 250
- Crop physiology, 88
- Crystal structures, 217, 11.3, 11.5, 11.6, 11.7, 11.8, 11.9, 11.10, 11.11, 11.12
- Cultivation  
 at Rothamsted, 42  
 at Woburn, 41  
 comparison with uncultivated soil, 41  
 effect on cereal diseases, 135  
 effect on tropical soils, 76  
 mobile glasshouses for experiments on, 42  
 Cultivation Weedkiller experiment, 250  
 Cultivations for Cereals experiment, 135
- Cumbria  
 mineralogy of soils, 307  
 soil survey in, 286
- Cutworms. *See* Moths
- Cyanasine. *See* 'Bladex'
- Cyanthoate, as nematocide, 161
- Cytokinin  
 assays for, 102  
 column chromatography of, 101  
 in sugar-beet sap, 101  
 in wheat ears and leaves, 94, 5.12  
 produced by rhizosphere microorganisms, 80
- 2,4-D, for controlling weeds in grass, 251
- Dalapon, as herbicide on wild oats, 249

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

## INDEX

- Daminozide (aminozide), as haulm spray for potatoes, 188
- Dazomet  
as fungicide, 138  
as nematicide, 157, 158, 160, 161, 8·26  
effect on maize yield, 246
- 'D-D'  
as nematicide on potatoes, 157  
as nematicide on sugar beet, 278, 16·16, 16·26
- DDT  
effect on myriapods, 10·35  
loss from plant surfaces, 9·9  
microencapsulation of, 179  
rate of uptake by earthworms, 10·34  
resistance of housefly to, 173
- Decomposition of plant material in soil, 76
- Demeton-methyl. *See* 'Metasystox'
- Demeton-S-methyl  
as aphicide, 196, 262, 263  
microencapsulation of, 179
- Denchworth soil series  
interstratified expanding clay mineral from, 68  
major and minor elements in, 73
- Derbyshire, soil survey in, 293
- Devon  
mineralogy of soils, 307  
soil survey in, 300  
soil water/air regimes in, 305
- 'Dexon'  
as fungicide on sugar beet, 261  
as pesticide on beans, 141, 207
- Diamine oxidase  
affinity chromatography of, 112  
copper-containing, 112, 6·11
- Diazinon  
effect on myriapods, 10·35  
for pests in sugar beet, 259  
metabolites in sheep, 9·19, 9·22  
resistance of housefly to, 173  
uptake by earthworms, 180
- Dichlorprop, applied with liquid fertiliser to grass, 54
- Dicrotophos, aphid resistance to, 174
- Dieldrin (HEOD)  
analysis of, in leaves, 9·29  
aphid resistance to, 174  
as fungicide on barley seed, 178  
effect on cockroach, 171  
effect on weevils in beans, 207  
for pests in sugar beet, 257, 258  
for wheat bulb fly, 180  
insecticides related to, 171  
mercury/dieldrin for wheat, 254  
methiocarb as replacement for, 256  
microencapsulation of, 179  
movement in cotton plants, 9·28  
withdrawal of, from use, 180
- Diethyl phosphates, as nematicides, 161
- Diethyl phosphorothioates, as nematicides, 161
- Dimethoate  
aphid resistance to, 174, 175, 176, 9·10  
as pesticide on grass, 201  
housefly resistance to, 173, 174, 9·30
- Dimethoxon, aphid resistance to, 174
- Dimethyl phosphates, as nematicides, 161
- Dimethyl phosphorothioates, as nematicides, 161
- Dimetilan, aphid resistance to, 174
- Diptera, caught in traps, 201
- Disulfoton  
aphid resistance to, 174  
effect on myriapods, 10·35  
microencapsulation of, 179
- 'Di-Trapex CP', as nematicide, 160
- 'Dowco 275'  
as nematicide, 160, 162, 163, 164, 165  
uptake by earthworms, 180
- Drainage water, algal growth in, 62
- 'Du Pont 1410'  
as nematicide, 160, 161, 162, 163, 164, 165, 259, 265, 266  
for pests in sugar beet, 259, 265, 266, 16·23
- 'Du Pont 1642', as nematicide, 161
- 'Dursban' (chlorpyrifos), as nematicide, 161
- Dust hazards during harvesting, 121
- Dyfed  
minor elements in soils, 312  
soil survey in, 303
- Earthworms  
effect of cultivation on, 205  
effect of fertilisers on, 205  
effect of pesticides on, 180, 204, 10·34  
effect of stubble burning on, 205  
in Park Grass, 204  
palatability of leaves to, 205  
rate of uptake of DDT by, 10·34  
stimulation of, electrically, 205
- East African Agricultural and Forestry Research Organisation, 118
- Electronmicroscopy  
of nematodes, 149, 150  
of viruses, 118, 137  
*See also* Scanning electron microscopy
- Electrophoresis, for separating nematode species, 149
- Endogone* spp.  
factors affecting occurrence in soil, 81  
in beans, 141  
inoculation of roots with spores, 81  
on wheat roots, 134  
vesicular-arbuscular mycorrhiza and, 80
- Endosulfan  
as fungicide, 138  
as insecticide, 9·8  
effect on earthworms, 204  
effect on mites causing virus disease, 138  
toxicity to honey bees, 9·25
- Endrin, effect on earthworms, 204
- Entomophthora* spp.  
infecting aphids, 197, 198, 10·33, 10·54  
on wheat bulb fly, 199, 10·55, 12·27  
resting spore formation by, 198  
survival in mummified aphids, 10·54
- Enzymes  
affinity chromatography and, 112  
photosynthesis and, 88, 91  
sucrose synthesis by, 93
- Equisetum arvense* (Field horsetail)  
biological characteristics of, 89  
effect of benzyladenine on germination, 105  
effect of gibberellic acid on germination, 105  
effect of herbicides on, 104  
effect of N fertiliser on, 106  
effect of rotary cultivation on, 105  
effect of soil acidity on, 106  
on Broadbalk, 106, 249  
on Woburn farm, 253
- Erwinia carotovora* (blackleg), on potatoes, 142, 143
- Erysiphe graminis* (powdery mildew)  
effect of host nutrition on, 128  
ethirimol-tolerant strains of, 126  
on cereals, 125–128, 190, 250, 254, 7·12  
on grass, 138
- Erysiphe polygoni*, on clover, 138
- Essex  
crop yield and soil type in, 305  
soil survey in, 297  
water-table levels in, 306
- Ethirimol, as fungicide on cereals, 126, 128, 250, 251, 254, 280, 7·13
- Ethyl mercuric chloride, as fungicide for seeds, 189
- Euonymus europaeus* (spindle tree)  
as host for aphids, 185, 196, 197, 263, 8·22  
nematodes on, 8·22
- Eutrophication, 45, 61
- Evaporation, 38, 39, 40
- Exhaustion land, 249
- Experimental design, early history of, 13·1
- Eyespot (*Cercospora herpotrichoides*)  
effect of cultivation on, 135  
fungicides for, 7·12

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

- Farmers' lung, caused by mouldy hay, 121  
 Farmyard manure  
   boron in, 61  
   for beans, 243  
   for cereals, 50, 239, 241  
   for potatoes, 46, 47, 244, 2·28  
 Feeding stuffs, toxins in, 121  
 Fenamiphos. *See* 'Nemacur'  
 Fentirothion, 141  
 Fenthion, resistance of housefly to, 173  
 Fentin hydroxide, as fungicide for sugar beet, 265, 266  
 Fertiliser Manufacturers' Association, 222  
 Fertilisers  
   computer program for movement of, in soil, 40  
   deep incorporation of, for potatoes, 2·28  
   field experimentation, development of, 12·11  
   liquid, 44, 51, 54, 62  
   movement in soil by diffusion, 40  
   planning and design of experiments, 221  
   slow-acting, 43, 44, 48, 52, 53  
   sulphur-coated urea, 43, 44, 48, 52, 53  
   Survey of Fertiliser Practice, 222  
   *See also* Liquid fertilisers and names of individual fertilisers  
 Field beans (*Vicia faba*). *See* Beans  
 Flood water, soil pollution by, 72  
 Fluoride  
   concentration in barley, 97  
   gladiolus damaged by, 97  
   pollution from brickfields, 96  
 Fonophos, as nematicide, 161  
 Formaldehyde, effect on bean yield, 141  
 Formalin  
   effect on earthworms, 205  
   effect on nematodes (nematicide), 158  
 Fossil energy, economics of using, 79  
 Fungi  
   allergy produced by, 119  
   virus-like particles in, 118  
   zoosporic, 124  
 Fungicides  
   amounts on commercially treated seeds, 178  
   applied with liquid fertiliser, 55  
   Chemical Liaison Unit, 168  
   design of experiments on time of application, 127  
   effect of crop nutrition on, 128  
   effect on barley yield, 126  
   effect on mycorrhiza, 168  
   effect on weevils in beans, 207  
   effectiveness of, 190  
   for cereal foliage and root diseases, 120, 7·12, 7·13  
   for grass diseases, 138  
   for seed-borne diseases, 189  
   for sugar beet, 264  
   fungi tolerant to, 167  
   gum arabic solution as adhesive, 178  
   liquid seed treatments, 179  
   mercury on cereal seed, 178, 189  
   mode of action of, 167  
   movement in soil, 146  
   organomercury, 189  
   scorching of wheat by, 55  
   seed treatment with, 178, 189  
   systemic, 168, 178, 189, 190, 7·12  
   time of application to barley, 126  
 Fungus diseases  
   allergy caused by, 119  
   dust hazards during harvesting, 121  
   effect of host nutrition on, 128  
   effect of N fertilisers on, 128, 138  
   effect on lodging in barley, 120  
   farmers' lung, 121  
   from mouldy cork, 122, 7·15  
   in feeding stuffs, 120  
   in stored products, 121  
   mouldy hay and, 121, 122, 190  
   of sheep, 121  
   spore catches in cereal crops, 126  
   suberosis, 122  
   *See also* *Erysiphe*, Eyespot, Take-all  
*Fusarium* spp.  
   in feeding stuffs, 120  
   on barley, 120, 189  
   on potato, 148  
   on ryegrass, 138  
*Gaeumannomyces graminis*. *See* Take-all  
 Garden Clover, 245  
 Ghana, radiocarbon dating of soil organic matter in, 76  
 Gibberellic acid  
   effect of chlormequat chloride on, 94  
   effect on *Equisetum* germination, 105  
   effect on sugar-beet growth, 100  
   in wheat grain, 93  
 Gibberellins  
   in wheat leaves, 5·12  
   produced by rhizosphere microorganisms, 80  
 Glauconite, weathering of, 3·11  
 Gleyed clayey soils, water regimes in, 17·31  
 Gloucestershire, soils in, 17·1  
 Glycerate  
   in sugar beet, 100  
   metabolism of, in leaves, 92  
 Glycine  
   enzymic synthesis, of, 91  
   in sugar beet, 100  
   metabolism in leaves, 92  
 Glycine betaine, 102  
 Glycollate, 91, 92  
 Glycollate pathway, 92  
 Goethite, 70  
 Grass  
   ammonium sulphate for, 53, 64  
   aphids on, 10·30  
   aqueous ammonia for, 44, 45, 53, 2·14  
   carbohydrates in, effect of K and Na on, 2·25, 2·26  
   dipterous stem borers in, 203  
   effect of fertilisers on fungus diseases of, 138  
   effect of magnesium fertilisers on, 46, 60, 64  
   *Erysiphe graminis* on, 138  
   for silage, 2·27  
   fungicides for, 138  
   fungus diseases of, 136, 138  
   *Helminthosporium* spp. on, 138  
   herbicides applied with liquid fertiliser on, 54  
   in rotation with potatoes, 245  
   insecticides for old and new, 201  
   invertebrates in, 201  
   irrigation for, 251  
   Ley-Arable experiment at Woburn, 239, 244  
   liquid fertilisers for, 44, 54–56  
   N fertilisers for, 44, 45, 52, 53, 64, 251, 255, 2·27  
   nitrification of aqueous ammonia under, 2·14  
   *Puccinia coronata* on, 136, 138  
   soil compaction in, 312  
   sulphur-coated urea for, 44, 52  
   vesicular-arbuscular mycorrhiza of, 80  
   viruses on, 136, 138, 7·20  
   weeds in, 251, 255  
 Grassland Research Institute, 130, 192, 201  
 Great Hoos Field, 249  
 Ground cover, photographic technique to estimate, 39  
 Groundnuts (*Arachis hypogaea*), uptake of sulphur by, 2·21  
 Growth substances and growth regulators  
   'AC 99524', 276  
   as haulm-spray for potatoes, 188  
   chlorfluorecol-methyl, 267  
   chlormequat chloride, 94, 188, 254  
   control of potato common scab by, 188  
   effect on starch accumulation in wheat, 94  
   effect on sugar-beet growth, 100, 101, 267, 276  
   endogenous in sugar beet, 101  
   'Ethrel', 267  
   gibberellic acid, 93, 94, 100, 105  
   gibberellin-like substances, 101  
   in wheat leaves and grain, 93, 5·12  
   indolacetic acid, 80, 100

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

## INDEX

- Growth substances and growth regulators (*contd.*):  
 production by *Azotobacter paspali*, 80  
 Guinea grass, virus disease of, 118
- Harvesting, dust hazards during, 121  
 Hay, mouldy, 122, 190  
*Helminthosporium* spp.  
 on barley, 131  
 on potato, 144, 145, 146, 147  
 on ryegrass, 138  
 Hematite, 70  
 HEOD. *See* Dieldrin  
 Heptachlor epoxide, effect on cockroach, 171  
 Herbicides  
 aminotriazole, 103, 249, 253  
 asulam, 251, 255  
 chlorthiamid, 104  
 2,4-D, 251  
 dichlorprop, 54  
 effect on earthworms, 204  
 effect on soil arthropods, 205  
 for control of blackgrass, 106  
 for weeds in grass, 251  
 fungicide applied with, 55  
 linuron/paraquat, 254  
 liquid fertiliser applied with, 45, 54  
 MCPA, 54  
 microbial degradation of, 87, 4·3  
 N-phosphonomethylglycerine, 104  
 paraquat, 249, 253  
 poisoning of honeybees by, 176  
 pre-emergence, 251, 276  
 pyrazone, 261, 276  
 scorching of cereals and grass by, 54  
 simazine, 250, 251, 254  
 stunting of pea plants by, 163  
 terbutryne, 106, 249
- Herefordshire, soil survey in, 295  
 Honeybees (*Apis mellifera*)  
 brood rearing, effect of restricted space on, 207  
 'court' of workers around queen, 10·29  
 dancing, 208  
 diseases, 209, 10·23, 10·24  
 food storage, 208  
 footprint substances, 208  
 foraging, 208, 9·25, 10·36  
*Nosema apis* in, 10·22  
 picornaviruses in, 10·24  
 poisoning of, by pesticides, 175, 9·7, 9·25  
 pollination by, 209, 10·13, 10·36, 10·37  
 queen rearing, effect of hive space on, 10·50  
 robber bees, 10·36  
 swarming, effect of queen 'piping' on, 207  
 virus diseases of, 209, 10·23, 10·24
- Hoos Barley experiment, 131, 241, 243, 244  
 Hoosfield, 128, 131  
 Housefly (*Musca domestica*)  
 insecticides for, 169, 173, 9·6, 9·15, 9·30, 9·31  
 resistance to insecticides, 173, 9·6, 9·15, 9·30, 9·31  
 Hydraulic conductivity, method of determining, 307  
 Hydrodynamic dispersion of salts through soil, 40, 1·6  
 Hydromorphic soils, 3·1  
 8-Hydroxyquinoline derivative of silica gel, 112
- Indolacetic acid  
 effect on sugar-beet growth, 100  
 produced by rhizosphere microorganisms, 80
- Insect traps  
 aphids in, 124, 193, 263  
 attractant, 181  
 beetles caught in, 201, 264  
 codling moths caught in, 181  
 cutworms caught in, 204  
 Diptera caught in, 201  
 emergence traps, 201  
 light, 194, 202, 220, 10·27, 10·28, 10·40, 10·52  
 moths in, 181, 194, 202, 10·40, 10·52  
 pitfall, 200, 257, 264  
 'Sectar' and 'Wing' sticky traps, 181
- Insect traps (*contd.*):  
 sticky, 181, 256, 263  
 suction, 124, 140, 193, 256, 10·28  
 weevils caught in, 141
- Insecticides  
 acetylcholinesterases, 174, 175, 176  
 adhesives for powder seed treatment, 177, 9·20  
 aphid resistance to, 174  
 assays by probit analysis, 220  
 bioresmethrin, 168, 169, 170, 174, 9·11, 9·14  
 carbamate, 261  
 cyclic polyethers, 171  
 cyclodienes, 171  
 damage to predators of aphids by, 175  
 decomposition of, 167  
 delayed toxic action of, 183  
 dichlorvos resin strip, 176  
 effect on beneficial insects, 176  
 effect on earthworms, 180, 204, 10·34  
 effect on housefly, 169  
 effect on mustard beetle, 169  
 effect on myriapods, 10·35  
 effect on pollinating insects, 177  
 effect on soil arthropods, 205  
 effect on virus diseases, 140  
 effect on weevils in beans, 207  
 ethanochrysanthemate, 168  
 evaporation from insect cuticle, 175  
 for aphids, 125, 138, 141, 174, 196, 251, 262, 263, 7·8, 10·38  
 for pests in sugar beet, 258  
 in soil, 9·18  
 method of estimating in insects, 176  
 molecular structure and insecticidal activity, 167, 168  
 'NRDC 104', 169  
 'NRDC 143', 167, 169, 9·12, 9·13  
 neurotoxicity, 171, 172  
 organophosphorus, 173, 174, 261, 9·10, 9·30, 9·31  
 photostable, 167, 168, 169, 9·12, 9·13  
 poisoning of honeybees by, 175, 9·7, 9·25  
 polyethers, 171  
 pre-blossom treatment with, 196  
 pyrethrins, 172, 9·3, 9·14, 9·15  
 pyrethroids, 167, 168, 169, 170, 174, 9·11, 9·12, 9·13  
 radiolabelling of, 9·5, 9·14  
 resistance of insects to, 172, 173, 9·30, 9·31  
 resmethrin, 169, 174, 9·15  
 retention of powders of, 177  
 seed treatment with, 177–179, 258, 9·20  
 systemic, 173, 175, 186  
 times of application, 125, 196  
 toxicity to mammals, 169  
 volatilisation of organochlorine, 9·27  
*See also* Aphicides; Pyrethrins; Pyrethroids; and names of individual insecticides
- Insects  
 aggregation of species, 219  
 distribution and abundance of, 10·20  
 flight periodicity, 10·51, 10·53  
 in wheat and fallow, 200  
 migration of, 10·5, 10·51, 10·53  
 monitor surveying for, 10·18, 10·20  
 moonlight, effect on catches, 10·26, 10·27  
 nervous system, neuroanatomy of, 171, 172  
 pollination by, 209, 10·13, 10·36, 10·37  
 rearing of, 186  
 Rothamsted Insect Survey, 193, 220, 222, 10·21  
 suction sampler, 9·8  
 transport of, 10·14  
*See also* names of individual insects
- Iran, carbonates in catenary sequence of soils, 60
- Irrigation  
 at Rothamsted, 39  
 at Woburn, 39  
 crop growth and, 39  
 effect on potato yield, 39, 146, 156  
 effect on sugar beet, 266, 267, 271, 272, 16·18, 16·19, 16·27



## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

- Irrigation (*contd.*):  
 evaporation rate and, 39  
 for beans, 246  
 for grass, 251  
 leaf water potential and, 39  
 on cereals, 43, 49, 94–96, 278  
 stomatal resistance and, 39  
*See also* under crops  
 Isobutylidene diurea for sugar beet, 274  
 'Isolan', aphid resistance to, 174  
 Isothiocyanates, as nematicides, 161
- Javesella pellucida*, as virus carrier, 137
- Kale  
 effect of atmospheric humidity on, 5·7  
*Equisetum* in, 104  
 pollination of, 209, 10·37  
 virus disease of, 7·14
- Kent  
 soil survey in, 298  
 soils in, 17·3, 17·5
- Kenya, bacterial wilt of potatoes in, 228
- Land capability classification, 304  
 Land classification, value of soil map for, 17·33  
 Langmuir equation, as model for P adsorption by soils, 58
- Lead  
 contamination by soil dust, 75  
 in motorway runoff, 72, 74, 75  
 in soils and herbage at Rothamsted, 75
- Leaf pigments, leaf protein and, 109
- Leaf protein  
 carbohydrate content of, 109  
 carotene in, 109  
 chlorophyll breakdown products in, 108, 6·10  
 chloroplast pigments in, 6·10, 6·12  
 crop drying for, 6·9  
 effect of N fertiliser on, 109  
 extraction plant transferred to Reading, 108  
 leaf pigments and, 109  
 nutritional quality of, 110  
 preservation and storage, 6·8  
 skin lesions in rats fed on, 108  
 xanthophyll in, 109
- Leaf water potential, 39
- Leaf-cutting ants  
 control of, 10·7  
 foraging, 10·44, 10·45  
 insecticides for, 183  
 pharyngeal glands of, 9·26  
 phytochemical arrestants for, 183  
 poison baits for, 182–184, 10·17, 10·41, 10·42, 10·43  
 trail pheromones as attractants for, 183
- Leghaemoglobin, method of purifying, 86
- Legumes  
 inoculation with *Endogone* spp., 80  
 symbiosis in, 84  
 tropical, effect of illumination on, 85  
 vesicular arbuscular mycorrhiza of, 80
- Letcombe Laboratory, Wantage, 123, 124
- Ley-Arable experiment on Highfield, 130
- Leys. *See* Grass
- Light response curves of leaves, 40
- Lime  
 effect on yield and composition of Park Grass, 5·5  
 Long-term Liming experiment, 132  
 status of soils in England and Wales, 12·12
- Limestone  
 as fertiliser for sugar beet, 270  
 composition of agricultural, 2·22  
 loess-containing soils on, 72  
 phosphate absorption by, 58
- Lincolnshire  
 loess in soils of, 71  
 soil survey in, 293
- Linuron paraquat, 251, 254
- Liquid chromatography, for assaying pesticide residues, 186
- Liquid fertilisers  
 applied with herbicide, 45, 54  
 compared with 'Nitro-Chalk', 54  
 damage to barley germination, 44  
 eutrophication caused by, 62  
 placement for barley, 51  
 scorching of grass by, 54
- Livestock  
 metabolites of diazinon in sheep, 9·19, 9·22  
 on Broom's Barn farm, 282  
 on Rothamsted farm, 252  
 on Woburn farm, 255  
 planning of experiments on, 221  
 sheep disease caused by mouldy hay, 121  
 statistical experiments on, 222  
 streptothricosis in W. African cattle, 229  
 tuberculin reactions in Uganda cattle, 229
- Loess, 71, 3·10, 3·11
- Lucerne, leaf protein from, 108
- 'M & B 20266', toxicity to ants, 184
- Magnesium  
 chlorophyll in plants increased by, 46, 64  
 deficiency in soils and grass, 46, 60, 64  
 effect on Garden Clover, 245  
 effect on N composition of ryegrass, 46  
 effect on soluble carbohydrates in grass, 64  
 effect on sugar beet, 45, 262, 270, 271, 2·17  
 for potatoes, 2·17  
 for wheat, 2·17  
 forms of fertilisers, 270, 271, 2·17  
 in British and Malayan soils, 2·16  
 non-exchangeable release of, 60
- Maize  
 effect of dazomet on yield, 246  
 fertiliser experiments in Zambia, 228  
 virus diseases of, 118  
 yields, 246, 281
- Malaixon, resistance of housefly to, 173, 174
- Malathion  
 aphid resistance to, 174  
 effect on weevils in beans, 141  
 housefly resistance to, 173  
 toxicity to honeybees, 9·25
- Malayan soils, composition of, 2·16
- Malic acid, 91
- Maneb, for control of *Phoma betae* in sugar beet, 261,  
 Manganese, for sugar beet, 262, 269, 16·20
- Market Garden experiment at Woburn, 253
- MCPA, applied with liquid fertiliser to grass, 54
- Meat Research Institute, 220
- Mecarphon, for pests in sugar beet, 257, 258, 259, 265
- Mecoprop, for controlling weeds in grass, 251
- Menazon  
 as aphicide, 125, 176  
 as fungicide, 138
- Mercury/dieldrin, for wheat, 250, 254
- 'Metasystox' (demeton-methyl), as aphicide, 251, 255
- Meteorology, 38
- Methiocarb  
 absorption of, by soil, 62  
 as replacement for dieldrin for sugar beet, 256  
 for pests in sugar beet, 257, 258, 259, 261, 16·23  
 for slugs in potatoes, 206
- Methomyl  
 as nematicide, 161, 16·26  
 effect on weevils in beans, 141  
 used in ant baits, 184
- Methyl bromide, as nematicide, 160
- Methylene dioxyphenyl, resistance of housefly to, 173
- Microbial cycling of N- & P-containing compounds in soil, 79
- Microbial degradation of pesticides, 87, 4·3, 10·9
- Micrometeorology, infra-red gas analysers for, 39
- Micropolyspora faeni*, in mouldy hay, 121
- Milk, keeping quality of, 222
- Millepedes  
 aggregation of, 257

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

INDEX

- Millipedes (*contd.*):  
 control of, 257, 258, 16·23
- Mineralogy. *See* Soil mineralogy
- Mites  
 as virus vectors, 136, 7·20  
 effect of temperature on, 206
- Molecular structure and biological activity, 212
- Molybdenum  
 estimation of plant-available, 3·13  
 mobilisation and fixation of, by plant matter, 3·13
- Monocrotophos, effect on soil fauna, 204, 205
- Montmorillonite, reactions with aluminium, 3·5
- Montmorillonite-chlorite, 69
- Moonlight, effect on insect catches, 10·26, 10·27
- Mosquitoes, Nodamura virus infecting, 192, 210
- Moths  
 annual distribution maps, 194  
 caught in light traps, 181, 194, 220, 10·40, 10·52  
 codling moths, 181  
 cutworms, 194, 203  
 effect of illumination on, 10·52  
 infection by *Microsporidan*, 204  
 log-series and log-normal parameters for, 10·40  
 migration of, 196  
 virus disease of, 210
- Motorway contamination of reservoirs, 72
- Musca domestica*. *See* Housefly
- Mustard beetle (*Phaedon cochleariae*), insecticides for, 169
- Mycoplasma, 137
- Mycorrhiza. *See* Vesicular-arbuscular mycorrhiza
- Myriapods, 10·35
- N-acylamino acid acylase, from leaves, 6·18
- 'N-serve', 64
- National Institute of Agricultural Botany, 125, 139, 276
- National Institute for Agricultural Engineering, 122, 135
- 'NC 6897' (bendiocarb), for pests in sugar beet, 258
- 'Nemacur' (fenamiphos)  
 as nematicide, 164  
 uptake by earthworms, 180
- Nematicides  
 breakdown in soil and crops, 8·5  
 effect of distribution on nematode control, 164  
 effect on weevils in beans, 207  
 for cereals, 158  
 for potatoes, 150, 159, 160  
 for sugar beet, 265, 278  
 for tomato, 160  
 granules, 149, 164  
 methods of application, 164, 8·26  
 organophosphates, 8·16  
 oxime carbamates, 8·16  
 'scorch' of wheat and, 158  
*See also* Soil sterilisation; and names of chemicals used as nematicides
- Nematodes  
 beet-cyst, 162  
 cereal-cyst, 149, 158, 159, 163, 8·2  
 cinéphotography of, 151  
 competition between pathotypes, 153  
 Dutch pathotypes, 154  
 effect of crop rotations on, 266  
 effect of N fertilisers on, 278  
 effect of phorate on, 8·25  
 effect of soil compaction on, 275  
 effect of soil fumigation on, 150, 157, 278, 8·16  
 effect of soil moisture on, 266  
 egg laying, 8·20  
 electron microscopy of, 149, 151  
 electrophoresis, for separating species, 149  
 feeding, 8·21  
 fungus attacking females, 159  
 genes for resistance, 149, 152, 154  
 'giant-race' of *Ditylenchus dipsaci*, 159  
 hatching factors, 157, 165, 8·19  
 host plants, effect on protein patterns, 151  
 in beans, 141, 159, 246
- Nematodes (*contd.*):  
 in onions, 164  
 in potato, 149, 150, 154, 155, 156, 159, 160, 164, 254, 7·2, 8·8, 8·19, 8·26  
 in resistant and susceptible oats, 158  
 in sugar beet, 162, 265, 16·16, 16·17, 16·24, 16·26  
 in tomato, 160  
 intestinal valves of, 151  
 multiplication of *Heterodera solonacearum* on potato, 155  
 multiplication on resistant cultivars, 149  
 'oat race' of *Ditylenchus dipsaci*, 159, 164  
 on spindle trees, 8·22  
 pathotypes of *Heterodera* spp., 149, 151, 152, 153, 156, 8·24  
 pea-cyst, 162  
 pests, biological control of, 8·13  
 population studies of, 149, 8·2  
 protein electrophoresis, 149, 151, 8·24  
 protein patterns, 151, 158  
 reproduction on *Botrytis cinerea*, 165  
 root-lesion, 150  
 round cyst, 149, 155  
 scanning electronmicroscopy of, 149, 150, 151  
 'scorch' in wheat and, 158  
 spermatogenesis, 8·23  
 spicule structure, 8·18  
 stem nematodes, 141, 159, 164  
 stylet action, mechanics of, 152  
 surface morphology of, 150  
 trap cropping, 157  
 virus transmission by, 16·26
- Nematodes, specific names of  
*Aphelenchoides* spp., 151  
*Aphelenchoides avenae*, 119  
*Aphelenchoides blastophthorus*, 119, 151, 8·20  
*Ditylenchus destructor*, 119, 165, 8·10  
*Ditylenchus dipsaci*, 141, 159, 164, 246  
*Heterodera* spp., 151, 278, 8·16, 8·18, 8·23  
*Heterodera avenae*, 158, 159, 163, 8·2, 8·24  
*Heterodera cruciferae*, 152  
*Heterodera (Globodera)*, 8·18  
*Heterodera goettingiana*, 162  
*Heterodera pallida*, 149, 153, 154, 155, 156, 157, 160, 8·14  
*Heterodera rostochiensis*, 150, 153, 154, 155, 156, 159, 160, 161, 254, 7·2, 8·8, 8·15, 8·19, 8·26  
*Heterodera schactii*, 159, 162, 16·24  
*Heterodera solonacearum*, 155  
*Hexatylus viviparus*, 165  
*Longidorus* spp., 8·11, 8·12, 8·22, 16·16, 16·17  
*Longidorus elongatus*, 266, 8·9  
*Longidorus euonymus*, 8·22  
*Longidorus leptoccephalus*, 266  
*Longidorus macrosoma*, 137  
*Paralongidorus* spp., 8·11  
*Paratylenchus* spp., 278, 8·25  
*Pratylenchus* spp., 134, 150, 151, 278, 8·25  
*Pratylenchus penetrans*, 8·6  
*Pratylenchus pinguicaudatus*, 166  
*Thornenema wickeni*, 151  
*Trichodorus* spp., 265, 266, 275, 278, 16·16, 16·17  
*Trichodorus anemones*, 265, 266  
*Trichodorus cylindricus*, 265  
*Trichodorus primitivus*, 266  
*Tylenchorhynchus* spp., 278, 8·25  
*Tylenchus* spp., 278, 8·21  
*Xiphenema vuittenezi*, 8·22
- Net assimilation rate in plants, 40, 89, 102
- Nettles (*Urtica dioica*), 'Spontox' to control, 255
- Neutron moisture meter, 38, 41, 96, 123
- N-phosphonomethylglycerine, effect on *Equisetum*, 104
- 'NF 48', as fungicide on cereals, 7·13
- Nigeria  
 effect of cultivation on soils of, 76  
 soil mineralogy of Western State, 69  
 uptake of sulphur by groundnuts in, 2·21
- Nile-Delta sediments, clay mineralogy of, 71
- Nitrification inhibitor ('N-serve'), 64

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

- Nitrifying bacteria in soils, 4·8  
 'Nitro-Chalk'  
     compared with anhydrous and aqueous ammonia, 2·27  
     compared with liquid fertiliser, 54–56  
     compared with urea, 54, 55  
     for beans, 246  
     for grass, 251  
     for maize, 246  
 Nitrogen fertiliser  
     effect on Garden Clover, 245  
     effect on nitrogen fixation, 84, 86  
     effect on photosynthesis, 90, 91  
     effect on potato-tuber formation, 43, 48  
     for cereals, 44, 45, 48, 49, 89, 94, 158, 240, 246, 251, 252, 278  
     for grass, 44, 45, 52, 53, 64, 251, 255, 2·27  
     for sugar beet, 267, 268, 270, 271, 277, 278, 16·21, 16·27, 16·28  
     leaching of, 45  
     nitrification of, 41  
     'Nitro-Chalk', 54–56, 246, 251, 2·27  
     slow-release, 52  
     soil moisture and crop response to, 90  
     *See also* Ammonia anhydrous; Ammonia aqueous; Ammonium nitrate; Ammonium sulphate; 'Nitro-Chalk'; Urea  
 Nitrogen fixation  
     ARC Unit of, 217  
     by *Azotobacter paspali*, 80  
     effect of N fertiliser on, 86  
     in Rothamsted soils, 84  
     stimulation by vesicular-arbuscular mycorrhiza, 81  
 Nitrogenase activity  
     assay of, 84  
     blue-green algae in soil and, 84  
     effect of N fertiliser on, 84  
     in tropical legumes, 85  
     *o*-Nitrophenolate, 214, 11·6  
 Nodulation  
     effect of composition of root medium on, 85  
     in legumes, 82  
     stimulation by vesicular-arbuscular mycorrhiza, 81  
 Nodules, fine structure of, 83  
 Norfolk  
     crop yield and soil type in, 305  
     silt content of soils, 309  
     soil survey in, 291  
 Northumberland, soil survey in, 290  
 Nottinghamshire, soil survey in, 294  
 'NRDC 104', 169  
 'NRDC 143', 167, 169, 9·12, 9·13  
 Oats  
     lodging of, 251  
     nematode populations in, 158  
     resistant and susceptible to nematodes, 163  
     virus disease in, 125, 137  
     yields, 125, 158, 163  
 Ochre in field drains, 3·12  
*Odontites verna*, 106  
*Oligochaetes*, 10·16  
*Olpidium* spp.  
     iron deficiency in cabbage and, 124  
     on wheat roots, 134  
     virus transmission by, 8·22  
 Omethoate, resistance of housefly to, 173, 174  
 Onion  
     mycorrhiza in, 81  
     nematodes in, 164  
*Oospora* spp., on potato, 145, 146, 147, 148, 7·10  
 Organic carbon in soil, determination of, 3·9  
 Organic chemicals, absorption of, by soil, 62  
 Overseas Development Administration, 182, 228  
 Oxfordshire, soil survey in, 299  
 Oximecarbates, 8·5, 8·16  
*Paecilomyces farinosus*, in dust during harvesting, 121  
 Paleosols, 309, 17·23  
 Papua New Guinea, virus diseases in, 118  
 Paraoxon  
     aphid resistance to, 174  
     resistance of housefly to, 174  
 Paraquat  
     for barley stubble, 249  
     on weeds and volunteer corn, 249, 253  
     with linuron for weeds in potatoes, 251, 254  
 Parathion  
     aphid resistance to, 174, 9·10  
     dimethyl and diethyl forms of, 9·18  
     effect on myriapods, 10·35  
     for beetles in sugar cane, 264  
     for control of saddle gall midge, 180  
     uptake by earthworms, 180  
 Park Grass  
     changes in yield and botanical composition, 5·5  
     earthworms in, 204  
     lead content of herbage on, 75  
     radiocarbon dating of soil organic matter on, 75  
     *Rhizobium* spp. on, 82  
     soil biomass on, 77  
 Pasture. *See* Grass  
 Pea  
     nematodes on, 162  
     rate of sucrose synthesis in, 92  
 Peat, 61  
 Pembrokeshire  
     land capability classification in, 304  
     soil survey in, 303  
     sulphur in soils and herbage in, 74  
     trace elements in soils of, 74, 312  
*Penicillium frequentans*, in dust from cork factory, 122  
 Pennels Piece, fungi on cereal roots on, 134  
*Periplaneta americana*. *See* Cockroach  
 Permanent Barley experiment on Hoosfield, 131  
 Peroxidase-catalysed reactions, 111  
 Pesticide Analytical Advisory Committee, 177  
 Pesticides  
     adhesives for powder on seeds, 177  
     adsorption by soil, 62, 2·19  
     behaviour in the environment, 167, 181  
     Chemical Liaison Unit at Rothamsted, 168  
     degradation in soil, 87, 4·3, 10·9  
     effect on soil animals, 180, 201, 203–207, 10·8, 10·12, 10·34, 10·35  
     effect on virus diseases and vectors, 140  
     granules and solutions, 164, 258, 263  
     liquid chromatography for assaying, 186  
     microencapsulation of, 179  
     persistence in soil, 189, 10·10  
     seed dressings, 177, 9·4  
     statistical analysis for surveys, 223  
     uptake by earthworms, 180, 204, 10·34  
     *See also* Aphicides; Fungicides; Insecticides; Nematicides  
*Phaedon cochleariae*. *See* Mustard beetle  
*Phaseolus vulgaris*, nitrogenase activity in, 84  
 Phenacyl kojate, alkali-metal complexes of, 213, 11·4  
 Phenylmercuric acetate, as fungicide for seeds, 189  
*Phialophora radicola*, on wheat, 131, 134  
*Phoma betae*, on sugar beet, 261  
*Phoma exigua* (gangrene), on potato, 143, 144, 146, 148  
 Phorate  
     as aphicide, 125, 141, 196, 251, 254; 10·38  
     as pesticide on grass, 201  
     effect on earthworms, 180, 204  
     effect on myriapods, 10·35  
     effect on nematodes, 8·25  
     for weevils in beans, 141  
 Phosphate fertilisers  
     adsorption in soils, 58, 219  
     annual dressings compared with large single ones on grass, 45, 56, 58  
     residual and cumulative effect of, 45, 56, 58  
 Phosphoglyceric acid, 91  
 Phosphorus in soil  
     adsorption by soils, 58, 219

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

INDEX

- Phosphorus in soil (*contd.*):  
 Langmuir equation as model for P adsorption, 58  
 uptake by mycorrhizal plants, 4·6  
 Photometer, atomic adsorption flame, 65  
 Photorespiration, 91, 92  
 Photosynthesis  
 analysis of covariance of, 90  
 C<sub>4</sub>-dicarboxylic acid pathway of, 6·12  
 effect of fumigation with sulphur dioxide on, 98  
 effect of N fertiliser on, 90, 91  
 efficiency of, in temperate and tropical grasses, 88  
 enzymes associated with, 88, 91  
 estimates of, 40  
 light intensity and, 89  
 mathematical models for, 219  
 measurement of, 89  
 metabolism of products of, 92  
 of cereals, 89, 91  
 of sugar beet, 100  
 solar radiation and, 40  
 Phoxim, as nematicide, 161  
*Phytophthora erythroseptica* (pink rot), on potatoes, 142, 250, 251  
*Phytophthora infestans* (blight), on potato, 142, 148, 251  
*Phytophthora megasperma*, in beans, 141  
*Picea abies*, 2·15  
*Picea sitchensis*, 2·15  
 Picrolonic acid, as hatching agent for nematodes, 157  
*Pinus nigra* var. *maritima*, 2·15  
 Pirimicarb, as aphicide in sugar beet, 263  
 Pirimiphos-methyl, as nematicide, 161  
*Planococcus citri*, as virus vector, 118  
 Plant-litter decomposition, 10·11  
 Plant moisture stress, pressure bomb for measuring, 96  
 Plant Protection Limited, 177, 178  
 Plantector seed-treater, 178  
 Ploughing. *See* Cultivation  
*Plusia gamma* (silver-Y moth), 194, 195, 10·46, 10·47, 10·53  
 Pollution  
 effect on cereal growth, 96  
 from brickfields, 96  
 of soil, by river flood waters, 72  
 Polyacrylamide gel electrophoresis in taxonomy of nematodes, 151  
 Polyacrylic acid, induced resistance of tobacco plants to virus by, 117  
 Polydentate ligands, 213  
*Polygonum aviculare*, on Broadbalk, 106  
*Polygonum convolvulus*, on Broadbalk, 106  
 Polyhydroxybenzenes, for controlling potato scab, 187  
*Polymyxa betae*, in sugar beet, 124  
*Polymyxa graminis*, on wheat roots, 134  
 Potassium fertilisers  
 effect on soil structure, 268  
 effect on soluble carbohydrates in grass, 2·25, 2·26  
 for sugar beet, 268, 269, 16·18, 16·19  
 replacement by sodium, 268, 2·25, 2·26  
 Potassium in soil  
 in Agdell experiment at Rothamsted, 2·11  
 in British and Malayan soils, 2·16  
 in root zone of wheat on Broadbalk, 2·24  
 Potassium-calcium exchange in soil, 59  
 Potato Marketing Board, 144, 222, 223  
 Potatoes  
 aphids on, 147, 10·38  
 bacterial diseases, 142, 228  
 black scurf (*Rhizoctonia solani*) on, 146, 148, 7·10  
 blackleg (*Erwinia carotovora*) on, 142  
 blight (*Phytophthora infestans*) on, 142, 148, 251  
 carbon compounds in stem, 102  
 common scab (*Streptomyces scabies*) on, 143, 148, 187, 188, 254, 9·23  
 dry rot (*Fusarium solani*) on, 148  
 effect of aldicarb and chloropicrin on yield, 244  
 effect of large fertiliser dressings on, 43, 46  
 effect of leys in rotation on, 245  
 Potatoes (*contd.*):  
 effect of row width on, 48  
 effect of season, site and irrigation on, 156  
 effect of seed rate on, 48  
 effect of spacing of plants on, 145  
 effect of storage temperature on gangrene, 143  
 effect of tuber maturity on gangrene, 144  
 effect of weather on disease, 142  
*Equisetum* in, 104, 105, 106  
 farmyard manure for, 46, 47, 244, 2·28  
 fertiliser experiments, planning and design of, 221  
 fertilisers for, 43, 46–48, 52, 56, 145, 249, 2·17, 2·28  
 fumigation and delay in senescence, 157  
 fungicides for, 145, 146, 187, 9·23  
 gangrene (*Phoma exigua*) on, 143, 146, 147  
 growth regulators as haulm sprays, 188  
 'healthier' seed, 47, 142, 144  
 in Woburn Ley-Arable experiment, 244, 245  
 irrigation for, 39, 146, 156  
 lenticel infection, 143, 7·1  
 linuron/paraquat to control weeds in, 251, 254  
 magnesium fertiliser for, 2·17  
 mechanical fractionation of, 63  
 N fertilisers for 250  
 nematodes in, 149, 150, 154, 155, 159, 160, 164, 254, 7·2, 8·8, 8·26  
 on Broadbalk, 244, 249  
 on Hoos Barley, 244  
 P fertilisers for, 56, 244  
 physiology of, in relation to yield, 102  
 pink rot (*Phytophthora erythroseptica*) on, 142, 250, 251  
 powdery scab (*Spongospora subterranea*) on, 148  
 protein cake of, for stock feed, 45, 63  
*Pseudomonas* spp. on, 142, 144  
 root growth related to soil moisture, 16·25  
 rooted stem cuttings, 142  
 Rothamsted-grown seed, 251  
 silver scurf (*Helminthosporium solani*) on, 144, 146, 147  
 skin spot (*Oospora* spp.) on, 145, 146, 147, 148, 7·10  
 slug damage, 206, 251  
 soil-applied pesticides for, 189  
 stem infection, 146  
 sulphur-coated urea for, 43, 48, 52  
 Survey of Fungal Diseases, 147  
 tuber formation, delay due to nitrate, 43, 48  
 tuber initiation, 102  
*Verticillium dahliae* on, 150, 159, 7·2, 8·8  
 virus diseases of, 110, 117, 147, 148, 7·8, 7·9, 7·20, 10·38  
 Virus Tested Stem Cutting Grade, 142  
 yields, 39, 46, 47, 57, 145, 146, 156, 160, 188, 244, 249, 251  
 yields from commercial and 'healthier' seed, 145  
 'Potential' growth rate of crops, 38  
 'PP 505', for pests in sugar beet, 257, 258, 259  
 PRB-8( $\alpha$ -chloro- $\beta$ -(3-chloro-*o*-tolyl)propionitrile, effect on sugar-beet growth, 100  
 'Prebane'. *See* Terbutryne  
 Proline, in leaves of pea plants, 111  
 Propionic acid, to control moulding in hay, 122, 190  
 Protoplasts  
 chloroplasts of, 7·17  
 infection of, with viruses, 7·5, 7·6  
 preparation of, 116, 119  
*Pseudomonas* spp. on potato, 142, 144  
*Puccinia coronata* (crown rust), on ryegrass, 136, 138  
*Puccinia graminis tritici*, virus-like particles in, 7·21  
*Puccinia hordei* (brown rust), on wheat, 254  
*Puccinia striiformis* (yellow rust), on wheat, 135, 254, 7·12  
 Pygmy beetle (*Atomaria linearis*). *See* Beetles  
 Pyrazine, reactions of copper with, 11·3  
 Pyrazone, as herbicide in sugar beet, 261, 276  
 Pyrethrins, 172, 173, 9·3, 9·14, 9·15  
 Pyrethroids  
 acyclic, 170

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 318-375.

- Pyrethroids (*contd.*):  
 photostable, 167, 168, 169, 9·12, 9·13  
 resistance of housefly to, 174  
 structure-toxicity relationships of, 168  
 synthetic, 167, 168, 169, 9·11  
 Pyritic soils, ochre formation in field drains in, 3·12  
*Pythium* spp.  
 effect of pesticides on, in beans, 141  
 on barley, 131  
 on wheat roots, 134  
*o*-Quinones, modification of viruses by, 110  
 Quintozene, for control of potato scab, 187, 188, 9·23  
 Radiocarbon dating of soil organic matter, 75  
 'Reference Plots' experiment, at Boxworth Experimental Husbandry Farm, 59  
 Residual Phosphate Rotation experiments, 242, 244  
 Resmethrin ('NRDC 104'), 169, 174, 9·15  
*Rhizobium* spp.  
 effect of casein hydrolysate on, 83  
 effect of yeast extract on, 83  
 International Biological Programme catalogue of strains, 83, 4·2  
 reduction of dye, Nile Blue, by, 82  
 selective medium for, 82  
*Rhizoctonia solani*  
 effect of pesticides on, in beans, 141  
 in cereals, 136  
 on potatoes, 146, 148, 7·10  
*Rhynchosporium secalis*, on barley, 126  
 Ribonucleases  
 affinity chromatography of, 6·13  
 in leaf extracts treated with phenol, 6·16  
 purification of, 6·14  
 Ribonucleic acid, of viruses, 117, 119  
 Ribulose diphosphate carboxylase, photosynthesis of wheat and, 91, 93  
 Rice, brown sheath rot of, 118  
 River Trent, soil pollution by flood waters, 72  
 Root-nodule bacteria, infection of clover by, 79, 8·3  
 Rosemaund Experimental Husbandry Farm, 125  
 Rotations  
 at Rothamsted farm, 249  
 at Woburn farm, 253  
 Rothamsted  
 cereal growth and yield compared with Broom's Barn, 43, 49, 278  
 weather at, 248, 378, 1·1, 1·4  
 Rothamsted Insect Survey, 193, 220, 222, 10·21  
 'Rotostat' seed treater, 177, 178  
*Rumex* spp. (Docks), in grass, 251  
*Saccharomyces cerevisiae*, virus infection of proto-plasts of, 7·6  
 Saddle gall midge (*Haplodiplosis equestris*), 180  
 Salts in soil, movement of, 40  
 'Sandoz 52.133', as fungicide on wheat, 7·13  
 Saponite-like mineral from South Africa, 70  
 Saxmundham  
 cereals at, 43, 48  
 weather at, 381  
 Scanning electron microscopy  
 of nematodes, 149, 150, 151  
 of *Symphyla*, 10·19  
 preparation of nematodes for, 151  
*Sclerotinia* rot of clover, 138  
 Seale Hayne Agricultural College, 125  
 Selenium, estimation of plant-available, 3·13  
*Septoria nodorum* (leaf spot), on wheat, 189, 250, 254  
 Serine  
 enzymic synthesis from glycine, 91  
 in leaves of pea plants, 111  
 in sugar beet, 100  
 metabolism in leaves, 92  
 Sewage sludge  
 aerobic and anaerobic incubation of, 77  
 toxic metals in, 77  
 Sheep diseases caused by mouldy hay, 121  
 Shropshire, soil survey in, 295  
 Silage  
 algal growth in effluent, 62  
 formic/propionic acid additive for, 252  
 Simazine, effect on beans, 250, 251, 254  
 Slugs  
 activity of, 16·15  
 in potatoes, 206, 251  
 Sodium  
 effect on soil structure, 268  
 effect on soluble carbohydrates in grass, 2·25, 2·26  
 effect on sugar beet, 268, 269, 270, 5·8, 16·18, 16·19  
 in British and Malayan soils, 2·16  
 replacement of K by, 268, 2·25, 2·26  
 silicate of soda, for barley, 241  
 Soil bacteria, 4·9  
 Soil biomass, 76  
 Soil cations in size fractions of soils, 2·16  
 Soil classification, 287, 304, 17·9, 17·21  
 Soil clays, 67-72  
*See also* Soil mineralogy  
 Soil compaction  
 effect on nematodes, 275  
 effect on sugar-beet yield, 275  
 in pastures, 312  
 Soil fauna  
 arthropods, 205  
 cutworms, 194, 203  
 earthworms, 180, 204, 205, 10·34  
 effect of pesticides on, 180, 201, 204, 205, 10·8, 10·12, 10·35, 10·37  
 effect of stubble burning on, 205  
 effect of temperature and moisture on, 206  
 slugs, 206, 251, 16·15  
 vertical distribution of, 206  
*See also* Earthworms  
 Soil fumigation. *See* Soil sterilisation  
 Soil geochemistry, 72  
 Soil mapping  
 air photography for, 310  
 national soil map of England and Wales, 311  
 Soil mineralogy  
 clay mineralogy of Nile-Delta sediments, 71  
 determination by X-ray diffraction, 307  
 effect of heating on specific surface area, 70  
 interlayering in soils and clays, 67  
 interstratified expanding clay mineral, 68  
 mixed-layer montmorillonite-chlorite, 69  
 of Western State, Nigeria, 69  
 pretreatments for dispersing clay, 68  
 saponite-like mineral, 70  
 Soil moisture  
 cereal growth and, 90, 123, 16·25  
 effect on sugar beet, 16·17, 16·18, 16·19, 16·25  
 effect on take-all in wheat, 123  
 plant response to N fertiliser and, 123  
 root growth and, 16·25  
 water/air regimes, 305  
 Soil nutrient potential, 2·9  
 Soil organic matter  
 age of, 76  
 cumulative effect on crop yields on light soils, 2·13  
 effect on boron content of crops, 61  
 effect on K-Ca exchange in soil, 59  
 effect on P adsorption by calcareous soils, 58  
 mobilisation of Mo, V and U by, 3·3  
 radiocarbon dating of, 75  
 Soil respiration, 41  
 Soil salinity, crop growth and, 59  
 Soil sterilisation  
 by gamma radiation, 76  
 effect of sulphur dioxide on photosynthesis, 98  
 effect on decomposition of plant material, 76  
 effect on nematodes, 150, 157, 278, 8·16  
 effect on potato senescence, 157  
 effect on sugar beet, 278, 16·4, 16·26  
*See also* names of chemicals used as sterilants  
 Soil structure  
 damage to, during sugar-beet harvesting, 275  
 effect of sodium and potassium fertilisers on, 268  
 instruments for studying, 41

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

## INDEX

- Soil structure (*contd.*):  
 microstructure, 307  
 preparation of clay soils for determining, 3·8
- Soil Survey of England and Wales  
 national soil map (1 : 1,000,000), 311  
 new soil classification, 283, 311
- Soil surveying  
 air photography and, 310, 17·24  
 indexing of data, 17·30  
 terrain evaluation, 17·22
- Soil surveys  
 Avon, 299  
 Berkshire, 297  
 Cambridgeshire, 291  
 Cheshire, 283  
 Clwyd, 301  
 Cornwall, 299  
 Cumbria, 286  
 Derbyshire, 293  
 Devonshire, 300  
 Dyfed, 303  
 Essex, 297  
 Herefordshire, 295  
 Kent, 298  
 Lincolnshire, 293  
 Norfolk, 291  
 Northumberland, 290  
 Nottinghamshire, 294  
 Oxfordshire, 299  
 Pembrokeshire, 303  
 Shropshire, 295  
 Staffordshire, 295, 296  
 Suffolk, 292  
 Wiltshire, 301  
 Worcestershire, 295  
 Yorkshire, 290
- Soil temperature, infrared linescan imagery for recording, 311
- Soil water potentials, 99
- Solanum multidissectum*, 153
- Solanum tuberosum* ssp. *andigena*, 149, 154
- Solar radiation, for plant growth, 40, 1·7, 1·8, 1·9
- Solomon Islands, virus diseases in, 118, 7·11
- South Africa, saponite-like mineral from, 70
- Soyabean  
 effect of type of illumination on, 85  
 mycorrhiza in, 82
- Specific surface area of soils, effect of heating on, 70
- Spinach, rate of sucrose synthesis in, 93
- Spindle tree (*Euonymus europaeus*)  
 as host for aphids, 185, 196, 197, 263, 8·22  
 nematodes on, 8·22
- Spongospora subterranea*, on potato, 148
- 'Spontox' (2,4,5-T with 2,4-D), to control nettles, 255
- Spore traps, 126
- Sporobolomyces* spp. on wheat, fungicides for, 7·13
- Staffordshire  
 mineralogy of soils, 307  
 soil survey in, 295, 296
- Statistical analysis  
 analysis of covariance of photosynthesis, 90  
 cluster analysis, 221, 228  
 fertiliser practice surveys, 222  
 for foliar diseases of cereals, 223  
 for groups of experiments, 221  
 for livestock, 221  
 for milk, keeping quality of, 222  
 for seed-tuber diseases of potatoes, 223  
 for weeds, 223  
 multidimensional scaling, 220  
 multivariate, 220, 224, 226  
 of epidemiological data, 12·18  
 pesticide surveys, 223  
 principal coordinate analysis, 73  
 probit analysis, 220  
 Procrustes method, 224  
 Rothamsted Insect Survey, 222  
 routine analyses, 223  
 surveys, 222  
 User's Guides, 226, 12·2, 12·3, 12·6, 12·9
- Statistical programming  
 CALCULATE directive, 225  
 cluster analysis, 221, 228  
 diagnostic keys, 224, 228, 12·21  
 'FUNCTION' directive, 227  
 General Survey Program, 226  
 Generalised Linear Interactive Modelling (GLIM), 227, 12·6  
 Genkey, 228, 12·21  
 GENSTAT, 223, 224, 225, 226, 227, 12·6, 12·20  
 HIERARCHY directive, 225  
 identification techniques, 12·24  
 latent roots and vectors, 12·25, 12·26  
 Maximum Likelihood Program, 227  
 mixed-up values in experiments, 12·22  
 multivariate data, 220, 224, 226  
 Numerical Algorithms Group Project, 227  
 structure formulae, 12·23
- Statistical theory  
 analysis of variance, 225, 12·28  
 classification problems, 12·13, 12·14  
 diagnostic keys, 224, 228, 12·21  
 documentation, 226  
 fertilisers, field experiments with, 12·11  
 inference, 223  
 language, 226, 12·6  
 multivariate analysis, 220, 224, 226  
 non-linear models, 223  
 Procrustes method, 224  
 quasi-likelihoods, 225  
 relative abundance of species, 225  
 soil-nutrient sampling, 12·12, 12·19  
 three-way grids, 12·15
- Stellaria media* (chickweed), in grass, 251
- Stomatal resistance in leaves, 39, 40
- Stored products  
 flour moth (*Anagasta kuehniella*) in, 9·24  
 fungus diseases of, 121  
 pheromones of pests of, 9·24
- Storm run-off from roads, 72, 74, 75
- Streptomyces scabies*, on potato, 143, 148, 187, 188, 254, 9·23
- Stubble burning, effect on soil fauna, 205
- Suberosis caused by dust from cork factory, 122
- Sucrose synthesis, in leaves, 92, 5·6
- Suffolk  
 soil survey in, 292  
 soils over boulder clay in, 309
- Sugar beet  
 aphid spray warnings, 256  
 aphids on, 262, 263, 264  
 bird repellants for, 260, 261, 16·22  
 blackleg (*Aphanomyces cochlioides*) on, 261  
 bolters, 276  
 boron deficiency in, 45, 60, 270  
 caging against bird and mammal damage, 260  
 copper for, 270  
 cytokinins in sap, 101  
 damage to soil during harvesting, 275  
 defoliation, artificial, 260  
 Docking disorder, 265, 16·4, 16·16, 16·17, 16·26  
 downy mildew on, 266  
 effect of atmospheric humidity on, 5·7  
 effect of light and temperature on, 5·11  
 effect of Na and K on seedlings, 268, 269, 270  
 effect of *Polymyxa betae* on, 124  
 effect of soil compaction on yield, 275  
 effect of soil fumigation on, 278, 16·4, 16·26  
 effect of soil moisture on, 16·17, 16·18, 16·19, 16·25  
 effect of soil salinity on, 59  
 effect of trace elements on, 263, 269  
 EMP (ethylmercuric phosphate) steep for, 261, 262  
 endogenous growth substances in, 101  
 fertilisers for, 268–271, 278  
 foliage-feeding pests of, 256  
 footrot, 266  
 frequency of beet and barley, 277  
 fungus diseases, 261, 264, 265, 266

## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 318–375

- Sugar beet (*contd.*):  
 germination, 271  
 grazing of seedlings by birds, 260, 16·22  
 gibberellin-like substances in, 101  
 green manuring, 274  
 growth in controlled environment, 99  
 growth regulators for, 100, 101, 267, 276  
 heart rot, 60  
 herbicides for, 261  
 irrigation for, 266, 267, 271, 272, 16·18, 16·19, 16·27  
 isobutylidene diurea for, 274  
 magnesium deficiency and fertilisers for, 45, 262, 270, 271, 2·17  
 manganese for, 262, 269, 16·20  
 millepedes in, 257, 258, 16·23  
 monogerm and polyploid seed, 267, 273, 276  
 nematodes in, 162, 265, 16·16, 16·17, 16·24, 16·26  
 nitrogen fertilisers for, 267, 268, 270, 271, 277, 278, 16·21, 16·27, 16·28  
 on ridges, 273  
 pest aggregation in, 257  
*Phoma betae* on, 261  
 plant density, 272, 273, 16·18, 16·19  
*Polymyxa betae* in, 124  
 potassium fertilisers for, 268, 269, 16·18, 16·19  
 powdery mildew on, 262, 263, 264  
 pygmy beetles in, 256, 258, 261, 16·23  
 'Rhizomania' in, 124  
 root growth related to soil moisture, 16·25  
 root-feeding pests, 258  
 rotations with cereals, 276–280  
 seed production, 266, 16·29  
 seed quality, 16·30  
 seed storage, 267  
 seedbed preparation, 273  
 seedling pests and diseases, 256–262  
 sodium fertilisers for, 268, 269, 270, 5·8, 16·18, 16·19  
 soil pests, 257  
 storage root, development of, 5·10  
 symphylids in, 258  
 time of sowing and harvesting, 273, 16·21  
 violet root rot, 265  
 virus diseases of, 118, 255, 260, 262, 266, 276, 16·26, 16·27  
 water relationships, 98  
 water stress in, 99, 5·8  
 weeds in, 249  
 wilting of, 98  
 wireworms in, 258  
 yields, 162, 250, 255, 258, 260, 270, 272, 273, 274, 276, 277
- Sugar cane, streak disease of, 118
- Sugar-cane bagasse  
 microflora of, 121  
 moulding of, 7·16
- Sulphur  
 in plant material, methods of determining, 2·18, 3·4  
 in soils and herbage in Pembrokeshire, 74  
 in wheat on Broadbalk, 51  
 pollution from brickfields, 96  
 seasonal variation in uptake by plants, 75  
 uptake by barley, 97  
 uptake by groundnuts, 2·21
- Swedes  
 effect on mycorrhiza in onion, 81  
 P fertilisers for, 45, 56, 57  
 yields, 56, 57
- Symbiosis in legumes  
 effect of inoculation, temperature and N fertiliser on, 84  
 genetics of increasing effectiveness, 79
- Symphyla, scanning electron microscopy of, 10·19
- Take-all (*Gaeumannomyces graminis*) on cereals  
*Agrostis gigantea*, as host, 132  
 bacteria, inhibitory, in soil and debris, 130  
 brown sheath rot of rice and, 118
- Take-all on cereals (*contd.*):  
 decline of, 79, 128  
 effect of cropping on, 130  
 effect of cultivation on, 135  
 effect of fallow on, 123  
 effect of fertilisers on, 79, 131, 132  
 effect of *Phialophora radicola* on, 131  
 effect on nutrient uptake of wheat, 123  
 microbial populations and nitrogen in soils with, 4·7, 7·18  
 straw disposal and, 135  
 Take-all Experiment, 132  
 transmissible inhibition of, 129  
 virus-like particles in, 118, 7·22
- 'Talcord' (thiocarboxime)  
 as nematocide, 161  
 for slugs in potatoes, 206
- Tarophagus proserpina*, as virus vector, 118
- 'Telone', as nematocide, 161, 8·26, 16·16
- Terbutryne ('Prebane'), for control of blackgrass, 106, 249
- Tetrachlorvinphos, resistance of housefly to, 173, 174
- Tetradifon, effect on earthworms, 204
- Thallium ascorbate, 217, 11·7
- Thermoactinomyces vulgaris*, in mouldy hay, 121
- Thiabendazole  
 as fungicide on potato, 145, 146, 147, 9·33  
 as nematocide, 161
- Thiocarboxime. *See* 'Talcord'
- Thionazin, for control of saddle gall midge, 180
- Thiophanate methyl  
 as fungicide on cereals, 178, 7·13  
 effect on mycorrhiza, 81
- Thrips, 10·1
- Tillage. *See* Cultivation
- Tipula paludosa*, pathogens of, 10·2
- Tobacco, virus diseases of, 116, 117, 7·5, 7·6, 16·26
- Tomato  
 blackring virus of, 16·26  
 potato-cyst nematodes on, 160
- Trace elements  
 drainage and soil content of, 74  
 effect on sugar beet, 263, 269  
 in Denchworth soil series, 73  
 in Pembrokeshire soils, 74, 312  
 in road run-off water, 72, 74  
 in soil developed on loess, 3·10  
 in wheat, 51  
 mobilisation of Mo, V and U by organic matter, 3·3  
 soil pollution with, by flood waters, 72  
*See also* names of individual trace elements
- Transpiration, measurement in canopy enclosures, 40
- Trent River Authority, 72
- Trichlorophon, resistance of housefly to, 173
- Tridemorph ('Calixin')  
 applied with liquid fertiliser to wheat, 55  
 as fungicide on cereals, 55, 120, 126, 127, 250, 254, 280, 7·13
- Trifolium pratense*, root organ cultures of, 81
- Triforene, as fungicide on cereals, 7·13
- Triphenyltin hydroxide, for controlling *Phoma betae* in sugar beet, 261
- Tryptophan, in wheat leaves, 5·12
- Tsuga heterophylla*, 2·15
- 'U-12171', for pests in sugar beet, 261
- UDP glucose-fructosephosphate glucosyltransferase, 92
- UDP glucose pyrophosphorylase, 93
- Uganda  
 cotton experiments in, 228  
 soil-fertility experiments in, 229  
 tuberculin reactions in cattle, 229
- Uranium, mobilisation and fixation of, by plant matter, 3·3
- Urea  
 compared with aqueous ammonia, 44, 53  
 compared with 'Nitro-Chalk', 54, 55  
 in liquid fertilisers, 44, 51, 54  
 nitrification of, 41, 52

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

INDEX

- Urea (*contd.*)  
 risk to germination of barley, 44, 51  
 sulphur-coated, 43, 44, 48, 52, 53  
*Ustilago nuda*, on barley, 190
- Vanadium, mobilisation and fixation of, by plant matter, 3·3
- Verticillium dahliae*, on potato, 150, 159, 7·2, 8·8  
*Verticillium lecanii*, in dust during harvesting, 121
- Vesicular-arbuscular mycorrhiza, 79, 80, 81, 4·1, 4·5, 4·6
- Vigna* spp., 85
- Viruses  
 aggregates in plants, 7·20  
 Animal Virus Research Institute, Pirbright, 210  
 aphid transmitted, 117, 118, 124, 137, 139, 141, 7·8, 7·9, 7·19, 10·38  
 effect of date of sowing cereals on infection, 125  
 effect of manganese sulphate on, 262  
 effect of pesticides on, 140  
 effect of spacing, N fertiliser and irrigation on, 16·27  
 effect of trace elements on spread of, 262, 263  
 effect of weather on, 262  
 electron microscopy of, 118, 137  
 genetic complementation between, 7·14  
 heat therapy of infected seed, 140  
 hopper transmitted, 118, 137  
 Hymenoptera and, 10·3  
 in beans, 139, 246  
 in cereals, 118, 124, 135, 137, 138, 7·19  
 in grasses, 136  
 in insects, 192, 209, 10·23, 10·24  
 in mosquitoes, 210  
 in moths, 210  
 in potatoes, 110, 117, 147, 148, 7·8, 7·9, 7·20, 10·38  
 in suckling mice, 210  
 in sugar beet, 255, 260, 262, 266, 276, 16·26, 16·27  
 in tobacco, 116, 117, 7·5, 7·6, 16·26  
 in tropical crops, 118  
 infection of protoplasts with, 116, 7·5, 7·6  
 isopycnic banding of, 7·24  
 invertebrate control by, 10·3, 10·4  
 mealy-bug transmitted, 118  
 mite-transmitted, 136, 7·20  
 modification by *o*-quinones, 110  
 nematode-transmitted, 16·26  
 picornaviruses, 10·24  
 pin wheels and, 7·20  
 pollen transmission and, 140  
 protein of, 117, 7·14  
 protoplast preparation for virus infection, 116  
 protoplasts, infection with, 7·5, 7·6  
 purification of, 118  
 resistance mechanism in plants to, 117  
 ribonucleic acid of, 117, 119  
 seed-borne, 137, 140, 246  
 spread by grass-cutting machinery, 136  
*Tarophagus proserpina*, as vector, 118  
 transmission, component for, 117  
 transmitted by *Olpidium brassicae*, 8·22  
 'viroplasm', 7·11  
 virus-like particles, 118, 7·11, 7·21, 7·22  
 weevil-transmitted, 139, 140, 246
- Viruses, names of  
 acute bee paralysis, 210, 10·24  
 alfalfa mosaic, 117  
 Arkansas bee virus, 209  
 barley yellow dwarf, 124, 125, 135, 138, 7·19  
 bean leaf roll, 139  
 bean yellow mosaic, 139  
 bee virus X, 209  
 beet mild yellows, 262, 276  
 beet yellows, 255, 256, 262, 263, 266, 276, 16·27  
 broad bean stain, 139, 140, 246, 251  
 broad bean true mosaic, 139, 140, 246  
 broad bean wilt, 7·23  
 chronic bee paralysis, 210
- Viruses (*contd.*):  
 cocksfoot mild mosaic, 137  
 cowpea mosaic, 7·14  
 cucumber mosaic, 117  
 Echte Ackerbohnenmosaik, 139, 140, 246  
 euonymus mosaic, 8·22  
 festuca mottle, 137  
 henbane mosaic, 117  
 kale virus, 7·14  
 leaf drop streak, 148  
 maize streak, 118  
 nasturtium mosaic, 7·23  
 nasturtium ringspot, 7·23  
 necrotic streak, 137  
 Nodamura, 192, 210, 10·23  
 oat sterile dwarf, 137  
 parsley virus 3, 7·23  
 pea mosaic, 139  
 potato aucuba mosaic, 117, 7·9  
 potato X, 110, 117  
 potato Y, 111, 117, 148, 7·9, 7·20  
 radish mosaic, 7·14, 7·24  
 Ringmosaik der Kapuzinerkresse, 7·23  
 ryegrass bacilliform, 136  
 ryegrass mosaic, 116, 136, 137, 138, 7·20  
 ryegrass spherical, 137  
 sacbrood of bees, 10·24  
 severe etch, 117  
 'speckled yellows', 262  
 tobacco mosaic, 116, 117, 7·5, 7·6  
 tobacco necrosis, 117  
 tobacco rattle, 16·26  
 tomato blackring, 16·26  
 toproll, 147, 7·8, 10·38  
 turnip virus, 7·14
- Wantage, soils of, 17·7
- Water contamination from motorways, 72  
 Water potential in leaves and roots, 41, 98, 99  
 Water retention by field soils, 17·29  
 Water stress, in sugar beet, 99, 5·8  
 Water use, by crops, 38  
 Weed Research Organisation, Oxfordshire, 159, 223
- Weeds  
 biology of perennial, 102  
 chickweed (*Stellaria media*), 251  
 competition with wheat, 103, 106  
 Cultivation-Weedkiller experiment, 250  
 docks (*Rumex* spp.), 251, 255  
 on Broadbalk, 106, 249  
 wild oats, 106, 249, 253  
*See also Agropyron; Agrostis; Alopecurus; Equisetum; Wild oats*
- Weevils  
 caught in suction traps, 140  
 effect of pesticides on, 140, 207  
 in beans, 139–141, 207, 246  
 virus-transmitting, 139, 140, 246
- Wheat  
 aminoacyl-tRNA synthesis in, 6·17  
 apical meristem development, 51  
 at Saxmundham, 43, 44, 48  
 brown rust (*Puccinia hordei*) on, 254  
 carbohydrate metabolism in, 88  
 carbon compounds in metabolism, 92  
 cytokinin in grain and leaves, 94, 5·12  
 effect of atmospheric humidity on, 5·7  
 effect of farmyard manure on, 50, 239  
 effect of herbicides on, 106  
 effect of liquid fungicides on, 179  
 effect of seed rate and row width on, 48  
 effect of temperature on grain growth, 93  
 enzyme systems in, 88, 91  
 fungus diseases on, 130, 134, 135, 220, 250, 254, 7·12, 7·13  
 gibberellic acid in grain, 93  
 growth substance distribution in leaves, 93, 5·12  
 inflorescence development, 51  
 leaf spot (*Septoria nodorum*) on, 189, 250, 254  
 liquid fertiliser and fungicide applied to, 54



## INDEX

Numbers in italics refer to the Abstracts of Papers on pp. 318–375.

- Wheat (*contd.*):  
magnesium fertiliser for, 2·17  
mercury/dieldrin dressing for, 250, 254  
micronutrients in, 51  
N fertilisers for, 48, 89, 158, 239, 250  
nitrate concentrations in leaves and stems, 49  
nutrient and water uptake by, 123  
on Broadbalk, 50, 51, 239  
*Phialophora radiculicola* on, 131, 134  
*Polymyxa graminis* on roots, 134  
potassium and nitrate in root zone, 2·24  
root and shoot growth of, 5·9  
root systems, 94  
rotations, 239, 279  
senescence in, 93, 96  
sowing rate and yield, 89, 90  
spikelet numbers, 51  
starch accumulation, effect of growth substances on, 94  
sucrose synthesis in, rate of, 92  
sulphur deficiency in, 51  
weed competition with, 103–107  
wheat bulb fly on, 181, 198, 9·32  
yellow rust (*Puccinia striiformis*) on, 135, 254, 7·12  
yields, 49, 50, 51, 239, 240, 241, 250, 254, 278, 279, 305  
*See also* Cereals; Eyespot; Take-all
- Wheat bulb fly (*Leptohylemyia coarctata*)  
beetles as predators, 200  
chemical control of, 180  
effect of cereal exudates on, 181, 9·32  
effect of charcoal and composts on, 182  
egg mortality, 10·48, 10·49  
egg populations, fluctuations in, 200, 220, 12·16  
*Entomophthora* spp. on, 199, 10·55, 12·27  
flight activity of adults, 199  
hosts of, 200  
in wheat and fallow, 199, 9·32  
maturation of ovaries, 199  
population studies, 198, 200
- Wild oats (*Avena fatua*), 106, 249, 253
- Wiltshire  
shallow soils over chalk in, 308  
soil survey in, 301
- Wireworms, in sugar beet, 258
- Woburn  
aerial pollution from brickfields, 96  
boron deficiencies at, 45, 60  
'break' crops for cereals at, 253  
cereals at, 44, 239–241, 253, 254  
Conifer Reference experiments at, 2·10  
cultivation at, 41  
effect of weather on crops at, 252  
Intensive Cereals experiment at, 241, 242, 245  
Ley-Arable experiment at, 239, 244  
magnesium deficiency at, 45, 60  
magnesium for beet, potatoes and wheat at, 2·17  
Organic Manuring experiment at, 61, 2·12, 2·13  
rotations at, 253  
weather at, 252, 379
- Worcestershire, soil survey in, 295
- X-ray diffraction, 67, 68, 69, 70, 307  
X-ray fluorescence analysis, 73, 74, 2·18, 3·4  
X-ray powder diffraction, 216
- Yeast, virus infection of protoplasts of, 7·6
- Yorkshire  
loess in soils of, 71  
reconnaissance survey of soils in Pennines, 310  
soil survey in, 290  
soils of, 17·6, 17·8
- Zambia  
fertiliser experiments in, 228  
tree-species groupings in, 228
- Zearalenone, 116, 121
- Zeatin, 94
- Zinc, in wheat, on Broadbalk, 51