

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Rothamsted Experimental Station Report for 1973 Part 2



[Full Table of Content](#)

## Subject Index

### Rothamsted Research

Rothamsted Research (1974) *Subject Index* ; Rothamsted Experimental Station Report For 1973 Part 2, pp 271 - 273 - DOI: <https://doi.org/10.23637/ERADOC-1-8>

## SUBJECT INDEX

- Abies grandis*. See Grand fir  
See also Conifers
- Aerial pollution, effect on young conifers, 159
- Agdell Experiment at Rothamsted  
behaviour of K remaining in soils, 74–97  
pot-and field-experiment results, 84, 86  
soils of, 74
- Ammonium sulphate, effect on Park Grass, 71
- Analytical methods  
in Woburn Conifer Reference Experiments (1961–69), 169  
in Woburn Organic Manuring Experiment (1964–72), 148
- Aphids  
aerial sampling methods, 203  
behaviour differences between species, 221  
biotypes, 202  
bulletins, 206, 240  
crop infestation, forecasting of, 235  
dates of first arrivals, 221  
distribution of, 206, 213, 226, 230, 233, 235  
diurnal flight periodicity, 209  
in cereals, 221  
in potatoes, 223  
in Rothamsted Insect Survey traps, 242–257  
in sugar beet, 223  
migration, 210, 211, 223, 235  
movement into the crop, 224  
pest monitoring, 207  
relationship between aerial and ground populations, 220  
total numbers of species caught 1972, 218  
See also Insects
- Barley  
apparent recoveries of N by, 108  
effect of depth of soil on root length, 36, 41, 50  
effect of N on growth, 30, 45, 57  
effect of NPK on root growth, 33, 36, 61  
effect of organic manures on, 109  
effect of shading on growth, 38, 41, 61, 62  
root growth, 30–47, 58  
yield, causes of variation in, 5  
yields, 128  
See also Cereals
- Beans  
effect of organic manures on, 109, 112  
yields, 131
- Boron  
water-soluble in Woburn soils, 136
- Calcium, amount removed by crops, 133
- Carbon in soil  
changes in Organic Manuring Experiment, 134, 135, 137  
losses of from Woburn soil, 137
- Cereals  
aphids in, 221  
carbohydrate in grain, 6  
dry weight of roots, 31, 34–41, 43–58  
effect of N on root growth, 30–37, 43, 45, 46, 61  
effect of soil type on root growth, 63  
effect of temperature and radiation in growth rooms, 14  
grain number and size, 20  
grain yield and temperature, 16, 19  
growth substances and carbohydrate accumulation in, 21  
leaf area, 9–14  
leaf-area index, 5  
net assimilation rate in, 5  
normal and semi-dwarf varieties, 47, 53, 55  
nutrient and water uptake and root growth, 63  
radiation and vegetative growth, 17  
root growth, 26–66  
root length, 43, 44, 50–52, 55, 60, 62  
root sampling methods, 26, 59  
seasonal effect on growth, 58, 59  
semi-dwarf, 47, 53  
shoot growth, 46  
sink capacity, 18, 20  
soil core sampling for, 27  
temperature and distribution of carbohydrate in, 14, 18  
temperature and vegetative growth, 17
- Compost for conifers, 152–159
- Conifers  
aerial pollution, effect on, 159  
compost for, 152–159  
deficiency symptoms in, 158  
eelworms on, 159  
effect of Mg on, 161  
effect of rainfall on growth, 156, 158  
effect of seed origin on growth, 156  
effect of seedcover grit on growth, 156  
fertiliser application rates compared with arable crops, 156  
fertilisers and composts compared, 154, 157  
formalin for, 152, 154, 157, 159, 161  
nutrient concentrations of seedlings, 159  
nutrient responses compared with arable crops, 160  
Reference Experiments at Woburn, 152–171  
root fungi on, 158, 170  
slow-release and soluble fertilisers compared, 152, 154, 162, 163, 164, 166  
soil analyses in Woburn Reference Experiment, 165, 169  
transplants damaged by fertiliser, 152  
Crop canopies, light penetration into, 177
- Drainage, 200
- Evaporation at Rothamsted, 196
- Farmyard manure  
analysis of, 128  
compared with PKMg fertilisers, 99  
cumulative effects from, 123  
dry matter and organic matter in, 100  
effect on C and N in soil, 138  
effect on crop yield, 109, 111, 112  
effect on mineralisable N in soil, 144  
effect on Park Grass, 72  
effect on potato yields, 120  
mineral content of, 100  
N released from, 106
- Formalin  
for young Sitka spruce, 152, 154, 157, 159  
increases in Mn caused by, 161
- Frit fly (*Oscinella frit*), 206, 208, 213
- Frosts at Rothamsted, 181
- Gall midges, 208
- Grand fir (*Abies grandis*)  
compared with Sitka spruce, 152  
dry-matter weights and nutrient concentrations in, 163, 164  
See also Conifers
- Grass and grass-clover  
amounts of C and N added to, 137  
clover content in leys, 103  
cumulative K uptake by, 76



## SUBJECT INDEX

- Grass and grass-clover (*cont.*):  
dry-matter production, 103  
effects of leys on potato yields, 120  
in Agdell Experiment, 75  
minerals removed by, 103  
recovery of recently-added fertiliser K in, 89  
seed mixtures used in Woburn Organic Manuring Experiment, 102
- Green manures  
amounts of dry matter and N ploughed in as, 101  
compared with PKMg fertilisers, 99  
cumulative effects from, 122  
effect on C and N in soil, 138  
effect on crop yields, 109, 111, 112  
effect on mineralisable N in soil, 144  
effect on potato yields, 120  
Italian ryegrass as, 101  
N released from, 106, 122  
red clover and Trefoil as, 101
- Growth rooms, extrapolation of cereal results to field conditions, 17
- Growth substances in cereal grains, 21
- Humidity at Rothamsted, 190
- Insect traps  
aphids caught in, 242–257  
differences between suction- and light-trap samples, 218  
for moths, 205  
light, 205, 207, 240, 258–269  
moths caught in, 258–269  
sampling methods, 207  
sites of, 204, 205  
suction, 205, 206, 240, 242–257  
Symap V Program for, 206
- Insecticides  
resistant pest strains produced by, 202  
restraint in use of, 206
- Insects  
control schedules, 202  
cost of sampling, 203  
distribution of, 202, 206, 210, 214, 226, 236  
diurnal flight periodicity, 208, 209  
effect of latitude on, 211, 236  
fluctuations in numbers flying, 208, 210  
index of diversity, 236  
migration, 202  
pest monitoring, 207, 236  
population dynamics theory, 202  
sampling, 203, 205  
toxic chemicals, restraint in use of, 206  
*See also* Aphids; Moths
- Leaf area in cereals, 9, 10, 12, 17
- Leys. *See* Grass and Grass-clover
- Light intensity  
effect on barley, 38, 41, 62
- Lime  
effect on mineralisable N in soil, 145  
effect on yield and botanical composition of Park Grass, 67–73
- Litter for young conifers, 152, 154, 155, 157, 159, 161
- Magnesium in soil  
amount removed by crops, 133  
effect of organic matter on exchangeable, 140  
effect on conifers, 161  
exchangeable in Organic Manuring Experiment, 135, 140
- Manganese  
increases caused by formalin and litter, 161
- Moths  
caught in Rothamsted Insect Survey, 258–269  
diurnal flights of, 209  
effect of latitude on, 211  
life cycles, 203  
light traps for, 205  
map of diversity distribution, 234  
maps of Great Britain, 227–229
- relationship between aerial and ground populations 220  
seasonal flight periodicity, 210  
total numbers of species caught 1972, 219  
*See also* Insects
- Nitrogen fertiliser  
apparent recovery of N from, 108  
effect on growth of barley, 30, 33, 34, 36, 45, 57, 61  
effect on potato yield, 120  
effect on uptake of minerals, 112  
for young conifers, 153–168
- Nitrogen in soil  
changes in Organic Manuring Experiment, 134, 137  
cumulative removal by crops, 117, 133  
effect of organic manures on, 144
- Norway spruce (*Picea abies*)  
compared with Sitka spruce, 152  
dry-matter weights and nutrient concentrations in, 163, 164  
*See also* Conifers
- Organic manures  
benefits from, 121, 122  
effect on C, N and organic matter in soil, 137, 138  
effect on crop yields, 109–112, 120  
effect on organic P in soil, 140  
effect on recovery of N from 'Nitro-Chalk', 107  
N released from, 106  
*See also* Farmyard manure
- Organic Manuring Experiment, Woburn (1964–72)  
analytical methods used, 147  
arable cropping and spring manuring, 104  
balancing dressings of PKMg fertilisers, 121  
changes in C and N in soils, 134  
clover content of leys, 103  
dry-matter production in, 103  
effects of N on uptake of minerals in, 112  
manurial treatments (1965–71), 101  
mechanical analysis and apparent density of soils, 134  
seed mixtures used, 102  
soil analyses, 134, 136, 149, 150, 151  
soil-borne diseases in, 121
- Park Grass  
botanical composition of, 67  
effect of farmyard manure and fishmeal on, 72  
effect of liming on botanical composition and yields, 67–73  
fertilisers applied, 67–73
- Partial sterilisation of soils for young conifers, 152, 154, 157, 159, 161
- Peat  
analyses of, 128  
compared with PKMg fertilisers, 99  
cumulative effects of, 121  
dry matter and organic matter in, 100  
effect on C and N in soil, 138  
effect on crop yields, 109, 111, 112  
effect on mineralisable N in soil, 144  
effect on potato yields, 108, 120  
mineral content of, 100  
N released from, 106
- Phosphorus fertiliser  
effect on growth of barley, 33, 35, 36, 62  
for Park Grass, 71  
for young conifers, 153–168
- Phosphorus in soil  
amount removed by crops, 133  
changes in Organic Manuring Experiment, 136  
effect of leys, organic manures and superphosphate on, 140  
effect of organic matter on soluble, 144
- Photosynthesis, 6, 17–20
- PKMg fertilisers  
amounts applied and removed by crops, 127  
balancing dressings of in Organic Manuring Experiment, 121



## SUBJECT INDEX

- PKMg fertilisers (*cont.*):  
  compared with organic manures, 99  
  for arable crops, 99–111  
  for young conifers, 153–168
- Potassium fertiliser  
  cumulative uptake by soils, 76, 81, 82  
  effect on growth of barley, 33, 35, 36, 62  
  for young conifers, 153–168
- Potassium in soil  
  amount removed by crops, 133  
  comparison of pot- and field-experiment results, 86  
  cumulative uptake by soils, 76–82, 96  
  effect of organic matter on exchangeable, 140  
  exchangeable in Organic Manuring Experiment, 135  
  in Agdell Experiment, 74–97  
  recovery of, 89–91  
  release of non-exchangeable, 83  
  reproducibility of pot-experiment results, 84  
  uptake of non-exchangeable by crop, 82
- Potatoes  
  aphids in, 223  
  apparent recovery of N by, 108  
  effect of N fertilisers on, 120  
  effects of organic manures on, 108, 109, 120  
  yields, 129
- Potential evaporation (potential transpiration), 197
- Radiation, 173–177
- Rainfall at Rothamsted, 186
- Respiration, loss of CO<sub>2</sub> in wheat by, 8
- Root growth of cereals  
  dry weight of roots, 31, 34–41, 43–58  
  effect of fertilisers on, 30, 33, 45, 61  
  effect of shading on, 38, 41, 62  
  effect of soil type and condition on, 63  
  in crop rows and spaces, 43, 54  
  in normal and semi-dwarf varieties, 47, 53  
  lengths in different cereals, 43, 50–52, 55, 60, 62  
  root sampling methods, 26, 59  
  soil core compaction and, 29  
  wheat, oats and barley compared, 42
- Rothamsted Insect Survey, 203, 205, 236, 240–269
- Rye, 109, 112, 131, 132
- Sitka spruce (*Picea sitchensis*)  
  comparison with Norway spruce and Grand fir, 152  
  dry-matter weights and nutrient concentrations in, 163, 164  
  growth and nutrient uptake, 152  
  *See also* Conifers
- Sodium in soil, amount removed by crops, 133
- Soil analysis methods  
  used in Conifer Reference Experiments, 169  
  used in Organic Manuring Experiments, 147
- Soil compaction, effect on cereal root growth, 63
- Soil sampling  
  coring tubes for, 27  
  motor breaker for tubes for, 28
- Soil temperature at Rothamsted, 183
- Solar energy, 172
- Solar radiation, 173–177
- Straw  
  analyses of, 128  
  compared with PKMg fertilisers, 99, 122  
  dry matter and organic matter in, 100  
  effect on C and N in soil, 138  
  effect on crop yields, 109, 120  
  effect on mineralisable N in soil, 144  
  effect on potato yields, 120  
  mineral content of, 100  
  N released from, 106
- Sugar beet  
  aphids in, 223  
  apparent recoveries of N by, 108  
  effect of organic manures on, 109, 111  
  yellows viruses, spray warning scheme, 236  
  yields, 130
- Sunshine, duration of at Rothamsted, 175
- Temperature at Rothamsted, 180
- Thrips (Thysanoptera), 206, 208
- Toxic chemicals, restraint in use of, 206
- Weather at Rothamsted, 172–201
- Wheat  
  apparent recoveries of N by, 108  
  effect of organic manures on, 109, 111  
  root growth, 42–59  
  seasonal effects on shoot growth, 59  
  yield, causes of variation in, 5  
  yields, 129  
  *See also* Cereals
- Wind at Rothamsted, 195
- Woburn  
  Organic Manuring Experiment at (1964–72), 98–151  
  Reference Experiments on Conifers (1961–69), 152–171  
  root growth of cereals at, 26