

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Report for 1974 - Part 1

[Full Table of Content](#)



---

## Index

### Rothamsted Research

Rothamsted Research (1975) *Index* ; Report For 1974 - Part 1, pp 317 - 329 - DOI:  
<https://doi.org/10.23637/ERADOC-1-131>

## SUBJECT INDEX

The General Report by the Director (pp. 9–16) has not been indexed.

- 'AC 64475', as aphicide for sugar beet, 54  
'AC 92100'  
  as insecticide for wheat bulb fly, 147  
  for pests in sugar beet, 49, 54  
Acephate, aphid resistance to, 146  
Acetylcholinesterase, from resistant houseflies, 144  
Acid sulphate soils, 191, 199, 273  
Aerial photography  
  for plant-disease surveys, 217  
  for soil survey, 275  
Aerial pollution, effect on plant growth, 33  
Agricultural Development and Advisory Service, 147,  
  185, 230, 235, 277, 288, 289, 290  
*Agropyron repens* (Couchgrass)  
  aminotriazole to control, 122, 126  
  effect of N fertiliser on, 41  
  fallows to control, 123  
  herbicide for, 38, 122, 123, 126  
  in poor patches in rye grass, 233  
  on Broadbalk, 122  
  wheat bulb fly on, 108  
  wheat infestation by, 41  
*Agrostis gigantea* (common bent grass), 38, 41, 182,  
  223  
Air-drying of soils, effects on release of nutrients, 197  
Air turbulence within wheat, 207  
Aldicarb  
  analysis of, 158  
  as aphicide, 46, 52–55, 66, 159  
  as nematocide, 46, 57, 66, 160, 183, 184, 187, 188, 236  
  effect on potato yield, 183, 184  
  effect on soil, 159  
  effect on virus disease in grass, 232  
  for pests in sugar beet, 46–49, 50, 52–56, 66  
  residual effects on beans, 236  
  toxicity to mammals, 46  
Alkali metals, 165  
*Alopecurus myosuroides* (black grass)  
  effect of fertilisers on, 39, 42  
  germination of, 38, 39, 42  
  herbicides for control of, 38, 122  
  on Broadbalk, 38, 122  
Aluminium  
  crops which accumulate, 77  
  effect on tropical legumes, 88  
  exchangeable in acid soils, 87  
  P and K uptake by plants and, 77, 87  
  toxicity to plants, 77  
Amides in nitrogen mobility, 19  
Amino acids  
  biosynthesis of, 19  
  commercial production of, 23  
  effect of sulphur and nitrogen fertilisers on, 22  
  in grass, 77, 84, 85  
  in wheat protein, 22  
  non-protein in plants, 20, 77  
  P deficiency and accumulation of, 77  
  transport of, 21  
2-aminobutane, as fungicide for potato, 240  
Aminotriazole, as herbicide, 39, 122, 123, 126, 223  
Ammonia gas, adsorption of, by soil, 79  
Ammonium nitrate, 78, 85  
Ammonium sulphate, 78, 84  
*Anagallis arvensis* (scarlet pimpernel), 38, 39  
Animal Diseases Research Institute, Compton, 188  
*Aphanomyces cochlioides*, on sugarbeet, 51  
Aphicides  
  'AC 64475', 54  
  aldicarb, 46, 52–55, 66, 159  
Aphicides (*contd.*)  
  aphid resistance to, 55, 146  
  demeton-S-methyl, 52–56, 146, 235  
  dimethoate, 55, 146  
  disulfoton, 70, 147  
  for beans, 70, 124, 127, 235  
  for sugar beet, 52–56, 123, 128, 145  
  formothion, 55  
  menazon, 54, 220, 232  
  'Metasytox', 123, 124, 125, 127, 128, 235  
  methomyl, 56  
  omethoate, 55  
  permethrin ('NRDC 143'), 55  
  phosphamidon, 55  
  pirimicarb, 52–56, 146  
  propoxur, 56  
  *See also* Insecticides; Pesticides  
Aphids  
  artificial diets for, 151  
  biological control of, by wasps, 151  
  caught in traps, 52, 220  
  *Entomophthora* infection, 106, 107  
  esterase activity of, 146  
  *Euonymus europaeus* as host of, 52, 106, 152  
  fungus diseases of, 106, 107  
  identification by chromatography, 107  
  invasion of Britain from Europe by, 103  
  membrane feeding of, 213  
  migration of, 104, 220  
  on apple trees, 105  
  on beans, 52, 70, 106, 107, 124, 127, 234  
  on cereals, 104, 106, 220  
  on grass, 107  
  on potato, 104, 125, 241  
  on rape, 237  
  on sugar beet, 51–56, 123, 128, 135, 143, 145  
  overwintering, 52  
  parasitic fungi for controlling, 104  
  population of species in 1974, 105  
  predators of, 56, 104, 106, 107, 151  
  resistance to insecticides, 46, 55, 135, 143, 145  
  sampling stations, 104  
  spindle bushes as hosts, 52, 106, 152  
  spray warnings for, 52, 147  
  suction sampling of, 107  
  virus transmission by, 51–56, 104, 212, 232, 234, 236,  
  241  
  weekly bulletins on, 104  
Aphids, specific names of  
  *Acyrtosiphon pisum*, 107, 152, 236  
  *Aphis evonymi*, 152  
  *Aphis fabae*, 52, 53, 54, 55, 56, 104, 105, 106, 107, 124,  
  146, 147, 152, 236  
  *Aphis gossypii*, 215  
  *Aulacorthum solani*, 104, 105  
  *Brevicoryne brassicae*, 105, 152, 237  
  *Macrosiphum avenae*, = *Sitobion avenae*  
  *Macrosiphum euphorbiae*, 104, 105, 212, 241  
  *Megoura viciae*, 105, 152  
  *Metopolophium dirhodum*, 105, 106  
  *Metopolophium festucae*, 104, 105  
  *Myzus persicae*, 52, 53, 54, 55, 56, 104, 105, 128,  
  135, 143, 145, 146, 152, 212, 213, 215, 241  
  *Pemphigus* spp., 104, 105  
  *Phorodon humuli*, 105, 152  
  *Rhopalosiphum insertum*, 105, 106  
  *Rhopalosiphum padi*, 105, 106, 215, 220, 232  
  *Sitobion avenae*, 105, 106, 232  
  *Sitobion fragariae*, 105, 106



## INDEX

- Arthropods in sugar beet, 46  
*Aspergillus* spp., on stored cereals, 215  
Asulam, microbial degradation of, in soil, 254  
Atmospheric pollution, effect on cereal growth, 33  
Auxins in sugar beet, 37  
Avon,  
  soil survey in, 266  
  soil variability in, 276  
*Azotobacter* spp., in Rothamsted *Rhizobium* Collection, 245  
*Azotobacter paspali*, 250
- Barley  
  defoliation experiments with, 217  
  effect of sulphur dioxide on, 33  
  *Erysiphe graminis* (powdery mildew) on, 124, 127, 136, 156, 157, 212, 217, 220, 221, 222  
  frequency of beet and barley, 67  
  fungicides for, 69, 76, 79, 136, 156, 157  
  N fertiliser for, 31, 76, 78, 79, 124, 277, 287  
  nematode-resistant, 178  
  nematodes in, 57, 178, 182  
  *Puccinia hordei* (brown rust) on, 76, 79, 124, 127, 222  
  *Rhynchosporium* infection on, 212, 222, 230  
  root growth of, 31  
  senescence, effect of mildew on, 217  
  *Ustilago nuda* (smut) on, 157  
  variety trial, 277  
  yields, 124, 159, 220, 230, 277  
  See also Cereals; *Erysiphe graminis*; Take-all
- Barnfield, 122, 123  
'BAS 3000 F', as fungicide on wheat seed, 223  
'BAS 3170 F' See Benodanil  
'Bayer 6660', as fungicide for sugar beet, 56
- Beans  
  aphids on, 52, 70, 106, 107, 124, 127, 234  
  effect of aphicides on yield, 236  
  fungus disease of, 132  
  germination, effect of seed heating on, 184  
  N fertiliser for, 131  
  nematodes on, 124, 131, 173, 182, 183, 236  
  residual effect of nematocides on, 237  
  *Rhizobium leguminosorum* on, 245  
  seed heating for nematode control, 184  
  senescence, effect of aldicarb on, 236  
  simazine for, 70, 123, 124, 127  
  soil fumigation for, 131  
  'Subject Day on Field Beans', 211  
  virus diseases of, 124, 234-236  
  virus-free seed, 236  
  wilting of, 236  
  yields, 67, 70, 124, 127, 131
- Bee Advisory Service, 146  
Bees. See Honeybees  
Beet, red, common scab (*Streptomyces* spp.) on, 238
- Beetles  
  as predators of aphids, 56  
  caught in traps, 109  
  effect of soil cultivation on, 112  
  in sugar cane, 47
- Bendiocarb  
  for pests in sugar beet, 48, 49  
  microencapsulation of, 147  
  used in insecticidal baits, 150
- Benodanil ('BAS 3170 F')  
  as fungicide for barley, 69, 76, 79, 80  
  interaction with N fertiliser, 79
- Benomyl  
  as nematicide, 183, 187  
  effect on clover rot, 234  
  effect on soil, 159  
  extraction from potato tubers, 240  
  for barley, 69, 157, 159, 215  
  for brassicas, 237  
  for potatoes, 183, 239  
  for sugar beet, 56  
  movement of, in soil, 240
- Benzimidazoles  
  adsorption of, by potatoes and soil, 240  
  as fungicide for cereals, 157
- Benzimidazoles (contd.)  
  as nematicide, 187  
  synthesis of, 158
- Benzoylprop-ethyl, 113  
Berkshire, soil survey in, 265  
Betaine in sugar beet, 37  
'Betanal E' (phenmedipham), 67, 123
- BHC  
  as insecticide for wheat bulb fly, 147, 148  
  for pests in sugar beet, 48, 49  
  poisoning of honey bees by, 147  
  residual effect of, on beans, 237  
  seed treatment with, 158
- Bioallethrin, solubility of, 141  
Biodeterioration, 215  
Bioresmethrin, 139, 143, 145  
Blackgrass. See *Alopecurus myosuroides*
- Boron  
  amounts removed by crops, 88  
  effect on wheat yields, 63  
  in organic manures, 88
- Botrytis cinerea*, on rape, 237  
Boulder clay soils, 191, 194  
Boxworth Experimental Husbandry Farm, 230
- Brazil  
  mycorrhiza and phosphate in soils of, 251  
  tests with insecticides in, 150
- Bridgets Experimental Husbandry Farm, 185  
British Solomon Islands Protectorate, virus diseases in plants in, 214  
British Sugar Corporation, 59, 60, 136, 146
- Broadbalk  
  beans on, 81, 122  
  effect of farmyard manure and N fertilisers on, 81  
  farmyard-manure plots on, 80  
  magnesium fertiliser for, 122  
  N uptake by wheat on, 80, 81  
  nematodes on, 182, 185  
  potatoes on, 122  
  take-all on, 224  
  weeds on, 38, 122  
  wheat on, 76, 80, 81, 122, 185, 224  
  wheat yields and N contents of grain on, 81
- Broadbalk Wilderness, nitrogenase activity in soils, 249
- Broom's Barn Farm  
  cropping, 69  
  livestock, 71  
  soil analyses, changes in, 69  
  weather (1973-74), 45, 308
- Buckinghamshire, soil survey in, 265  
Butyl catechol, as soil-applied fungicide, 154
- Calcium nitrate  
  movement in soil, 78  
  sprays for wheat, 76, 78, 80
- Cambridgeshire, soil survey in, 260  
Captafol, as fungicide, 51, 215, 221  
Carbendazim, as fungicide, 157, 215, 234  
  effect on soil, 159, 240
- Carbofuran  
  as nematicide, 54, 187  
  for pests in sugar beet, 48, 49, 54
- Carbon dioxide  
  effect on carbohydrate metabolism of wheat, 27  
  uptake by plants, 206
- Carbophenothion, as insecticide, 147, 150  
Cardiganshire, trace elements in soils of, 272  
Cell walls, enzymes degrading, 18
- Cereals  
  aphids on, 104, 106, 220  
  *Aspergillus* spp. on, 215  
  browning root rot of, 229  
  copper as seed dressings, 63  
  Cultivation for Cereals experiment, 230  
  direct drilling for, 112  
  effect of aerial pollution on, 33  
  effect of copper, magnesium and boron on, 63  
  effect of cultivation on disease in, 230  
  effect of fumigation and N on, 68  
  effect of sulphur and fluoride on, 33



## INDEX

- Cereals (contd.)**  
*Erysiphe graminis* (mildew) on, 123, 124, 127, 136, 156, 157, 212, 217, 223  
 eyespot on, 223  
 fertilisers for, 25–29, 67, 68, 223  
 foot and root diseases, 230  
 fungicides for, 70, 154–158, 220–223  
*Fusarium* spp. on, 26, 154, 155, 156, 215, 230  
*Gaeumannomyces graminis* on, 18, 223, 226–229, 250  
*Gaeumannomyces-Phialophora* complex on, 18, 212, 226–229  
 Intensive Cereals experiment at Woburn, 83  
 mercury for seed treatment, 123, 127, 154–156, 158, 223  
 moulds in, during storage, 215  
 nematodes in, 57, 173, 178, 182, 185  
 nutrient uptake by diseased roots, 218  
 P deficiency and *Pythium* root infection, 229  
*Penicillium* spp. on, 215, 216  
*Phialophora radicola* on, 18, 212, 226–229  
 protein synthesis in seeds, 21, 22  
*Phytium* infection of roots, 229  
*Septoria nodorum* on, 154, 155, 223  
 sharp eyespot on, 223  
 soil-borne fungus on seeds, 154  
 straw chopper for stubble, 125  
 stubble cultivations, 66  
 stubble spraying with insecticides, 123  
 subsoil fertilising for, 68, 132  
 take-all on, 18, 123, 212, 223–229, 230, 250  
 virus diseases in, 214, 220  
 yields and soil type, 277  
 See also Barley; *Erysiphe graminis*; Maize; Oats; Take-all; Wheat  
 ‘CGA 12223’, as insecticide for wheat bulb fly, 147  
 Chalky boulder clay, 272  
 Charcoal, for controlling wheat bulb fly, 148  
 Chemical Liaison Unit, 158  
 Chemical Reference plots, 159  
 Cheshire, soil survey in, 258  
 Chickweed in grass, 125, 128  
 Chloranifmethan, as fungicide on barley, 221  
 Chlorfenvinphos, as insecticide, 147, 148, 150, 159  
 Chlorfurecol methyl, effect on sugar beet, 59  
 Chloromequat chloride (CCC)  
   effect on bolting in sugar beet, 35  
   effect on moulds in cereals, 215  
   effect on starch in wheat grains, 32  
   sprays for cereals, 70  
 Chloroform, soil fumigation with, 197  
 Chlorophyll in plants, 23, 28  
 Chloropicrin, 184, 185, 187, 188  
 Chlorpyrifos  
   for pests in sugar beet, 48  
   used in insecticidal baits, 150  
 Chlorthiamid, residual effect of, 40  
 Chlortoluron,  
   chromatography of, 160  
   effect of repeated application of, in soil, 159  
   effect on soil microflora, 253  
   measurement of residues in soil, 160  
 Chrysanthemate, dihalo analogues of, 137  
*Cirsium arvense* (creeping thistle), 39, 123  
 Cismethrin, solubility of, 141  
 Clay minerals  
   in English soil clays, 192  
   interstratified, diffraction patterns of, 192  
   of Nigerian soils, 195  
   See also Soil clays; Soil mineralogy  
 Clay soils, 194, 195, 196  
 Clover  
   breeding for increased N fixation in, 246  
   effect of aldicarb on yield, 232  
   effect of benomyl on, 234  
   root-hair infection, 248, 249  
   *Sclerotinia trifoliorum* on, 234  
   yields, 234  
 Clwyd  
   soil survey in, 268  
   trace elements in soils of, 272  
 Cockroach (*Periplaneta americana*), insecticides for, 142, 151  
 Codling moth, caught in traps, 148  
 Collembola in sugar beet, 47, 48  
*Colocasia esculenta* (taro), virus disease in, 214  
 Computer programs  
   bibliographic information retrieval, 99  
   cocoa-pod diseases, 100  
   coded soil data, 99, 274  
   evaporation and heat flux calculations, 207  
   field experiments on interference, 133  
   for maps of potential cropland, 277  
   for micrometeorology, 207  
   for molecular structures, 169  
   Multijob, 95, 97  
   nematode-competition simulation, 178  
   Numerical Algorithms Group, 98  
   pore space in thin sections of soil, 274  
   PRINT, 97  
   rates of flow of radioactive substances in plants, 99  
   Rothamsted Editor Program (REDIT), 97  
   Rothamsted General Survey Program, 99  
   spore-dispersal simulation, 207  
   taxonomic information retrieval, 99  
   wheat gene data, 99  
   See also Statistical Programming  
 Computers  
   Bath University Computing Centre, 99  
   CDC 6400, 99  
   distribution of work by agricultural institutes, 96  
   Edinburgh Regional Computing Centre, 93, 99, 275  
   equipment, 94  
   Honeywell systems, 98, 100  
   IBM 370/158, 99, 275  
   ICL 4, 93, 94, 95, 98, 100, 101, 274  
   Manchester Regional Computing Centre, 99  
   monitoring assessment of computer activity, 98  
   project costing, 100  
   Quantimet Image Analyser, 216, 274  
   telecommunications, 100  
   See also Computer programs; Statistical analysis; Statistical programming  
*Convolvulus arvensis* (Bindweed), herbicide for, 38  
 Copper, as seed dressing for cereals, 63  
 Cornwall  
   soil survey in, 267  
   trace elements in soil, 272  
 Cotton, analysis of trials on, 259  
 Couchgrass. See *Agropyron repens*  
 Coumatetralyl, for control of wood mice, 50  
 Cover loam, 272, 277  
 Cowpea, (*Vigna unguiculata*), 246, 247, 248  
 Crop physiology, 25  
 Crotoxyphos, used in insecticidal baits, 150, 151  
 Crown ethers  
   conformational energies of, 16  
   crystal structure of, 168  
 Crystal X-ray analysis, 169  
 Cultivation, effect on diseases and yield of cereals, 230  
 Cultivation for Cereals experiment, 230  
 Cumbria, soil survey in, 258  
 ‘Curb’ (aluminium ammonium phosphate), for control of wood mice, 50  
 Cutworms, virus infection of, 111  
 Cyanopenphos, insecticide for wheat bulb fly, 147  
*Cylindrocarpon* spp.  
   competition with mycorrhiza, 252  
   nematode infection by, 186  
   on bean roots, 132  
 Cypendazole, as fungicide for cereals, 157  
 Cytokinins, in sugar beet, 37  
 2,4-D, 254  
 Daminozide, control of common scab in potatoes by, 153  
 Daxomet  
   as nematicide, 187, 188  
   soil sterilisation with, 131, 187



## INDEX

### 'D-D'

- for Docking disorder in sugar beet, 57, 186
- soil fumigation with, 67, 186
- DDI, toxicity of, to housefly and mustard beetle, 139, 143
- Demeton-S-methyl ('Metasystox'), as aphicide, 52–56, 123, 124, 125, 127, 128, 146, 235
- Derbyshire, soil survey in, 261
- Devon, soil survey in, 267
- 'Dexon' *See* fenaminosulf
- Diazinon, effect on lettuce-root aphids, 158
- Dichlofenthion, used in insecticidal baits, 150, 151
- Dichloropropene mixtures, as nematicides, 186, 187
- Dieldrin
  - as insecticide for wheat bulb fly, 147, 148, 158
  - for controlling wood mice, 50
  - toxicity to housefly and mustard beetle, 139
  - with mercury as wheat-seed dressing, 123
- Diethyl phosphates, as nematicides, 187
- Diethyl phosphorothioates, as nematicides, 187
- Dimethoate
  - as aphicide for sugar beet, 55
  - as pesticide on grassland, 111
  - resistance of housefly to, 143, 144, 145, 146
- Dimetilan, used in insecticidal baits, 150
- Dioxathion, 150
- Disulfoton
  - as aphicide for beans, 70
  - microencapsulation of, 147
- Ditalimfos, as fungicide for wheat seeds, 223
- Drainage water, silicon in, 88
- Dry valley soils, 272
- 'DS 15647', as insecticide for sugar beet, 49, 54
- Dyfed, soil survey in, 269
- 'Dyfonate' (fonofos), for pests in sugar beet, 48, 49
- Earthworms, 112, 113, 158
- East Malling Research Station, 97, 98, 100
- Electronmicroscopy
  - epoxy resin used in, 175
  - of nitrifying bacteria, 253
  - of viruses, 111, 116, 232
  - scanning, of nematodes, 175, 176, 182
  - transmission, 175
  - See also* Scanning electron microscopy
- Endogone* spp., 251, 252
- Endosulfan
  - as acaricide, 212, 232
  - as fungicide, 158
  - residues in grass, 233
- Entomophthora* spp.
  - aphid infection by, 106, 107
  - Entomophthora*-like fungus on nematodes, 185
  - on wheat bulb fly, 108
- Enzymes
  - acetylcholinesterase, 144
  - acetylthiocholine, 144
  - ammonia utilised by, 19
  - asparagine synthetase, 19
  - aspartate kinase, 20
  - carboxyesterase, 146
  - cell-wall degrading, 18
  - cellulase, 18
  - diaminopimelate decarboxylase, 20
  - dihydrodipicolinate synthase, 19
  - extraction from rice blast fungus, 20
  - from houseflies, 144
  - glutamine synthetase, 18
  - glutamine- $\alpha$ -oxyglutamate aminotransferase, 19
  - homoserine kinase, 20
  - in nitrogen metabolism of plants, 18, 28
  - in wheat, 28
  - of amino-acid biosynthesis, 19
  - photosynthesis and, 28
  - polygalacturonase, 18
  - protein content of wheat and, 28
  - ribulose biphosphate carboxylase and oxygenase, 28
  - saccharopine dehydrogenase, 20
- Equisetum arvense* (horsetail), 38, 40, 41, 122
- Erwinia* spp. on potato, 238, 240

320

- Erysiphe cruciferarum*, on rape, 237
- Erysiphe graminis* (mildew)
  - isolates insensitive to ethirimol, 221
  - on cereals, 123, 124, 127, 136, 156, 157, 212, 217, 220, 221
  - spore dispersal, 221
- Essex, soil survey in, 265
- Ethephon ('Ethrel') effect on sugar beet, 35, 59
- Ethionine
  - effect on potato scab, 153
- Ethirimol ('Milstem'), for barley, 69, 70, 124, 127, 136, 156, 158, 220, 221
- Ethyl mercuric chloride, as fungicide for cereal seed, 155
- Ethyl mercuric phosphate steep for sugar beet, 51
- Euonymus europaeus* (spindle bush), as host for aphids, 52, 106, 152, 174
- Eyespot (*Cercospora herpotrichoides*), effect of fungicides on, 223
- Farmyard manure, 76, 80, 81, 86, 88
- Fenaminosulf ('Dexon')
  - as fungicide for sugar beet, 51
  - residual effects of, on beans, 236
- Fenitrothion, for weevil control in beans, 235
- Fentin hydroxide, as fungicide for sugar beet, 56
- Fertiliser Manufacturers Association, 290
- Fertilisers
  - applied to subsoil, 68, 132
  - effect on crop quality, 76
  - slow-release, 76
  - Survey of Fertiliser Practice, 289
  - See also* Names of individual fertilisers
- Field experiments
  - design for measuring interference, 133, 221
  - methods for, 130
  - serially balanced designs, 133
- Flour Milling and Baking Research Association, 133
- Fluoride in atmosphere, effect on barley, 33
- Fonofos ('Dyfonate'), for pests in sugar beet, 48, 49
- Forest clearance in tropics, effect on nutrient reserves in soil, 197
- Formalin, as nematicide, 236
- for fungal pathogens of nematodes, 186
- Formothion
  - as aphicide for sugar beet, 55
  - as fungicide, 158
- Fospirate, used in insecticidal baits, 150
- Fosters Field, effect of crop sequences on take-all on, 225, 226
- Frost heave in soils, 271
- Fungi
  - cell-wall degrading enzymes and, 18
  - Gaeumannomyces-Phialophora* complex on cereals, 18, 212, 226
  - spore dispersal, 207, 221, 222
  - spore traps, 221, 222
- Fungicides
  - adsorption of, by potatoes and soil, 240
  - as haulm sprays for potatoes, 153
  - bioassay methods for mode of action, 136, 156
  - downward translocation in plants, 136
  - effect on leaf senescence, 56
  - factors influencing effectiveness, 157
  - for barley, 69, 76, 79, 136, 156, 157
  - for moulds in stored cereals, 215
  - for potatoes, 153, 154
  - for sugar beet, 51, 56
  - organomercury, 154
  - persistence in soil, 240
  - radiolabelled, 157
  - seed treatment with, 154, 157, 158
  - soil-applied for potato scab, 154
  - systemic, 136, 156, 157
  - uptake and translocation of, 157
- Fungus diseases
  - air-dispersed, experiments on, 221
  - in aphids, 106, 107
  - in bean roots, 132
  - in brassicas, 237



## INDEX

- Fungus diseases (contd.)**  
in cereals, 26, 70, 123, 124, 127, 136, 154–157, 215–230  
in grass, 233  
in hay, 216  
in potatoes, 123, 125, 127, 136, 153, 184  
in stored cereals, 215  
in sugar beet, 51, 56, 58  
spore traps, 221, 222  
*See also Erysiphe*; Eyespot; Take-all
- Fusarium spp.**  
effect of N fertiliser on, in cereals, 26, 215  
in bean roots, 132  
in grass, 233  
on cereals, 26, 154, 155, 156, 215  
on potatoes, 242
- Gaeumannomyces graminis var. tritici**  
interactions with host nutrition, 223  
pathogenic isolates of, 228  
*Phialophora radicularis* and, 18, 212, 226–229  
survival of virus-infected isolates in soil, 229  
two pathogenic strains of, 250  
viruses in, 228  
*See also* Take-all
- Gentamicin, for inhibiting virus multiplication, 212
- Gibberellins, 33, 35, 36, 38, 153
- Gloucestershire, soil survey in, 267
- Glycolate pathway in wheat, 31
- Grass**  
age of sward and virus disease, 232  
amino-acid content of, 77, 84, 85  
aphids on, 106, 232  
chemical control of pathogens, 232  
composition of, 83–85  
dipterous stem borers in, 111  
effect of cutting and rolling on virus transmission, 231  
effect of leys on arable crops, 85  
effect of leys on take-all in cereals, 224  
effect of pesticides on, 110, 232, 233  
effect of soil acidity on composition of, 83  
effect of sulphur-coated urea on, 78  
effect on cereals in rotations, 82, 85  
*Helminthosporium* spp. on, 231, 233  
invertebrates in, 110  
irrigation for, 70  
K deficiency in, 77, 83  
liming for, 77, 84  
N content of, 83, 84  
N fertilisers for, 78, 85, 110, 125, 128  
P deficiency in, 77, 83  
P fertilisers for, 85  
protein content of, 77, 84, 85  
virus diseases of, 212, 214, 231, 232  
weeds in, 40, 125, 128  
yields, 84
- Grassland Research Institute, Hurley, 97, 98, 100, 100, 111, 232
- Growth substances and growth regulators**  
auxins, 37  
betaine, 37  
chloroflurecol methyl, 59  
chlormequat chloride, 32, 35, 70, 215  
cytokinins, 37  
effect on sugar beet, 35–37  
endogenous gibberellins, 33, 35  
ethephon ('Ethrel'), 35, 59  
for controlling common scab in potato, 137  
gibberellin-like compounds, 36  
gibberellins, 32, 33, 35, 36, 153
- Hay, prevention of moulding in, 159, 216
- Heavy metals in soils, sewage sludge and, 191, 198
- Helminthosporium spp.**  
on grass, 231, 233  
on potatoes, 241
- Herbicides**  
aminotriazole, 39, 122, 123, 126  
asulam, 254
- Herbicides (contd.)**  
benzoylprop-ethyl, 113  
chlortoluron, 159, 160, 253  
chlorthiamid, 40  
disulfoton, 70, 147  
DNOC, 128  
effect on algal crust on soil, 253  
effect on soil fauna, 113  
linuron/paraquat, 39, 125  
MCPA/dicamba/mecoprop, 38, 66, 70  
mecoprop, 125  
microbial degradation of, 253, 254  
1-naphthol, 253  
paraquat, 66, 123, 126, 182  
phenmedipham ('Betanal'), 67, 123  
phenoxyacetic acid, 245  
pyrazone ('Pyramin'), 67, 71  
residual effects of, 40  
simazine, 70, 123, 124, 127  
2,4,5-T, 128  
sulphanilamide, 254  
terbutryne, 38, 122
- Herefordshire, soil survey in, 263
- Highfield, effect of crop sequences on take-all, 225
- Home Grown Cereals Authority, 22
- Honeybees (*Apis mellifera*)  
drone rearing, 114  
footprint substance, 114  
granulation of honey, 114  
hybrid onion seed produced by, 115  
poisoning of, by pesticides, 146, 158  
pollination by, 114  
swarming, 113  
virus diseases of, 115  
winter food, ivy honey as, 114
- Hoosfield**  
barley on, 122, 185, 228  
Exhaustion Land, 85  
fungal pathogens of nematodes on, 185  
weeds on, 39, 123
- Housefly (*Musca domestica*)**  
acetylcholinesterase from, 144  
nervous system of, 143, 151  
resistance to insecticides, 143–145  
toxicity of synthetic pyrethroids to, 139
- Hydrodynamic dispersion of water and salts, 203
- Image analysis, for plant pathological problems, 216
- Indoleacetic acid, in sugar beet, 37
- Insect traps**  
aphids caught in, 52  
*Coccinella* spp. caught in, 52  
codling moths caught in, 148  
emergence traps, 109  
light traps, 112, 148, 288  
pheromone traps, 109, 148  
pitfall traps, 47, 109, 112  
pygmy beetles caught in, 47  
sticky traps, 47, 52, 109  
suction traps, 47, 104, 109  
water traps, 108, 109
- Insecticides**  
aphid resistance to, 145  
as slurries, 51, 150  
bees damaged by, 146, 158  
bioresmethrin, 139, 141, 142, 143, 145  
chrysanthemate, dihalo analogues of, 137  
cismethrin, 141  
Congress of Pesticide Chemistry, Helsinki, 136  
DDT, 139, 143  
dieldrin, 50, 123, 139, 147, 148, 158  
effects on nervous systems of insects, 141  
for leaf-cutting ants, 149, 150  
for sugar beet, 48–49, 52–56  
fungicidal properties of, 151  
in baits, 149, 150  
insect resistance to, 136, 143–146  
knockdown, 141, 142  
mammalian metabolism of, 141  
microencapsulation of, 147



## INDEX

- Insecticides (contd.)**  
'NRDC 161', 136, 137, 139, 140, 141, 142, 169  
parathion, 139, 145  
permethrin ('NRDC 143'), 55, 136, 137, 140, 141, 147, 150  
persistence trials, 150  
phenoxybenzyl alcohol, 140  
predicting time of application, 110  
pyrethrin I, 142  
pyrethroids, synthetic, 136–145, 147  
radiosynthesis of, 140  
relative toxicities of, 139  
repellency trials, 150  
solubility of, 141  
systemic, resistance to, 136, 146  
toxicity to mammals, 137  
used in rotation to delay resistance, 145  
X-ray examination of, 140  
See also Aphicides; Pesticides; and names of individual insecticides
- Insects**  
nervous systems of, 141  
neuroanatomical techniques, 151  
phenology of, in wheat field, 109  
pheromone-trap catches, 109, 148  
poison baits for, 149, 150  
rearing of, 152  
resistance to insecticides, 136, 143–146  
Rothamsted Insect Survey, 103, 104, 288  
soil-inhabiting, 147  
species diversity, indices of, 288  
staining techniques for, 151  
See also Insect traps; Moths; and names of individual insects
- International Institute of Tropical Agriculture**, 191, 195, 246
- Irrigation**  
carbon dioxide uptake and, 206  
effect on nematodes, 181, 188  
effect on stomatal resistance in plants, 205, 207  
equipment for measurement, 202  
for fodder crops, 70  
for kale, 205  
for potatoes, 181, 205, 238, 239  
for sugar beet, 34, 59, 63  
for wheat, 205  
leaching of salts from soil after, 204  
mist irrigation, 34, 35  
time of application, 64
- Isofenphos, 49, 54, 148  
Isonicotinyl hydrazide, 30  
Isopropyl paraoxon, housefly resistance to, 144
- Kale, irrigation for, 205  
Kaolinite in soil clays, 192, 194, 195  
Kent, soil survey in, 266  
Kenya, virus disease in plants, 215  
'Kitazin P', as fungicide for wheat seed, 223
- Lancashire, soil survey in, 259  
Leaching of salts from soil, 203  
Leaf-cutting ants, 149–150  
Leatherjackets in soil, 111  
Leghaemoglobin, 248
- Legumes**  
breeding for increased N fixation in, 246  
effect of added N on growth, 246  
effect of temperature on, 247  
effect of waterlogging on, 247  
inoculation with *Rhizobium* spp., 245–247  
new introductions in humid tropics, 246  
nodulation in, 245–250, 251  
symbiosis in, 247  
tropical, effect of heat stress on, 247  
tropical, strain tests of, 246  
See also Clover, Cowpeas, Lucerne
- Letcombe Laboratory, 65, 112, 218, 230  
Ley Arable experiment, Rothamsted, 123  
Ley Arable experiment, Woburn, 184  
Leys. See Grass
- Light penetration within a crop, 207
- Lime**  
effect on composition of grass, 77, 84  
effect on sewage-sludge treated soil, 191, 198
- Lincolnshire, soil survey in, 261  
Linuron/paraquat sprays for potatoes, 39, 125, 127
- Livestock**  
Advisory Bulletin on Feeding Stuffs, 289  
cross-bred cattle, 289  
cross-breeding of pigs, 289  
on Broom's Barn Farm, 71  
on Rothamsted Farm, 125  
on Woburn Farm, 128  
winter-calving dairy experiments, 289
- Locust (*Schistocerca gregaria*), neuroanatomy of nervous systems, 143
- Long Hoos Field  
effect of pesticides on soil microflora of, 253  
nitrogenase activity in, 249
- Lucerne (*Urophlyctis alfae*), crown wart disease of, 234
- 'M & B 19985', used as insecticidal bait, 150
- Magnesium**  
chlorophyll in plants and, 23  
effect on wheat, 63  
for sugar beet, 60  
forms of fertiliser, 60, 63, 122, 126
- Maize**  
nematode reproduction in roots, 182  
photorespiration in, 29
- Malaixon, housefly resistance to, 144  
Malathion, for weevil control in beans, 235  
Malaysia, acid sulphate soils in, 199  
Maneb, as fungicide for sugar beet, 51  
Manganese, as foliar spray for sugar beet, 62  
Mangrove swamp soils, acidity of, 199  
Market Garden experiment, Woburn, 191, 198  
MCPA/dicamba/mecoprop, 38, 66, 70  
Mecarbam, used in insecticidal baits, 150  
Mecoprop, 125  
*Medicago lupulina* (black medick), 38  
Menazon, as aphicide, 54, 220, 232  
Mercury, as seed treatment for cereals, 123, 127, 154, 158, 223  
Mercury/dieldrin dressings for wheat seed, 123, 127  
Mesophyll resistance in plants, 206, 207  
Metal residues in crops and soil, 191, 198  
'Metasystox' (demeton-S-methyl), as pesticide, 52–56, 123, 124, 127, 128, 146, 235  
Methiocarb, for pests in sugar beet, 48, 49  
Methomyl, as pesticide, 56, 235  
Methyl bromide, 183, 184, 187, 188  
Methyl isothiocyanate, as nematicide, 187  
Methyl paraoxon, housefly resistance to, 144  
Mica in soil clays, 192, 194, 195  
Mice, damage to sugar beet by, 50, 51  
Micrometeorology, 207
- Microscopy**  
dark-field microscopy, 253  
electron microscopy, 111, 116, 232, 253  
scanning electron microscopy, 175, 176, 182
- Millipedes (*Blaniulus guttulatus*)**  
aggregation of, 47  
effect of cultivation on, 112  
insecticides for, 49
- 'Milstem' (ethirimol), 69, 70, 124, 127, 136, 156, 158, 220, 221
- Mineralogy. See Soil mineralogy**  
Minor elements in soils, 196, 271  
Mirex, used in insecticidal baits, 150, 151
- Mites**  
predators of aphids, 56  
predators of Collembola, 48  
virus transmission by, 212, 231
- Mobile shelter for irrigation and tillage experiments, 202
- Moths**  
codling moth, 148  
flight and mating, 109



## INDEX

- Moths (contd.)**  
 pea moths caught in traps, 104, 109  
 rearing on artificial diets, 110  
 spray-warning system, 104  
*Musca domestica*. See Housefly  
 Mustard beetle, toxicity of synthetic pyrethroids to, 139  
 Mycorrhiza, 251
- 1-Naphthol, microbial metabolism of, 253  
 National Institute for Research in Dairying, 97  
 National Institute of Agricultural Botany, 184, 277  
 National Institute of Agricultural Engineering, 59, 97, 98, 100, 230  
 National Vegetable Research Station, 59, 97, 100  
 'NC 5936', as fungicide on wheat, 223
- Nematicides**  
 dichloropropenes, 186, 187  
 effect of clay content of soil on, 188  
 effect of drought on, 173  
 effect of soil organic matter on, 187  
 effect on barley yields, 182  
 granular, 160, 186, 187  
 incorporation into soil, 184, 187  
 organophosphorus, 187  
 oximecarbamate, 187  
 phytotoxicity of, 187  
 residual effect of, 236  
 systemic, 188  
 translocation within roots, 187  
 See also Soil fumigation, and names of chemicals used as nematicides
- Nematodes**  
 cement secretion by, 176  
 copulatory spicules, 175  
 cuticle structure of, 176  
 cyst-nematodes, 55, 174, 175, 176, 177, 178, 180, 181, 184, 185, 186  
 defaecation of, 179  
 depth of, in soils, 187  
 Docking disorder of sugar beet and, 57, 66, 174, 186  
 effect of bare fallow and cultivation on, 182  
 effect of drought on, 173  
 effect of irrigation on, 181, 188  
 effect of paraquat on, 182  
 effect of rainfall on, 185  
 effect of soil compaction on, 66  
 effect of soil fumigation on, 67, 132, 182, 184, 185, 187, 188  
 effect of soil type on numbers of, 57  
 effect on root systems, 180  
 egg laying, 179  
 endoparasites of cyst-nematodes, 176  
*Entomophthora*-like fungus on, 185  
 feeding of, 179  
 filming of, 178, 179  
 functional morphology of, 178  
 gel electrophoresis of proteins in, 180  
 genera and species separation, 175, 180  
 genus reappraisal, 182  
 giant race of *Ditylenchus dipsaci*, 183  
 hatching factors, 181  
 identification of, 174, 182  
 in beans, 124, 131, 173, 182, 183, 236  
 in cereals, 57, 173, 178, 182, 185  
 in potatoes, 57, 127, 173, 174, 177, 180-183, 184, 186, 188  
 in sugar beet, 54, 55, 57, 66, 174, 186  
 in weeds in barley, 182  
 interaction with *Verticillium dahliae*, 182, 184  
 microscope slide collection of, 174  
 migratory, 182  
 oat race of *Ditylenchus dipsaci*, 183  
 onions sensitive to, 183, 188  
 P and K deficiency induced by, 181  
 pathotypes of *Heterodera* spp., 174, 177, 180, 184  
 population studies of, 57  
 rectal valves of, 176, 179  
 root-ectoparasitic, 57, 66, 173, 184, 186  
 root-lesion, 182
- Nematodes (contd.)**  
 round cyst, 174, 180  
 scanning electronmicroscopy of, 175, 176, 182  
 seed heating for control of, 184  
 seed-borne by beans, 183, 184  
 soil fumigation for, 67, 131, 183, 184, 185, 186, 187, 188  
 soil-moisture content and, 57  
 spermatogenesis, 175  
 stem nematode, 55, 173, 183, 188  
 stylet action of, 179  
 stubbyroot, 186  
 subcrystalline layer of, 176  
 taxonomy, 174  
 type specimens of, 174  
 ultrastructure of, 175  
 vermiform, 180, 183  
 virus transmission by, 174  
 whipworm and, 188
- Nematodes, specific names of**  
*Aphelenchoides* spp., 174, 175, 180  
*Aphelenchoides blastophthorus*, 174, 176, 179  
*Aphelenchoides rutgersi*, 174  
*Aphelenchoides sacchari*, 174  
*Ditylenchus* spp., 174, 180  
*Ditylenchus dipsaci*, 55, 131, 179, 183, 184, 188, 236  
*Globodera* spp., 175, 176  
*Heterodera* spp., 68, 174, 175, 176, 186  
*Heterodera avenae*, 174, 178, 187  
*Heterodera cruciferae*, 179  
*Heterodera goettingiana*, 187  
*Heterodera pallida*, 174, 177, 180, 187  
*Heterodera rostochiensis*, 127, 174, 177, 179, 180, 182, 184, 187  
*Heterodera schachtii*, 186, 187  
*Hexatylus viviparus*, 179  
*Longidorus* spp., 57, 66, 174, 180, 184, 185, 186  
*Longidorus attenuatus*, 174  
*Longidorus elongatus*, 57, 174  
*Longidorus euonymus*, 174  
*Longidorus leptocephalus*, 57, 185  
*Meloidogyne* spp., 175  
*Neotylenchus* spp., 174  
*Paratylenchus* spp., 68  
*Pratylenchus* spp., 68, 131, 174, 175, 182, 185  
*Pratylenchus crenatus*, 175, 182  
*Pratylenchus fallax*, 175  
*Pratylenchus neglectus*, 175, 182  
*Pratylenchus pinguicaudatus*, 175, 182  
*Pratylenchus thornei*, 175, 182  
*Rhabditis* spp., 68, 174, 176  
*Rhabditis oxycerca*, 176  
*Thornemema wickeni*, 176, 179  
*Trichodorus* spp., 57, 58, 66, 68, 131, 174, 186  
*Trichodorus anemones*, 57, 58  
*Trichodorus pachydermus*, 58  
*Trichodorus primitivus*, 57  
*Trichodorus velatus*, 174  
*Trichodorus viruliferus*, 58  
*Trichuris trichiura*, 188  
*Tylenchorhynchus* spp., 68, 131, 185  
*Tylenchus* spp., 68  
*Xiphinema* spp., 175
- Neutron moisture meters, 205, 218  
 'NF 48'  
 as fungicide for mildew on barley, 157  
 movement of, in soil, 240
- Nigeria**  
 forests of, 197, 295  
 soils of, 195, 197  
 See also Tropical soils
- Nitrifying bacteria in soils**, 253
- Nitrogen fertiliser**  
 cost and efficient use of, 75, 288  
 crop responses to, 287  
 effect on amino acids in cereal protein, 22  
 effect on composition of grass, 85  
 effect on root growth in barley, 31, 76, 78  
 for barley, 31  
 for grass, 78, 85, 110, 125, 128



## INDEX

- Nitrogen fertiliser (contd.)**  
for sugar beet, 58, 59, 61, 63  
for wheat, 22, 25–29, 76, 80–83, 85, 86, 124, 127  
loss by leaching, 76, 78  
movement in soil, 78, 160  
pollution of waters by nitrate, 76  
rainfall and N requirement, 288  
residual effect of, 76, 78, 82  
slow-acting, 76, 77, 78  
split dressings of, 78  
time of application to cereals, 76, 79–82  
trimethylamine, 79  
See also Ammonia gas; Ammonium nitrate;  
Ammonium sulphate; Sulphur-coated urea;  
Urea
- Nitrogen fixation**, 247, 249, 250, 251
- Nitrogen in plants**  
amides in N mobility, 19  
in organic combinations, 18  
in wheat grain, 80–82
- Nitrogen in soil**  
effect of cultivation on, in tropical soils, 197  
ion-selecting electrodes for measuring, 80
- Nitrogenase activity**, 247, 249
- Nodulation**, 245–249, 251
- Norfolk**, soil survey in, 260
- Northamptonshire**, soil survey in, 262
- Northumberland**, soil survey in, 260
- Nottinghamshire**, soil survey in, 263
- 'NRDC 102', 141
- 'NRDC 103', 141
- 'NRDC 143'. See permethrin
- 'NRDC 161'  
crystal structure of, 169  
effect on cockroach, 142  
effect on housefly, 143  
insecticidal activity of, 136, 139, 140  
mode of action of, 141  
stability of, 137  
X-ray examination of, 140
- 'N-Serve' (nitrapyrin), 160
- Oats**  
as 'break' crop in rotations, 124  
nematodes on, 178  
virus diseases of, 214  
yields, 124
- Omethoate**  
as aphicide for sugar beet, 55  
resistance of housefly to, 144
- Oospora pustulans** (skinspot), on potato, 240, 242
- Organic manures**  
boron in, 88  
effect on potatoes, 77, 85, 86  
effect on wheat, 76, 77, 80, 81, 85, 86  
residual effect of, 77  
Woburn Organic Manuring experiment, 88
- Oxamyl**, as pesticide, 48, 49, 54, 55, 57, 187, 188
- Oxfordshire**  
soil survey in, 266  
soil variation in, 276
- Oximecarbarnates**, as nematicides, 187
- Oxygen** concentration in plants, plant growth and, 207
- Papua–New–Guinea**, virus diseases in plants, 215
- Paraoxon**, housefly resistance to, 144
- Paraquat**  
effect on nematodes, 182  
for cereals, 66, 123, 126, 182  
use on Rothamsted farm, 123
- Parathion**  
housefly resistant to, 145  
toxicity of, to housefly and mustard beetle, 139
- Park Grass**  
ammonium sulphate for, 77, 83  
botanical composition of, 40  
effect of lime on, 40, 77, 84  
K deficiency on, 77, 83  
P deficiency on, 83
- Park Grass, (contd.)**  
weeds on, 40  
See also Grass
- Particle-size analysis of soils**, 273
- Paspalum notatum**, 250
- Peas**  
freedom from broad bean streak virus, 236  
*Rhizobium leguminosarum* on, 245
- Peat**  
boron applied in, 88  
classification of, 272, 273  
effect on potatoes, 77, 85, 87  
effect on wheat yields, 77, 86
- Pembrokeshire**  
maps of potential cropland in, 277  
soil survey in, 270  
trace elements in soils of, 271
- Penicillium spp.**, on cereals, 215
- Periplaneta americana**. See Cockroach
- Permethrin** ('NRDC 143')  
as insecticide, 55, 136, 137, 140, 141, 147, 150  
for control of wheat bulb fly, 147  
mammalian metabolism of, 141  
microencapsulation of, 147, 150  
photodecomposition of, 141  
radio-labelled isomers of, 140  
residue determination of, 140  
solubility of, 141
- Perenospora parasitica**, on rape, 237
- Pesticides**  
Congress of Pesticide Chemistry, Helsinki, 136  
effect of repeated applications on soil, 159  
effect on soil fauna, 113  
effect on soil microflora, 253  
liquid chromatography for, 160  
microencapsulation of, 147, 150  
poisoning of honey bees by, 146, 158  
repellency trials of, 150  
residues in soil, 158, 159, 160, 187, 236  
seed-treating machinery, 158  
uptake by worms, 158  
WHO tolerance limits, 183  
See also Aphicides; Fungicides; Insecticides;  
Nematicides
- Phaedon cochleariae**. See Mustard beetle
- Phaseolus vulgaris** (navy bean), inoculation with  
*Rhizobium spp.*, 246
- Phenacetyl kojate**, 168
- Phenmedipham** ('Betanal E'), 67, 123
- Phenyl mercuric acetate**, as fungicide for cereal seed, 155
- Phialophora radicularis**  
*Gaeumannomyces graminis* and, 18, 212, 226–229  
viruses in, 228
- Phoma betae** on sugar beet, 51
- Phoma exigua foveata** (gangrene), in potato, 239, 241, 242
- Phorate**, 125, 20, 235, 241
- Phosphamidon**, as aphicide for sugar beet, 55
- Phosphate fertilisers**  
calcium tetra-hydrogen diorthophosphate, 85  
correlation with aluminium, 77  
effect on composition of grass, 85  
effect on root growth in barley, 31  
incorporation into subsoil, 132  
rock phosphate and nodulation in plants, 251  
uptake by mycorrhizal plants, 251
- Phosphohomoserine**, chemical and enzymic synthesis, 20
- Phosphorus in soil**  
deficiency and *Pythium* infection of cereals, 229  
immobility in soil, 181  
nematodes, and, 181  
uptake by cereals with take-all, 219
- Photorespiration**, in cereals, 27, 29, 30
- Photosynthesis**  
carbon dioxide concentration and, 28–30, 206, 287  
effect of high humidity on, 34  
effect of light intensity on, 27–29



## INDEX

### Photosynthesis (*contd.*)

- effect of N fertiliser on, 25, 28
- effect of sulphur dioxide on, 33
- enzyme activities and, 28
- in cereals, 26–33
- oxygen concentration in plants and, 207
- photosynthetic efficiency of plants, 206
- potato-tuber formation and, 38
- Phoxim, as nematocide, 187
- Phytophthora erythroseptica*, on potatoes, 123
- Phytophthora infestans* (blight), on potatoes, 125, 169, 242
- Pirimicarb, as aphicide for sugar beet, 52, 53, 54, 55, 56, 146
- Pirimiphos methyl, as insecticidal bait, 150
- PK and Take-all experiment, 223
- Plant Breeding Institute, Cambridge, 59, 99, 184
- Plant diseases
  - aerial photography for studying, 217
  - effect of cultivation on, 230
  - effect of weather on, 211
  - measuring the effects of, 216
  - Quantimet Image Analysing Computer for studying, 216
  - See also* Individual crops
- Plant Protection Ltd, 230
- Podzolisation, 191
- Polygonum aviculare* (knotgrass), 38
- Polygonum convolvulus* (black bindweed), 39
- Potassium fertilisers
  - correlation with aluminium, 77
  - effect on composition of grass, 77, 83
  - for sugar beet, 60, 61, 62
  - incorporation into subsoil, 132
- Potato Marketing Board, 38, 240
- Potatoes
  - amino-acid sprays for, 153
  - aphids on, 104, 125, 241
  - bacterial disease of, 238
  - black scurf (*Rhizoctonia solani*) on, 184, 242
  - blackleg (*Erwinia* sp.) on, 238, 240, 241
  - blight (*Phytophthora infestans*) on, 125, 169, 242
  - bromide residues in tubers, 183
  - bruising of tubers, 38
  - common scab (*Streptomyces scabies*) on, 127, 136, 153, 154, 238, 242
  - dehydration of tubers, 89
  - dry rot (*Fusarium solani*) on, 242
  - effect of aldicarb on yield, 183, 184, 185
  - effect of chloropicrin on, 184, 185, 187
  - effect of day length on tuber formation, 38
  - effect of gibberellins on tuber formation, 38
  - effect of leys on, 85
  - effect of methyl bromide on yield, 183
  - effect of N fertiliser on, 85
  - effect of organic manures on, 77, 85, 86, 87
  - effect of rainfall on, 185
  - effect of waterlogged soil on, 127
  - fractionation of, 89
  - fungicides, adsorption by tubers, 240
  - gangrene (*Phoma exigua foveata*) on, 239, 240, 241, 242
  - growth regulators for, 38, 153
  - haulm pulverizer, 125
  - haulm sprays for, 153
  - in rotations with wheat, 82, 83, 85
  - irrigation for, 181, 205, 238, 239
  - linuron/paraquat sprays for, 39, 125, 127
  - nematodes on, 57, 127, 173, 174, 177, 180–183, 184, 186, 188
  - phorate granules for diseases in, 125, 220, 235, 241
  - phytoberin in blighted potatoes, 169
  - pink rot (*Phytophthora erythroseptica*) on, 123
  - powdery scab (*Spongospora subterranea*) on, 242
  - protein in haulms, 89
  - pulp, mould prevention in, 216
  - seed tubers, diseases in, 242
  - silver scurf (*Helminthosporium solani*) on, 241
  - skin spot (*Oospora pustulans*) on, 240, 242
  - storage, 158, 239, 240, 241

### Potatoes (*contd.*)

- subsoil fertilising for, 132
- top-roll of, 212, 241
- tuber distortion by pesticides, 154
- tuber formation and photosynthesis in, 38
- Verticillium dahliae* on, 181, 182, 184
- virus diseases of, 17, 104, 212, 213, 241
- wound healing in, 239, 240
- yields, 67, 125, 127, 174, 205
- 'PP 395', as fungicide on wheat seed, 223
- 'PP 505', as insecticide for sugar beet, 48, 49
- Propionic acid, for mouldy hay and potato pulp, 216
- Propoxur, as aphicide for sugar beet, 56
- Protein
  - amino acids in, effect of sulphur and nitrogen on, 22
  - effect of environment on seed protein in cereals, 22
  - enzyme activity and content of wheat leaves, 28
  - extraction from wheat grains, 21
  - in grass, 77, 84, 85
  - in potato haulms, 89
  - in wheat, 21–23, 28, 76, 80, 134
- Protoplasts, virus multiplication in, 212
- Psychrometers, thermocouple, 206
- Puccinia hordei* (brown rust), on barley, 76, 79, 124, 127, 222
- Pygmy beetle in sugar beet, 47
- Pyrazone ('Pyramin'), 66, 67, 71
- Pyrethrin I, effect on cockroach, 142
- Pyrethroids, synthetic, 136–143, 147
- Pythium* spp.
  - in bean roots, 132
  - in cereal roots, 229
  - Woronina pythii* infecting, 230
- o-Quinones, modification of viruses by, 17
- Quintozene as soil-applied fungicide, 154, 158
- 'R 28921', as fungicide for cereals, 157, 223
- Radiant energy, leaf water potentials and, 34
- Rainfall
  - effect on movement of N in soil, 78
  - effect on nematodes, 185
  - N requirement of crops and, 288
- Rainwater
  - silicon in, 89
  - sulphur in, 77, 87
- Raman spectrometer, 167
- Rape (*Brassica napus*)
  - cover crop for sugar beet, 50
  - diseases of, 237
  - insecticide sprays on, damage to bees, 147
- Residual Phosphate experiment, 224
- Resmethrin, 143
- Respiratory disease from grain elevators, 216
- Rhizobium* spp.
  - in beans and peas, 132, 245
  - in tropical soils, 246
  - in *Vigna* spp., 245, 247
  - Rothamsted Culture Collection of, 245
- Rhizoctonia* sp., in bean roots, 132
- Rhizoctonia solani*, on potato, 184
- Rhynchosporium* spp.
  - development of, in soil, 230
  - effect of cultivation on, 230
  - on barley, 212, 222
- Rotation experiment at Saxmundham, 234
- Rotations
  - on Rothamsted farm, 123
  - on Woburn farm, 126
- Rothamsted Ley–Arable experiment, 225
- Rothamsted Reference experiment, wheat in 5-course rotation in, 81
- 'RU 11 679', 141
- 'RU 15 525', 141
- Saline soils, evaporation from, 203
- Salop, soil survey in, 263
- Saxmundham
  - N fertilisers for barley at, 79
  - Rotation experiment at, 234



## INDEX

- Scanning electron microscopy of nematodes, 175, 176, 182  
'SD 8832', 49, 54  
*Septoria nodorum*, on cereals, 154, 155, 156  
Sewage-sludge treated soil, heavy metals in, 191, 198  
'Shell WL 24073', used in insecticidal baits, 150  
Silicon in drainage waters, 88  
Simazine, effect on beans, 70, 123, 124, 127  
Smectite in clay soils, 192, 193, 194, 195  
Sodium  
  as fertiliser for sugar beet, 60, 61, 62  
  complexes of, 167  
Soil acidity  
  aluminium and, 77  
  effect on grass composition, 83  
Soil biomass  
  effect of cultivation on, in tropical soils, 198  
  method of measuring, 191, 196  
Soil classification  
  codes for, 274  
  for sugar-beet soils, 277  
  statistical analysis for, 288  
Soil clays  
  boulder clay, 191, 194  
  iron oxides in, 192, 195  
  K release from, 193  
  soil structure and, 195  
  See also Soil mineralogy  
Soil compaction, effect on sugar-beet yield, 65, 66  
Soil fauna  
  arthropods, 46–49  
  cutworms, 111  
  damage to winter wheat by, 113  
  earthworms, 112, 113, 158  
  effect of pesticides on, 113  
  effect of soil aggregation on, 113  
  effect of soil cultivation on, 112  
  leatherjackets, 111  
  slugs, 113  
Soil fumigation  
  effect of clay content of soil on, 188  
  effect on cereal yields, 68  
  effect on decomposition of soil organisms, 197  
  effect on N reserves in soil, 197  
  effect on nematodes, 67, 132, 182, 184, 185, 187, 188  
  effect on plant parasitic fungi, 184  
  effect on *Rhizobium* spp., 132  
  effect on rotations of barley, beet and potatoes, 188  
  effect on soil metabolism, 191, 196  
  for beans, 131  
  for measuring soil biomass, 196  
  for whipworm, 188  
  residual effects of, 67  
  soil organic matter and, 187, 197  
  with chloroform, 197  
  See also names of chemicals used for fumigation  
Soil geochemistry, 196  
Soil mapping, 274–276  
Soil microstructure, 274  
Soil mineralogy  
  computer models for, 192, 196  
  determination of, 273  
  in Southern England, 192, 275  
  interstratified expanding clay minerals, 192  
  major and minor elements in silt and clay fractions, 196  
  minerals in clay fractions, 194, 273  
  of Nigerian soils, 195  
  X-ray diffraction of, 192, 194, 273  
  X-ray fluorescence spectrometry of, 196  
Soil moisture  
  deficits in wheat, 219  
  effect on nematodes, 57  
  effect on potato diseases, 239  
  neutron moisture meters for, 205, 218  
  uptake by cereals with take-all, 218  
  water levels in fens and chalk, 270  
Soil organic matter  
  decomposition of, 191, 197  
  effect of cropping on, 197  
Soil organic matter (*contd.*)  
  effect of fumigation on, 187, 197  
  effect on potato yields, 77, 85  
  effect on wheat, 77  
  in light soil at Woburn, 77  
  mineralisation of, 191  
  minimum cultivation and, 197  
  ultrasonic dispersal of soil and, 197  
Soil respiration, 204, 206  
Soil shrinkage, 271  
Soil sterilisation. See Soil fumigation  
Soil structure  
  bonds between particles, 202  
  effects on sugar beet, 65  
  pore-size distribution, 195  
  Soil Structure Enclosure, Woburn, 160  
  stability of, 202  
  ultrasonic probe generator for measuring, 202  
Soil surveys  
  Avon, 266  
  Berkshire, 265  
  Buckinghamshire, 265  
  Cambridgeshire, 260  
  Cheshire, 258  
  Clwyd, 268  
  Cornwall, 267  
  Cumbria, 258  
  Derbyshire, 261  
  Devon, 267  
  Dyfed, 269  
  Essex, 265  
  Gloucestershire, 267  
  Herefordshire, 263  
  Kent, 266  
  Lancashire, 259  
  Lincolnshire, 261  
  Norfolk, 260  
  North Yorkshire, 259  
  Northamptonshire, 262  
  Northumberland, 260  
  Nottinghamshire, 263  
  Oxfordshire, 266  
  Pembrokeshire, 270  
  Salop, 263  
  Somerset, 268  
  South Yorkshire, 260  
  Staffordshire, 263, 264  
  Suffolk, 260  
  Warwickshire, 264  
  West Yorkshire, 260  
  Wiltshire, 268  
  Worcestershire, 263  
Soil temperature, measurement of, 271  
Soil water. See Soil moisture  
*Solanum* spp., 177  
'Solubor' (diboron trioxide), as spray for sugar beet, 128  
Somerset, soil survey in, 268  
South Yorkshire, soil survey in, 260  
Spindle bush (*Euonymus europaeus*)  
  as host for aphids, 52, 106, 152, 174  
*Spongospora subterranea* (powdery scab), on potato, 242  
Staffordshire, soil survey in, 263  
Stagnogley soils, 266, 270, 274  
Statistical analysis  
  cluster analysis, 289  
  fertiliser responses, 287  
  for Commonwealth and Overseas, 295  
  for livestock experiments, 289  
  for National Potato Harvester Damage Survey, 290  
  for National Survey of Keeping Quality of Milk, 290  
  for soil classification, 288  
  multivariate analyses, 288  
  principal coordinate analysis, 288  
  Rothamsted General Survey Program, 289  
  Rothamsted Insect Survey, 288  
  scaling techniques, 288  
  Survey of Fertiliser Practice, 289



## INDEX

- Statistical Programming: GENSTAT  
 cluster analysis program (CLASP), 294  
 contour plots, 293  
 distribution, 293  
 generalised linear interactive modelling (GLIM), 294  
 implementor's manual, 293  
 macro library, 293  
 maximum likelihood program (MLP), 294  
 maximal predictive criterion, 293  
 non-linear models, 293  
 transfer to other machines, 293  
 User's Guides, 293
- Statistical theory  
 analysis of variance, 292  
 curve fitting, 291  
 diagnostic keys, 292  
 diversity of species, indices of, 288  
 fiducial combination of information, 291  
 fiducial probability, 290  
 Fisher's logarithmic series, 288  
 hierarchical classifications, 291  
 inconsistency principle, 290  
 multivariate analysis, 291  
 Procrustes rotation, 291  
 robust regression, 291  
 stable parameters, 291  
 statistical inference, 290  
 transformations for exponential families, 292
- Stellaria media* (Chickweed), in grass, 125
- Stomatal resistance in plants, 205, 206
- Streptomyces scabies* (common scab), on potato, 127, 136, 153, 154, 238, 242
- Strongyloides castrans*, infecting wheat bulb fly, 108
- Stubble  
 cultivation of, 66  
 spraying with insecticides, 123  
 straw chopper for, 125
- Sucrose synthesis, glycolate pathway in, 31
- Suffolk, soil survey in, 260
- Sugar beet  
 arthropod pests of, 46  
*Aphanomyces cochlioides* on, 51  
 aphicides for, 52–56, 123, 128, 145  
 aphids on, 51–56, 123, 128, 135, 143, 145  
 artificial defoliation of, 50  
 auxins in, 37  
 bolting, effect of growth regulators on, 35  
 Collembola in, 47, 48  
 copper deficiency in, 63  
 damage by mammals and birds, 45, 50, 51  
 Docking disorder, 57, 66, 186  
 effect of farmyard manure on, 67  
 effect of seed advancement on, 62  
 effect of shoot or root removal on, 58  
 effect of soil temperature on seedlings, 59  
 ethyl mercuric phosphate steep for, 51  
 frequency of beet and barley, 67  
 fungus diseases of, 51, 56, 58  
 green manuring for, 65  
 groundkeepers, 52  
 growth regulators and, 35–38  
 harvesting time, 64  
 in Ley-Arable experiment, 123  
 insecticides for, 48–49, 52–56  
 irrigation for, 34, 59, 63  
 K fertiliser for, 60, 61  
 leaf diseases, 56  
 magnesium fertiliser for, 60  
 manganese sprays for, 62  
 millipedes in, 47  
 N fertilisers for, 58, 59, 61, 63  
 nematodes in, 54, 55, 57, 66, 174, 186  
 P fertilisers for, 59  
 pelleted seed, 47, 48, 50, 59, 70  
 pest aggregation in, 47  
*Phoma betae* in, 51  
 plant spacing, 64  
 pygmy beetles in, 47  
 seed placement in soil, 59
- Sugar beet (*contd.*)  
 seed production, 59  
 seed-spacing experiments, 47  
 seed yield, factors affecting, 58  
 seedling diseases, 51  
 sodium fertilisers for, 60, 61, 62  
 soil classification for, 277  
 soil compaction during harvesting, 65  
 soil structure, effect of, 65  
 sowing time, 64  
 subsoil fertilising for, 68, 132  
 virus diseases of, 34, 46, 50, 51–56, 58, 66, 128, 136, 143, 213  
 water stresses in, 34  
 weed control in, 66, 71, 123  
 yields, 49, 50, 64, 65, 66, 67, 69, 71
- Sulphanilamide, microbial degradation of, in soil, 254
- Sulphate soils, 191, 199
- Sulphur  
 'dry deposition' of, 77, 87  
 effect of air drying on release of, from soil, 197  
 effect on amino acids in cereal protein, 22  
 from rain and the atmosphere, 77, 87  
 in drainage water, 87  
 photosynthesis inhibited by, 33  
 pollution from brickworks, 33
- Sulphur-coated urea, 76, 77, 78
- Take-all on cereals  
 cell-wall degrading enzymes and, 18  
 decline of, 223, 224, 227, 229  
 effect of crop sequences on, 224–226  
 effect of cultivation on, 230  
 effect of fallows on, 224  
 effect of nitrogen on, 250  
 effect of nutrition of host and fungus on, 250  
 effect of PK fertilisers on, 224  
 effect of rainfall on, 212  
 effect on water uptake by plants, 218  
 fungi reported as causing, 212  
 on consecutive susceptible crops, 226  
*Phialophora radicola* and, 18, 212, 226–229  
 rotations against, 223, 224  
 soil sampling for studying, 230  
 survival in soil, 229  
 Survival-of-Take-all experiment, 227  
 'take-all rating', 225  
 translocation of ions through infected roots, 218  
 viruses and, 212, 228, 229
- Taro (*Colocasia esculenta*), virus diseases in, 214
- TCHTB, as fungicide for sugar beet, 51
- Tea, effect of aluminium on, in acid soils, 77
- 'Technicon AutoAnalyzer', 141
- 'Telone', for Docking disorder in sugar beet, 57, 186
- Terbutryne ('Prebane'), as herbicide, 38, 122
- Termites, measurements for classification of, 288
- 'Terrazole', as fungicide for wheat seeds, 223
- Tetrachlorvinphos, housefly resistance to, 144
- Thiabendazole, 187, 240
- Thiophanate methyl  
 as fungicide for cereals, 157  
 movement of, in soil, 240
- Thiram, for control of wood mice, 50
- Tillage experiment, use of mobile shelter for, 202
- Tobacco, virus diseases of, 212, 213
- Trace elements in soils, 196, 271  
*See also* names of individual trace elements
- Triazophos, as insecticide for wheat bulb fly, 147
- Tridemorph, as fungicide, 69, 70, 124, 127, 212, 215, 220, 221, 223, 237
- Trifolium pratense* (red clover), breeding for increased N fixation in, 246
- Trimethylamine, 79
- Tropical soils  
 chloroform fumigation of, 197  
 effect of clearing forests and cropping on, 197  
 flush of decomposition in, 197  
 mineralogical composition of, 195  
 nutrient reserves of, 197  
 of Nigeria, 195, 197



## INDEX

- Tropical soils (contd.)**  
on Basement-Complex rocks, 195  
organically combined nutrients in, 191  
*Rhizobium* spp. in, 246
- Ultrasonic dispersion of soil, 202
- Urea  
movement in soil, 78  
scorching of wheat by, 27  
sulphur-coated, 76, 77, 78
- Ustilago nuda* (Smut), on barley, 157
- Verticillium chlamydosporium*, infecting nematodes, 186
- Verticillium dahliae*, 181, 182, 184
- Vigna* spp., 247
- Viruses  
antiserum for, 214  
aphid-transmitted, 51–56, 104, 212, 213, 232, 234, 236, 237, 241  
control by seed treatment, 235  
effect of irrigation on, in sugar beet, 34  
electronmicroscopy of, 111, 116, 220, 232  
in beans, 124, 234–236  
in cereals, 212, 214  
in cutworms, 111  
in grass, 212, 214, 231, 232  
in honey bees, 115  
in potatoes, 17, 104, 158, 212, 213, 241  
in sugar beet, 34, 46, 50, 51–56, 58, 66, 128, 136, 143, 213  
in tropical crops, 214  
inhibitors of infection, 213  
mechanical transmission of, 231  
mite-transmitted, 212, 231  
modification by *o*-quinones, 17  
multiplication, inhibition of, 212  
necrotic local lesions caused by, 214  
nematode-transmitted, 174  
oats as diagnostic host for, 214  
plant hoppers as vectors, 215  
protein of, 17, 214  
seed-borne, 234, 235  
transmission component for, 213  
weevil-transmitted, 212, 234, 235
- Viruses, names of  
Arkansas bee, 116  
barley yellow dwarf, 212  
bean leaf roll, 235  
bean yellow mosaic, 235  
bee chronic paralysis, 116  
bee slow paralysis, 115  
bee virus X, 116  
beet mosaic, 52  
beet yellows, 34, 46, 50–56, 58, 66, 128, 136, 143, 213  
broad bean stain, 124, 234–236  
broad bean true mosaic, 234  
brome mosaic, 214  
cocksfoot mild mosaic, 214  
cocksfoot mottle, 214  
cucumber mosaic, 214  
dasheen mosaic, 214, 215  
Echtes Ackerbohlenmosaik, 234–236  
euonymus mosaic, 174  
festuca mottle, 214  
oat sterile dwarf, 214  
pea enation mosaic, 235  
pea mosaic, 235  
phleum mottle, 214  
potato leaf-drop streak, 241  
potato leaf roll, 241  
potato X, 17  
potato Y, 213, 241  
ryegrass mosaic, 212, 231, 232, 233  
sowbane mosaic, 214  
tobacco mosaic, 212, 213  
tobacco necrosis, 214  
turnip mosaic, 237  
turnip rosette, 214
- Warwickshire, soil survey in, 264
- Wasps, biological control of aphids and thrips by, 151
- Water potential in plants  
pressure-bomb measurements of, 205  
radiant energy and, 34  
thermocouple psychrometers for measuring, 206
- Water Quality, Conference on, 288
- Water Resources Planning Unit, 276
- Weather  
at Broom's Barn (1973–74), 308  
at Rothamsted (1973–74), 306  
at Saxmundham (1974), 309  
at Woburn (1973–74), 307  
effect on crops, 121, 126, 211  
effect on nematodes, 173
- Weed Research Organisation, 112, 230
- Weeds  
biology of, 38–42  
effect of fertilisers on, 39, 42  
effect of rotations on weed seeds in soil, 39  
ground-keeping potatoes, 39  
herbicides for control of, 38, 122  
in grass, 40, 125, 128  
mechanical weeding, 123  
nematodes in, 182  
on Barnfield, 123  
on Broadbalk, 38, 122  
on Hoosfield, 39, 122  
*See also Agropyron; Agrostis; Alopecurus; Equisetum; Wild oats*
- Weevils, 211, 234–236
- Welsh Plant Breeding Station, 184
- West Yorkshire, soil survey in, 260
- Wheat  
baking and milling quality, 76, 133  
boron fertiliser for, 63  
bread making and protein content, 22, 76, 80  
bushel weight of, 133  
carbohydrate metabolism of, 27, 30, 32  
composition of cell walls of roots, 18  
effect of farmyard manure on, 76, 80, 81, 86  
effect of fertilisers on, 76, 80–83  
effect of growth substances on, 32, 33, 127  
effect of organic manures on, 76, 77, 80, 81, 86  
enzymes and photosynthesis in, 28  
eyespot on, 124  
flour yield of, 133  
foliar sprays of N for, 76, 80  
gibberellins in grain, 33  
in rotations, 76, 77, 82, 83, 85  
in Rothamsted Reference experiment, 81  
irrigation for, 205  
lodging of, 124, 127  
N content of, 76, 80–83, 127  
N fertilisers for, 22, 25–29, 76, 80, 85, 86, 124, 127  
on Broadbalk, 76, 80, 81, 122, 185, 224  
photorespiration in, 27, 29  
photosynthesis in, 26–31  
protein content of, 22, 28, 76, 80  
scorching of, by urea, 27  
silicon content of glumes, 219  
slug damage, 113  
soil-moisture deficit in, 219  
sugar content of, 26  
wheat bulb fly on, 107–109, 123, 147, 148  
yields, 67, 68, 70, 81, 82, 83, 124, 127, 230  
*See also Cereals; Eyespot; Take-all*
- Wheat after Intensive Barley experiment, 250
- Wheat bulb fly  
activated charcoal for controlling, 148  
adult activity of, 107  
compost for controlling, 148  
effect of depth of sowing seed on, 148  
effect of pesticides on, 123, 147, 148, 158  
*Entomophthora* spp. on, 108  
in grasses, 108  
mercury/dieldrin for controlling, 123  
permethrin for controlling, 147  
population studies, 107



## INDEX

- Wheat bulb fly (*contd.*)**  
  *Strongwellsea castrans* on, 108  
Whipworm, 188  
Wild Oats (*Avena* spp.), 39, 113, 122  
Wiltshire, soil survey in, 268  
Woburn farm  
  boron content of soils, 88  
  effect of soil organic matter on crops, 85  
  Intensive Cereals experiment at, 83  
  irrigation at, 205  
  Market Garden experiment at, 198  
  Organic Manuring experiment at, 88  
  rotations on, 126  
  Stackyard Field, experiments on, 32  
  toxic metal residues in soils, 198  
  weather at, 307
- Wojnowicia graminis*, 228  
Worcestershire, soil survey in, 263
- X-ray diffraction, 192, 194, 273  
X-ray fluorescence spectrometry, 196
- Yorkshire  
  North York Moors, moorland and arable land on  
    276  
  soil surveys in, 259, 260
- Zaire River Expedition, leguminous seeds collected on,  
  21  
Zambia, grouping of species for vegetation map, 295  
Ziram, for control of wood mice, 50