

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Rothamsted Experimental Station Report for 1974 Part 2



[Full Table of Content](#)

## Subject Index

### Rothamsted Research

Rothamsted Research (1975) *Subject Index* ; Rothamsted Experimental Station Report For 1974 Part 2, pp 231 - 233 - DOI: <https://doi.org/10.23637/ERADOC-1-9>

## SUBJECT INDEX

- Aminotriazole, 157, 159  
Ammonium sulphate  
  effect on losses of carbon from soil, 65  
  effect on soil acidity, 51  
  effect on soil fauna, 141  
Amphill clay at Woburn, 10, 13–16, 21, 27
- Barley**  
  effect of herbicides on, 156, 162, 163  
  fertiliser for, 162  
  fungus, disease of, 190  
  in Continuous Wheat and Barley experiment, 35–39  
  in Cultivation Weedkiller experiment, 162  
  short and tall varieties, 190  
  yields, 35–39, 163, 187–190
- Beans**  
  aminotriazole as stubble spray, 157  
  effect of dinoseb acetate on, 158  
  effect of organic manures on, 95  
  effect of season and site on yields, 96  
  fertiliser for, 158  
  simazine for, 157, 158, 160  
  yields, 94, 157, 158, 159, 163
- Beet (red)**  
  fungicide seed dressing for, 93  
  in Woburn Market Garden experiment, 82–93
- BHC/organo-mercury, as seed dressing for red beet, 93
- Broadbalk  
  comparison with Continuous Wheat and Barley experiments at Woburn, 69
- Carbon in Woburn soils**  
  amount retained in soil, 111  
  changes in, 61, 65, 77, 109  
  effect of continuous cereals on, 68  
  effect of organic manures on, 61, 107–115  
  effect of ploughing on, 64  
  effect of rotations on, 68  
  ICI measurements of, 166  
  measurement of, 70, 73–76, 130, 165  
  methods of analysis, 106, 130  
  variability of, 70
- Carbon/Nitrogen ratios in soils, 107
- Cereals**  
  amount of soil P and K removed by, 39  
  Continuous Wheat and Barley experiments, 5, 29–60  
  Continuous Wheat experiment, 69, 71  
  effect of liming on yields, 47  
  effect on C content of soils, 68  
  herbicides on, 156, 162  
  Intensive Cereals experiment, 52
- Chalk**  
  effect on soil acidity, 48, 104  
  losses from soils, 52, 105  
  use of a 'field factor' for dressings, 49
- Chalky boulder clay, 9, 13–24
- Chlormequat chloride (CCC), for control of lodging in wheat, 190
- Coal and charcoal in Woburn soils, 62
- Composts**  
  analysis of, 82  
  C/N ratios in, 108  
  effect on P and K in soils, 116, 121  
  effect on soil acidity, 105  
  sludge compost, 81–89, 95, 100, 105, 108, 116  
  used in Woburn Market Garden experiment, 79, 81  
  vegetable wastes used as, 79, 81
- Continuous Wheat and Barley experiments, 5, 29–77  
  comparison with experiments on Broadbalk, 69, 71  
  manurial history of, 32  
  organic-matter content of soil, 80
- P content of soil, 80  
  soil acidity, 45, 47, 49, 51, 105  
  soil-sampling method, 45
- Continuous Wheat experiment on Broadbalk, 69, 71
- Couch grass (*Agropyron repens*), 157, 159
- Cultivation Weedkiller experiment, 155–170
- Dinoseb acetate, as weedkiller, 158, 160
- Drainage water, loss of nutrients in, 193
- Earthworms**  
  correlation with fertilisers applied to soil, 139  
  effect of cultivation on, 167  
  effect of N fertiliser on, 142  
  effect of soil acidity on, 145, 147  
  methods of sampling, 134  
  numbers and weights of, in Park Grass, 139  
  relationships with plant species, 151
- Ethirimol as fungicide, 190
- Farmyard manure**  
  analysis of, 82  
  C, N, P and K applied to soil in, 33  
  C/N ratios in, 108  
  comparison with NPK fertiliser, 88, 93  
  effect of applying NPK fertiliser with, 90  
  effect of residues on cereal yields, 39  
  effect on organic P in soils, 61, 66  
  effect on P and K in soil, 116, 121–128  
  effect on soil acidity, 51, 105  
  in Saxmundham Rotation experiments, 188  
  in Woburn Market Garden experiment, 79, 81  
  recoveries of C, N and organic P from, 67  
  use of, in England and Wales, 195
- Fertilisers**  
  comparison with farmyard manure, 88, 93  
  effect of ploughing-in on crop yields, 93  
  effects on soil C, N and organic P, 61  
  effects on soil organic matter, 71  
  use of, in England and Wales, 195
- Fertility gradients, on Woburn Experimental Farm, 5
- Formalin, as soil sterilant for barley, 190
- Fuller's earth, used on Woburn Experimental Farm, 9
- Fungicide, effect on barley yield, 191
- Glaucanite, on Woburn farm, 9
- Green Manuring experiment, Woburn, 5, 80
- Head deposit at Woburn, 11, 13, 14
- Herbage crops, 191, 192
- Herbicides**  
  aminotriazole, 157, 159  
  dinoseb acetate, 158  
  for beans, 157–160  
  for cereals, 156, 157, 159, 160, 163  
  for potatoes, 161  
  linuron + paraquat, 161  
  paraquat, 156, 161, 164  
  residual effect of, 160  
  simazine, 157, 158, 160
- Insect Survey**  
  Aphid Bulletins, 201  
  insects in light traps, 201, 218–229  
  insects in suction traps, 201, 202–217
- Intensive Cereals experiment at Woburn, 52
- Intensive Wheat experiment at Saxmundham, 187
- Lime**  
  applied to Park Grass, 145  
  early history of liming tests at Woburn, 34, 45



## SUBJECT INDEX

- Lime (contd.)  
effect on cereal yields, 47  
effect on soil acidity, 47, 104  
use of a 'field factor' for dressings, 49
- Linuron, with paraquat for potatoes, 161, 162
- Loess, in Woburn soils, 16
- Long-Term Liming experiment at Woburn, 105
- Long-Term Phosphate experiment at Woburn, 52
- Lower Greensand at Woburn, 5, 8–24
- Magnesium, amounts applied at Woburn, 33, 93
- Market Garden experiment at Woburn  
crop yields, 85–90  
cropping, rotations and manures used, 82, 98–101  
effect of chalk on soils, 52, 104, 105  
effect of NPK fertilisers on yields, 87, 90, 92, 100  
history of, 79–85  
K content of soils, 115, 117  
magnesium applied to soils, 33, 93  
mechanical analysis of soils, 102, 131  
organic manures tested in, 79–90  
P content of soils, 80, 115, 117  
soil acidity, 102, 104  
soils of, 80
- Mechanical analysis of soils, 102, 131
- Moths, caught in Insect Survey, 218–229
- Nematodes, effect of soil pH on, 145
- Nitrogen fertiliser  
amounts retained in soil, 111  
effect on cereal yields, 38  
effect on crop yields in Market Garden experiment, 87  
effect on herbage crops, 191  
in Saxmundham Rotation experiments, 188  
use of, in England and Wales, 195, 196, 197
- Nitrogen in Woburn soils  
C/N ratios in, 107  
changes in, 61, 106, 109  
comparison with Broadbalk, 68  
effect of organic manures on, 61, 107–115  
losses by erosion, 70  
measurement of, 74–76, 130
- Organic manures  
analyses of, 82  
C/N ratios of, 108  
effect on bean yields, 95  
effect on Mg fertilisers, 93  
effect on N and C in soils, 61, 107–115  
effect on P and K in soils, 116–127  
effect on soil acidity, 51, 105  
effect on soil fauna, 141  
organic matter added by, 107  
used in Market Garden experiment, 79–101
- Organic Manuring experiment at Woburn, 70, 80
- Paraquat, for cereal stubble, 156, 164
- Park Grass Plots  
history of, 133  
invertebrate fauna of, 133, 134  
lime applications to, 145  
N fertiliser applied to, 141  
plant species numbers, 135, 138  
soil acidity, 133, 135, 145  
soil fauna, 136, 138, 139, 146, 153  
yields, 135
- Particle-size distribution, in Woburn soils, 14, 16
- Peat, effect on bean yield, 95
- Penetrometer, for measuring soil compaction, 164
- Phosphorus fertilisers  
accumulation of, in soil, 188  
amount removed by cereal crops, 39  
effect of residues on cereal crops, 39  
effect on herbage crops, 192  
effect on organic P in soil, 66  
in Saxmundham Rotation experiments, 188  
Long-Term Phosphate experiment, 52  
P in soil and, 118, 119  
use of, in England and Wales, 195, 196, 198
- Phosphorus in soil  
amount removed by cereal crops, 39  
decrease in Saxmundham soils, 189  
effect of acidity on soluble P, 55  
effect of applied P on P residues, 53  
effect of organic manures on, 61, 66, 116–128  
ICI measurements of, 166  
methods of analysis, 54, 59, 74–76, 115, 121, 130, 165  
mineralisation of, 66, 71  
movement into subsoil, 124  
organic P in Woburn soils, 65, 71  
P fertilisers and, 54, 66, 118, 119  
solubility of P residues, 55, 121  
total and soluble in soil, 118, 120, 122, 126
- Plough pan, in Woburn soils, 23
- Ploughing, effect on carbon and phosphorus content of soils, 64
- Potassium fertilisers  
amount removed by cereal crops, 39  
effect of residues on cereal crops, 39  
effect on herbage crops, 192  
effect on K residues in soil, 56  
effect on yields in Market Garden experiment, 90, 93  
in Saxmundham Rotation experiments, 188  
K in soil and, 119  
use of, in England and Wales, 195, 196, 199
- Potassium in soils  
amount removed by cereal crops, 39  
effect of K fertiliser on residues in soil, 56  
effect of organic manures on, 116–128  
ICI measurements of, 166  
K fertiliser applied and, 118, 119  
methods of analysis, 59, 115, 123, 130, 165  
movement into subsoil, 124
- Potatoes  
cultivation on, 160  
effect of superphosphate on, 189  
fertilisers for, 160  
linuron + paraquat for, 161, 162  
yields at Saxmundham, 188, 189  
yields in Cultivation Weedkiller experiment, 161, 163
- Rape cake, composition of, 34
- Rotation experiments at Saxmundham, 187
- Rotation experiments at Woburn, 41, 68
- Rotations  
effect on carbon content of soils, 68  
in Cultivation Weedkiller experiment, 155  
in Market Garden experiment, 82
- Rothamsted Insect Survey, 201–229  
Aphid Bulletins, 201  
insects in light traps, 201, 218–229  
insects in suction traps, 201, 202–217
- Saxmundham Experimental Station  
drainage of soils at, 191, 193  
herbage crops, experiments on, 191  
history of Classical experiments, 187  
Intensive Wheat experiment at, 187  
permeability of soil, 193  
Rotation experiments at, 187–190  
soil structure at, 191  
soils compared with Rothamsted, 191  
sugar-beet yields at, 188–189  
wheat yields at, 187, 189
- Sewage sludge  
analysis of, 82  
C/N ratios in, 108  
effect on P and K in soil, 116, 121  
effect on soil acidity, 105  
in Market Garden experiment, 79, 81  
sludge compost, 81–89, 95, 100, 105, 108, 116  
zinc accumulation in soils caused by, 79, 85
- Simazine, 157, 158, 160, 165
- Sludge. *See* Sewage sludge
- Sodium, amounts applied at Woburn, 33
- Sodium nitrate  
effect on losses of carbon from soil, 65  
effect on soil acidity, 51

## SUBJECT INDEX

- Soil acidity  
changes at Woburn since 1876, 49, 51  
early history of measurement, 45, 54, 59, 60  
effect of ammonium sulphate on, 51  
effect of composts on, 105  
effect of liming on, 47, 104  
effect of organic manures on, 51, 105  
effect of sodium nitrate on, 51  
effect on soil fauna, 145, 147, 150, 153  
effect on soluble P in soil, 55  
in Market Garden experiment, 102, 104  
in well-drained soils at Woburn, 13  
methods of analysis of pH, 60, 130  
of Park Grass Plots, 133, 135, 145  
of unmanured soils, 49
- Soil compaction, measurement of, 164
- Soil erosion  
at Woburn, 11, 23, 71  
effect on loss of N from soil, 70
- Soil fauna  
correlation with hay yield, 136  
correlation with soil composition, 137  
effect of N fertiliser on, 141, 153  
effect of organic manures on, 141  
effect of soil acidity on, 145, 147, 153  
effect on flora, 146  
methods of extraction from soil, 134  
of Park Grass, 133, 152
- Soil morphology, at Woburn, 11
- Soil organic matter  
calculation of, 130  
effect of fertilisers on, 71  
in Woburn Market Garden experiment, 80  
organic manures and, 107  
rates of build-up of, 108
- Soil sampling methods in Continuous Wheat and Barley experiment, 45
- Soil structure  
at Saxmundham Experimental Station, 191  
effect of mechanical cultivation on, 191  
effect of leys on, 191, 192  
'Krilium', effect on, 191
- Soil, weight of, 102
- Stackyard field, Woburn  
comparison with Broadbalk of N losses from soil, 69, 71  
Continuous Wheat and Barley experiment on, 29-77  
experiments on, 15, 29-77, 102  
history of, 29
- Intensive Cereals experiment on, 52  
Long-Term Phosphate experiment on, 52  
soil types, 29
- Straw, used in composts, 79
- Sugar beet  
acreage and distribution of, 181  
'Damage Index' for pests, 172  
effect of P fertiliser on, 189  
fluctuations in crop damage, 181  
pest damage to, 171-185  
yields at Saxmundham, 188, 189
- Water infiltration, in Cultivation Weedkiller experiment, 165
- Weeds, in Cultivation Weedkiller experiment, 155, 156, 157, 158, 159
- Wheat  
couchgrass in, 157, 159  
cultivation on, 158  
effect of weather on yield, 190  
eyespot in continuous wheat, 189  
fertilisers for, 159  
herbicides for, 157, 159, 160  
in Continuous Wheat and Barley experiment, 35-39  
in Cultivation Weedkiller experiment, 158, 160, 161, 163  
lodging, chlormequat chloride to control, 190  
take-all in continuous wheat, 189  
yields, 35-39, 187, 189
- Wireworms  
effect of soil acidity on, 150  
grass yield and, 141
- Woburn Experimental Farm  
Amphill clay on, 8, 9, 10, 14, 15, 16, 21  
Continuous Wheat and Barley experiments on, 5, 29-77  
drainage on, 11-14  
history of, 5  
loess on, 16, 23  
Long-Term Phosphate experiment on, 52  
Market Garden experiment on, 79-101  
mineralogy of soils, 16-22  
morphology of soils, 11  
plough pan in soils, 23  
soil erosion on, 11  
soils of, 5-28  
Stackyard field experiments, 29-77  
weathering of soils, 11, 22, 24
- Zinc, contamination in soils, 79, 85