


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Experimental Station Report for 1974 Part 2



[Full Table of Content](#)

Subject Index

Rothamsted Research

Rothamsted Research (1975) *Subject Index* ; Rothamsted Experimental Station Report For 1974 Part 2, pp 231 - 233 - DOI: <https://doi.org/10.23637/ERADOC-1-9>

SUBJECT INDEX

- Aminotriazole, 157, 159
Ammonium sulphate
 effect on losses of carbon from soil, 65
 effect on soil acidity, 51
 effect on soil fauna, 141
Amphill clay at Woburn, 10, 13–16, 21, 27
- Barley**
 effect of herbicides on, 156, 162, 163
 fertiliser for, 162
 fungus, disease of, 190
 in Continuous Wheat and Barley experiment, 35–39
 in Cultivation Weedkiller experiment, 162
 short and tall varieties, 190
 yields, 35–39, 163, 187–190
- Beans**
 aminotriazole as stubble spray, 157
 effect of dinoseb acetate on, 158
 effect of organic manures on, 95
 effect of season and site on yields, 96
 fertiliser for, 158
 simazine for, 157, 158, 160
 yields, 94, 157, 158, 159, 163
- Beet (red)**
 fungicide seed dressing for, 93
 in Woburn Market Garden experiment, 82–93
- BHC/organo-mercury, as seed dressing for red beet, 93
- Broadbalk**
 comparison with Continuous Wheat and Barley experiments at Woburn, 69
- Carbon in Woburn soils**
 amount retained in soil, 111
 changes in, 61, 65, 77, 109
 effect of continuous cereals on, 68
 effect of organic manures on, 61, 107–115
 effect of ploughing on, 64
 effect of rotations on, 68
 ICI measurements of, 166
 measurement of, 70, 73–76, 130, 165
 methods of analysis, 106, 130
 variability of, 70
- Carbon/Nitrogen ratios in soils, 107**
- Cereals**
 amount of soil P and K removed by, 39
 Continuous Wheat and Barley experiments, 5, 29–60
 Continuous Wheat experiment, 69, 71
 effect of liming on yields, 47
 effect on C content of soils, 68
 herbicides on, 156, 162
 Intensive Cereals experiment, 52
- Chalk**
 effect on soil acidity, 48, 104
 losses from soils, 52, 105
 use of a 'field factor' for dressings, 49
- Chalky boulder clay, 9, 13–24
- Chlormequat chloride (CCC), for control of lodging in wheat, 190
- Coal and charcoal in Woburn soils, 62
- Composts**
 analysis of, 82
 C/N ratios in, 108
 effect on P and K in soils, 116, 121
 effect on soil acidity, 105
 sludge compost, 81–89, 95, 100, 105, 108, 116
 used in Woburn Market Garden experiment, 79, 81
 vegetable wastes used as, 79, 81
- Continuous Wheat and Barley experiments, 5, 29–77
 comparison with experiments on Broadbalk, 69, 71
 manurial history of, 32
 organic-matter content of soil, 80
- P content of soil, 80
 soil acidity, 45, 47, 49, 51, 105
 soil-sampling method, 45
- Continuous Wheat experiment on Broadbalk, 69, 71
- Couch grass (*Agropyron repens*), 157, 159
- Cultivation Weedkiller experiment, 155–170
- Dinoseb acetate, as weedkiller, 158, 160
- Drainage water, loss of nutrients in, 193
- Earthworms**
 correlation with fertilisers applied to soil, 139
 effect of cultivation on, 167
 effect of N fertiliser on, 142
 effect of soil acidity on, 145, 147
 methods of sampling, 134
 numbers and weights of, in Park Grass, 139
 relationships with plant species, 151
- Ethirimol as fungicide, 190
- Farmyard manure**
 analysis of, 82
 C, N, P and K applied to soil in, 33
 C/N ratios in, 108
 comparison with NPK fertiliser, 88, 93
 effect of applying NPK fertiliser with, 90
 effect of residues on cereal yields, 39
 effect on organic P in soils, 61, 66
 effect on P and K in soil, 116, 121–128
 effect on soil acidity, 51, 105
 in Saxmundham Rotation experiments, 188
 in Woburn Market Garden experiment, 79, 81
 recoveries of C, N and organic P from, 67
 use of, in England and Wales, 195
- Fertilisers**
 comparison with farmyard manure, 88, 93
 effect of ploughing-in on crop yields, 93
 effects on soil C, N and organic P, 61
 effects on soil organic matter, 71
 use of, in England and Wales, 195
- Fertility gradients, on Woburn Experimental Farm, 5
- Formalin, as soil sterilant for barley, 190
- Fuller's earth, used on Woburn Experimental Farm, 9
- Fungicide, effect on barley yield, 191
- Glaucanite, on Woburn farm, 9
- Green Manuring experiment, Woburn, 5, 80
- Head deposit at Woburn, 11, 13, 14
- Herbage crops, 191, 192
- Herbicides**
 aminotriazole, 157, 159
 dinoseb acetate, 158
 for beans, 157–160
 for cereals, 156, 157, 159, 160, 163
 for potatoes, 161
 linuron + paraquat, 161
 paraquat, 156, 161, 164
 residual effect of, 160
 simazine, 157, 158, 160
- Insect Survey**
 Aphid Bulletins, 201
 insects in light traps, 201, 218–229
 insects in suction traps, 201, 202–217
- Intensive Cereals experiment at Woburn, 52
- Intensive Wheat experiment at Saxmundham, 187
- Lime**
 applied to Park Grass, 145
 early history of liming tests at Woburn, 34, 45

SUBJECT INDEX

- Lime (contd.)
effect on cereal yields, 47
effect on soil acidity, 47, 104
use of a 'field factor' for dressings, 49
- Linuron, with paraquat for potatoes, 161, 162
- Loess, in Woburn soils, 16
- Long-Term Liming experiment at Woburn, 105
- Long-Term Phosphate experiment at Woburn, 52
- Lower Greensand at Woburn, 5, 8–24
- Magnesium, amounts applied at Woburn, 33, 93
- Market Garden experiment at Woburn
crop yields, 85–90
cropping, rotations and manures used, 82, 98–101
effect of chalk on soils, 52, 104, 105
effect of NPK fertilisers on yields, 87, 90, 92, 100
history of, 79–85
K content of soils, 115, 117
magnesium applied to soils, 33, 93
mechanical analysis of soils, 102, 131
organic manures tested in, 79–90
P content of soils, 80, 115, 117
soil acidity, 102, 104
soils of, 80
- Mechanical analysis of soils, 102, 131
- Moths, caught in Insect Survey, 218–229
- Nematodes, effect of soil pH on, 145
- Nitrogen fertiliser
amounts retained in soil, 111
effect on cereal yields, 38
effect on crop yields in Market Garden experiment, 87
effect on herbage crops, 191
in Saxmundham Rotation experiments, 188
use of, in England and Wales, 195, 196, 197
- Nitrogen in Woburn soils
C/N ratios in, 107
changes in, 61, 106, 109
comparison with Broadbalk, 68
effect of organic manures on, 61, 107–115
losses by erosion, 70
measurement of, 74–76, 130
- Organic manures
analyses of, 82
C/N ratios of, 108
effect on bean yields, 95
effect on Mg fertilisers, 93
effect on N and C in soils, 61, 107–115
effect on P and K in soils, 116–127
effect on soil acidity, 51, 105
effect on soil fauna, 141
organic matter added by, 107
used in Market Garden experiment, 79–101
- Organic Manuring experiment at Woburn, 70, 80
- Paraquat, for cereal stubble, 156, 164
- Park Grass Plots
history of, 133
invertebrate fauna of, 133, 134
lime applications to, 145
N fertiliser applied to, 141
plant species numbers, 135, 138
soil acidity, 133, 135, 145
soil fauna, 136, 138, 139, 146, 153
yields, 135
- Particle-size distribution, in Woburn soils, 14, 16
- Peat, effect on bean yield, 95
- Penetrometer, for measuring soil compaction, 164
- Phosphorus fertilisers
accumulation of, in soil, 188
amount removed by cereal crops, 39
effect of residues on cereal crops, 39
effect on herbage crops, 192
effect on organic P in soil, 66
in Saxmundham Rotation experiments, 188
Long-Term Phosphate experiment, 52
P in soil and, 118, 119
use of, in England and Wales, 195, 196, 198
- Phosphorus in soil
amount removed by cereal crops, 39
decrease in Saxmundham soils, 189
effect of acidity on soluble P, 55
effect of applied P on P residues, 53
effect of organic manures on, 61, 66, 116–128
ICI measurements of, 166
methods of analysis, 54, 59, 74–76, 115, 121, 130, 165
mineralisation of, 66, 71
movement into subsoil, 124
organic P in Woburn soils, 65, 71
P fertilisers and, 54, 66, 118, 119
solubility of P residues, 55, 121
total and soluble in soil, 118, 120, 122, 126
- Plough pan, in Woburn soils, 23
- Ploughing, effect on carbon and phosphorus content of soils, 64
- Potassium fertilisers
amount removed by cereal crops, 39
effect of residues on cereal crops, 39
effect on herbage crops, 192
effect on K residues in soil, 56
effect on yields in Market Garden experiment, 90, 93
in Saxmundham Rotation experiments, 188
K in soil and, 119
use of, in England and Wales, 195, 196, 199
- Potassium in soils
amount removed by cereal crops, 39
effect of K fertiliser on residues in soil, 56
effect of organic manures on, 116–128
ICI measurements of, 166
K fertiliser applied and, 118, 119
methods of analysis, 59, 115, 123, 130, 165
movement into subsoil, 124
- Potatoes
cultivation on, 160
effect of superphosphate on, 189
fertilisers for, 160
linuron + paraquat for, 161, 162
yields at Saxmundham, 188, 189
yields in Cultivation Weedkiller experiment, 161, 163
- Rape cake, composition of, 34
- Rotation experiments at Saxmundham, 187
- Rotation experiments at Woburn, 41, 68
- Rotations
effect on carbon content of soils, 68
in Cultivation Weedkiller experiment, 155
in Market Garden experiment, 82
- Rothamsted Insect Survey, 201–229
Aphid Bulletins, 201
insects in light traps, 201, 218–229
insects in suction traps, 201, 202–217
- Saxmundham Experimental Station
drainage of soils at, 191, 193
herbage crops, experiments on, 191
history of Classical experiments, 187
Intensive Wheat experiment at, 187
permeability of soil, 193
Rotation experiments at, 187–190
soil structure at, 191
soils compared with Rothamsted, 191
sugar-beet yields at, 188–189
wheat yields at, 187, 189
- Sewage sludge
analysis of, 82
C/N ratios in, 108
effect on P and K in soil, 116, 121
effect on soil acidity, 105
in Market Garden experiment, 79, 81
sludge compost, 81–89, 95, 100, 105, 108, 116
zinc accumulation in soils caused by, 79, 85
- Simazine, 157, 158, 160, 165
- Sludge. *See* Sewage sludge
- Sodium, amounts applied at Woburn, 33
- Sodium nitrate
effect on losses of carbon from soil, 65
effect on soil acidity, 51

SUBJECT INDEX

- Soil acidity
changes at Woburn since 1876, 49, 51
early history of measurement, 45, 54, 59, 60
effect of ammonium sulphate on, 51
effect of composts on, 105
effect of liming on, 47, 104
effect of organic manures on, 51, 105
effect of sodium nitrate on, 51
effect on soil fauna, 145, 147, 150, 153
effect on soluble P in soil, 55
in Market Garden experiment, 102, 104
in well-drained soils at Woburn, 13
methods of analysis of pH, 60, 130
of Park Grass Plots, 133, 135, 145
of unmanured soils, 49
- Soil compaction, measurement of, 164
- Soil erosion
at Woburn, 11, 23, 71
effect on loss of N from soil, 70
- Soil fauna
correlation with hay yield, 136
correlation with soil composition, 137
effect of N fertiliser on, 141, 153
effect of organic manures on, 141
effect of soil acidity on, 145, 147, 153
effect on flora, 146
methods of extraction from soil, 134
of Park Grass, 133, 152
- Soil morphology, at Woburn, 11
- Soil organic matter
calculation of, 130
effect of fertilisers on, 71
in Woburn Market Garden experiment, 80
organic manures and, 107
rates of build-up of, 108
- Soil sampling methods in Continuous Wheat and Barley experiment, 45
- Soil structure
at Saxmundham Experimental Station, 191
effect of mechanical cultivation on, 191
effect of leys on, 191, 192
'Krilium', effect on, 191
- Soil, weight of, 102
- Stackyard field, Woburn
comparison with Broadbalk of N losses from soil, 69, 71
Continuous Wheat and Barley experiment on, 29-77
experiments on, 15, 29-77, 102
history of, 29
- Intensive Cereals experiment on, 52
Long-Term Phosphate experiment on, 52
soil types, 29
- Straw, used in composts, 79
- Sugar beet
acreage and distribution of, 181
'Damage Index' for pests, 172
effect of P fertiliser on, 189
fluctuations in crop damage, 181
pest damage to, 171-185
yields at Saxmundham, 188, 189
- Water infiltration, in Cultivation Weedkiller experiment, 165
- Weeds, in Cultivation Weedkiller experiment, 155, 156, 157, 158, 159
- Wheat
couchgrass in, 157, 159
cultivation on, 158
effect of weather on yield, 190
eyespot in continuous wheat, 189
fertilisers for, 159
herbicides for, 157, 159, 160
in Continuous Wheat and Barley experiment, 35-39
in Cultivation Weedkiller experiment, 158, 160, 161, 163
lodging, chlormequat chloride to control, 190
take-all in continuous wheat, 189
yields, 35-39, 187, 189
- Wireworms
effect of soil acidity on, 150
grass yield and, 141
- Woburn Experimental Farm
Amphill clay on, 8, 9, 10, 14, 15, 16, 21
Continuous Wheat and Barley experiments on, 5, 29-77
drainage on, 11-14
history of, 5
loess on, 16, 23
Long-Term Phosphate experiment on, 52
Market Garden experiment on, 79-101
mineralogy of soils, 16-22
morphology of soils, 11
plough pan in soils, 23
soil erosion on, 11
soils of, 5-28
Stackyard field experiments, 29-77
weathering of soils, 11, 22, 24
- Zinc, contamination in soils, 79, 85