


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Report for 1977 - Part 1

[Full Table of Content](#)



Index

Rothamsted Research

Rothamsted Research (1978) *Index* ; Report For 1977 - Part 1, pp 333 - 342 - DOI:
<https://doi.org/10.23637/ERADOC-1-134>

SUBJECT INDEX

The General Report by the Director (pp. 9-17) has not been indexed.

INDEX

- Barley (contd.)**
in rotation fumigation experiment, 181, 182
nutrient uptake by, 200
plant emergence on small plots, 197
precision seeding of, 32
prolamin fraction of, 25
Rhynchosporium secalis on, 214
tiller number in, 32
water stress in, 35
water use in, 203, 204
yields, 115, 117
See also: Cereals; *Erysiphe graminis*; Take-all
- Beans (*Vicia faba*)**
aphids on, 116
Botrytis fabae (chocolate spot) on, 116, 126, 208, 221
effect of irrigation on yields, 204
effect of nitrogen fertiliser on, 124
fungus diseases of, 125, 126, 221
irrigation for, 124
nematodes on, 126, 179, 180
nitrogen fixation in, 236, 237
pea and bean weevils on, 95, 96
pesticides on, 124, 125, 148
precision sowing of, 127
red-seeded, 127
root-rot fungi of, 179
Sitona on, 124, 125
uptake and release of potassium and sodium ions from, 167
virus diseases of, 125, 221, 222
yields, 116, 123, 124, 127
See also: *Phaseolus vulgaris*
- Bees.** *See* Honeybees
- Beetles**
Apion aestivalium, on red clover, 219
as predators of cereal aphids, 101
carabid, biological control of, 101, 102
Ceuthorhynchus assimilis, 94, 95
control of, 97, 98
Meligethes aeneus, on oilseed rape, 94, 95
on field beans, 95
on oilseed rape, 94, 95, 102
on red clover infected with necrotic mosaic virus, 219
sexual maturation of, 101, 102
Sitona spp., 95–98, 236
- Bendiocarb**
as a nematicide, 188
for seed treatment of sugar beet, 64, 66
- Benomyl**
as fungicide for wheat, 152, 211, 212
as seed treatment for oilseed rape, 222, 223
effect on mycorrhiza, 238
effect on nodulation of grain legumes, 126
in rotation-fumigation experiment, 181, 182
on lupins, 128
on peas, 127
on spring beans, 124–126
to control chocolate spot on beans, 221
- Biodeterioration**, 210
- Bioresmethrin**, 137
- Blackgrass.** *See* *Alopecurus myosuroides*
- Botrytis fabae** (chocolate spot), on beans, 116, 126, 208, 221
- Botswana**, attack of sorghum plants by insects in, 309
- Brassica crops**, diseases of, 222, 223
- Brickearths**, on the Chilterns, 288, 289
- British Sugar Corporation**, 54
- Broadbalk**
Classical experiments on, 121, 122
cropping sequence on, 47
potatoes on, 115
weeds on, 46, 47
wheat on, 114
- Broom's Barn Farm**
livestock, 68
weather, 322
- Cabbage**, clubroot (*Plasmoidiophora brassicae*) on, 223
- Cambridgeshire**, soil survey in, 249, 250
- Captafol**
as fungicide for wheat, 211
to control *Rhynchosporium secalis*, 214
- Carbendazim**
effect on skin spot (*Polyscytalum pustulans*) on potatoes, 227
on wheat, 211
uptake of into potato plants, 226
- Carbofuran**
as a nematicide, 66, 182, 188
for *Sitona* on beans, 98
- Carbon dioxide enrichment**, effect on growth and yield in spring wheat, 38, 39
- Carbon flux**, analysis of in water-stressed plants, 36
- Carbophenothion**, for *Sitona* on bean roots, 98
- Carboxylesterase**, in wheat leaves, 37
- Carboxylesterase activity**, involvement of in resistance of *Myzus persicae* to insecticides, 139, 140
- Cattle ticks**, resistance of to insecticides, 141, 142
- Cell-wall degrading enzymes**, 21
- Cereals**
amino acid transport in, 23
aphids on, 92, 93, 101
auxanometers to measure leaf extension in, 201
deposition of disease spores in, 204, 205
diseases of, 212–218
distribution of photosynthate in, 33, 34
effect of aerial pollutants on, 39, 40
effect of increased CO₂ concentrations on, 38, 39
effect of subsoiling on, 122, 123
enzymes in, 22
fungicides for, 211, 212
grain number, 35
grain quality and microflora, 211
grain size in, 34, 35
growth and metabolism of embryos of, 22
growth regulators for, 156, 157
identification of varieties of, 25, 26
precision seeding of, 32
prolamin polypeptide patterns of, 25, 26
protein in cereal grain, 282
respiration rates for, 34
retention of harvest dust on combine harvesters, 210
seeds of, 24, 25
sugar concentrations in, 33, 34
water stress in, 35, 36
yields, 67
See also: Barley; *Erysiphe graminis*; Maize; Oats; Take-all; Wheat
- Chlorophacinone**, to control mice in sugar-beet fields, 64
- Chlorfenvinphos**, effect on mycorrhiza, 238
- Chlorfmephos**, for weevils on bean roots, 97
- Chloromequat**, (CCC) as growth regulator on wheat, 211
- Chloroplasts**
ammonia assimilation in, 22
location of aspartate kinase in, 23
- Chocolate spot (of beans).** *See* *Botrytis fabae*
- Cladosporium** spp., on sugar beet, 65, 66
- Clay mineralogy**, 257, 261, 286–288
- Clay minerals**
in Bangladesh, 288
in Blue Nile and Suez Canal, 288
in South Chad, 288
in unfractionated soils, 287
infrared spectra of, 287, 288
See also: Soil mineralogy
- Clay soils**
application of mercury porosimetry to, 285
mineralogy and swelling in, 286
pore size distribution in, 285
shrinkage of, 285
- Clostridium pasteurianum**, radioactive count in ethylene produced by, 235
- Clover**
clover rot (*Sclerotinia trifoliorum*) on, 122
effect of pesticides on, 123

INDEX

- Clover (*contd.*)
field inoculation of in grassland, 241
mycorrhiza on, 239–241
nodulation of, 234, 235
pests of, 97
virus diseases of, 218–220
See also: Legumes
- Clwyd, soil survey in, 255, 256
- Coal shale, determination of pyritic sulphur in, 292
- Cockroach (*Periplaneta americana*)
distribution of pyrethroids in, 135, 136
penetration of pyrethroids in, 135, 136
rearing of, 149
- Coconuts, equipment for mass pollination of, 149
- Colletotrichum coccodes* (black dot), of potato, 226
- Combine harvesters, retention of harvest dust on cabs of, 210
- Computer programs
DRAW for field experiments, 81
for geneological data on plants, 80
for seed store management, 87
for simulation of pesticide degradation and movement in soil, 156
G-EXEC system for soil survey, 80, 259
languages, 78, 81, 169
Multijob, 82
Rothamsted General Survey Program, 79, 82, 83, 301
systems, 79
See also: Statistical programming
- Computers
applications, 79
computer graphics, 81, 82
database systems, 79, 80
ICL System 4-70, 75, 76, 79, 306
ICL System 4-72, 75–79
ICL System 4-75, 306
Joint ICL/RES Project, 73–75, 78, 79
management services section, 86, 87
mass spectral search, 80, 86
message multiplexing (MMX), 75, 78
operations section, 74–79
system performance, 75–77
telecommunications section, 83–86
training, 82
workload, 77, 78
See also: Computer programs; Statistical analysis; Statistical programming
- Copper, in soils, 289, 290
- Coppiced trees, as potential source of leaf protein, 291
- Cornwall, soil survey in, 255, 262
- Cover loam and cover sand, 258
- Cowpea, nodulation on, 237
- Crystal structure analysis, 163
- Crystallinity, kaolin, of Nigerian soils, 287
- Cumbria, soil survey in, 248, 249, 259
- Curworts
Fusarium solani on, 102
nuclear polyhedrosis virus of, 102
on potatoes, 96, 97
populations of, 96, 97, 102
- Cytokinins
analysis of zeatin by gas chromatography, 40, 41
endosperm cell division in wheat and, 40, 41
- Dalapon, as seed treatment for oilseed rape, 222, 223
- Daminozide, on potatoes, 151
- Dazomet
as a nematicide, 183
on maize, 128
- 'D-D', replacement of by aldicarb, 181, 182
- DDT, resistance of houseflies to, 140, 141
- 'Delsene M', as fungicide for wheat, 211
- Denitrification, measurement of in soils, 281, 282
- Derbyshire, soil survey in, 250
- Devon, soil survey in, 255
- Diazinon, for weevils on bean roots, 97
- Dieldrin, for seed treatment of sugar beet, 64
- Diffractionmeter, 168, 169
- Drazoxolon effect on mycorrhiza, 238
- Drought experiments, on Little Knott, 194, 199–201
- Dyfed, soil survey in, 256
- Earthworms, 99
- Entomophthora* spp.
control of bean aphid by, 102, 103
- Entomophthora*-like fungus on nematodes, 178, 180, 181
- Enzymes
acetylcholinesterase, 141, 142
asparaginase, 24
carbonic anhydrase, 37
carboxylase, 37
carboxylesterase, 139, 140
glutamate synthase, 22
trypsin, 20
- Erwinia carotovora*, on potatoes, 224
- Erysiphe betae*, growth of, 65, 66
- Erysiphe graminis* (barley mildew)
computer simulation of epidemic of, 213
deposition of spores, 204, 205, 213
effect on carbon assimilation, 213, 214
epidemiology of, 213
insensitivity to fungicides, 153, 154
mode of action of fungicides on, 153, 154
- Essex, soil survey in, 254, 257, 258
- Esterase activity, role of in resistance of aphids to insecticides, 139, 140
- Etidium bromide, as an inhibitor of fungal spores, 237
- Ethirimol
for barley mildew, 115, 117
insensitivity to, 153
mode of action of, 153, 154
- Eyespot (*Pseudocercosporella herpotrichoides*)
effect of straw burning on, 217, 218
on wheat, 152, 217, 218
- Farmyard manure, evaluation of phosphorus residues from, 274–276
- Fenugreek (*Trigonella foenum-graecum*), inoculation of with *Rhizobium*, 128
- Fertilisers
effect on seedling establishment in sugar beet, 57
for subsoils, 122, 123
on potatoes, 44, 45
- Survey of Fertilizer Practice,
See also: Ammonium fertilisers; Nitrogen fertilizers; Phosphorus fertilisers
- Field beans. *See Beans.*
- Field drains, deposits of ochre in, 287
- Field experiments
computer program for, 81
counts of *Rhizobium trifolii* in, 235, 236
statistical analysis of, 302
- 5-Fluorouracil, as an inhibitor of fungal spores, 238
- Flurecol, to control clubroot in cabbage, 152
- Fonofos ('Dyfonate'), for *Sitona* control in bean roots, 97, 124, 125
- Formalin, as a fungicide on oats, 180, 181
- Fungal spores
effect of metabolic inhibitors on, 237, 238
recovery of VA mycorrhizal spores after germination, 239
- Fungicides
controlled droplet application, 148, 149
effect on *Entomophthora* spp., 103
effect on mycelial growth in cultures of potato fungus diseases, 227
effect on *Rhynchosporium secalis*, 214
for wheat, 152, 153
insensitivity to, 153, 154
on barley, 67, 153
uptake of into potato plants, 226
uptake of into potato tubers, 226, 227
use of against tuber pathogens in potatoes, 226
See also: names of chemicals used as fungicides

INDEX

INDEX

INDEX

- Nitrogen
effect of KNO_3 and $(\text{NH}_4)_2\text{SO}_4$ on denitrification in soil, 281
forms of used on maize, 128
in wheat grain, 282
metabolism of, 21–26
molecular, reduction of, 168
nitrate N in drainage waters, 282, 283
uptake of, from soil, 200
- Nitrogen fertilisers
applied with nitrification inhibitors, 276–279
effect of high rates of on *Rhizobium* in soil, 235, 236
effect on growth and nutrient uptake of wheat, 279–281
effect on yields of spring beans, 123
in precision seeding experiments, 32, 33
'Nitro-Chalk' 127, 129, 277, 278
on maize, 128, 129
residues, 280, 281
slow release, for potatoes, 280, 281
See also: Ammonia; Urea; and individual crops
- Nitrogen fixation
acetylene reduction assay for, 126, 235, 236
effect of pesticides on 236
effect of rain on, 236
effect of *Sitona* on, 236
effect of supplementary CO_2 on, 236
in beans, 126, 236, 237
rates of in soil cores, 235
- Nitrogenase activity, 235, 236, 240
- Nitrosolobus* spp., 156
- Nitrosobacter* genus, 156
- Nitospira* spp., 156
- Nodulation, 126, 234, 235, 237, 241
- Norfolk, soil survey in, 250, 258
- Nottinghamshire, soil survey in, 251
- NRDC insecticides, 133
- 'N-Serve' (nitrapyrin), 277, 279
See also: Nitrification inhibitors
- Oats
diseases of, 212, 213
fungi on, 212
nematodes on, 179–181
yields, 115
See also: Cereals
- Obituary note, Sir Henry Gerald Thornton, 243
- Oilseed rape (*Brassica napus* spp. *oleifera*)
aphids on, 92
canker fungus on, 209
nematodes on, 54, 188
pests of, 94, 95, 102
poisoning of honeybees by pesticides on, 142
Pyrenopeziza brassicae on, 208, 209, 222, 223
- Oncocerciasis, monitoring of, 105
- Onions
'blot' disease in, 186, 187
mycorrhiza on, 238, 239
nematodes on, 186, 187
- Open chain compounds, as complexing agents, 167, 168
- Oscinella* spp., control of, 98
- Oxamyl
as a nematicide, 66, 155, 182–188
for *Sitona* on beans, 98
leaching and degradation of, 155, 156
- Oxygen, effect of four levels of on denitrification in soils, 281
- Paleosols, clay mineralogy of, 257, 258
- Panicum maximum*, VA mycorrhiza on, 241
- Paraquat, effect on number of *Rhynchosporium secalis* spores, 214
- Park grass, weeds on, 45
- Pea, leafless
nematodes on, 180
nitrogen on, 127
pesticides on, 127
- Pea moth. *See* Moths.
- Peat, classification of samples of, 262
- Permethrin
for control of bean and pea pests, 98, 123–125
on ryegrass swards, 99
- Pesticides
adsorption and desorption of in soil, 143
application of, 132, 148, 149
effect on earthworms, 99
effect on soil fauna, 99
effect on VA mycorrhiza, 238, 239
for control of pea and bean weevils, 97, 98
leaching and degradation of, 155, 156
residues in soil and plants, 97, 126
See also: Aphicides; Fungicides; Insecticides; Nematicides
- Pests
effect of foliar glandular hairs of potatoes on, 228
in Bangladesh, 105
methods for sampling, 95
of clover, 97
of grassland and forage crops, 98, 99
of oilseed rape, 94, 95, 102
of potatoes, 228
of sugar beet, 99, 100
soil pests in the South Pacific, 106
suction traps for, 90
- Phaedon cochleariae* (Mustard beetle), 149
- Phaseolus vulgaris*
effect of VA mycorrhiza on molybdenum uptake in, 240
enzymes of ammonia assimilation in nodules of, 22
nitrogen fixation in, 237, 240
- Phenolics, elution of before extracting leaf protein, 291
- Phoma exigua* var. *foveata* (gangrene on potato)
culture of, 225–227
identification of, 155
survival in soil, 225
systemic movement, 225
- Phorate
as a nematicide, 66, 188
for *Sitona* on beans, 98
- Phosphorus fertilisers
evaluation of phosphorus residues from superphosphate, 274–276
on barley, 273, 274
See also: individual crops
- Phosphorus in soil
barley yields related to, 273, 274
residues in Saxmundham soils, 274–276
- Photorespiration, 31, 36–38
- Photosynthate, distribution of in cereals, 33, 34, 39
- Photosynthesis
 C_3 mechanism of, 38
 C_4 photosynthetic pathway, 38
effect of high CO_2 levels on, 38, 39
gross rates of, 34–36
in *Spartina townsendii*, 38
laboratory studies of, 202, 203
mechanism of in tea plants, 37, 38
Monteith's model of, 201, 202
portable chamber for measurement of, 202
portable gas-mixing system for field studies of, 202
potential inhibitors of, 36, 37
rate of in water-stressed cereals, 35, 36
- Phoxim, as a nematicide, 182
- Pirimicarb, effect on spring beans, 124, 125
- Plant proteins, association with virus resistance, 20, 21
- Plasmodiophora brassicae* (clubroot) of cabbage, life cycle of, 223
- Polyacrylic acid, effect on tobacco mosaic virus 209, 210
- Polymyxa graminis*, on oats, 212
- Polypeptide pattern, for identification of cereal varieties, 25, 26
- Polyscytalum pustulans* (skin spot) on potatoes, 315
- Porometer
calibration of, 201
types of, 201

INDEX

- Potassium-calcium exchange, calorimetric analysis of, 276
- Potatoes
- bacterial soft rot (*Erwinia carotovora atroseptica*) on, 224
 - black dot (*Colletotrichum coccodes*) on, 226
 - black scurf (*Rhizoctonia solani*) on, 226
 - blackleg on, 207
 - common scab (*Streptomyces scabies*) on, 224
 - effect of algae on growth of, 290, 291
 - effect of chlorfluorecol on, 44, 45
 - effect of cultural technique on yields, 184, 185
 - effect of extra fertiliser on yields, 184, 185
 - effect of irrigation and fertiliser application on, 44
 - effect of nematicides on yield, 182, 183
 - effect of subsoiling on, 122, 123
 - effect of three-course rotation on yields, 183
 - effectiveness of foliar glandular hairs against potato pests, 228
 - gangrene (*Phoma exigua var. foveata*) on, 155, 225–227
 - groundkeepers, 227, 228
 - haulm senescence, 44
 - in rotation fumigation experiment, 181, 182
 - nematode control in by nematicides, crop rotation and resistant varieties, 182–185
 - nematodes on, 175–178, 182–185
 - on Broadbalk, 115
 - optimum seed rate for, 299–300
 - pests of, 96, 97, 228
 - RLO disease of, 179
 - seed treatment of, 226
 - silver scurf (*Helminthosporium solani*) on, 226, 227
 - skin spot (*Polyscytalum pustulans*) on, 226
 - slow-release nitrogen fertilisers for, 280, 281
 - spread of *Erwinia carotovora* var. *carotovora* from stem lesions to progeny tubers, 224
 - tecnazene on, 154
 - uptake of fungicides into tubers, 226, 227
 - use of fungicides against tuber pathogens, 226, 227
 - yields, 115, 117
- Powys, soil survey in, 256, 260
- Propionic acid, for preservation of damp hay, 157
- Protein
- in cereal seeds, 24, 25
 - synthesis of, 21, 23, 24
 - See also: Plant proteins*
- Pseudocercospora herpotrichoides* (eyespot), effect of straw burning on, 217, 218
- Pyrenopeziza brassicae*, on oilseed rape, 208, 222, 223
- Pyrethroids
- action of *in vivo*, 136, 137
 - aphid resistance to, 137–140
 - distribution in cockroaches, 135, 136
 - effect of synergists on, 137
 - equipment for recording action of on live insects, 136, 137
 - insecticidal activity of, 133–137
 - new compounds, 133, 134
 - NRDC compounds, 133
 - penetration in cockroaches, 135, 136
 - post-synaptic action of, 136
 - resistance of houseflies to, 140, 141
 - separation of diastereoisomers, 133, 134
 - use on ryegrass swards, 98, 99
- See also: Insecticides*
- Pyricularia oryzae*, saccharopine metabolising enzymes in, 23
- Pythium* spp.
- on lupins, 220, 221
 - on oats, 212
- o*-Quinones, effect on plant viruses, 19, 20
- Rainfall
- at Broom's Barn, Rothamsted, Saxmundham, and Woburn (1976–77), 320–323
 - at Rothamsted (1977), 113
- Respiration rates, for cereals, 33, 34
- Rhizobium* spp.
- effect of amino acids on, 233, 234
 - effect of high rates of fertiliser N on, 235, 236
 - effect of high temperature on, 237
 - effect of yeast extract on, 233, 234
 - innoculation with E3 mycorrhiza and, 239, 240
 - on clover, 234, 235
 - on tropical legumes, 237
- Rhizobium leguminosarum*, resistance of clover species to, 234
- Rhizobium trifoli*, counts of in field experiments, 235, 236
- Rhizoctonia solani* (black scurf)
- on potato, 226
 - pathogenicity of on lupins, 220, 221
- Rhynchosporium secalis*
- effect of herbicides and fungicides on number of spores of, 214
 - on barley, 208, 214
 - spore viability, 214
 - spread, 214
- Riboflavin monophosphate, as an inhibitor of photosynthesis, 37
- Ribulose biphosphate
- in cereals, 36
 - in wheat leaves, 37
- Rickettsia-like micro-organisms, 178, 179
- RLO (rickettsia-like organism) disease, of potatoes, 179
- Rotation fumigation experiment at Woburn, 181, 182
- Rothamsted farm
- classical experiments on, 120
 - crop sequence experiments on, 120
 - experiment with herbage crops on, 123
 - nitrate N in borehole waters at, 283
 - rain at, 113, 114, 320
 - weather at, 320
- Ryegrass: *See Grass*
- Saxmundham
- barley yields related to soil phosphorus at, 273, 274
 - continuous wheat at, 120
 - losses of nitrate N in drainage at, 282
 - phosphorous residues in soils at, 274–276
 - weather, 323
- Seeds, cereal
- drilling of, 32, 33
 - extraction of N from, 25
 - proteins in, 24, 25
- Serine, proportion of ^{14}C in, 35
- Silicon
- in rice, 217
 - in wheat roots, 217
- Simulium damnosum*, transmission of river blindness by, 105
- Sitona* spp. *See Beetles*
- Slugs
- effect of direct drilling on, 100, 101
 - mucus production in, 103
 - nematode parasites of *Arion hortensis*, 188
 - plant attractants as baits for, 100
 - response by *Deroceras reticulatum* to food plant volatiles, 147
 - seed treatments for control of in cereals, 144
- Sodium, for sugar beet, 57, 61, 62
- Soil acidity
- acid-base titrations of adsorbed ions, 283, 284
 - acid sulphate soils, 283
 - release of labile aluminium in aluminosilicate minerals, 283
- Soil biomass
- adenosine 5'-triphosphate (ATP) content of, 284
 - in model for decay of organic matter in soils, 285
- Soil fauna
- Agrotis segetum*, 102
 - arthropods, 100
 - earthworms, 99, 100
 - effect of direct drilling on, 100, 101
 - effect of pesticides on, 99

INDEX

INDEX

- Wheat bulk fly competition between larvae, 298
Woburn (contd.) take-all experiment at, 216, 217
weather, 321
Wind profiles, measurement of, 203
seed treatments for controlling, 143, 144
Woburn competition between larvae, 298
X-ray fluorescence spectrometry, 292
X-ray tubes, 169
Xylem, extraction of glutamine from, 23
Yeast extract, effect on viability of *Rhizobium*, 233, 234
Yorkshire, soil survey in, 249, 261
rotation fumigation experiment at, 181, 182
nitrate N in herbicide crops at, 120
crop residue experiments at, 120
experiment with herbage crops at, 123
rotation experiments at, 123
nutrate 283
Woburn experiments at, 120
X-ray tubes, 169
Yeast extract, effect on viability of *Rhizobium*, 233, 234
Yorkshire, soil survey in, 249, 261
rotation fumigation experiment at, 181, 182

INDEX