


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Report for 1977 - Part 1

[Full Table of Content](#)



Index

Rothamsted Research

Rothamsted Research (1978) *Index* ; Report For 1977 - Part 1, pp 333 - 342 - DOI:
<https://doi.org/10.23637/ERADOC-1-134>

Aphidides (*cont.*)
 demeton-S-methyl, 65
 methods of spraying, 65
 on sugar beet, 64, 65
 pirimicarb, 113, 114, 116
 time of spraying, 64, 65
See also: Insecticides; Pesticides

Aphids
 alarm pheromones in, 146
 caught in traps, 92
 coccinellid and syrphid predators, 93
 factors influencing settling and feeding, 145, 146
 forecasting of, 91, 92
 host plant selection, 91
 landing behaviour, 91
 migration of, 90-92
 on cereals, 92, 93
 on chickweed, 92
 on clover, 97, 219
 on groundsel, 92
 on oilseed rape, 92
 on potatoes, 91, 103, 228
 on sugar beet, 65, 92
 overwintering, 91, 92
 parasites and predators of, 65, 97, 101
 populations by regions in Britain, 91, 92
 resistance of to pyrethroids, 137-139
 suction traps for, 90, 92, 93
 Aphids, scientific names of
Acyrtosiphon pisum, 97, 146, 219
Aphis fabae, 116, 146, 149
Aluacortium solani, 91, 92
Brevicoryne brassicae, 91
Dysaphis plantaginea, 91
Macrosiphum euphorbiae, 91, 92, 149, 228
Megoura viciae, 146
Metopolophium festucae, 91, 92
Myzus ascolonicus, 91
Myzus certus, 91
Myzus ornatus, 91
Myzus persicae, 65, 91, 138, 139, 145, 146, 149, 228
Phorodon humuli, 146
Rhopalosiphum spp., 91, 92
Stibion avenae, 91-93, 146

Asparagine
 for developing seeds, 22-24

product of nitrate assimilation in cereals, 23
 stimulation of protein synthesis by, 24
 Asulam, microbial degradation of in soil, 156

Bacillus polymyxa, radioactive count in ethylene produced by, 235

Bangkok Plain, acid sulphate soils from the, 283

Barley
 diseases of, 213, 214
 effect of aerial pollutants on, 39, 40
 effect of soil phosphorus on yield, 273, 274
 effect of water supply on root growth of, 40
Erysiphe graminis (powdery mildew) on, 153, 154
 fungicides on, 674
 glutelin fraction of, 25, 26
 grain yield, components of, 200
 growth of in open top chambers, 39, 40
 hordein fraction of, 25, 26

AC64475, effect on soil fauna, 66, 99, 188
 'AC 85258', effect on soil fauna, 99
 Acetylcholinesterase, organophosphorus resistant, 141
 Acetylene reduction assay, 235, 240
 Actinomycin D, as an inhibitor of fungal spores, 237
 Aerial pollutants, effect on barley growth, 39, 40
 Agricultural meteorology, 203-205
 Aldicarb
 as fungicide on beans, 125, 126
 179-182, 185-188
 effect on bean leaf roll, 125
 effect on bean yields, 123, 124, 127
 effect on clover rot, 122
 effect on earthworms, 99
 effect on mycorrhiza, 238
 effect on soil fauna, 99
 for *Sitona* on beans, 98, 124, 125
 leaching and degradation of, 155, 156
 on herbage crops, 123
 on lupins, 128
 on maize, 128
 on peas, 127
 on potatoes, 117
 on sugarbeet, 66, 100
 residues in plants, 126

Algae, effect of on growth of potato plants, 290, 291
 Alkaline earth metals, 163, 165-167
 Alkali metals, coordination chemistry of 163, 165-167
Alopecurus myosuroides (blackgrass), on Broadbalk, 46, 47
 Alternaria, effect of fungicides on, 211
 Aluminium, labile in aluminosilicate minerals
 acid-base titrations of absorbed ions, 283, 284
 kinetics of release, 283

Amides
 amide-N metabolism, 23
 asparagine, 22-24, 292
 glutamine, 22-24, 292

Amino acids
 alanine, 35
 aspartate, 38
 aspartate kinase, 22, 23
 aspartate, 233, 234
 glycine, 234
 lysine, 22, 23, 26, 234
 methionine, 22, 23
 protein synthesis and, 23, 24
 synthesis of, 22-24
 threonine, 22, 23
 transport through plants, 21, 23

Ammonia
 applied with nitrification inhibitors, 276, 277
 aqueous, for grass and winter wheat, 278
 assimilation by plants, 22
 oxidation of, by bacteria, 156

Ammonium, determination of in plant material, 292

Ammonium fertilisers
 effect on take-all, 279
 nitrification of, 156

Anagasta kuehniella, pheromones of, 146, 147
 Anaplolepis longipes, control of in the Seychelles, 106
 Ant baits, 144, 145
 Anthraquinones, analysis of, 155
 Aphidides
 demephion, 65

The General Report by the Director (pp. 9-17) has not been indexed.

SUBJECT INDEX

INDEX

- Barley** (*contd.*)
in rotation fumigation experiment, 181, 182
nutrient uptake by, 200
plant emergence on small plots, 197
precision seeding of, 32
prolamin fraction of, 25
Rhynchosporium secalis on, 214
tiller number in, 32
water stress in, 35
water use in, 203, 204
yields, 115, 117
See also: Cereals; *Erysiphe graminis*; Take-all
- Beans** (*Vicia faba*)
aphids on, 116
Botrytis fabae (chocolate spot) on, 116, 126, 208, 221
effect of irrigation on yields, 204
effect of nitrogen fertiliser on, 124
fungus diseases of, 125, 126, 221
irrigation for, 124
nematodes on, 126, 179, 180
nitrogen fixation in, 236, 237
pea and bean weevils on, 95, 96
pesticides on, 124, 125, 148
precision sowing of, 127
red-seeded, 127
root-rot fungi of, 179
Sitona on, 124, 125
uptake and release of potassium and sodium ions from, 167
virus diseases of, 125, 221, 222
yields, 116, 123, 124, 127
See also: *Phaseolus vulgaris*
- Bees.** *See* Honeybees
- Beetles**
Apion aestivum, on red clover, 219
as predators of cereal aphids, 101
carabid, biological control of, 101, 102
Ceuthorrhynchus assimilis, 94, 95
control of, 97, 98
Meligethes aeneus, on oilseed rape, 94, 95
on field beans, 95
on oilseed rape, 94, 95, 102
on red clover infected with necrotic mosaic virus, 219
sexual maturation of, 101, 102
Sitona spp., 95–98, 236
- Bendiocarb**
as a nematicide, 188
for seed treatment of sugar beet, 64, 66
- Benomyl**
as fungicide for wheat, 152, 211, 212
as seed treatment for oilseed rape, 222, 223
effect on mycorrhiza, 238
effect on nodulation of grain legumes, 126
in rotation-fumigation experiment, 181, 182
on lupins, 128
on peas, 127
on spring beans, 124–126
to control chocolate spot on beans, 221
- Biodeterioration**, 210
- Bioresmethrin**, 137
- Blackgrass.** *See* *Alopecurus myosuroides*
- Botrytis fabae* (chocolate spot), on beans, 116, 126, 208, 221
- Botswana**, attack of sorghum plants by insects in, 309
- Brassica crops**, diseases of, 222, 223
- Brickearths**, on the Chilterns, 288, 289
- British Sugar Corporation**, 54
- Broadbalk**
Classical experiments on, 121, 122
cropping sequence on, 47
potatoes on, 115
weeds on, 46, 47
wheat on, 114
- Broom's Barn Farm**
livestock, 68
weather, 322
- Cabbage**, clubroot (*Plasmodiophora brassicae*) on, 223
- Cambridgeshire**, soil survey in, 249, 250
- Captafol**
as fungicide for wheat, 211
to control *Rhynchosporium secalis*, 214
- Carbendazim**
effect on skin spot (*Polyscytalum pustulans*) on potatoes, 227
on wheat, 211
uptake of into potato plants, 226
- Carbofuran**
as a nematicide, 66, 182, 188
for *Sitona* on beans, 98
- Carbon dioxide enrichment**, effect on growth and yield in spring wheat, 38, 39
- Carbon flux**, analysis of in water-stressed plants, 36
- Carbophenothion**, for *Sitona* on bean roots, 98
- Carboxylase**, in wheat leaves, 37
- Carboxylesterase activity**, involvement of in resistance of *Myzus persicae* to insecticides, 139, 140
- Cattle ticks**, resistance of to insecticides, 141, 142
- Cell-wall degrading enzymes**, 21
- Cereals**
amino acid transport in, 23
aphids on, 92, 93, 101
auxanometers to measure leaf extension in, 201
deposition of disease spores in, 204, 205
diseases of, 212–218
distribution of photosynthate in, 33, 34
effect of aerial pollutants on, 39, 40
effect of increased CO₂ concentrations on, 38, 39
effect of subsoiling on, 122, 123
enzymes in, 22
fungicides for, 211, 212
grain number, 35
grain quality and microflora, 211
grain size in, 34, 35
growth and metabolism of embryos of, 22
growth regulators for, 156, 157
identification of varieties of, 25, 26
precision seeding of, 32
prolamin polypeptide patterns of, 25, 26
protein in cereal grain, 282
respiration rates for, 34
retention of harvest dust on combine harvesters, 210
seeds of, 24, 25
sugar concentrations in, 33, 34
water stress in, 35, 36
yields, 67
See also: Barley; *Erysiphe graminis*; Maize; Oats; Take-all; Wheat
- Chlorofacinone**, to control mice in sugar-beet fields, 64
- Chlorfenvinphos**, effect on mycorrhiza, 238
- Chlormephos**, for weevils on bean roots, 97
- Chlormequat**, (CCC) as growth regulator on wheat, 211
- Chloroplasts**
ammomia assimilation in, 22
location of aspartate kinase in, 23
- Chocolate spot** (of beans). *See* *Botrytis fabae*
- Cladosporium* spp., on sugar beet, 65, 66
- Clay mineralogy**, 257, 261, 286–288
- Clay minerals**
in Bangladesh, 288
in Blue Nile and Suez Canal, 288
in South Chad, 288
in unfractionated soils, 287
infrared spectra of, 287, 288
See also: Soil mineralogy
- Clay soils**
application of mercury porosimetry to, 285
mineralogy and swelling in, 286
pore size distribution in, 285
shrinkage of, 285
- Clostridium pasteurianum*, radioactive count in ethylene produced by, 235
- Clover**
clover rot (*Sclerotinia trifoliorum*) on, 122
effect of pesticides on, 123

INDEX

- Clover (*contd.*)
 field inoculation of in grassland, 241
 mycorrhiza on, 239–241
 nodulation of, 234, 235
 pests of, 97
 virus diseases of, 218–220
See also: Legumes
- Clwyd, soil survey in, 255, 256
- Coal shale, determination of pyritic sulphur in, 292
- Cockroach (*Periplaneta americana*)
 distribution of pyrethroids in, 135, 136
 penetration of pyrethroids in, 135, 136
 rearing of, 149
- Coconuts, equipment for mass pollination of, 149
- Colletotrichum coccodes* (black dot), of potato, 226
- Combine harvesters, retention of harvest dust on cabs of, 210
- Computer programs
 DRAW for field experiments, 81
 for geneological data on plants, 80
 for seed store management, 87
 for simulation of pesticide degradation and movement in soil, 156
 G-EXEC system for soil survey, 80, 259
 languages, 78, 81, 169
 Multijob, 82
 Rothamsted General Survey Program, 79, 82, 83, 301
 systems, 79
See also: Statistical programming
- Computers
 applications, 79
 computer graphics, 81, 82
 database systems, 79, 80
 ICL System 4–70, 75, 76, 79, 306
 ICL System 4–72, 75–79
 ICL System 4–75, 306
 Joint ICL/RES Project, 73–75, 78, 79
 management services section, 86, 87
 mass spectral search, 80, 86
 message multiplexing (MMX), 75, 78
 operations section, 74–79
 system performance, 75–77
 telecommunications section, 83–86
 training, 82
 workload, 77, 78
See also: Computer programs; Statistical analysis; Statistical programming
- Copper, in soils, 289, 290
- Coppiced trees, as potential source of leaf protein, 291
- Cornwall, soil survey in, 255, 262
- Cover loam and cover sand, 258
- Cowpea, nodulation on, 237
- Crystal structure analysis, 163
- Crystallinity, kaolin, of Nigerian soils, 287
- Cumbria, soil survey in, 248, 249, 259
- Curworms
Fusarium solanii on, 102
 nuclear polyhedrosis virus of, 102
 on potatoes, 96, 97
 populations of, 96, 97, 102
- Cytokinins
 analysis of zeatin by gas chromatography, 40, 41
 endosperm cell division in wheat and, 40, 41
- Dalapon, as seed treatment for oilseed rape, 222, 223
- Daminozide, on potatoes, 151
- Dazomet
 as a nematicide, 183
 on maize, 128
- 'D-D', replacement of by aldicarb, 181, 182
- DDT, resistance of houseflies to, 140, 141
- 'Delsene M', as fungicide for wheat, 211
- Denitrification, measurement of in soils, 281, 282
- Derbyshire, soil survey in, 250
- Devon, soil survey in, 255
- Diazinon, for weevils on bean roots, 97
- Dieldrin, for seed treatment of sugar beet, 64
- Diffractionmeter, 168, 169
- Drazoxolon effect on mycorrhiza, 238
- Drought experiments, on Little Knott, 194, 199–201
- Dyfed, soil survey in, 256
- Earthworms, 99
- Entomophthora* spp.
 control of bean aphid by, 102, 103
Entomophthora-like fungus on nematodes, 178, 180, 181
- Enzymes
 acetylcholinesterase, 141, 142
 asparaginase, 24
 carbonic anhydrase, 37
 carboxylase, 37
 carboxylesterase, 139, 140
 glutamate synthase, 22
 trypsin, 20
- Erwinia carotovora*, on potatoes, 224
- Erysiphe betae*, growth of, 65, 66
- Erysiphe graminis* (barley mildew)
 computer simulation of epidemic of, 213
 deposition of spores, 204, 205, 213
 effect on carbon assimilation, 213, 214
 epidemiology of, 213
 insensitivity to fungicides, 153, 154
 mode of action of fungicides on, 153, 154
- Essex, soil survey in, 254, 257, 258
- Esterase activity, role of in resistance of aphids to insecticides, 139, 140
- Ethidium bromide, as an inhibitor of fungal spores, 237
- Ethirimol
 for barley mildew, 115, 117
 insensitivity to, 153
 mode of action of, 153, 154
- Eyespot (*Pseudocercospora herpotrichoides*)
 effect of straw burning on, 217, 218
 on wheat, 152, 217, 218
- Farmyard manure, evaluation of phosphorus residues from, 274–276
- Fenugreek (*Trigonella foenum-graecum*), inoculation of with *Rhizobium*, 128
 with *Rhizobium*, 128
- Fertilisers
 effect on seedling establishment in sugar beet, 57
 for subsoils, 122, 123
 on potatoes, 44, 45
 Survey of Fertilizer Practice.
See also: Ammonium fertilisers; Nitrogen fertilisers; Phosphorus fertilisers
- Field beans. *See* Beans.
- Field drains, deposits of ochre in, 287
- Field experiments
 computer program for, 81
 counts of *Rhizobium trifolii* in, 235, 236
 statistical analysis of, 302
- 5-Fluorouracil, as an inhibitor of fungal spores, 238
- Flurecol, to control clubroot in cabbage, 152
- Fonofos ('Dyfonate'), for *Sitona* control in bean roots, 97, 124, 125
- Formalin, as a fungicide on oats, 180, 181
- Fungal spores
 effect of metabolic inhibitors on, 237, 238
 recovery of VA mycorrhizal spores after germination, 239
- Fungicides
 controlled droplet application, 148, 149
 effect on *Entomophthora* spp., 103
 effect on mycelial growth in cultures of potato fungus diseases, 227
 effect on *Rhynchosporium secalis*, 214
 for wheat, 152, 153
 insensitivity to, 153, 154
 on barley, 67, 153
 uptake of into potato plants, 226
 uptake of into potato tubers, 226, 227
 use of against tuber pathogens in potatoes, 226
See also: names of chemicals used as fungicides

- Honeybees (*Apis mellifera*)
Apis cerana from India, 104
 Nasonov pheromone, 146
 queen rearing, 105
 poisoning of by pesticides, 142
 starvation of, 142
Streptococcus pluron on, 104
 virus diseases of, 104-106
 Hoosheid, Classical experiments on, 121, 122
 Housefly (*Musca domestica*)
 effect of synergists on pyrethroid activity in, 137
 rearing of, 150
 resistance of, to insecticides, 140-142
 Hover flies. *See*: Syrphid flies
 Humberside, soil survey in, 248, 262
 Insect traps
 aphids caught in, 92, 93
 interference between, 298
 pheromone traps for pea moth, 94, 298
 suction traps, 90, 92, 93
 syrphids caught in survey traps, 93
 water traps, 95
 Insecticides
 aphid resistance to, 137-140
See also: Take-all
Gaumannomyces-Phialophora complex
 cell-wall degrading enzymes of, 21
 isolation of *Phialophora radicola*, 215, 216
 preservation of cultures of, 215, 216
 Gamma spectrometry, 292
 Gibberellins. *See* Growth-control substances
 Gloucestershire, soil survey in, 255
 Glucose, effect of addition of on denitrification in soil, 281
 Glutamine, for developing seeds, 22
 Glycine
 in water-stressed plants, 35, 36
 metabolism of glycolate carbon to, 36, 37
 Glyphosate, effect on fungal spores on barley, 214
 Grain size, factors determining, 34, 35
 Grain yields, for barley, 32, 33
 Grass
 comparison of methods of watering ryegrass in pots, 291, 292
 effect of irrigation on yields, 203, 204
 nitrification inhibitors for, 276-278
 phosphorus uptake by, 274, 275
 virus diseases of, 218
 yield of hay from, 116
See also: Herbage crops
 Grassland Research Institute, 300
 Growth-control substances
 auxin, 41
 cytokinins, 40, 41
 for cereals, 156, 157
 for sugar beet, 43, 44
 gibberellic acid, 41
 gibberellins, 41-43
 in developing wheat grains, 41
 melnidide, 44
 Hay, damp, chemical preservation of, 157
 HCH, for weevil on bean roots, 97
 Heat flux, estimation of, 203
Heliochra communis (leaf hopper), companion symbiote of, 178
 Herbage crops
 effect of pesticides on yield, 123
 pests of, 98-99
See also: Clover; Grass; Lucerne
 Herbicides
 effect of on fungal spores on barley stubble, 214
 linuron, 143
 phenmedipham, 57
 terbutryne, 114
 336

INDEX

- Nematicides (*contd.*)
 thiabendazole, 179, 180
 thiofanox, 66, 188
 trials of for potato cyst-nematodes, 182-184
See also: names of chemicals used as nematicides.
 Nematodes
 bud and leaf nematodes, 172
 canonical variate analysis of *Globodera pallida* populations, 176
 cyst-nematodes, 53, 54, 68, 171, 174-179, 182-187
 effect of osmotic stress on, 177
 effect of temperature on, 177
Entomophthora-like fungus on, 178, 180, 181
 feeding, mechanism of, 172-174
 from Europe, 175, 176, 178
 from India, 175
 from South America, 175, 176, 178, 179
 from USA, 178
 hatching of, 177, 178
 ion transport, 177, 178
 mating of potato cyst-nematodes, 176
 on beans, 126, 179, 180
 on beet, 53, 54, 185-188
 on lupins, 180
 on onion, 186, 187
 on oilseed rape, 54, 188
 on peas, 185, 186
 on potatoes, 175-178, 182-185
 parasitic in insects and slugs, 188
 pathotypes of *Globodera pallida*, 174, 175
 population model, for cyst-nematodes, 174
 rickettsial parasites of, 178, 179
 simulating mechanical injury by long-stylet nematodes, 174
 spiral nematodes, 66, 171, 187, 188
 stem nematodes, 171, 179, 180, 186, 187
 statistical analysis of population of, 298
 stylet length, 176
 transfer cells and sexuality, 177
 Methiocarb
 for seed treatment of sugar beet, 64
 for weevils on bean roots, 97
 Microbial degradation of asulam and sulphamillamide, 156
 Microcalorimeter, for entropy titration, 169
 Micromorphometry, of soils, 258
 Milk
 equipment, bacterial contamination of, 301
 National Milk Quality Survey, 301
 Mobile rain shelter, 196-198
 Molybdenum in soils, 240
 Morphactin, (chlorflorecol), 44, 45
 Moths
 economics of pea moth monitoring, 94
 pheromone traps for pea moth, 94, 298
Musca domestica. *See* Housefly.
 Mycorrhiza
 effect of pesticides on, 238, 239
 effect on uptake of heavy metals, 290
 effect on uptake of molybdenum, 240
 recovery of spores after germination, 239
 response of arable crops to, 240, 241
 slurry inoculation of, 239, 240
 spread of introduced endophytes, 239
 National Institute of Agricultural Engineering, 100
 National Vegetable Research Station, 261
 Nematicides
 'AC 64475', 66, 188
 dichloropropene, 183
 leaching of in Woburn soil, 155, 156
 methods of incorporation in soil, 183, 184
 on beans, 179, 180
 on spring oats, 180, 181
 on sugar beet, 66, 185-187
 phorate, 66, 188
 phoxim, 182
 sodium trithiocarbonate, 276, 277, 279
 phytotoxicity of, 279
 nitrpyrin, 277, 279
 formulation, 279
 for grass, 276-278
 effect of on growth of wheat plants, 278, 279
 Nitrate inhibitors
 Nigerian agricultural survey of farms in, 310
 Nigerian soils crystallinity of kaolin in, 287
Nicotiana tabacum, induced virus resistance in, 20
Nylenchus spp., 126
Pratylenchus pinguidatus, 188
Pratylenchus fallax, 188
Pratylenchus crenatus, 188
Pratylenchus spp., 126, 128, 188
Pratylenchoides ritteri, 172
Pratylenchus bukowinensis, 172
Paratrichodorus spp., 66
Neoalectana, 100, 188
Longidorus laevicaudatus, 172
Longidorus caespitosus, 173, 174
Longidorus spp., 66, 174, 219
Hexatylus viviparus, 173
Heterodera schachtii, 54, 68, 185-188
Heterodera manii, 172
Heterodera humuli, 172
Heterodera hordecalis, 172
Heterodera goettingiana, 178, 185
Heterodera glycyines, 178
Heterodera avenae, 180-182
Hemicycliphora spp., 172
Helicotylenchus spp., 66, 187
Globodera rostochiensis, 175-179
Globodera pallida, 174-177
Ditylenchus dipsaci, 172-174, 179, 186, 188
Aphelenchus spp., 126, 173
Angiostoma limacis, 188
 Nematodes, scientific names of
 virus-vector nematodes, 172
 transmission of viruses by, 219
 transfer cells and sexuality, 177
 stylet length, 176
 statistical analysis of population of, 298
 stem nematodes, 171, 179, 180, 186, 187
 spiral nematodes, 66, 171, 187, 188
 populations of, 128
 forms of nitrogen used on, 128
 dazomet on, 128
 Fungus spp. on, 128
 Macrocytic molecules, neutral, 165
 Magnesium, for sugar beet, 63
 Maize
 Lycoperdium (club moss), deposition of spores, 205
 virus diseases of, 220
Pythium spp. on, 220, 221
 presence of aspartaginase in, 24
 pesticides on, 128
 pathogenicity tests on, 220, 221
 nematodes on, 180
Fusarium oxysporum on, 220
 Fungus diseases of, 220, 221
 Lupins (*Lupinus albus*)
 Lucerne, yield, 123
 Loess, trace elements in, 288, 289
 statistical analysis for, 302, 303
 at Rothamsted, 116
 at Broom's Barn, 68
 Livestock
 Lincolnshire, soil survey in, 250, 251
 Ligands, neutral bicyclic, 163-165
Leucaena leucocephala, VA mycorrhiza of, 241
 on oilseed rape, 209
 epidemiology of, 223
Leptosphaeria maculans
See also: Clover; Cowpeas; Lucerne; Lupins
 virus diseases of, 220, 221
 Legumes (*contd.*)

INDEX

INDEX

- Nitrogen**
effect of KNO_3 and $(\text{NH}_4)_2\text{SO}_4$ on denitrification in soil, 281
forms of used on maize, 128
in wheat grain, 282
metabolism of, 21–26
molecular, reduction of, 168
nitrate N in drainage waters, 282, 283
uptake of, from soil, 200
- Nitrogen fertilisers**
applied with nitrification inhibitors, 276–279
effect of high rates of on *Rhizobium* in soil, 235, 236
effect on growth and nutrient uptake of wheat, 279–281
effect on yields of spring beans, 123
in precision seeding experiments, 32, 33
'Nitro-Chalk' 127, 129, 277, 278
on maize, 128, 129
residues, 280, 281
slow release, for potatoes, 280, 281
See also: Ammonia; Urea; and individual crops
- Nitrogen fixation**
acetylene reduction assay for, 126, 235, 236
effect of pesticides on 236
effect of rain on, 236
effect of *Sitona* on, 236
effect of supplementary CO_2 on, 236
in beans, 126, 236, 237
rates of in soil cores, 235
- Nitrogenase activity**, 235, 236, 240
- Nitrosolobus* spp., 156
- Nitrosovibrio* genus, 156
- Nitrospira* spp., 156
- Nodulation**, 126, 234, 235, 237, 241
- Norfolk**, soil survey in, 250, 258
- Nottinghamshire**, soil survey in, 251
- NRDC insecticides**, 133
- 'N-Serve' (nitrpyrin), 277, 279
See also: Nitrification inhibitors
- Oats**
diseases of, 212, 213
fungi on, 212
nematodes on, 179–181
yields, 115
See also: Cereals
- Obituary note**, Sir Henry Gerald Thornton, 243
- Oilseed rape** (*Brassica napus* spp. *oleifera*)
aphids on, 92
canker fungus on, 209
nematodes on, 54, 188
pests of, 94, 95, 102
poisoning of honeybees by pesticides on, 142
Pyrenopeziza brassicae on, 208, 209, 222, 223
- Onchocerciasis**, monitoring of, 105
- Onions**
'bloat' disease in, 186, 187
mycorrhiza on, 238, 239
nematodes on, 186, 187
- Open chain compounds**, as complexing agents, 167, 168
- Oscinella* spp., control of, 98
- Oxamyl**
as a nematicide, 66, 155, 182–188
for *Sitona* on beans, 98
leaching and degradation of, 155, 156
- Oxygen**, effect of four levels of on denitrification in soils, 281
- Paleosols**, clay mineralogy of, 257, 258
- Panicum maximum*, VA mycorrhiza on, 241
- Paraquat**, effect on number of *Rhynchosporium secalis* spores, 214
- Park grass**, weeds on, 45
- Pea**, leafless
nematodes on, 180
nitrogen on, 127
pesticides on, 127
- Pea moth**. *See* Moths.
- Peat**, classification of samples of, 262
- Permethrin**
for control of bean and pea pests, 98, 123–125
on ryegrass swards, 99
- Pesticides**
adsorption and desorption of in soil, 143
application of, 132, 148, 149
effect on earthworms, 99
effect on soil fauna, 99
effect on VA mycorrhiza, 238, 239
for control of pea and bean weevils, 97, 98
leaching and degradation of, 155, 156
residues in soil and plants, 97, 126
See also: Aphicides; Fungicides; Insecticides; Nematicides
- Pests**
effect of foliar glandular hairs of potatoes on, 228
in Bangladesh, 105
methods for sampling, 95
of clover, 97
of grassland and forage crops, 98, 99
of oilseed rape, 94, 95, 102
of potatoes, 228
of sugar beet, 99, 100
soil pests in the South Pacific, 106
suction traps for, 90
- Phaedon cochleariae* (Mustard beetle), 149
- Phaseolus vulgaris*
effect of VA mycorrhiza on molybdenum uptake in, 240
enzymes of ammonia assimilation in nodules of, 22
nitrogen fixation in, 237, 240
- Phenolics**, elution of before extracting leaf protein, 291
- Phoma exigua* var. *foveata* (gangrene on potato)
culture of, 225–227
identification of, 155
survival in soil, 225
systemic movement, 225
- Phorate**
as a nematicide, 66, 188
for *Sitona* on beans, 98
- Phosphorus fertilisers**
evaluation of phosphorus residues from superphosphate, 274–276
on barley, 273, 274
See also: individual crops
- Phosphorus in soil**
barley yields related to, 273, 274
residues in Saxmundham soils, 274–276
- Photorespiration**, 31, 36–38
- Photosynthate**, distribution of in cereals, 33, 34, 39
- Photosynthesis**
 C_3 mechanism of, 38
 C_4 photosynthetic pathway, 38
effect of high CO_2 levels on, 38, 39
gross rates of, 34–36
in *Spartina townsendii*, 38
laboratory studies of, 202, 203
mechanism of in tea plants, 37, 38
Monteith's model of, 201, 202
portable chamber for measurement of, 202
portable gas-mixing system for field studies of, 202
potential inhibitors of, 36, 37
rate of in water-stressed cereals, 35, 36
- Phoxim**, as a nematicide, 182
- Pirimicarb**, effect on spring beans, 124, 125
- Plant proteins**, association with virus resistance, 20, 21
- Plasmodiophora brassicae* (clubroot) of cabbage, life cycle of, 223
- Polyacrylic acid**, effect on tobacco mosaic virus 209, 210
- Polymyxa graminis*, on oats, 212
- Polypeptide pattern**, for identification of cereal varieties, 25, 26
- Polyscytalum pustulans* (skin spot) on potatoes, 315
- Porometer**
calibration of, 201
types of, 201

INDEX

- Potassium-calcium exchange, calorimetric analysis of, 276
- Potatoes
- bacterial soft rot (*Erwinia carotovora atroseptica*) on, 224
 - black dot (*Colletotrichum coccodes*) on, 226
 - black scurf (*Rhizoctonia solani*) on, 226
 - blackleg on, 207
 - common scab (*Streptomyces scabies*) on, 224
 - effect of algae on growth of, 290, 291
 - effect of chlorflurecol on, 44, 45
 - effect of cultural technique on yields, 184, 185
 - effect of extra fertiliser on yields, 184, 185
 - effect of irrigation and fertiliser application on, 44
 - effect of nematicides on yield, 182, 183
 - effect of subsoiling on, 122, 123
 - effect of three-course rotation on yields, 183
 - effectiveness of foliar glandular hairs against potato pests, 228
 - gangrene (*Phoma exigua* var. *foveata*) on, 155, 225–227
 - groundkeepers, 227, 228
 - haulm senescence, 44
 - in rotation fumigation experiment, 181, 182
 - nematode control in by nematicides, crop rotation and resistant varieties, 182–185
 - nematodes on, 175–178, 182–185
 - on Broadbalk, 115
 - optimum seed rate for, 299–300
 - pests of, 96, 97, 228
 - RLO disease of, 179
 - seed treatment of, 226
 - silver scurf (*Helminthosporium solani*) on, 226, 227
 - skin spot (*Polyscytalum pustulans*) on, 226
 - slow-release nitrogen fertilisers for, 280, 281
 - spread of *Erwinia carotovora* var. *carotovora* from stem lesions to progeny tubers, 224
 - tecnazene on, 154
 - uptake of fungicides into tubers, 226, 227
 - use of fungicides against tuber pathogens, 226, 227
 - yields, 115, 117
- Powys, soil survey in, 256, 260
- Propionic acid, for preservation of damp hay, 157
- Protein
- in cereal seeds, 24, 25
 - synthesis of, 21, 23, 24
 - See also: Plant proteins
- Pseudocercospora herpotrichoides* (eyespot), effect of straw burning on, 217, 218
- Pyrenopeziza brassicae*, on oilseed rape, 208, 222, 223
- Pyrethroids
- action of *in vivo*, 136, 137
 - aphid resistance to, 137–140
 - distribution in cockroaches, 135, 136
 - effect of synergists on, 137
 - equipment for recording action of on live insects, 136, 137
 - insecticidal activity of, 133–137
 - new compounds, 133, 134
 - NRDC compounds, 133
 - penetration in cockroaches, 135, 136
 - post-synaptic action of, 136
 - resistance of houseflies to, 140, 141
 - separation of diastereoisomers, 133, 134
 - use on ryegrass swards, 98, 99
 - See also: Insecticides
- Pyricularia oryzae*, saccharopine metabolising enzymes in, 23
- Pythium* spp.
- on lupins, 220, 221
 - on oats, 212
- o*-Quinones, effect on plant viruses, 19, 20
- Rainfall
- at Broom's Barn, Rothamsted, Saxmundham, and Woburn (1976–77), 320–323
 - at Rothamsted (1977), 113
- Respiration rates, for cereals, 33, 34
- Rhizobium* spp.
- effect of amino acids on, 233, 234
 - effect of high rates of fertiliser N on, 235, 236
 - effect of high temperature on, 237
 - effect of yeast extract on, 233, 234
 - innoculation with E3 mycorrhiza and, 239, 240
 - on clover, 234, 235
 - on tropical legumes, 237
 - Rhizobium leguminosarum*, resistance of clover species to, 234
 - Rhizobium trifolii*, counts of in field experiments, 235, 236
- Rhizoctonia solani* (black scurf)
- on potato, 226
 - pathogenicity of on lupins, 220, 221
- Rhynchosporium secalis*
- effect of herbicides and fungicides on number of spores of, 214
 - on barley, 208, 214
 - spore viability, 214
 - spread, 214
- Riboflavin monophosphate, as an inhibitor of photosynthesis, 37
- Ribulose biphosphate
- in cereals, 36
 - in wheat leaves, 37
- Rickettsia-like micro-organisms, 178, 179
- RLO (rickettsia-like organism) disease, of potatoes, 179
- Rotation fumigation experiment at Woburn, 181, 182
- Rothamsted farm
- classical experiments on, 120
 - crop sequence experiments on, 120
 - experiment with herbage crops on, 123
 - nitrate N in borehole waters at, 283
 - rain at, 113, 114, 320
 - weather at, 320
- Ryegrass: See Grass
- Saxmundham
- barley yields related to soil phosphorus at, 273, 274
 - continuous wheat at, 120
 - losses of nitrate N in drainage at, 282
 - phosphorous residues in soils at, 274–276
 - weather, 323
- Seeds, cereal
- drilling of, 32, 33
 - extraction of N from, 25
 - proteins in, 24, 25
- Serine, proportion of ¹⁴C in, 35
- Silicon
- in rice, 217
 - in wheat roots, 217
- Simulium damnosum*, transmission of river blindness by, 105
- Sitona* spp. See Beetles
- Slugs
- effect of direct drilling on, 100, 101
 - mucus production in, 103
 - nematode parasites of *Arion hortensis*, 188
 - plant attractants as baits for, 100
 - response by *Deroceras reticulatum* to food plant volatiles, 147
 - seed treatments for control of in cereals, 144
- Sodium, for sugar beet, 57, 61, 62
- Soil acidity
- acid-base titrations of adsorbed ions, 283, 284
 - acid sulphate soils, 283
 - release of labile aluminium in aluminosilicate minerals, 283
- Soil biomass
- adenosine 5'-triphosphate (ATP) content of, 284
 - in model for decay of organic matter in soils, 285
- Soil fauna
- Agrotis segetum*, 102
 - arthropods, 100
 - earthworms, 99, 100
 - effect of direct drilling on, 100, 101
 - effect of pesticides on, 99

- Spartina townsendii*, photosynthesis in, 38
 Spores, dispersion of, 204, 205
 Sri Lanka, denitrification in soils from, 281
 Staffordshire, soil survey in, 251, 252
 Statistical analysis
 agricultural survey of Nigerian farms, 310
 canonical variate analysis, 176, 298, 299
 for identification of antelope species, 299
 for livestock experiments, 302, 303
 for National Grassland Trial, 300
 generalised linear model, 298
 hierarchical analysis of variance, 298
 literature on intercropping, 310
 multivariate methods of, 299
 National Milk Quality Survey, 301
 of asymmetric matrices, 299
 of carbon flow through leaves, 299
 of interference between pheromone traps, 298
 of nematode populations, 298
 of optimum seed rate for potatoes, 299, 300
 of overseas data, 309, 310
 of plot residuals, 302
 of South American nematode populations, 298
 principal component analysis, 299
 principal co-ordinate analysis of soil properties, 288
 Rothamsted Insect Survey, 90
 routine analysis, 301, 302
 Survey of Fertiliser Practice, 300, 301
 Statistical programming
 documentation, 307
 Generalised Linear Interactive Modelling, 307, 308
 Genkey, 308, 309
 GENSTAT, 299, 305-307, 309
 Macro library, 307
 Maximum Likelihood Program, 308
See also: Computer Programs
 Statistical theory
 6³ design, 1/6th replicate of, 305
 diagnostic keys, 304
 graphic representation of parameter solutions, 305
 information of parameters, 304, 305
 multidimensional unfolding, 303
 residuals in generalised linear models, 304
 updating techniques in multivariate analysis, 304
 Stomatol resistance of plants, 203
Stylosanthes guyanensis, effect of VA mycorrhiza on molybdenum uptake in, 240
 Subsoiling, effect on wheat, barley, sugar beet and potatoes, 122, 123
 Suction traps. *See* Insect traps
 Suffolk, soil survey in, 250, 258
 Sugar, concentrations of in winter wheat, 33, 34
 Sugar beet
 aphicides for, 64, 65, 138
 bolting of, 52, 58
Cladosporium spp. on, 65, 66
 crop establishment, 56, 57
 crop productivity, 54
 Docking disorder, 66
 effect of light on petiolar growth in, 42
 effect of light quality and duration on, 42, 43
 effect of soil type and profile on, 59, 60
 effect of subsiding on, 122, 123
 effect of temperature on, 41, 42, 58
Erysiphe betae on, 65, 66
 fluid drilling, 56, 57
 fungus diseases of, 65, 66
 growth-control substances in, 42-44
Helicobasidium purpureum on, 68
 herbicides for, 52, 57
 in crop rotations, 54, 68
 in rotation-fumigation experiment, 181, 182
 irrigation for, 53, 60-62
 leaf expansion in, 42, 43
 magnesium for, 63
 manganese for, 53, 62, 63
- Soil fauna (*contd.*)
 effect of strawburning on, 101
 stem borers, 100
See also: Cutworms
 Soil fumigation
 effect on nematodes, 181, 182
 For potatoes, 183
See also: Rotation Fumigation Experiment;
 names of chemicals used for fumigation
 Soil geochemistry
 frequency distribution of minor elements in soils, 289
 of reclaimed sediments from the Wash, 289
 Soil mineralogy
 application of infrared spectrometry to, 287, 288
 clay mineralogy, 286-288
 of deposits from Chilean brickearths, 288, 289
 of deposits from field drains, 287
 of sample from South Chad Irrigation Pilot Project, 288
 X-ray diffractometry of clays, 286, 287
See also: Clay minerals
 Soil moisture. *See* Soil water
 Soil organic matter
 adenosine 5'-triphosphate (ATP) content of soil biomass, 284
 effect of cultivation on decomposition of, 284, 285
 model for decay of, 285
 rate of mineralisation of, 284, 285
 relationship between ATP content and biomass, 284
 Soil phosphorus
 barley yields related to, 273, 274
 residues in Saxmundham soils, 274-276
 Soil respiration
 carbon dioxide compensation point, 203
 carbon dioxide concentrations, 198, 199
 dark respiration, 203
 effect of cultivation on, 285
 Soil structure
 tank respirometers for measurement of, 198
 aggregation of various soil horizons, 195, 196
 complexes of various soil horizons, 195, 196
 crumb diffusion, 194-196
 dispersion stability, 196
 effect of incubation on soil aggregate stability, 242
 effect of polysaccharides on aggregation, 196
 effect of sodium on, 61
 physical behaviour of clay soils, 285
 Soil Structure Working Group, 286
 Soil surveys
 Cambridgeshire, 249, 250
 Clay, 255
 Cornwall, 255, 262
 Cumbria, 248, 249, 259
 Derbyshire, 250
 Devon, 255
 Gloucestershire, 255
 Essex, 254, 257, 258
 Dyfed, 256
 Humberside, 248, 262
 Lincolnshire, 250
 Norfolk, 250, 258
 Nottinghamshire, 251
 Powys, 256, 260
 Staffordshire, 251-253
 Suffolk, 250, 258
 Surrey, 254, 262
 Yorkshire, 249, 261
 Soil water
 plant response to water stress, 200
 porometer development, 201
 rewetting of dry soil profiles, 199
 Soil Survey and Drainage Service Joint Project, 260
 water content, 199, 200
 water potential, 200
 Sorghum, insect attacks on in Botswana, 309, 310
 of sample from, 288
 South Chad Irrigation Pilot Project, clay mineralogy

INDEX

- Sugar beet (*contd.*)
 nitrogen fertilising of, 59, 60
 pelleted seeds, 62-64
 pests of, 64, 99, 100
 plant distribution, 55, 56
 predator/aphid dynamics, 65
 seed pretreatment, 56, 57
 seed production, 58, 59
 seed treatment with insecticides, 64
 seedling establishment, 55-57
 sodium for, 57, 61, 62
 sowing time, 52
 steckling root and shoot pruning, 59
 sugar concentration, 54, 61
 use of aldicarb on, 99
 virus diseases of, 53
 weed-beet control of, 57, 58
 weeds in, 57
 yields, 55-62, 68
- Suphanilamide, microbial degradation of in soil, 156
- Sulphhydryl reagents, as inhibitors of photosynthesis, 37
- Survey, soil survey in, 254, 255, 262
- Swede, cucumber mosaic virus isolated from, 219, 220
- Syrphid (hover) flies 90, 93
- Take-all on cereals
 and soil N, 217
 effect of ammonium fertilisers on, 279
 effect of breaks on decline of, 216, 217
 fungicides for control of, 152
Gaeumannomyces spp. and, 215, 216
 microbiological factors affecting, 242, 243
See also: Gaeumannomyces graminis
 mechanism of, 37, 38
 Tea plant (*Camellia sinensis* L.) photosynthetic
 Tecazene, as a sprout suppressant on potatoes, 154
 'Telone' (dichloropropene), as a nematocide, 183
 Terbutryne, as a herbicide, 114
 Thabendazole
 as fungicide for cereals, 152
 as fungicide for potatoes, 207, 226, 227
 as nematocide on beans, 179, 180
 Thioranox, as a nematocide, 66, 188
 Tillage, experiment on Little Knott, 196-198
Tiplita spp., 93, 94
 Tobacco, virus disease of, 209
 Trace elements in soils
 complexing of copper in soils by inorganic anions, 289, 290
 incubation of oxides of, and plant residues, 290
 Triameton
 as fungicide for wheat, 212
 as fungicide for potatoes, 226, 227
 effect on mycorrhiza, 238
 Triazophos, for weevils on bean roots, 97
 Tridemorph, as a fungicide for cereals, 67, 115, 117, 153
 Tropical soils
 mineralogy of, 287
 of Nigeria, 287
- Upper Greensand soils, 257
- Urea
 aqueous, for grass, 277, 278
 aqueous for winter wheat, 278
 plus ammonium nitrate, for grass, 277
- Venturia canescens*, as an oviposition stimulant, 146
Verticillium chlamydosporium, effect on *Herodera*
avenae, 178
 Virus warning system, 91
- Viruses
 modified forms of potato X, 19, 20
 nematodes as vectors of, 172, 219
 of arracacha, 210
 of beans, 125, 221, 222
 of beet, 210
- Viruses (*contd.*)
 of clover, 218-220
 of grain legumes, 220-222
 of grasses, 218
 of honeybees, 104-106
 of oats, 212-213
 of potatoes, 19, 20, 228
 of sugar beet, 53, 210
 of tobacco, 20, 21, 209, 210
 purification of isolates of, 219, 220
 Viruses, names of
Apis iridescent virus, 104
 arracacha virus A, 210
 125, 222
 bean leaf roll, 125, 222
 bean yellow vein-banding, 221, 222
 beet cryptic, 209, 210
 black queen-cell of bees, 104
 bromine mosaic, 208, 218
 cucumber mosaic, 219, 220
 Egyptian bee virus, 104
 European foulbrood, of bees, 104-106
 oat golden stripe, 212, 213
 oat mosaic, 212, 213
 oat tubular, 212
 pea enation mosaic, 208, 221, 222
 potato X, 19, 20
 potato Y, 228
 red clover necrotic mosaic, 208, 218, 219
 ryegrass mosaic, 208, 218
 sacbrood of bees, 104
 tobacco mosaic, 209, 210
 vicia cryptic, 222
 white clover mosaic, 219
- Wash, geochemistry of reclaimed soils of, 289
 Water stress, in cereals, 35, 36
 Watering, methods of, 291, 292
 Weather
 at Broom's Barn, 322
 at Rothamsted, 320
 at Saxmundham, 323
 at Woburn, 321
 Weeds
 effect of cropping sequence on, 47
 effect of fertilisers on, 47
 grass weeds, national survey of, 301
 on Broadbalk, 45-47
 on Park Grass, 45
 Weevils, *See* Beetles
 Welsh Plant Breeding Station, 262
 Wheat
- Application of photosynthesis inhibitors to leaves
 of, 36, 37
 carbon dioxide enrichment in, 38, 39
 cytokinins and endosperm cell division in, 40, 41
 distribution of photosynthate in, 33, 34
 effect of increased CO₂ concentrations on, 38, 39
 effect of spring-applied nitrogen on, 279-281
 eyespot, 152, 217
 fungicides on, 152, 153
Fusarium culmorum on, 152
 gliadin fraction of, 25
 gliutin fraction of, 25, 26
 grain enlargement in, 41
 grain enlargement in developing grain, 41
 inhibition of germination in, 41
 milling and baking tests on, 211, 212
 nitric acid inhibitors for, 278, 279
 nitrogen in grain, 282
 On Broadbalk, 114
 precision seeding of, 32-33
 silicon content of endodermis, 217
 sugar concentrations in, 33, 34
 take-all on, 152, 242, 243, 279
 yields, 114, 115
See also: Cereals; Eyespot; Take-all

INDEX

- Wheat bulb fly
competition between larvae, 298
seed treatments for controlling, 143, 144
Woburn
Wind profiles, measurement of, 203
crop sequence experiments at, 120
experiment with herbage crops at, 123
nitrate N in borehole waters at, 283
rotation experiments at, 120
rotation fumigation experiment at, 181, 182
Yeast extract, effect on viability of *Rhizobium*, 233, 234
Yorkshire, soil survey in, 249, 261
Woburn (*contd.*)
take-all experiment at, 216, 217
weather, 321
X-ray fluorescence spectrometry, 292
X-ray tubes, 169
Xylem, extraction of glutamine from, 23