

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



# Rothamsted Experimental Station Report for 1977 Part 2

ROTHAMSTED  
EXPERIMENTAL STATION  
REPORT FOR 1977  
PART 2  
PUBLISHED JUNE 1978  
BRITISH HERBICIDE RESEARCH UNIT  
LAWES AGRICULTURAL TRUST

[Full Table of Content](#)

## Rothamsted Insect Survey - Ninth Annual Summary

**L. R. Taylor and R. A. French**

L. R. Taylor and R. A. French (1978) *Rothamsted Insect Survey - Ninth Annual Summary* ;  
Rothamsted Experimental Station Report For 1977 Part 2, pp 79 - 112 - DOI:  
<https://doi.org/10.23637/ERADOC-1-36544>

## Rothamsted Insect Survey

### Ninth Annual Summary

L. R. TAYLOR and R. A. FRENCH

#### Suction traps 1977

Daily samples were collected from 1 April to 4 November 1977 and the *Aphid Bulletins* were issued weekly from 29 April (*Bulletin* No. 1) to 4 November (*Bulletin* No. 28). The 33 aphid taxa listed in Table 1(a-h) and Table 3 are those in the *Aphid Bulletin*.

A new trap at North Farm, Washington, Pulborough, Sussex started on 14 April 1977, and an additional trap in Holland was operating this year at Nagele, Nr Emmeloord, N.E. Polder. The trap at Rainham discontinued in 1976, restarted on a new site, 1 mile from the old site on 4 March 1977. This trap continued to operate throughout the season but due to pressure of work the results did not appear on the *Bulletins* after 24 July. During 1977 a similar trap operated at the Department of Agriculture, Belfast, N. Ireland and appears in Table 3. A new site at Pathhead, Dalkeith, Midlothian replaced the one at Musselburgh; this does not appear in Table 1. Traps at 4 ft (1.2 m) were operated at Dundee, East Craigs, Broom's Barn, Rothamsted Tower and North Farm; records for these do not appear in *Bulletins* nor in Table 1.

Catches from Zeeland and Nagele, Broom's Barn and Aberystwyth were identified by A. Van Harten of Wageningen, G. D. Heathcote of Broom's Barn and J. A'Brook of the Welsh Plant Breeding Station respectively. The catches from East Craigs and Pathhead were identified by Miss S. Cooper of Department of Agriculture and Fisheries Scotland, East Craigs, H. L. G. Stroyan of Ministry of Agriculture, Fisheries and Food, Plant Pathology Laboratory and V. F. Eastop of the British Museum (Natural History) confirmed difficult identifications.

The *Bulletin*, despatched each Friday, lists aphids caught between 5 and 12 days earlier, except for Zeeland, Nagele and Copenhagen where samples were from 12-19 days previously. This timing is dictated by the postal services.

The *Bulletins* cover the working week Monday to Sunday. Table 1 is for standard 4-week periods constant from year to year (see *Rothamsted Report for 1972*, Part 2, 211, Table 4).

Sample volumes were halved at Rainham and Silwood from 7 July to 25 August, at Writtle from 11 July to 25 August, at Broom's Barn from 28 July to 31 August, at Rothamsted Tower from 2 to 19 August, at Preston and Wye from 17 to 25 August, and Hereford from 17 to 30 August, at Shardlow from 25 to 30 August 1977. When numbers were high catches from most sites were sub-sampled in the laboratory. The weekly *Bulletins*, Table 1(a-h) and Table 3 are corrected to full volume samples.

In Tables 1 and 3 there are no missing values; a blank records a zero catch.

#### Light traps

Table 2(a-h) gives the annual catches during 1975 and 1976 of the same pest, or migratory, Lepidoptera as in previous years. One hundred and twenty-five sites completed the 364-day sample for 1976.

The sites in Table 2 are arranged in sequence from north to south and the species are in the same order as in previous years. Zero catches are recorded 0; dashes indicate no record.

Once again voluntary workers operated most traps and identified many of the insects; for their help we are most grateful.

## ROTHAMSTED REPORT FOR 1977, PART 2

TABLE

*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
Week Nos. 13 to 16—*

ROTHAMSTED INSECT SURVEY

1(a)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1977  
26 March to 22 April 1977

Rothamsted Tower	Writtle	Rainham	Long Ashton	Silwood Park	Zeeland	N.E. Polder	Wye, Kent	North Farm	Starcross	Rosewarne	Sites	Species
												<i>Acyrtosiphum pisum</i> <i>Aphis fabae</i> grp. <i>Aphis</i> spp. <i>Amphorophora rubi</i> <i>Aulacorthum solani</i> <i>Brachycaudus helichrysi</i> <i>Brevicoryne brassicae</i> <i>Cavariella aegopodii</i> <i>Cinara</i> spp. <i>Drepanosiphum platanoidis</i> <i>Dysaphis plantaginea</i> <i>Elatobium abietinum</i> <i>Eriosoma ulmi</i> <i>Hyalopterus pruni</i> <i>Hyperomyzus lactucae</i> <i>Macrosiphum euphorbiae</i> <i>Megoura viciae</i> <i>Metopolophium dirhodum</i> <i>Metopolophium festucae</i> <i>Myzus ascalonicus</i> <i>Myzus certus</i> <i>Myzus ornatus</i> <i>Myzus persicae</i> grp. <i>Nasonovia ribis nigri</i> <i>Pemphigus</i> spp. <i>Pentatrichopus fragaefolii</i> <i>Phorodon humuli</i> <i>Phylloxaphis fagi</i> <i>Rhopalosiphum insertum</i> <i>Rhopalosiphum maidis</i> <i>Rhopalosiphum padi</i> <i>Sitobion avenae</i> <i>Sitobion fragariae</i>
			1						1			First aphid caught
			April 17					April 20				

ROTHAMSTED REPORT FOR 1977, PART 2

**TABLE**  
*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
 Week Nos. 17 to 20—*

Sites	Elgin	Dundee	Edinburgh	Auchincruive	Copenhagen	Newcastle	High Mowthorpe	Preston	Shardlow	Aberystwyth	Broom's Barn	Hereford
Species												
<i>Acyrtosiphon pisum</i>												
<i>Aphis fabae</i> grp.												
<i>Aphis</i> spp.												
<i>Amphorophora rubi</i>												
<i>Aulacorthum solani</i>												
<i>Brachycaudus helichrysi</i>												
<i>Brevicoryne brassicae</i>												
<i>Cavariella aegopodii</i>												
<i>Cinara</i> spp.												
<i>Drepanosiphum platanoidis</i>												
<i>Dysaphis plantaginea</i>	1											
<i>Elatobium abietinum</i>												
<i>Eriosoma ulmi</i>												
<i>Hyalopterus pruni</i>												
<i>Hyperomyzus lactucae</i>												
<i>Macrosiphum euphorbiae</i>												
<i>Megoura viciae</i>												
<i>Metopolophium dirhodum</i>												
<i>Metopolophium festucae</i>												
<i>Myzus ascalonicus</i>												
<i>Myzus certus</i>												
<i>Myzus ornatus</i>												
<i>Myzus persicae</i> grp.	1											
<i>Nasonovia ribis nigri</i>												
<i>Pemphigus</i> spp.												
<i>Pentatrichopus fragaefolii</i>												
<i>Phorodon humuli</i>												
<i>Phylloxaphis fagi</i>												
<i>Rhopalosiphum insertum</i>												
<i>Rhopalosiphum maidis</i>												
<i>Rhopalosiphum padi</i>												
<i>Sitobion avenae</i>												
<i>Sitobion fragariae</i>												
First aphid caught	April 25	May 5		May 18	May 7	May 5			May 18	May 10	April 30	

ROTHAMSTED INSECT SURVEY

1(b)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1977  
23 April to 20 May 1977

Rothamsted Tower	Writtle	Rainham	Long Ashton	Silwood Park	Zeeland	N.E. Polder	Wye, Kent	North Farm	Starcross	Rosewarne	Sites
											Species
											<i>Acyrthosiphon pisum</i>
											<i>Aphis fabae</i> grp.
											<i>Aphis</i> spp.
											<i>Amphorophora rubi</i>
											<i>Aulacorthum solani</i>
											<i>Brachycaudus helichrysi</i>
											<i>Brevicoryne brassicae</i>
											<i>Cavariella aegopodii</i>
											<i>Cinara</i> spp.
											<i>Drepanosiphum platanoidis</i>
											<i>Dysaphis plantaginea</i>
											<i>Elatobium abietinum</i>
											<i>Eriosoma ulmi</i>
											<i>Hyalopterus pruni</i>
											<i>Hyperomyzus lactucae</i>
											<i>Macrosiphum euphorbiae</i>
											<i>Megoura viciae</i>
											<i>Metopolophium dirhodum</i>
											<i>Metopolophium festucae</i>
											<i>Myzus ascalonicus</i>
											<i>Myzus certus</i>
											<i>Myzus ornatus</i>
											<i>Myzus persicae</i> grp.
											<i>Nasonovia ribis nigri</i>
											<i>Pemphigus</i> spp.
											<i>Pentatrichopus fragaefolii</i>
											<i>Phorodon humuli</i>
											<i>Phyllaphis fagi</i>
											<i>Rhopalosiphum insertum</i>
											<i>Rhopalosiphum maidis</i>
											<i>Rhopalosiphum padi</i>
											<i>Sitobion avenae</i>
											<i>Sitobion fragariae</i>
April 30	May 2	April 24	April 29	May 8	May 13	May 19	April 24				First aphid caught

ROTHAMSTED REPORT FOR 1977, PART 2

TABLE

*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
Week Nos. 21 to 24—*

Sites	Elgin	Dundee	Edinburgh	Auchincruivie	Copenhagen	Newcastle	High Mowthorpe	Preston	Shardlow	Aberystwyth	Broom's Barn	Hereford
<i>Acyrtosiphon pisum</i>			1		1			1	2	3	43	
<i>Aphis fabae</i> grp.			2								1	
<i>Aphis</i> spp.	1			4							3	1
<i>Amphorophora rubi</i>	1		3	5								
<i>Aulacorthrum solani</i>												
<i>Brachycaudus helichrysi</i>					1							
<i>Brevicoryne brassicae</i>												
<i>Cavariella aegopodii</i>	1	3	4	7	2			3	101	43	45	182
<i>Cinara</i> spp.											5	92
<i>Drepanosiphum platanoidis</i>	73	85	75	12	2	27	82	162	8	4	9	34
<i>Dysaphis plantaginea</i>									1	1	1	1
<i>Elatobium abietinum</i>	10	17	6	30		13		27	1	464	3	6
<i>Eriosoma ulmi</i>										1	4	1
<i>Hyalopterus pruni</i>	3										4	1
<i>Hyperomyzus lactucae</i>	1		2								4	6
<i>Macrosiphum euphorbiae</i>	1			1					1	4	3	4
<i>Megoura viciae</i>												
<i>Metopolophium dirhodum</i>										1	5	
<i>Metopolophium festucae</i>											3	
<i>Myzus ascalonicus</i>											8	
<i>Myzus certus</i>												
<i>Myzus ornatus</i>												
<i>Myzus persicae</i> grp.											1	
<i>Nasonovia ribis nigri</i>									2		1	
<i>Pemphigus</i> spp.											1	
<i>Pentatrichopus fragaefolii</i>												
<i>Phorodon humuli</i>												
<i>Phylloxaphis fagi</i>	1	5							1	10	6	42
<i>Rhopalosiphum insertum</i>	69	45	20		1	4	2	27	1	1	1	61
<i>Rhopalosiphum maidis</i>					3							
<i>Rhopalosiphum padi</i>	3	3	3		6	1	1	2	5	11	16	
<i>Sitobion avenae</i>	1				39	4	14	5	12	10	30	
<i>Sitobion fragariae</i>					2			3	1	5	6	1
First aphid caught			May 24				May 27	May 21				

ROTHAMSTED INSECT SURVEY

1(c)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1977  
21 May to 17 June 1977

Rothamsted Tower										Sites		
		Writtle	Rainham	Long Ashton	Silwood Park	Zeeland	N.E. Polder	Wye, Kent	North Farm	Starcross	Rosewarne	Species
3	2	17	4	3	5	18	3	2	39	3	1	<i>Acyrtosiphon pisum</i>
1	4	4	18	1	6	15	7	2	3	2		<i>Aphis fabae</i> grp.
	2	2		7	11	5	4	1	2	8		<i>Aphis</i> spp.
51	122	27	393	102	172	263	305	28	74	35	26	<i>Amphorophora rubi</i>
74	314	884	9	74	412	896	933	45	58	83	17	<i>Aulacorthum solani</i>
						24	77	2				<i>Brachycaudus helichrysi</i>
4	6	7	2	4	21	13	2091	1	24	6	4	<i>Brevicoryne brassicae</i>
	2	3			1	36	14					<i>Cavariella aegopodii</i>
2		4		4	68	1	154	5	8	15	7	<i>Cinara</i> spp.
1	2	9	3	3	1	38	30	1				<i>Drepanosiphum platanoidis</i>
2	12	20			9	3	5	5				<i>Dysaphis plantaginea</i>
2	16	4		4	3	5	6	1				<i>Elatobium abietinum</i>
1	6	91	6	18	5	3	3	2	13	1	2	<i>Eriosoma ulmi</i>
1	2	19		1	8	54	16	1	4	4	6	<i>Hyalopterus pruni</i>
	2	5			2	22	16	4			5	<i>Hyperomyzus lactucae</i>
5	4	11	1	5	45	43	43	6	6	2	3	<i>Macrosiphum euphorbiae</i>
	1	27			1	1	1					<i>Megoura viciae</i>
1		1			1							<i>Metopolophium dirhodum</i>
2	3	41	5	7	1	2	2	5	1	2	1	<i>Metopolophium festucae</i>
	9	3	3	5	3	2	2	1	9	3		<i>Myzus ascalonicus</i>
				1	4							<i>Myzus certus</i>
39	301	779	7	139	153	68	36	36	63	19		<i>Myzus ornatus</i>
1		1		6	1	4	3					<i>Myzus persicae</i> grp.
1	14	21	1	9	6	8	10	3	1	1	4	<i>Nasonovia ribis nigri</i>
		1		1		2						<i>Pemphigus</i> spp.
6	9	54	3	8	43	39	13	13	5	7	1	<i>Pentatrichopus fragaefolii</i>
25	15	102	24	82	168	108	100	1	41	39	23	<i>Phorodon humuli</i>
1	1	6		2	3				1	2	10	<i>Phyllaphis fagi</i>
												<i>Rhopalosiphum insertum</i>
												<i>Rhopalosiphum maidis</i>
												<i>Rhopalosiphum padi</i>
												<i>Sitobion avenae</i>
												<i>Sitobion fragariae</i>

May  
24

First aphid caught

## ROTHAMSTED REPORT FOR 1977, PART 2

**TABLE**  
*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
 Week Nos. 25 to 28—*

Species	Sites										Hereford
	Elgin	Dundee	Edinburgh	Auchincruive	Copenhagen	Newcastle	High Mowthorpe	Preston	Shardlow	Aberytwyth	
<i>Acyrthosiphon pisum</i>	1	4	1		18	1		3	5	4	19
<i>Aphis fabae</i> grp.		1	2					12	12	12	13
<i>Aphis</i> spp.	4	1	3	8	2	1	14	49	16	13	5
<i>Amphorophora rubi</i>		4	4				1	3	1	1	13
<i>Aulocorthum solani</i>	1						2	3	3	1	21
<i>Brachycaudus helichrysi</i>	2	7	45	35		29	20	102	453	385	227
<i>Brevicoryne brassicae</i>										2	8
<i>Cavariella aegopodii</i>	9	6	20	8	3	14	46	313	481	71	526
<i>Cinara</i> spp.	2	3	7	22	3	3	2	3	84	36	654
<i>Drepanosiphum platanoidis</i>	29	80	99	28	12	52	68	189	86	15	15
<i>Dysaphis plantaginea</i>				1				3	11	4	94
<i>Elatobium abietinum</i>	1	1	1	12		67		71	1	410	18
<i>Eriosoma ulmi</i>	5	10	14	8	46	2	4	21	12	4	8
<i>Hyalopterus pruni</i>	1	34	19	22	64	3	3	37	123	22	42
<i>Hyperomyzus lactucae</i>						1	1	4	6	16	10
<i>Macrosiphum euphorbiae</i>				10	3			3	18	32	13
<i>Megoura viciae</i>					1						18
<i>Metopolophium dirhodum</i>								4	28		230
<i>Metopolophium festucae</i>								4	1		54
<i>Myzus ascalonicus</i>					3	3		1	10		1
<i>Myzus certus</i>					1	1		1			4
<i>Myzus ornatus</i>						4			2		2
<i>Myzus persicae</i> grp.								1	3		1
<i>Nasonovia ribis nigri</i>					2			2	6	12	7
<i>Pemphigus</i> spp.								7	2		1
<i>Pentatrichopus fragaefolii</i>											13
<i>Phorodon humuli</i>											2
<i>Phyllaphis fagi</i>	6	9	25	17	3	5	2	16	262	92	1634
<i>Rhopalosiphum insertum</i>	1	2	18	32	2	9	1	10	21	1	52
<i>Rhopalosiphum maidis</i>					5					4	3
<i>Rhopalosiphum padi</i>	1	14	5	2	129	2	2	2	131	42	2940
<i>Sitobion avenae</i>	4	15	38	126	169	17	30	73	113	188	467
<i>Sitobion fragariae</i>				1				12	6	17	331
											1

ROTHAMSTED INSECT SURVEY

1(d)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1977  
18 June to 15 July 1977

Rothamsted Tower	Sites												Species
	Writtle	Rainham	Long Ashton	Silwood Park	Zeeland	N.E. Polder	Wye, Kent	North Farm	Starcross	Rosewarne			
24	211	195	3	50	11	11	43	48	95	14			<i>Acyrthosiphon pisum</i>
23	74	83	71	47	64	10	30	50	141	28			<i>Aphis fabae</i> grp.
45	114	226	50	187	6	4	30	27	66	40			<i>Aphis</i> spp.
	8	8	2				2	13	11				<i>Amphorophora rubi</i>
	56	1	5	4					17	3			<i>Aulacorthum solani</i>
318	634	944	157	419	140	18	188	353	323	57			<i>Brachycaudus helichrysi</i>
	4	1	2	4		4			16				<i>Brevicoryne brassicae</i>
478	1217	1462	324	1177	1078	276	263	326	625	126			<i>Cavariella aegopodii</i>
2	1	6	3	3	4	62	4		2	4			<i>Cinara</i> spp.
28	49		5	62	1	1963	22	171	7	11			<i>Drepanosiphum platanoidis</i>
22	23	70	11	25			7	16	7	1			<i>Dysaphis plantaginea</i>
			6						1				<i>Elatobium abietinum</i>
2	15	34	2	2	70	32	11	3	2				<i>Eriosoma ulmi</i>
69	156	582	126	130	80	11	48	104	405	89			<i>Hyalopterus pruni</i>
7	34	42	8	13	19	17	11	20	105	72			<i>Hyperomyzus lactucae</i>
21	59	240	14	103	28	9	50	333	308	732			<i>Macrosiphum euphoribae</i>
													<i>Megoura viciae</i>
163	832	2212	40	626	2078	3736	319	968	1880	763			<i>Metopolophium dirhodum</i>
96	16	27	1	31	31	32	19	23	23	44			<i>Metopolophium festucae</i>
6	5	9	2	11	5	3	1	4		2			<i>Myzus ascalonicus</i>
1	6	61	6	2	6	6	5	22	13	2			<i>Myzus certus</i>
	2	9	3	5				1		3			<i>Myzus ornatus</i>
6	40	89	32	27	29	3	23	144	146	68			<i>Myzus persicae</i> grp.
6	18	26	17	19	9	3	12	2	49	60			<i>Nasonovia ribis nigri</i>
4	19	158	1	9	4	9	2	1	1	2			<i>Pemphigus</i> spp.
			1										<i>Pentatrichopus fragaefolii</i>
657	7188	6954	343	1401	146	91	976	750	448	4			<i>Phorodon humuli</i>
23	7	13	1	19	1	4	4		2				<i>Phyllaphis fagi</i>
33	172	146	6	144	173	45	46	29	73	14			<i>Rhopalosiphum insertum</i>
	4	1	2				5		10	24			<i>Rhopalosiphum maidis</i>
992	1269	2866	13	671	1113	497	1530	571	4722	823			<i>Rhopalosiphum padi</i>
727	687	897	380	773	251	274	641	1117	2391	4291			<i>Sitobion avenae</i>
2	18	59	3	25	48	2	11	9	20	27			<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1977, PART 2

TABLE  
The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
Week Nos. 29 to 32—

Species	Sites										Brooms Barn	Hereford
	Elgin	Dundee	Edinburgh	Auchincruive	Copenhagen	Newcastle	High Mowthorpe	Preston	Shardlow	Aberystwyth		
<i>Acyrthosiphon pisum</i>	6	16	1	1	21	1	3	27	72	23	200	64
<i>Aphis fabae</i> grp.	1	14	12	9	35			358		594	137	185
<i>Aphis</i> spp.	5	4	8	23	9	2	2	33	247	23	23	46
<i>Amphorophora rubi</i>		18	3					2	2			7
<i>Aulacorthrum solani</i>			1					3	2			1
<i>Brachycaudus helichrysi</i>	8	20	52	4	10	16	12	35	651	7	526	194
<i>Brevicoryne brassicae</i>					9			6	7	4	53	7
<i>Cavariella aegopodii</i>	7	3	7	2	6	9	15	34	422	13	260	97
<i>Cinara</i> spp.		4	1	2	2	17		1	4	10	13	9
<i>Drepanosiphum platanoidis</i>	15	19	5	14	2	11	68	400	57	7	21	150
<i>Dysaphis plantaginea</i>					4						39	3
<i>Elatobium abietinum</i>												
<i>Eriosoma ulmi</i>		2	1					1				
<i>Hyalopterus pruni</i>	3	21	18	7	214	3	23	114	863	15	414	404
<i>Hyperomyzus lactucae</i>	1	1	5		7	3	4	4	73	12	43	79
<i>Macrosiphum euphorbiae</i>	2	66	17	19		7		150	96	35	20	92
<i>Megoura viciae</i>												
<i>Metopolophium dirhodum</i>	100	662	155	40	36	34	32	51	179	18	619	70
<i>Metopolophium festucae</i>	1			2			1	7	2	1	16	1
<i>Myzus ascalonicus</i>									3			
<i>Myzus certus</i>								5	14			5
<i>Myzus ornatus</i>	1								2			1
<i>Myzus persicae</i> grp.	1	20	9	10	37	1	2	71	90	4	59	274
<i>Nasonovia ribis nigri</i>	9		2			1		2	32	6	11	3
<i>Pemphigus</i> spp.	2	3	5	19	11			14			9	6
<i>Pentatrichopus fragaefolii</i>												
<i>Phorodon humuli</i>		1	5		11		2	2	420	3	3041	1427
<i>Phylloxaphis fagi</i>		2	2			2		1			4	1
<i>Rhopalosiphum insertum</i>	7	77	96	149	73	49	25	184	410	5	329	128
<i>Rhopalosiphum maidis</i>	3	1	1		48	3	1	4	5	3	19	
<i>Rhopalosiphum padi</i>	39	248	71	56	2058	261	219	423	1465	332	6924	1198
<i>Sitobion avenae</i>	190	706	380	497	2096	629	818	310	978	287	1554	934
<i>Sitobion fragariae</i>	1	3	15	3		1	1	73	44	19	27	21

ROTHAMSTED INSECT SURVEY

1(e)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1977  
16 July to 12 August 1977

Rothamsted Tower	Writtle	Rainham	Long Ashton	Silwood Park	Zeeland	N.E. Polder	Wye, Kent	North Farm	Starcross	Rosewarne	Sites	
											Species	
367	474	92	46	154	4	12	111	65	43	4	<i>Acyrtosiphon pisum</i>	
877	4114	352	183	1298	128	459	886	160	148	6	<i>Aphis fabae</i> grp.	
118	246	68	147	156	14	11	149	25	47	3	<i>Aphis</i> spp.	
	2		1	2				8	5		<i>Amphorophora rubi</i>	
	4	6			2		4		12		<i>Aulacorthum solani</i>	
528	444	74	90	190	11	2	121	36	117	3	<i>Brachycaudus helichrysi</i>	
2	28	2	2		6	4			55		<i>Brevicoryne brassicae</i>	
237	264	94	30	174	26	9	121	37	158	19	<i>Cavariella aegopodii</i>	
					2				2		<i>Cinara</i> spp.	
6	52		4	28	6	1216	36	51	22	5	<i>Drepanosiphum platanoidis</i>	
7	4	6	7	2	1	1	7		2	1	<i>Dysaphis plantaginea</i>	
									1		<i>Elatobium abietinum</i>	
	4		1			1	6				<i>Eriosoma ulmi</i>	
1482	1346	436	400	616	261	115	1481	186	411	12	<i>Hyalopterus pruni</i>	
54	94	14	19	80	4	3	51	15	61	3	<i>Hyperomyzus lactucae</i>	
64	86	28	41	26	1	5	31	8	133	6	<i>Macrosiphum euphorbiae</i>	
329	516	432	52	298	99	86	110	88	254	24	<i>Megoura viciae</i>	
19	16	4		20	2	13	10		3	2	<i>Metopolophium dirhodum</i>	
											<i>Metopolophium festucae</i>	
	8	2		2	2		14				<i>Myzus ascalonicus</i>	
	2		11	2					10		<i>Myzus certus</i>	
140	108	16	110	64	8	125	61	24	70	3	<i>Myzus ornatus</i>	
26	10	8	6	18		2	11	4	23		<i>Myzus persicae</i> grp.	
10		4	2	8	7	14	3		3	1	<i>Nasonovia ribis nigri</i>	
									2		<i>Pemphigus</i> spp.	
2964	6300	488	214	1450	169	61	1065	118	257	1	<i>Pentatrichopus fragaefolii</i>	
2	2			2			56		2		<i>Phorodon humuli</i>	
574	792	94	74	836	136	378	618	134	363	36	<i>Phyllaphis fagi</i>	
7	48	2		8	9	21	8	1	9		<i>Rhopalosiphum insertum</i>	
3967	9328	990	555	4224	1571	6971	2880	1892	5420	1338	<i>Rhopalosiphum maidis</i>	
2012	2848	778	606	2682	193	1244	2309	575	2295	251	<i>Rhopalosiphum padi</i>	
10	40	8	39	20	12	8	17	10	61	5	<i>Sitobion avenae</i>	
											<i>Sitobion fragariae</i>	

Rainham trap not operating July 22—August 6.

ROTHAMSTED REPORT FOR 1977, PART 2

TABLE  
The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
Week Nos. 33 to 36-

Species	Elgin	Dundee	Edinburgh	Auchincruive	Copenhagen	Newcastle	High Mowthorpe	Preston	Shardlow	Abertywth	Brooms Barn	Hereford
<i>Acyrtosiphon pisum</i>	25	5						8	23	23	4	30
<i>Aphis fabae</i> grp.	14	92	53	127	5	5	1	53	210	15	529	298
<i>Aphis</i> spp.	5	11	14	17	5	2	1	18	109	49	72	53
<i>Amphorophora rubi</i>		3	4									
<i>Aulacorthum solani</i>	1	2										
<i>Brachycaudus helichrysi</i>	22	35	109	49	1	7	5	39	127	21	45	53
<i>Brevicaryne brassicae</i>		1			8		1	2	2	46	3	3
<i>Cavariella aegopodii</i>	11	7	5	1	5			15	60	5	3	18
<i>Cinara</i> spp.	2			3					4	7	2	
<i>Drepanosiphum platanoidis</i>	4	37	17	14	2	20	3	233	99	3	38	73
<i>Dysaphis plantaginea</i>					1				1		1	4
<i>Elatobium abietinum</i>												
<i>Eriosoma ulmi</i>			1								2	
<i>Hyalopterus pruni</i>	2	60	31	30	72	2	6	38	522	46	114	307
<i>Hyperomyzus lactucae</i>	2	2	2	1		1			21	5		9
<i>Macrosiphum euphorbiae</i>	20	125	37	22		3		25	4	14		10
<i>Megoura viciae</i>			1									
<i>Metopolophium dirhodum</i>	42	7	33	3	1	1		10	29	14	1	17
<i>Metopolophium festucae</i>								29		3		
<i>Myzus ascalonicus</i>										4		
<i>Myzus certus</i>		1	2					2	1			2
<i>Myzus ornatus</i>		2								1		
<i>Myzus persicae</i> grp.	7	47	11	3	2	2		27	14	56		100
<i>Nasonovia ribis nigri</i>	15		3					2	2	5		5
<i>Pemphigus</i> spp.	14	3	7	16	21	2		8	3	6	10	10
<i>Pentatrichopus fragaefolii</i>									132	41	2	138
<i>Phorodon humuli</i>		1										
<i>Phyllaphis fagi</i>			2									
<i>Rhopalosiphum insertum</i>	28	74	124	332	19	62	26	201	268	10	98	221
<i>Rhopalosiphum maidis</i>		2	1	1	3		2		6	4	4	
<i>Rhopalosiphum padi</i>	1505	1494	434	494	874	788	246	617	2786	1104	879	1780
<i>Sitobion avenae</i>	82	76	66	158	20	49	13	25	29	102	24	44
<i>Sitobion fragariae</i>	5		4			2		35	8	21		6

ROTHAMSTED INSECT SURVEY

1(f)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1977  
13 August to 9 September 1977

Rothamsted Tower	Sites											Species
	Writtle	Rainham	Long Ashton	Silwood Park	Zeeland	N.E. Polder	Wye, Kent	North Farm	Starcross	Rosewarne		
10	12	2	54	4								<i>Acyrthosiphon pisum</i>
486	732	80	205	156	11	38	38	6	4	11	1	<i>Aphis fabae</i> grp.
31	33	9	165	49	2		13	2	4			<i>Aphis</i> spp.
		2	1									<i>Amphorophora rubi</i>
57	31	16	42	11	8	3	58	17	18	1		<i>Aulacorthum solani</i>
1	8	1	16	3	2	1		1	40			<i>Brachycaudus helichrysi</i>
12	3		16	2	2	1	2	2	3			<i>Brevicoryne brassicae</i>
18	33	2	33	48	9	103	26	100	4			<i>Cavariella aegopodii</i>
	2		3					1				<i>Cinara</i> spp.
170	18	167	600	61	2	2	2					<i>Drepanosiphum platanoidis</i>
5		15		212	2	1249	200	29	135	2		<i>Dysaphis plantaginea</i>
	7	2	20	1		2	2		4			<i>Elatobium abietinum</i>
4		26		2	1	5	2	1	1			<i>Eriosoma ulmi</i>
	2	3			1	5						<i>Hyalopterus pruni</i>
		2			1	2		1				<i>Hyperomyzus lactucae</i>
		1										<i>Macrosiphum euphorbiae</i>
1	9	2	65	5	2	22	5					<i>Megoura viciae</i>
2	2	8	15	5	13	72	3	5	17	2		<i>Metopolophium dirhodum</i>
22	25	13	307	12	2	1	4		1			<i>Metopolophium festucae</i>
2		1										<i>Myzus ascalonicus</i>
214	150	56	90	110	68	317	74	21	40	3		<i>Myzus certus</i>
18	10	9	9		12	8	8		6	7		<i>Myzus ornatus</i>
1241	588	621	1249	708	445	1930	510	329	911	228		<i>Myzus persicae</i> grp.
20	51	20	170	42	8	8	29	14	60	23		<i>Nasonovia ribis nigri</i>
3			11	3		1		1	2	1		<i>Pemphigus</i> spp.
												<i>Pentatrichopus fragaefolii</i>
												<i>Phorodon humuli</i>
												<i>Phyllaphis fagi</i>
												<i>Rhopalosiphum insertum</i>
												<i>Rhopalosiphum maidis</i>
												<i>Rhopalosiphum padi</i>
												<i>Sitobion avenae</i>
												<i>Sitobion fragariae</i>

N.E. Polder — information not yet received for period August 15—September 4.

ROTHAMSTED REPORT FOR 1977, PART 2

TABLE  
*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
 Week Nos. 37 to 40-*

Species	Elgin	Dundee	Edinburgh	Auchincruive	Copenhagen	Newcastle	High Mowthorpe	Preston	Shardlow	Aberystwyth	Brooms Barn	Hereford
<i>Acyrtosiphon pisum</i>	22	102	14	46	1	8	8	68	30	1	3	21
<i>Aphis fabae</i> grp.	6	24	20	30	1	5	1	24	14	51	1	8
<i>Aphis</i> spp.		1								63		
<i>Amphorophora rubi</i>										1		
<i>Aulacorthum solani</i>										56		
<i>Brachycaudus helichrysi</i>	15	32	20	50	5	13	22	31	53	1	71	51
<i>Brevicoryne brassicae</i>					11		1	13	4	1	5	1
<i>Cavariella aegopodii</i>	136	15	2	7	2	1		8	3	1		1
<i>Cinara</i> spp.	8	1	1			2				6	4	
<i>Drepanosiphum platanoidis</i>	16	216	59	25	2	49	39	328	117	28	3	13
<i>Dysaphis plantaginea</i>			1	3			1	2	15		3	6
<i>Elatobium abietinum</i>												
<i>Eriosoma ulmi</i>	2	61	7	6	3	2		9	3	1	1	6
<i>Hyalopterus pruni</i>	14	52		1	4		1	7	12	4	15	2
<i>Hyperomyzus lactucae</i>	4	8	1		1	1		1	1	4		3
<i>Macrosiphum euphorbiae</i>		1		1		1		3		7		4
<i>Megoura viciae</i>												
<i>Metopolophium dirhodum</i>	152	13	3	15		4		6	4	1		3
<i>Metopolophium festucae</i>										1		2
<i>Myzus ascalonicus</i>												1
<i>Myzus certus</i>				1								
<i>Myzus ornatus</i>				1						3		
<i>Myzus persicae</i> grp.	12	14	2	7	2	4		19	19	7	2	37
<i>Nasonovia ribis nigri</i>	17			1		1	1	1	2	22	1	
<i>Pemphigus</i> spp.	26	21	32	22	44	44	3	125	33	59	10	21
<i>Pentatrichopus fragaefolii</i>												
<i>Phorodon humuli</i>									1			283
<i>Phyllaphis fagi</i>			4						1			
<i>Rhopalosiphum insertum</i>	319	719	371	735	19	843	134	1418	462	137	318	219
<i>Rhopalosiphum maidis</i>			3							2		
<i>Rhopalosiphum padi</i>	11384	7189	1433	2425	368	2523	1339	11519	6071	2456	864	2826
<i>Sitobion avenae</i>	3	2	3	1		3		13		2	3	8
<i>Sitobion fragariae</i>	13		3			1		41		14	1	2

ROTHAMSTED INSECT SURVEY

1(g)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1977  
10 September to 7 October 1977

Rothamsted Tower												Species
		Writtle	Rainham	Long Ashton	Silwood Park	Zeeland	N.E. Polder	Wye, Kent	North Farm	Starcross	Rosewarne	
1	5	2	8	3	202	3	177	4	1	2	2	<i>Acyrtosiphon pisum</i>
2	3	1	9	5	1	3	4	4	3	1	7	<i>Aphis fabae</i> grp.
											2	<i>Aphis</i> spp.
115	1	34	35	57	44	1	69	184	127	49	20	<i>Amphorophora rubi</i>
1	62	1	2	1	1	3	3		1	1		<i>Aulacorthum solani</i>
3	1	1	3	27	11	6	11	6	2	6		<i>Brachycaudus helichrysi</i>
	2	1										<i>Brevicoryne brassicae</i>
20	19	10	27	38	11	13	101	40	162	3	15	<i>Cavariella aegopodii</i>
7	1	4	15	17	2	3	3	1	8	5	14	<i>Cinara</i> spp.
												<i>Drepanosiphum platanoidis</i>
10	2	14	1	1	21	13		1	1			<i>Dysaphis plantaginea</i>
	10	70	4	9	50	362		34	28	5	4	<i>Elatobium abietinum</i>
		1		9	2	1		3	1	1		<i>Eriosoma ulmi</i>
				1	1	3		3	1	2	3	<i>Hyalopterus pruni</i>
												<i>Hyperomyzus lactucae</i>
												<i>Macrosiphum euphorbiae</i>
												<i>Megoura viciae</i>
1			4	2	12	25		3	2			<i>Metapolophium dirhodum</i>
					1	1						<i>Metapolophium festucae</i>
					1	1						<i>Myzus ascalonicus</i>
						1						<i>Myzus certus</i>
4	1	1	10	3	28	12	9		8	26	8	<i>Myzus ornatus</i>
	1		2	7	3	3	3			17		<i>Myzus persicae</i> grp.
5	7	273	38	40	351	938	18		5	24	19	<i>Nasonovia ribis nigri</i>
												<i>Pemphigus</i> spp.
												<i>Pentatrichopus fragaefolii</i>
												<i>Phorodon humuli</i>
331	1	1	2	4	2	1	84		1			<i>Phyllaphis fagi</i>
	263	147	174	335	592	8108	493		177	174	64	<i>Rhopalosiphum insertum</i>
1						1			4		3	<i>Rhopalosiphum maidis</i>
1113	1915	1960	4549	3253	4568	12234	2260		2247	1302	2712	<i>Rhopalosiphum padi</i>
3	2	5	1	4	3	6	2		19	1	7	<i>Sitobion avenae</i>
		1	2	3	3		1			1		<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1977, PART 2

TABLE  
The Rothamsted Insect Survey—Suction Traps: four weekly total catches of  
Week Nos. 41 to 44—

Species	Sites										Broom's Barn	Hereford
	Elgin	Dundee	Edinburgh	Auchincruive	Copenhagen	Newcastle	Hight Mowthorpe	Preston	Shardlow	Aberystwyth		
<i>Acyrtosiphon pisum</i>												
<i>Aphis fabae</i> grp.	4	2	7	3	2	2	2	7	3	8	25	2
<i>Aphis</i> spp.	3		5		2	2	1	6	5	14	1	
<i>Amphorophora rubi</i>		3									1	1
<i>Aulacorthum solani</i>	1		2			1		2	1	1	8	
<i>Brachycaudus helichrysi</i>	12	2	11	4	6	8	4	2	10	8	22	8
<i>Brevicoryne brassicae</i>			3	1	3	2	1	5	3	15	1	
<i>Cavariella aegopodii</i>	286	6	5	1	2	2	3	1	7	2	5	2
<i>Cinara</i> spp.	5		1								1	
<i>Drepanosiphum platanoidis</i>	25	114	59	24	1	57	15	70	71	3	1	2
<i>Dysaphis plantaginea</i>					1	1	1	2	5	4		1
<i>Elatobium abietinum</i>						1						
<i>Eriosoma ulmi</i>		45	12	1	6	6	4	2	6	1	20	28
<i>Hyalopterus pruni</i>	5							1	4			
<i>Hyperomyzus lactucae</i>		2		1	1	1	2		3	1		6
<i>Macrosiphum euphorbiae</i>	3	1	3	2		2			2	1		1
<i>Megoura viciae</i>												
<i>Metopolophium dirhodum</i>	96	1	3	17	1	3		12	7	2		1
<i>Metopolophium festucae</i>						1		3		5		6
<i>Myzus ascalonicus</i>						1			2		1	5
<i>Myzus certus</i>	2											
<i>Myzus ornatus</i>							1					
<i>Myzus persicae</i> grp.	85	15	3	8	3	9	3	11	15	12	4	9
<i>Nasonovia ribis nigri</i>	6								5	11		3
<i>Pemphigus</i> spp.	112	22	41	84	24	36	2	34	92	8	181	49
<i>Pentatrichopus fragaefolii</i>												1
<i>Phorodon humuli</i>			1					1		8		9
<i>Phylloxiphis fagi</i>		3	3					1	2	1	1	2
<i>Rhopalosiphum insertum</i>	237	193	346	213	26	424	198	599	771	160	465	483
<i>Rhopalosiphum maidis</i>		1	6	2					2	1	3	4
<i>Rhopalosiphum padi</i>	4919	1620	2407	1317	430	952	212	2014	2728	1301	554	1859
<i>Sitobion avenae</i>	3	1	15	8	1	5		3	8	9	2	8
<i>Sitobion fragariae</i>	20	1	5	7				70	4	91	1	10

Long Ashton trap finished 18 October.

N.E. Polder information not available 10–23 October and 31 October–4 November

ROTHAMSTED INSECT SURVEY

1(h)

aphids of economic, or other, interest reported in the weekly Bulletin, 1977  
10 October to 4 November 1977

Rothamsted Tower												Species	Sites
	Writtle	Rainham	Long Ashton	Silwood Park	Zeeland	N. E. Polder	Wye, Kent	North Farm	Starcross	Rosewarne			
1	12	5	2	1	4	1157	181	1	3	2	3	<i>Acyrtosiphon pisum</i>	
2	10		12	11	72		25	17	2	12	1	<i>Aphis fabae</i> grp.	
							33	9				<i>Aphis</i> spp.	
14	2	9	2	4	7	11	3	3	4	8	1	<i>Amphorophora rubi</i>	
	13	15		6	72		13	7				<i>Aulacorthum solani</i>	
1	8	3		1	3		3	7				<i>Brachycaudus helichrysi</i>	
3	3	9	6	6	73	6	24					<i>Brevicoryne brassicae</i>	
1	1				1	2						<i>Cavariella aegopodii</i>	
17	12	13	8	23	56	20	60	162	3	4	2	<i>Cinara</i> spp.	
1	3	4		6	9	2	7	8				<i>Drepanosiphum platanoidis</i>	
2	15	11	3	6	27	6	20	5				<i>Dysaphis plantaginea</i>	
	3			5	6	7	1	1				<i>Elatobium abietinum</i>	
1	4	3	6	1	3	12	4					<i>Eriosoma ulmi</i>	
1	1	2	1	6	6	2		2			1	<i>Hyalopterus pruni</i>	
3	3	8	3	9	28	11	11	4	5			<i>Hyperomyzus lactucae</i>	
2												<i>Macrosiphum euphorbiae</i>	
2	3	4			1	1	3		2			<i>Megoura viciae</i>	
					2	2	1					<i>Metopolophium dirhodum</i>	
6	12	10	2	9	78	25	21	30	44	2	2	<i>Metopolophium festucae</i>	
2					5	3		3	2			<i>Myzus ascalonicus</i>	
34	65	873	63	16	696	19	72	5	23	5	5	<i>Myzus certus</i>	
	1	3	2	2			80		1			<i>Myzus ornatus</i>	
1				1			1					<i>Myzus persicae</i> grp.	
829	831	776	195	592	1300	1619	1075	399	442	171		<i>Nasonovia ribis nigri</i>	
1	4	6	6		2	5	9	14	7	2	1	<i>Pemphigus</i> spp.	
829	2588	2924	2924	1429	3455	2290	2843	1090	1015	270		<i>Pentatrichopus fragaefolii</i>	
7	1	20	20	7	3	2	14	25	14	2	2	<i>Phorodon humuli</i>	
2	4		20	11	25	7	5	5	4	1		<i>Phyllaphis fagi</i>	
												<i>Rhopalosiphum insertum</i>	
												<i>Rhopalosiphum maidis</i>	
												<i>Rhopalosiphum padi</i>	
												<i>Sitobion avenae</i>	
												<i>Sitobion fragariae</i>	

## ROTHAMSTED REPORT FOR 1977, PART 2

TABLE  
*The Rothamsted Insect Survey—Light Traps: annual records*

Pest Species	Year	57	Ardross	Newton, Elgin	Benbecula	Carbost	Fort Augustus	Banchory	Rannoch	Aros	Dundee	Culzean Castle	Dunblane	Rowandean	East Craigs	Glenstress	Auchincruive	Waterside Mains
<i>Gortyna micacea</i> Rosy Rustic	1975	52	65	—	345	—	—	75	80	—	8	—	28	—	4	27	17	187
	1976	102	166	7	—	62	53	105	—	342	9	64	4	—	16	14	14	—
<i>Bupalus piniaria</i> Bordered White	1975	0	0	—	0	0	0	0	1	1	0	0	0	0	0	0	0	0
	1976	0	2	0	0	0	3	1	—	0	0	4	0	0	0	0	1	0
<i>Panolis flammea</i> Pine Beauty	1975	0	1	—	0	3	—	—	1	—	0	—	0	—	0	0	0	0
	1976	0	0	0	1	21	0	4	0	0	0	2	0	1	0	0	0	0
<i>Cerapteryx graminis</i> Antler Moth	1975	40	28	—	155	155	—	115	—	30	—	71	—	25	—	57	13	64
	1976	84	14	77	100	75	50	95	183	19	57	30	5	22	82	13	17	—
<i>Erannis aurantiaria</i> Scarce Umber	1975	51	17	—	11	66	—	267	—	0	0	1	—	0	—	4	0	22
	1976	15	8	0	8	45	—	287	0	0	0	0	1	38	0	0	0	—
<i>Operophtera fagata</i> Norther Winter Moth	1975	25	9	—	10	8	—	373	—	3	—	0	—	2	—	0	0	50
	1976	1	2	0	6	7	—	386	0	0	19	0	13	0	0	0	0	—
<i>Apamea sordens</i> Rustic Shoulder-knot	1975	0	0	—	0	2	—	0	—	1	—	0	—	14	—	6	1	—
	1976	0	0	0	0	3	0	0	0	8	3	1	0	10	2	1	0	0
<i>Gortyna flavago</i> Frosted Orange	1975	0	23	—	0	0	0	—	0	—	2	—	0	—	0	—	0	—
	1976	0	31	0	0	0	0	3	0	0	0	2	0	0	0	0	0	16
<i>Mamestraa brassicae</i> Cabbage Moth	1975	0	1	—	0	0	0	—	0	—	3	—	1	—	1	—	0	—
	1976	0	1	0	0	0	0	0	0	0	1	0	4	1	2	0	1	0
<i>Noctua pronuba</i> Large Yellow Underwing	1975	2	16	—	6	4	—	0	—	31	—	41	—	11	—	15	14	120
	1976	2	8	0	5	7	7	1	1	15	12	5	6	7	11	11	14	—
<i>Diataraxia oleracea</i> Bright-line Brown-eye	1975	0	1	—	2	1	—	0	—	2	—	3	1	—	23	—	3	15
	1976	0	5	0	9	1	0	0	1	2	3	3	1	1	16	3	4	—
<i>Euxoa nigricans</i> Garden Dart	1975	0	2	—	0	0	0	—	0	—	4	—	2	—	6	—	0	—
	1976	0	1	0	0	0	0	0	0	0	2	0	0	0	7	1	0	0
<i>Apamea secalis</i> Common Rustic	1975	2	45	—	32	7	—	0	—	40	—	47	—	149	—	58	51	43
	1976	11	61	0	27	7	10	0	20	47	7	9	4	99	17	17	0	—
<i>Melanchnra persicariae</i> Dot Moth	1975	0	0	—	0	0	—	0	—	0	0	0	0	0	0	0	0	0
	1976	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Operophtera brumata</i> Winter Moth	1975	11	20	—	5	47	—	177	—	4	—	5	0	1074	0	4	1	133
	1976	1	5	0	13	25	—	169	1	0	4	—	0	1	4	0	0	—

ROTHAMSTED INSECT SURVEY

2(a)

*of moths of economic, or other importance for 1975 and 1976*

## ROTHAMSTED REPORT FOR 1977, PART 2

TABLE

*The Rothamsted Insect Survey—Light Traps: annual records*

## ROTHAMSTED INSECT SURVEY

2(b)

*of moths of economic, or other importance for 1975 and 1976*

## ROTHAMSTED REPORT FOR 1977, PART 2

TABLE  
*The Rothamsted Insect Survey—Light Traps: annual records*

Pest Species	Year	267	Wolverhampton	Methwold Fen	Staylittle	Holme Fen	Santon Downham	Aberystwyth	Monks Wood (Esingwode)	Monks Wood (Esingwode)	Pontrhydfendigaid	Broom's Barn	Tregaron	Llys dinam	Cockayne Hatley	Hereford	Cardigan	Pershore
<i>Gortyna micacea</i> Rosy Rustic	1975	0	19	301				7	34	22	104	4	80	33	40	108	18	8
	1976	0	20	14	226		20	79	40	22	—	0	10	85	25	66	195	18
<i>Bupalus piniaria</i> Bordered White	1975	0	0	0	0	0	0	0	0	—	20	1	0	0	0	0	0	0
	1976	0	0	6	0	0	4	0	0	0	1	0	1	0	0	0	0	0
<i>Panolis flammea</i> Pine Beauty	1975	0	0	0	0	3	0	0	0	—	0	0	0	0	0	0	0	0
	1976	0	0	0	0	0	1	1	0	0	0	0	0	14	0	0	0	1
<i>Cerapteryx graminis</i> Antler Moth	1975	1	0	376	0	12	78	0	0	—	0	0	88	—	146	2	16	0
	1976	0	2	411	0	13	230	0	0	274	0	583	0	63	0	2	25	1
<i>Erannis aurantiaaria</i> Scarce Umber	1975	0	0	10	1	4	0	0	36	—	0	—	31	0	—	0	1	13
	1976	0	0	5	0	11	3	1	55	35	1	94	0	2	1	0	0	1
<i>Operophtera fagata</i> Northern Winter Moth	1975	0	0	0	1	2	0	0	29	—	1	0	0	0	0	0	0	0
	1976	0	0	1	1	4	0	0	25	—	0	0	0	0	0	0	0	3
<i>Apamea sordens</i> Rustic Shoulder-knot	1975	0	0	0	0	5	0	0	1	—	0	0	0	0	0	0	0	0
	1976	0	0	0	0	5	0	3	2	0	0	0	0	1	0	0	0	0
<i>Gortyna flavago</i> Frosted Orange	1975	0	6	2	2	4	0	0	1	—	0	0	3	—	1	2	2	1
	1976	0	7	8	1	1	0	2	0	3	0	0	6	0	0	2	11	0
<i>Mamestra brassicae</i> Cabbage Moth	1975	0	27	0	1	0	0	0	0	—	6	12	—	0	0	0	5	3
	1976	0	125	1	4	1	0	0	0	—	0	0	0	0	0	0	5	3
<i>Noctua pronuba</i> Large Yellow Underwing	1975	5	5	4	8	3	5	1	51	—	3	4	17	—	12	18	83	
	1976	3	2	4	6	5	12	1	18	62	4	84	8	16	3	7	99	
<i>Diataraxia oleracea</i> Bright-line Brown-eye	1975	0	13	0	13	1	2	0	4	—	0	—	0	—	0	3	8	
	1976	1	16	1	14	3	3	0	12	7	0	35	1	6	0	6	6	
<i>Euxoa nigricans</i> Garden Dart	1975	0	2	0	3	2	0	1	8	—	0	5	—	0	0	0	0	1
	1976	0	0	0	3	2	0	2	13	—	0	0	26	0	0	0	0	9
<i>Apamea secalis</i> Common Rustic	1975	3	8	2	17	5	36	20	102	—	12	—	12	—	27	58	73	
	1976	1	11	8	4	0	59	18	80	33	13	57	29	23	15	52	59	
<i>Melanchra persicariae</i> Dot Moth	1975	0	2	0	0	6	0	1	0	—	0	1	—	0	0	0	0	2
	1976	0	17	0	0	3	0	1	0	0	0	1	2	0	1	0	0	2
<i>Operophtera brumata</i> Winter Moth	1975	0	10	66	34	29	71	8	100	—	0	—	78	—	11	4	185	
	1976	0	1	56	0	48	18	0	91	117	0	213	75	4	2	4	96	

RÖTHAMSTED INSECT SURVEY

2(c)

*of moths of economic, or other importance for 1975 and 1976*

## ROTHAMSTED REPORT FOR 1977, PART 2

**TABLE**  
*The Rothamsted Insect Survey—Light Traps: annual records*

Pest Species	Year		299	Ilford	Cleppa Park	Hurley	Lambourn	Whiteknights	Stratfield Mortimer	Bath	Windlesham	East Malling	Wisley	Pirbright	Wye	Alice Holt	Nettlecombe Court	Winchester
<i>Gortyna micacea</i> Rosy Rustic	1975	0	10	228														5
	1976	—	4	7	180												3	
<i>Bupalus piniaria</i> Bordered White	1975	0	0	0	—		0			0	14	0			0	0	0	0
	1976	0	1	0	—		0		1	0	27	0		3	0	1	0	0
<i>Panolis flammea</i> Pine Beauty	1975	0	0	0	—		0		0	0	4	0			0	0	0	0
	1976	0	0	0	0		0		0	0	6	0		0	0	0	0	0
<i>Cerapteryx graminis</i> Antler Moth	1975	0	4	2	—		—		1	0	0	0	0	7	2	11	2	0
	1976	0	3	0	8		0		0	0	0	1	0	10	1	11	2	0
<i>Erannis aurantiaria</i> Scarce Umber	1975	0	0	2	—		—		4	0	16	0	—	1	0	14	1	0
	1976	0	0	4	0		1		4	0	49	0	6	0	1	26	1	0
<i>Operophtera fagata</i> Northern Winter Moth	1975	0	0	3	—		—		0	0	9	0	—	1	1	8	0	0
	1976	0	0	7	0		0		0	0	0	0	9	0	2	11	6	0
<i>Apamea sordens</i> Rustic Shoulder-knot	1975	0	0	0	—		—		0	0	0	2	—	2	1	1	0	0
	1976	1	0	2	4		0		1	0	0	1	1	0	2	0	0	3
<i>Gortyna flavago</i> Frosted Orange	1975	0	2	1	—		—		0	0	0	0	—	0	0	0	1	0
	1976	0	0	0	2		1		0	0	0	0	1	0	1	0	2	0
<i>Mamestra brassicae</i> Cabbage Moth	1975	8	0	0	—		—		0	5	5	2	—	2	4	0	0	0
	1976	6	2	0	0		0		1	12	2	5	5	2	5	0	0	0
<i>Noctua pronuba</i> Large Yellow Underwing	1975	22	9	3	—		—		10	13	8	3	—	5	15	13	15	3
	1976	31	12	3	10		7		22	5	13	6	19	11	15	11	27	7
<i>Diataraxia oleracea</i> Bright-line Brown-eye	1975	11	3	0	—		—		2	8	1	0	—	1	7	0	1	0
	1976	7	3	0	3		11		4	11	6	1	4	4	20	2	3	1
<i>Euxoa nigricans</i> Garden Dart	1975	0	1	0	—		—		0	0	0	109	—	0	0	1	0	3
	1976	0	0	0	1		0		0	0	3	152	0	0	3	0	0	0
<i>Apamea secalis</i> Common Rustic	1975	44	26	24	—		—		32	39	8	17	—	26	21	13	39	36
	1976	25	26	32	13		25		18	58	14	17	19	39	15	11	39	8
<i>Melanchnra persicariae</i> Dot Moth	1975	0	0	0	—		—		1	0	0	0	—	0	2	0	1	1
	1976	0	0	0	1		0		1	1	0	0	0	0	5	0	0	0
<i>Operophtera brumata</i> Winter Moth	1975	0	7	14	—		—		171	3	32	6	—	8	59	121	43	18
	1976	1	2	12	0		0		63	4	38	3	10	2	37	78	5	0

ROTHAMSTED INSECT SURVEY

2(d)

*of moths of economic, or other importance for 1975 and 1976*

Great Torrington												Year	Pest Species	
Haslemere	14	17	186	143	0	256	Lydd	Petworth	39	—	319	Brighton (Patcham)		
0	0	0	0	0	0	0	—	0	0	—	0	Gritnam	1975	<i>Gortyna micacea</i>
0	0	0	0	0	0	0	—	0	0	—	0	Arne	1976	Rosy Rustic
1	0	0	0	—	1	0	—	0	5	22	0	Yarner Wood	1975	<i>Bupalus piniaria</i>
1	0	0	0	1	0	0	—	0	1	0	0	Yarner Wood	1976	Bordered White
1	0	16	—	0	0	—	0	1	1	—	0	Slapton Ley	1975	<i>Panolis flammea</i>
0	12	0	0	0	0	0	—	0	6	2	0	Rosewarne	1976	Pine Beauty
6	0	0	0	—	3	0	—	4	32	—	0	Scilly Isles	1975	<i>Cerapteryx graminis</i>
10	0	0	0	3	0	6	19	30	73	0	0	Guernsey	1976	Antler Moth
0	0	0	0	—	1	0	—	23	0	—	0	Jersey	1975	<i>Eranthis aurantiaria</i>
2	0	0	0	1	0	4	31	0	0	0	0	Jersey	1976	Scarce Umber
0	0	0	0	—	1	2	—	0	0	—	0	Jersey	1975	<i>Operophtera fagata</i>
0	0	0	0	0	2	1	0	0	0	—	0	Jersey	1976	Northern Winter Moth
0	0	0	0	—	1	—	0	0	0	—	0	Jersey	1975	<i>Apamea sordens</i>
0	0	0	0	0	2	1	0	0	0	—	0	Jersey	1976	Rustic Shoulder-knot
0	4	0	0	—	0	0	—	0	1	—	0	Jersey	1975	<i>Gortyna flavago</i>
0	3	0	0	0	0	0	—	1	1	2	0	Jersey	1976	Frosted Orange
1	0	4	—	0	3	7	—	0	0	—	27	Jersey	1975	<i>Mamestra brassicae</i>
3	1	0	0	0	3	7	0	0	0	11	16	Jersey	1976	Cabbage Moth
15	18	14	—	7	2	—	1	45	—	19	9	Jersey	1975	<i>Noctua pronuba</i>
18	31	18	11	2	22	12	76	135	56	4	5	Jersey	1976	Large Yellow Underwing
9	12	0	—	9	—	1	11	—	17	1	—	Jersey	1975	<i>Diataraxia oleracea</i>
18	4	0	0	31	2	6	17	11	7	17	55	Jersey	1976	Bright-line Brown-eye
0	0	0	0	—	0	0	—	0	1	1	—	Jersey	1975	<i>Euxoa nigricans</i>
1	0	0	0	0	1	0	0	0	0	3	0	Jersey	1976	Garden Dart
27	41	0	—	23	—	3	59	—	72	8	—	Jersey	1975	<i>Apamea secalis</i>
79	106	0	17	39	61	4	149	55	25	24	22	Jersey	1976	Common Rustic
4	9	1	—	0	—	0	5	—	9	1	—	Jersey	1975	<i>Melanchra persicariae</i>
3	15	3	3	11	0	0	4	4	16	0	0	Jersey	1976	Dot Moth
17	31	0	—	0	—	7	76	—	2	1	—	Jersey	1975	<i>Operophtera brumata</i>
15	3	0	17	1	3	5	185	401	8	0	0	Jersey	1976	Winter Moth

## ROTHAMSTED REPORT FOR 1977, PART 2

**TABLE**  
*The Rothamsted Insect Survey—Light Traps: annual records*

## ROTHAMSTED INSECT SURVEY

2(e)

*of moths of economic, or other importance for 1975 and 1976*

## ROTHAMSTED REPORT FOR 1977, PART 2

TABLE

*The Rothamsted Insect Survey—Light Traps: annual records*

ROTHAMSTED INSECT SURVEY

2(f)

of moths of economic, or other importance for 1975 and 1976

	223	Gibraltar Point	245	Hope Mountain	243	Nantclwyd	280	Empingham	202	Caythorpe	274	Wells next the Sea	244	Glyn Ceiriog	310	Shardlow	321	Stoke on Tern	201	Sutton Bonington	160	Thorpe in the Glebe	168	Sutton Bonington	216	Terrington	154	Rowton	207	Pallaskenry	128	Norwich	Year	Pest Species
0	0	11 3	25	—	21 18	3 5	11 22	33 19	0	2	0	39	—	39	0	2	0	61 14	2	0	160	Thorpe in the Glebe	2	1	2	64	—	55	0	1	1975	<i>Abraxas grossulariata</i>		
0	1	0	0	—	3 1	3 22	2 13	0	0	0	0	0	0	0	0	3	2	2 2	16	7	0	0	0	0	0	0	0	0	1976	Magpie Moth				
0	1	0	—	—	3 1	22	3 13	2 0	5	0	0	0	0	0	0	0	3	2	16	7	0	0	0	0	0	0	0	0	1975	<i>Agrotis segetum</i>				
0	3	9	62	—	0	0	0	15	64	0	1	4	4	0	—	0	2	0	1	16	7	0	0	0	0	0	0	0	0	1976	Turnip Moth			
0	3	9	62	—	0	0	0	15	64	0	1	4	4	0	—	0	2	0	1	16	7	0	0	0	0	0	0	0	0	1975	<i>Erannis defoliaria</i>			
0	3	7	11	—	2	9	0	2	9	1	1	6	6	0	0	5	4	0	1	4	1	0	0	0	0	0	0	0	0	1976	Mottled Umber			
0	3	7	11	—	2	9	0	2	9	1	1	6	6	0	0	5	4	0	1	4	1	0	0	0	0	0	0	0	0	1975	<i>Phlogophora meticulosa</i>			
0	0	0	—	—	1	5	1	4	7	2	4	14	14	5	31	9	21	2	7	0	8	41	0	0	0	0	0	0	0	1975	<i>Alsophila aescularia</i>			
0	1	0	—	—	3	8	8	1	7	2	4	14	14	5	31	9	21	2	7	0	8	41	0	0	0	0	0	0	0	1976	March Moth			
0	0	4	—	—	4	0	0	0	1	0	0	0	0	0	0	1	0	0	3	1	0	0	4	2	0	0	0	0	0	0	1975	<i>Hepialus humuli</i>		
0	0	4	—	—	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4	2	0	0	0	0	0	0	1976	Ghost Swift		
1	35	1	—	—	22	0	14	1	11	—	1	3	12	12	33	77	31	72	31	2	33	21	0	0	0	0	0	0	0	1975	<i>Hepialus lupulina</i>			
0	0	5	1	—	2	73	12	28	1	20	—	3	12	12	33	77	31	72	31	2	33	21	0	0	0	0	0	0	0	1976	Common Swift			
0	0	5	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1975	<i>Agrotis ipsilon</i>			
0	0	5	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1976	Dark Sword Grass			
0	0	0	—	—	0	0	0	0	0	0	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1975	<i>Euproctis chrysorrhoea</i>			
0	0	0	—	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1976	Brown-tail			
22	118	8	—	—	147	25	8	24	68	—	31	13	104	8	—	—	83	378	11	85	63	2	1975	<i>Agrotis exclamationis</i>										
50	235	50	235	451	145	23	225	178	231	218	31	13	104	8	—	—	83	378	11	85	63	2	1976	Heart and Dart										
12	105	12	—	—	197	18	17	17	16	—	43	76	35	13	—	—	51	13	15	8	12	0	6	1975	<i>Plutella maculipennis</i>									
6	63	6	24	142	15	14	24	4	30	—	43	76	35	13	—	—	51	13	15	8	12	0	0	1976	Diamond-back Moth									
0	0	0	—	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1975	<i>Laphygma exigua</i>				
0	0	0	—	—	0	0	0	0	0	0	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1976	Small Mottled Willow				
0	0	0	—	—	0	0	0	0	0	0	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1975	<i>Nycterosea obstipata</i>				
0	0	0	—	—	0	0	0	0	0	0	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1976	The Gem				
0	0	0	—	—	0	0	0	0	0	0	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1975	<i>Nomophila noctuella</i>				
0	0	0	—	—	0	0	0	0	0	0	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1976	Rush Veneer Pearl				
0	2	1	—	—	46	23	0	1	81	—	68	0	26	8	—	—	40	0	7	161	—	—	1	35	4	1975	<i>Udea ferrugalis</i>							
0	0	0	—	—	0	0	0	0	0	0	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1976	Rusty Dot Pearl				

ROTHAMSTED REPORT FOR 1977, PART 2

TABLE  
The Rothamsted Insect Survey—Light Traps: annual records

Pest Species	Year	267	Wolverhampton	Methwold Fen	Staylittle	Holme Fen	Santon Downham	Aberystwyth	Monks Wood (Ewingswode)	Pontrhydfendigaid	Broom's Barn	Tregaron	Llysdinam	Cockayne Hatley	Hereford	Cardigan	Pershore
<i>Abraxas grossulariata</i> Magpie Moth	1975	0	2	301											11	54	9
	1976	0	0	1	226										3	27	2
<i>Agrotis segetum</i> Turnip Moth	1975	0	17	0	32	5	0	0	0	—	4	—	0	—	0	0	14
	1976	1	79	0	14	8	0	3	37	0	19	1	0	54	0	0	55
<i>Erannis defoliaria</i> Mottled Umber	1975	0	0	17	0	4	0	0	61	—	0				5	1	9
	1976	0	1	262	2	16	2	1	142	66	5	652	198	1	2	1	21
<i>Phlogophora meticulosa</i> Angle Shades	1975	1	9	0	9	4	1	1	25	—	3	—	0	—	1	1	3
	1976	0	12	0	9	2	7	3	9	7	0	21	5	1	2	1	11
<i>Alsophila aescularia</i> March Moth	1975	0	23	1	5	27	2	1	83	—	4	—	9	—	12	2	38
	1976	0	35	5	11	32	0	4	168	10	9	66	45	14	21	0	50
<i>Hepialus humuli</i> Ghost Swift	1975	0	4	0	0	0	1	1	1	—	0	—	1	—	1	1	4
	1976	0	2	0	0	2	2	1	4	3	0	0	4	2	0	5	1
<i>Hepialus lupulina</i> Common Swift	1975	0	11	0	2	1	0	0	6	—	0	—	0	—	0	1	4
	1976	0	74	0	2	4	0	1	33	0	2	0	0	35	0	5	30
<i>Agrotis epsilon</i> Dark Sword Grass	1975	0	0	0	0	0	0	0	0	—	0	—	0	—	0	1	0
	1976	0	2	1	0	0	0	1	0	2	3	0	27	1	0	0	0
<i>Euproctis chrysorrhoea</i> Brown-tail	1975	0	0	0	0	0	0	0	0	—	0	—	0	—	0	0	0
	1976	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Agrotis exclamationis</i> Heart and Dart	1975	1	19	0	27	36	5	7	22	—	16	—	4	—	46	112	101
	1976	8	67	19	87	27	571	100	74	125	14	168	98	73	580	567	326
<i>Plusia gamma</i> Silver Y	1975	1	137	0	61	59	2	12	62	—	20	—	17	—	6	30	9
	1976	1	58	4	8	17	9	4	36	98	9	20	9	3	4	23	18
<i>Laphygrma exigua</i> Small Mottled Willow	1975	0	0	0	0	0	0	0	0	—	0	—	0	—	0	0	0
	1976	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
<i>Nycterosea obstipata</i> The Gem	1975	0	0	0	0	0	0	0	0	—	0	—	0	—	0	1	0
	1976	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
<i>Nomophila noctuella</i> Rush Veneer Pearl	1975	0	0	0	1	0	0	0	0	—	0	—	—	—	0	0	0
	1976	0	—	0	0	0	0	1	0	1	0	—	—	0	0	2	0
<i>Plutella maculipennis</i> Diamond-back Moth	1975	1	119	2	1	5	39	0	0	—	135	—	—	—	22	6	2
	1976	0	—	1	0	0	0	0	0	20	265	—	—	244	5	4	10
<i>Udea ferrugalis</i> Rusty Dot Pearl	1975	0	0	0	2	0	1	2	0	0	—	0	—	—	0	5	0
	1976	0	—	2	0	1	0	0	0	1	0	—	0	0	1	9	0

ROTHAMSTED INSECT SURVEY

2(g)

*of moths of economic, or other importance for 1975 and 1976*

## ROTHAMSTED REPORT FOR 1977, PART 2

TABLE

*The Rothamsted Insect Survey—Light Traps: annual records*

ROTHAMSTED INSECT SURVEY

2(h)

*of moths of economic, or other importance for 1975 and 1976*

ROTHAMSTED REPORT FOR 1977, PART 2

TABLE 3

Belfast

The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
of aphids of economic, or other, interest 1977

Week Numbers	13-16	17-20	21-24	25-28	29-32	33-36	37-40	41-44
<i>Acyrthosiphon pisum</i>						3		
<i>Aphis fabae</i> grp.			1	2	62	68	66	6
<i>Aphis</i> spp.				3	8	5	4	
<i>Amphorophora rubi</i>		5		1				1
<i>Aulacorthum solani</i>	40		45		18	1	44	1
<i>Brachycaudus helichrysi</i>						7		
<i>Brevicoryne brassicae</i>								
<i>Cavariella aegopodii</i>		28		42	12	1		4
<i>Cinara</i> spp.								
<i>Drepanosiphum platanoidis</i>		1		31	1	3	81	26
<i>Dysaphis plantaginea</i>				1		1	5	2
<i>Elatobium abietinum</i>	35		1					
<i>Eriosoma ulmi</i>				8			6	5
<i>Hyalopterus pruni</i>					11	29	27	19
<i>Hyperomyzus lactucae</i>		1			5	4	1	
<i>Macrosiphum euphorbiae</i>	8			8	192	32	12	2
<i>Megoura viciae</i>								
<i>Metopolophium dirhodum</i>				5	51	4	12	7
<i>Metopolophium festucae</i>				1				1
<i>Myzus ascalonicus</i>	13					1		
<i>Myzus certus</i>								
<i>Myzus ornatus</i>	1			2		1	1	1
<i>Myzus persicae</i> grp.	1			3	6	17	8	3
<i>Nasonovia ribis nigris</i>	1			2	3		3	
<i>Pemphigus</i> spp.	1			10	2	4	22	26
<i>Pentatrichopus fragaefolii</i>					2	2		
<i>Phorodon humuli</i>				1	1	1		
<i>Phylaphis fagi</i>	1			1				
<i>Rhopalosiphum insertum</i>					1	6	1	82
<i>Rhopalosiphum maidis</i>					2	1		113
<i>Rhopalosiphum padi</i>	27			9	214	570	5869	6178
<i>Sitobion avenae</i>					17	665	173	5
<i>Sitobion fragariae</i>	2			50	54	16	22	121