

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Report for 1978 - Part 1

[Full Table of Content](#)



---

## Index

### Rothamsted Research

Rothamsted Research (1979) *Index* ; Report For 1978 - Part 1, pp 339 - 352 - **DOI:**  
<https://doi.org/10.23637/ERADOC-1-135>

Ammonium nitrate, development of VA mycorrhiza in, 235  
 Ammonium sulphate, development of VA mycorrhiza in, 235  
*Angastia kuehnelia*, pheromones of, 137 in, 235  
 Analytical methods, 297  
 Animal Virus Research Institute, 79  
 Antisera, to bean yellow mosaic virus isolates, 220  
 Aphidides  
 effect on barley yield, 212  
 phorate, 211  
 pirimicarb, 98, 113, 132  
 poisoning of honeybees by, 134  
 resistance to, 92, 126, 127, 130-133  
 See also: Insecticides; Pesticides  
*Aphidius* spp., 96  
 alarm pheromones in, 136  
 carboxylesterase activity of, 132  
 caught in traps, 86, 103, 104, 210, 211  
 'chemoprining' of, 295  
 effect of phorate on, 211  
*Entomophthora* spp. on, 96, 97  
 genetic structure of, 92  
 migrations, 86, 87, 206, 210  
 on cereals, 95, 96, 206, 210, 211  
 on potatoes, 88  
 on sugar beet, 59, 67, 68  
 overwintering, 68, 87, 88  
 parasitism of, 96  
 pathenogenesis in, 92  
 predators, 95, 96  
 rearing of cereal aphids, 148  
 resistance to insecticides, 92, 126, 127  
 suppression with short wavelength light, 88  
 symbiotes of, 92  
 transmission of barley yellow dwarf virus by, 210, 211  
 Aphids, scientific names of  
*Acyrtosiphon pisum*, 97, 120, 218  
*Aphis fabae*, 68, 87, 97  
*Macrosiphum avenae*, 210, 211  
*Megoura viciae*, 136  
*Metopolophium dirhodum*, 86, 87, 210  
*Myzus persicae*, 67, 68, 86-88, 92, 130-133, 136, 218, 227  
*Rhopalosiphum insertum*, 86, 87  
*Rhopalosiphum maidis*, 87  
*Rhopalosiphum padi*, 86, 87, 92, 210, 211  
*Sitobion avenae*, 295  
*Sitobion fragariae*, 86, 87  
 'Aphox'. See Pirimicarb  
 Arthropods  
 effect of direct drilling on, 94  
 effect of pesticides on, 93, 94  
 Arthur Rickwood Experimental Husbandry Farm, 170  
 Asparagus, breakdown of, 23  
*Aspergillus glaucus* group, in hay, 207, 209  
 Atomic Energy Authority, 80  
*Aureobasidium* spp., on ripening grain, 209  
 Axenic conditions, germination of spores in, 233  
*Azotobacter* spp., interaction with mycorrhiza, 231, 235  
 Bacteria  
 in ripening grain, 209, 210  
 potato diseases caused by, 222, 223

Acaricides, 145  
*Acaulospora laevis*  
 effects on P uptake, 238, 239  
 in field inoculation trial, 238, 239  
 Acetyl salicylic acid, resistance to tobacco mosaic virus induced by, 207, 208  
 Acetylene reduction, 235, 242  
 ADAS Nitrogen Index system, 305  
 Adenosine 5'-triphosphate, measurement of in soil, 289, 290  
 Adhesion, of powders to seeds, 143, 144  
 Aerial pollutants, effect on barley growth, 43, 44  
*Agonum dorsale*, as aphid predator, 96  
 Agriculture Development and Advisory Service, 138, 239, 246, 249, 256-258, 261, 263, 264, 304-308  
 Agricultural meteorology, 192-195  
*Agropyron repens* (couch grass), on Broadbalk, 51  
*Agrostis gigantea* (bent couch), on Broadbalk, 51  
*Agrostis segetum*  
 caught in traps, 89, 90  
 diseases of, 97, 98  
 See also: Cutworms  
 Aldicarb  
 as nematocide, 92, 168, 171, 172, 178  
 degradation in soil, 148, 149  
 effect on VA mycorrhiza, 236  
 for beans, 117-121  
 for herbage crops, 123  
 for leafless peas, 91, 92  
 to control *Sitona*, 91  
 to reduce bird damage to sugar beet, 63  
 Aliphatic acids, degradation of, 209  
 Alkali metals, co-ordination chemistry of, 157-162  
 Alkane earth metals, 157-162  
 Allantoin, as measure of nitrogen fixation, 241, 242  
*Allotobopora caliginosa*, inoculation of soil with, 94, 95  
*Allotobopora chlorotica*, inoculation of soil with, 94, 95  
 Alopeurus myosuroides (blackgrass)  
 on Broadbalk, 50  
 effect of N and S fertilisers on, 28, 29  
 cysteine, 29  
 biosynthesis of, 23, 24  
 arginine, 239  
 Amino acids  
 Amino acid analyser, 30  
*Alternaria* spp., on ripening grain, 209, 210  
 percentage of in soil samples, 52  
 on Broadbalk, 50  
 Amino acid analysis of nitrification of, 304, 305  
 production of during photosynthesis, 40, 41  
 mobility of, 279  
 assimilation and re-assimilation by plants, 22, 23  
 aqueous, 277, 279  
 Ammonia  
 threonine, 24, 29  
 proline, 283  
 methodology, 30  
 methionine, 23, 29, 138, 139, 239  
 lysine, 23, 24, 27, 29, 138, 139, 283  
 isoleucine, 239  
 in xylem exudate, 241, 242  
 in cereal seeds, 28, 29  
 in barley grain, 283  
 homoserine, 138  
 glycine, 40, 41  
 glutamic acid, 283  
 effect on *Rhizobium* spp., 239, 240  
 effect of N and S fertilisers on, 28, 29  
 cysteine, 29  
 biosynthesis of, 23, 24  
 arginine, 239  
 Amino acids

The General Report by the Director (pp. 9-17) has not been indexed.

SUBJECT INDEX



## INDEX

- Bactericides, potential, for potato, 223
- Barley  
 analysis of leaves for fluoride, 43, 44  
 aphids on, 206, 212  
 barley yellow dwarf virus, 87, 210–212  
 biochemical mutants of, 29  
 brown rust on, 212  
 chlorophyll measurements for, 42  
 continuous, on Hoosfield, 110  
 drought-induced yield loss in, 195, 196  
 effect of aerial pollutants on, 43, 44  
 effect of manuring on amino acid composition of grain, 282, 283  
 effect of subsoiling on, 112, 123, 124  
 effect of times and amounts of nitrogen and fungicides on, 281, 282, 305
- Erysiphe graminis* on, 140–142  
 factors determining grain size, 43, 44  
 fertilisers for, 123, 124  
 growth retardants for, 150  
 high-lysine lines, 26, 27  
 hordein fraction of, 24–27  
 irrigation on, 193  
 leaf water potential for, 42  
 micrometeorological records for, 195  
 nematodes on, 173, 178, 185  
 photosynthesis in, 195–197  
 response to nitrogen, 305  
 soil temperature for, 42  
 soil water potential for, 42  
 sowing date, 212  
 storage proteins, 255, 26  
 stubble, *Rhynchosporium secalis* spores on, 212, 213  
 tridemorph on, 211, 212  
 VA mycorrhiza on, 236, 237  
 variety experiment, 111, 112  
 volunteers, as source of *Rhynchosporium secalis* infection, 212, 213  
 water stress in, 41, 42, 195, 196  
 wilting, 42  
 yields, 111, 112, 116, 195  
 See also: Cereals; *Erysiphe graminis*; Take-all
- Basal medium, growth of mycorrhiza on, 234
- Beans (*Vicia faba*)  
*Acyrtosiphon pisum* on, 120  
 aldicarb on, 117, 119  
 benomyl for, 112  
*Botrytis fabae* (chocolate spot) on, 112, 120, 207, 220  
*Ditylenchus dipsaci* on, 116  
 effect of nitrogen on yields, 241  
 fungal diseases of, 120, 220  
 irrigation for, 112, 193, 194, 220  
 micrometeorological records for, 194, 195  
 nematodes on, 120  
 nitrogenase activity in, 241, 242  
 nodulation and N fixation in, 120, 121, 240, 241,  
 permethrin for, 117, 119  
 pirimicarb for, 117, 119  
 root diseases of, 220  
*Sitona* populations on, 91, 119  
 spread of mycorrhiza on, 256  
 ureide exudation, 242  
*Uromyces fabae* on, 120  
 virus diseases of, 220, 221  
 weeds on, 51  
 yields, 116, 117, 119, 220  
 See also: *Phaseolus vulgaris*
- Bees. See Honeybees
- Beetles  
 carabid, as predators of aphids, 95, 96  
 fungal pathogen of, 91  
*Sitona* spp., 91, 119  
 See also: Carabids
- Beidellite, nature of, 294
- Bendiocarb, as nematicide, 168
- Benodanil  
 as fungicide for barley, 281, 282  
 as fungicide for potato, 225, 226
- Benomyl  
 as fungicide on beans, 112, 117, 119–121
- Benomyl (*contd.*)  
 as fungicide on herbage crops, 122  
 as fungicide on lupins, 219  
 as fungicide on oilseed rape, 221, 222  
 as fungicide on potatoes, 225, 226  
 effect on *Entomophthora* spp., 97  
 effect on soil fauna, 93  
 effect on VA mycorrhiza, 236, 237
- Benzoic acid, induction of resistance to tobacco mosaic virus by, 208
- Biochemical mutants, selection of, 29, 30
- Bioresmethrin, selectivity of, 135
- Bird repellents, persistence of, 145, 146
- Birds  
 bud damage caused by, 146  
 grazing of sugar-beet seedlings by, 62, 63
- Blackgrass. See *Alopecurus myosuroides*
- Blackleg (on potato). See *Erwinia carotovora*
- Bond valences, for alkali and alkaline earth metal cations, 162
- Botrytis* spp., on lupin roots, 219
- Botrytis cinerea*, on lupins, 219
- Botrytis fabae* (chocolate spot), on beans, 112, 120, 207, 220
- British Sugar Corporation, 63, 66, 70, 308
- Broadbalk  
 crop rotation on, 116  
 effect of rotations on weeds, 50, 51  
*Gibellina cerealis* on, 217  
 weeds on, 50–52  
 wheat yields on, 38  
 yields, 110, 111, 116, 118
- Broom's Barn Farm  
 livestock on, 71  
 weather, 328
- Cabbage  
 clubroot (*Plasmidiophora brassicae*) of, 138, 139  
 nematodes on, 185
- Caesium, co-ordination chemistry of, 162
- Calcium, co-ordination chemistry of, 162
- Cambridgeshire, soil survey in, 247, 248
- Canker. See *Leptosphaeria maculans*,
- Captafol  
 as fungicide on barley, 213  
 as fungicide on wheat, 210  
 effect on *Entomophthora* spp., 97
- Captan, effect on *Entomophthora* spp., 97
- Carabids, biological and behavioural control of, 96
- Carbamate insecticides, resistance of *Myzus persicae* to, 131, 132
- Carbendazim  
 as fungicide on barley, 210  
 as fungicide on potato, 226  
 as nematicide, 168  
 effect on soil fauna, 93  
 in 'Delsene M', 210
- Carbofuran, effect on VA mycorrhiza, 236
- Carbon dioxide enrichment, effect on growth and yield of wheat, 39
- Carbon flux, in water-stressed plants, 304
- Carboxylase, in wheat leaves, 40
- Carrots  
 nematodes on, 171  
 yields, 171
- Cartography, automated, 260
- Cations, redistribution of within the zeolite, 286
- CCC. See Chlormequat chloride
- Cellulysin, treatment of leaf tissue with, 41
- Central Veterinary Laboratory, 308
- Centrosema, nodulation of *Rhizobium* strains from, 240
- Cereals  
 aphids on, 95, 96, 98  
 cereal seed proteins, 24–29  
 control of slugs in, 135  
 cultivation systems, 289  
 direct drilling, 94, 95  
 eyespot disease of, 206, 207  
 fungus diseases of, 210



## INDEX

- Cereals (*contd.*)  
 fungus infections on roots of, 210  
 gibberellins in germinating grain, 44, 45  
 integrated pest control in, 98  
 irrigation for, 36  
 measuring nitrogen response in, 305  
 microflora of ripening grain, 209, 210  
 nematodes on, 167, 168, 172, 185  
 new fungicides for, 211  
 protein in grain, 282, 283  
 respiration rates for, 39  
 take-all on, 206  
 variety experiments at Rothamsted and Woburn, 111, 112  
*See also:* Barley; *Erysiphe graminis*; Maize; Oats; Take-all; Wheat
- Cerenkov counting, effects of Fe (III) on <sup>32</sup>P estimations, 296, 297  
 'CGA 48988', 211, 219, 220  
 Chalky boulder clay, soils in, 294  
 Chemical Liaison Unit, 126, 148-151  
 Chemical methods, for prediction of nitrogen response by cereals, 305
- Chemicals in plants  
 chlormequat chloride, 150  
 uptake and movement of, 150
- Chemicals in soils  
 adsorption of, 149  
 diazinon, 150  
 fate of, 148, 149  
 permethrin, 149
- Chemoprints, for study of insect populations, 295, 296
- Chenopodium amaranticolor*, infection of with bean yellow mosaic virus and clover yellow vein virus, 219
- Chenopodium quinoa*, infection of with bean yellow mosaic virus and clover yellow vein virus, 219
- Chilopoda, effect of nitrogen on, 95  
 Chlorfenvinphos, effect on VA mycorrhiza, 236  
 Chlorflurecol, effect on *Plasmodiophora brassicae*, 139  
 Chlorine dioxide, effect on soft-rotting of potatoes, 223
- Chlormequat chloride (CCC)  
 as growth regulator for wheat, 45, 122, 150, 210  
 on oats, 112
- Chloroneb, effect on mycorrhiza, 236, 237
- Chloroplasts  
 ammonia assimilation in, 21, 22  
 enzymes in, 21, 22
- Chlorpyrifos, as pesticide on cereals, 98
- Chlortoluron  
 as herbicide on Broadbalk, 110  
 effect on VA mycorrhiza, 236
- Chocolate spot. *See Botrytis fabae*
- Chrysopa carnea*, as predator of aphids, 96
- Cismethrin, housefly resistance to, 133
- Clay mineralogy, X-ray spectra of clays, 292, 293
- Clay minerals in soils  
 beidellite, 294  
 illite, 293, 294  
 synthesis, 277, 293  
*See also:* Soil mineralogy
- Clay soils  
 air-entry into, 291  
 effect of water pressure and mechanical loading on, 200  
 in chalky boulder clay, 294  
 mercury porosimetry for, 291  
 pore size distribution in, 290, 291  
 shrinkage potential of, 258, 290  
 structures of, 291  
 X-ray spectra of, 292, 293
- Climatic classification, of England and Wales, 261
- Clinoptilolite zeolite, cation exchange properties of, 286
- <sup>36</sup>Cl<sup>-</sup>ions, movement of in soils, 143
- Clover  
 breeding red clover for high effectiveness with *Rhizobium* strains, 242, 243
- Clover (*contd.*)  
 clover rot (*Sclerotinia trifoliorum*), 207, 217, 218  
 on Park Grass, 53  
 spread of VA mycorrhizal endophytes in, 235, 236, 238, 239  
 transmissible cryptic virus in crimson clover, 221  
 virus diseases of, 207, 218, 221  
*See also:* Legumes
- Clubroot. *See Plasmodiophora brassicae*
- Cobalt, as activator for microbial fertiliser, 232
- Coccinellids, as predators of aphids, 96
- Cockroach (*Periplaneta americana*)  
 neurotoxicity of insecticides to, 130
- Coconuts, mass pollination of, 146
- Coleopterous larvae, effect of nitrogen on, 95
- Collembola, effect of nitrogen on, 95
- Computer programs  
 DÉCODE, for soil survey, 79  
 FAMULUS, for bibliographic data, 79  
 for analysis of 1979 drought experiment, 197  
 for apple rootstock breeding, 80  
 for automated cartography, 260  
 for micrometeorological records, 194  
 for processing data from microcalorimeter measurements, 165  
 for scanning intensity data from CAD4 diffractometer, 165  
 for seed store management, 83  
 for simulation of pesticide degradation and movement in soil, 149  
 for structured soils, 288, 289  
 for suction trap records, 87  
 FORTRAN standards, 80  
 G-EXEC for soil survey, 79  
 languages, 80, 314  
 model of nematode population dynamics, 167, 168  
 model to simulate effects of Oomycetous fungus, 167, 168  
 Rothamsted General Survey Program, 80, 307, 314  
 TAXIR, 80  
*See also:* Statistical programming
- Computers  
 applications, 79-81  
 ARC Advisory Committee on Computing, 76  
 CDC, 314  
 computer graphics, 80  
 Computer Users' Group, 79  
 data management systems, 79, 80, 260  
 database systems, 76, 80  
 Experimental Packet Switching Service, 83  
 front end processors, 82  
 IBM 370, 311, 314  
 ICL System 4-70, 76, 78, 309, 311  
 ICL System 4-72, 78  
 management services section, 83  
 mass spectral search, 79  
 microtechnology, 76  
 network, 81  
 operations section, 76-79  
 performance, 77-78  
 telecommunications section, 81-83  
 training, 81  
*See also:* Computer programs; Statistical analysis; Statistical programming
- Coordination chemistry of alkali and alkaline earth metal cations, 157, 159, 160
- Copper  
 complexing of, 286, 287  
 concentration of in natural soil solutions, 287  
 Copper-diketonates, chelated complexes with, 163
- Cornwall, soil survey in, 255
- Corrosion properties of soils, 261, 262
- Coverloam, distribution of, 258
- Cowpea rhizobia, nodulation of Malayan soyabean by, 240
- Crop patterns, 260
- Cypermethrin, 127
- Crystal structure, determination of, 161
- Crystalline complexes  
 of alkali metal salts, 160, 162



*Erwinia carotovora* on potato (*contd.*)  
 mother tuber as source of infection, 223  
 pattern of spread of, 222, 223  
 spread of from inoculated tubers, 222, 223  
 var. *atroseptica*, 206, 222, 223  
 var. *carotovora*, 222, 223  
*Erysiphe graminis* (powdery mildew)  
 competitive ability of ethirimol resistant strain, 142  
 fungicides for, 141, 142  
 growth of in axenic culture, 140, 141  
 on barley, 141, 142, 211, 212, 281, 282  
 Essex, soil survey in, 253, 254  
 Ethiofencarb, effectivity of against resistant aphids  
 132  
 Ethionine  
 effect on *Phytophthora infestans*, 138  
 effect on *Plasmodiophora brassicae*, 139  
 effect on *Streptomyces scabies*, 138  
 Ethirimol  
 effect on *Entomophthora* spp., 97  
 strains of mildew resistant to, 142  
 to control *Erysiphe graminis*, 141, 142, 281  
 Ethoprophos, as nematocide, 168  
 Ethyl mercury phosphate (EMFP), for steeping sugar-  
 beet seeds, 63  
 Ethylene dibromide, effect on tobacco, 315  
 Ertidiazole, effect on mycorrhiza, 236, 237  
*Euxoa nigricans*, caught on traps, 89, 90  
 Experimental Husbandry Farms, 306  
 Eyespot (*Pseudocercospora herpotrichoides*)  
 epidemiology of, 206, 207  
 exposing bait seedlings, 216, 217  
 properties of spores, 216  
 spore production and dispersal, 215, 216  
 spore samplers for, 216  
 spread of in wheat, 216, 217  
 Falkland Islands  
 sward production on, 316  
 trace elements in soils of, 316  
 Farmyard manure  
 effect on amino-acid composition of barley grain,  
 282, 283  
 effect on soil fauna, 95  
 yields obtained on Broadbalk with, 116  
 Far-red light, effect on growth of sugar beet, 46, 47  
*Fasciola hepatica* (liver fluke), potential of soil maps  
 to identify areas with hazard from, 261  
 Fenarimol, as fungicide for potatoes, 226  
 Fenitro acetate, effect on *Entomophthora* spp., 97  
 Fenvalerate, 127  
 Fertiliser Manufacturers' Association, 304  
 Fertilisers  
 for sugarcane, 316  
 for sunflowers, 316  
 for tobacco, 315  
 microbials, 232, 233  
 naturally occurring radionuclides from P and K  
 fertilisers, 297  
 organic, effect on soil fauna, 95  
 Survey of Fertiliser Practice, 307  
*See also*: Nitrogen fertilisers; Phosphorus  
 fertilisers  
*Festuca rubra*, spread of VA mycorrhizal endophytes  
 in, 236  
 Field beans. *See* Beans  
 Field experiments, on behaviour of pesticides in  
 soil, 143  
 Filming techniques, for nematodes, 184, 185  
 Flour Milling and Baking Research Association, 210  
 Fluormeturon, distribution of in soil aggregates, 143  
 Flurecols, effect on *Plasmodiophora brassicae*, 139  
 Fonofos  
 for removal of carabids, 96  
 on beans, 117, 119, 120  
 to control cereal pests, 98  
 to control pea and bean weevils, 91  
 Formalin, effect on nematodes, 177, 178  
 Formaldehyde, effect on damp hay, 209

Crystaline complexes (*contd.*)  
 potassium chloride complex, 160  
 Cultivation, effect on mineralisation of soil  
 nitrogen, 290  
 Culture media, for endomycorrhizal fungi, 234  
 Cumbria, soil survey in, 246, 247, 262, 263  
 Caught in traps, 89  
 Cutworms  
 natural incidence of diseases in, 97, 98  
 sex ratios of, 89, 90  
*Cylindrocarpum* spp., on field bean roots, 220  
 Dalapon, on oilseed rape, 221  
 Dandelion. *See Taraxacum* spp.  
 Daminozide, control of potato common scab by, 139  
 Day length, extension of for sugar beet, 46  
 Dazomet  
 as nematocide, 178  
 effect on VA mycorrhiza, 236  
 'D-D', as nematocide, 178  
 DDT, housefly resistance to, 133, 134  
 Decamethrin, 127, 135, 149  
 'Deisene M', as fungicide for wheat, 210  
 Department of Agriculture, Northern Ireland, 83  
 Diazinon, degradation of in soil, 150  
 Dicotyledons, cyst-nematode host ranges among, 181  
 Direct drilling, effect on organic matter in soil, 289  
 Drag coefficient, in micrometeorology, 194  
 Drainage  
 Soil Survey and Drainage Service Joint Project, 261  
 theory of, 201  
 Drazoxolon, on lupins, 219  
 Drought  
 1979 drought experiment, 197  
 effect on barley, 195, 196  
 model for yield response to, 195, 196  
 Dyfed, soil survey in, 256  
 Dyonate, as pesticide on cereals, 98  
 Earthworms  
 effect of direct drilling on, 94, 95  
 effect of pesticides on, 94, 95  
 East Malling Research Station, 80  
 Electrostatic valence, Pauling's concept of, 162  
*Endogone* spp., effect of new fungicides on, 211  
 Endophytes, mycorrhizal  
 comparative efficiency of, 238, 239  
 effect of pesticides on, 236  
 factors affecting spread of, 235, 236  
 interactions with phosphate, 238, 239  
 Enthalpy, of calcium-potassium exchange, 285  
 Enzyme-linked immunosorbent assay (ELISA), 207  
 Enzymes  
 adenosine deaminase, 142  
 aspartaginase, 23  
 aspartate kinase, 23, 24  
 carboxymethylcellulase, 21  
 effect of ethirimol on enzymes involved in purine  
 metabolism, 141, 142  
 enzymic cytochemistry of soil micro-organisms, 232  
 from *Pyricularia oryzae*, 24  
 glutamate dehydrogenase, 22, 23  
 glutamine synthetase, 23  
 nitrate reductase, 22  
 nitroreductase, 22  
 of lysine synthesis, 24  
 proteinase-K, 26  
 resistant to insecticides, 131-133  
*Ephesia kühniella*, in pesticide selectivity trials,  
 134, 135  
 Epidemiology, of cyst nematodes compared with  
 leaf and soil-borne pathogens, 175  
*Equisetum*, on Broadbalk, 50  
*Erwinia carotovora* on potato, 113  
 bactericides for, 223  
 in soil, 222  
 342



INDEX

343

- Gigaspora margarita* (contd)  
 effects on P uptake, 238  
 germination of, 234  
 in field inoculation trial, 238, 239  
 Glasshouse Crops Research Institute, 96  
*Glomus calledonius*  
 enzymic lysis of, 235  
 field inoculation trial with, 238  
 germination of spores of, 233, 234  
*Glomus fasciculatus*  
 development of in host and 'non-host' plants, 237  
 effect of fungicides on, 237  
 effect on P uptake, 238, 239  
 field inoculation trial with, 238, 239  
*Glomus microcarpus*, effect of fungicides on, 236, 237  
*Glomus mossavae*  
 effect on baking quality of wheat, 210  
 effect on *Entomophthora* spp., 97, 98  
 effect on fungal infections of cereal roots, 211  
 effect on *Puccinia pouturni*, 138  
 effect on *Rhynchosporium secalis*, 212, 213  
 effect on seed germination in wheat, 210  
 effect on *Stereomyces scabies*, 138  
 for barley, 212, 213, 281-283  
 for beans, 220  
 for control of *Erysiphe graminis*, 140-142  
 for control of rust, 281, 282  
 for lupins, 219  
 for oilseed rape, 221, 222  
 for potatoes, 151, 206, 225, 226  
 for seed treatment of sugar beet, 63  
 LS 74783, 211, 219  
 new, for root-infecting fungi on cereals, 211  
 'NF 48', 226  
 organomercury, 63  
 safety of, 63  
 systemic activity, 226  
 thiophanate methyl, 213  
 triadimefon, 213  
 tricyclazole, 226  
 Fungus diseases  
 brown rust, of barley, 281, 282  
 clover root, 217, 218  
 club-root (*Plasmodiophora brassicae*), 139, 140  
 of field beans, 120, 220  
 of potatoes, 138, 139  
 of wheat, 140  
 root rot, of lupins, 218, 219  
 seedlings blackleg, of sugar beet, 63  
*Fusarium* spp.  
 on field bean roots, 220  
 var. *avenae*, 21  
 var. *graminis*, 21, 213  
 var. *tritici*, 21  
 See also: Take-all  
*Gaumannomyces-Phialophora* complex cell wall  
 degrading enzymes of, 21  
 comparison of isolates, 21  
 isolates from site with little take-all, 213, 214  
 Gamma spectrometry, of soils, 297  
 Gas-mixing apparatus, portable, 192, 197  
 Gelatin, for treatment of eyespot in wheat, 140  
 Germination, of VA mycorrhizal spores, 233, 234  
 Gibberellins  
 analysis of by GLC, 44, 45  
 in cereal grain, 44, 45  
 in sugar-beet leaves, 47  
*Gibberella cerealis*, on Broadbalk 217  
 effects of host species on, 237  
 genetic analysis of, 29  
 effect of S and N fertilisers on, 29  
 Hordens  
 wheat and fallow experiment on, 217  
 trials of 'microbial fertiliser' on, 232  
 reversions, to continuous barley on 110  
 Hoosfield  
 Hoos Permanent Barley experiment, 116  
 virus diseases of, 99, 100  
 queen rearing, 101  
 pollen collection by, 101  
 poisoning of, by pesticides, 134  
 pheromones of, 100, 101, 136, 137  
*Nosema apis*, 99  
 Nasorov gland, 100, 136-137  
 mechanisms of queen influence in colonies, 101  
*Apis cerana* from India, 100  
 Honeybees (*Apis mellifera*)  
 Herford and Worcester, soil survey in, 249, 250  
 propyzamide, 113  
 phenmedipham, 58  
 on Broadbalk, 110  
 methabenzthiazuron, 111  
 for sugar beet, 58, 60  
 effect on *Rhynchosporium secalis*, 212, 213  
 distribution among soil aggregates, 143  
 diquat, 113  
 dalapon, 113  
 cynazine, 111  
 behaviour of in soil, 143  
 Herbicides  
 Herbage crops, factors affecting yield, 122, 123  
*Hemiptera*, effect of nitrogen on, 95  
*Hemihohortium solani* (silver scurf on potato), 226  
 Heat flux, in soils, 199  
 spontaneous heating of, 208, 209  
 effect of 8-hydroxyquinoline on, 209  
 damp, chemical preservation of, 207-209  
*Aspergillus glaucus* in, 207, 209  
 Hay  
*Harpalus rufipes*, as aphid predator, 96  
 Guazatine, as fungicide for potato, 226  
 triacantanol, 47, 48  
 chlormequat chloride, 45, 122, 150, 210  
 Growth control substances  
 Grassland Research Institute, 92  
 virus diseases of, 207  
 pests of, 92, 93  
 nitrification inhibitors for, 277, 278, 280  
 Ca grasses, 44  
 effect of temperature on growth of Ca and  
 critical K potentials for crop growth, 285, 286  
 at Rothamsted and Woburn, 113  
 Grass  
 Grain size, factors determining, 42, 43, 45, 46  
 barley, 212, 213  
 Glyphosate, effect on *Rhynchosporium secalis* on  
 Glycine, conversion of to serine, 40, 41  
 Glutamine synthetase, in wheat leaves, 40, 41  
 field inoculation trial with, 238, 239  
 enzymic lysis of, 235  
 effect on P uptake, 238, 239  
 effect of fungicides on, 237  
*Glomus mossavae*  
 effect on baking quality of wheat, 210  
 effect on *Entomophthora* spp., 97, 98  
 effect on fungal infections of cereal roots, 211  
 effect on *Puccinia pouturni*, 138  
 effect on *Rhynchosporium secalis*, 212, 213  
 effect on seed germination in wheat, 210  
 effect on *Stereomyces scabies*, 138  
 for barley, 212, 213, 281-283  
 for beans, 220  
 for control of *Erysiphe graminis*, 140-142  
 for control of rust, 281, 282  
 for lupins, 219  
 for oilseed rape, 221, 222  
 for potatoes, 151, 206, 225, 226  
 for seed treatment of sugar beet, 63  
 LS 74783, 211, 219  
 new, for root-infecting fungi on cereals, 211  
 'NF 48', 226  
 organomercury, 63  
 safety of, 63  
 systemic activity, 226  
 thiophanate methyl, 213  
 triadimefon, 213  
 tricyclazole, 226  
 Fungicide  
 parasitism of *Heterodera avenae*, 176, 177  
 Oomycetous, 176, 177  
 on ripening grain, 209, 210  
 on lupins, 219  
 on cereal roots, 211  
 mycorrhizal, 233-239  
 model of attacks by, 177  
*Langendiales* spp. of, 177  
 effect of formalin on, 177  
 Fungi  
 soils, 285  
 Free energy, of K-Ca exchange in Saxmundham



- International Crops Research Institute for the Semi-Arid Tropics, Hyderabad, 316  
 International Livestock Commission for Africa, 308  
 Nigeria, 240, 316  
 International Rice Research Institute, 208  
 Ionophores  
 relation of flight activity to age, 147  
 resistance of to insecticides, 131, 133, 134  
 Humberside, soil survey in, 246, 247  
*Hyalodendron* spp., on ripening grain, 209  
 Hydraulic conductivity cell, for study of soil water movement, 200  
 8-hydroxyquinoline  
 effect on soft-rotting of potatoes, 223  
 for preservation of damp hay, 209  
 Hypthal development, effect of growth factors on, 234  
 Illite, nature of, 293, 294  
 Imazali, as fungicide on potato, 226  
 Inoculants, of *Rhizobium*, testing of, 239  
 Inoculum density, effect on rate of infection by  
 Insect traps  
 aphids caught in, 86  
 computer program for, 87, 89  
 cutworms caught in, 89, 90  
 light traps, 86, 89  
 pheromone traps, 88, 89  
 pitfall traps, 96  
 Insecticides  
 action of on insect nervous systems, 130  
 anti-cholinesterase, 134  
 aphid resistance to, 92, 126, 127, 130-133  
 application methods, 126, 144-147  
 bioassay methods, 135  
 bird repellents, 145, 146  
 cismethrin, 133, 135  
 controlled droplet application, 126, 144, 145  
 cyclopropylphenylacetates, 127-129  
 cypermethrin, 127  
 DDT, 133  
 decamethrin, 127, 135, 149  
 diazinon, 150  
 dimethylphosphate esters, 131, 132  
 drift spraying, 145  
 efficacy of seed treatments, 144  
 electrostatic application, 126, 146, 147  
 enzyme responsible for resistance in *Myzus persicae*, 131, 132  
 ethiofencarb, 132  
 fenvalerate, 127, 129  
 for pea and bean weevils, 91  
 HCH, 134  
 housefly resistance to, 130, 131, 133, 134  
 malathion, 133  
 microencapsulation, 145, 146  
 NRD compounds, 129, 135  
 organophosphates, 131, 132  
 permethrin, 91, 93, 117, 119, 121, 127, 135, 149, 150  
 pithimicarb, 93, 132  
 placement spraying, 144, 145  
 poisoning of honeybees by, 134  
 PP 199, 145, 146  
 pyrethroids, 126-131, 133-135  
 selectivity of, 134, 135  
 tetrachlorophos, 133  
 triazophos, 134  
 trichlorophos, 133  
 Insects  
 action of insecticides in nervous system of, 130  
 beneficial, 126  
 chemoprinting of, 295, 296  
 elemental analysis of individuals, 295, 296  
 flight activity of, 147  
 neuroanatomical techniques for, 146  
 rearing of, 147, 148  
 selective insecticides for, 134, 135  
*See also*: Insect traps; names of individual insects  
 Interaomic distances, 162  
 Interatomic distances, 162  
 virus diseases of, 219, 220  
 yields, 121  
 seed dressings for, 219  
 root rot of, 218, 219  
 fungicides for, 219  
 fungal diseases of, 218, 219  
 Lupin (*Lupinus albus*)  
*Lumbricus terrestris*, soil inoculation with, 95  
 237, 238  
 Lucerne, field trial for inoculation of, with mycorrhiza, on lupins, 219  
 effect on VA mycorrhiza, 236, 237  
 effect on fungal infections of cereal roots, 211  
 as seed-dressing for field beans, 220  
 LS 74783  
 Long Ashton Research Station, 145, 146  
 growth of, 44  
 mycorrhizal uptake of P, 236, 237  
 effect of foliar application of fungicide on  
*Lotium perenne*  
 Lodging, of wheat, 38, 210  
 at Rothamsted, 113  
 at Room's Barn, 71  
 Livestock  
 Liver fluke. *See Fasciola hepatica*  
 mobile rain shelter on, 191, 192  
 drought experiment on, 192  
 Little Knott  
 Lincolnshire, soil survey in, 248, 249  
 Light leafspot. *See Pyrenopeziza brassicae*  
 Ligands, neutral bicyclic, 157-160  
 plant volatiles from, 96  
 infection by VA mycorrhiza, 236  
 Lettuce  
 Lecombe Laboratory, 143  
*Leptosphaeria maculans* (canker), on oilseed rape, 221  
*See also*: Clover; Lucerne; Lupins  
 241, 242  
 ureides, as measure of nitrogen fixation in,  
 resistance of to clover rot, 217, 218  
 fungal diseases of, 217, 218  
 Legumes  
 Leaf protein, extraction of, 294, 295  
 Leaf chamber, for measurement of photosynthesis, 197  
 Leaf area index, for wheat, 37  
 of nitrogen from sugar-beet fields, 66  
 nitrate leaching, 276  
 modelling of in structured soils, 288  
 mineralisation of soil organic N during, 288  
 computer models for structured soils, 288  
 Leaching  
 Land use capability map, of England and Wales, 246  
 Land drainage theory, 201  
 Lake District, soil survey in, 247  
*Lagenocystis* spp., effect of new fungicides on, 211  
 Knotgrass, 51  
 trickle, 36  
 for winter beans, 220  
 for sugar beet, 59  
 for farm crops, 192, 193  
 for cereals, 36  
 Woburn, 192, 193  
 comparison of experiments at Rothamsted and  
 causes of variations in yields, 194  
 Irrigation  
 Ipodione, as fungicide for potatoes, 151  
 effect on transpiration, 164, 165  
 interatomic distances in, 162  
 Ionophores  
 International Livestock Commission for Africa, 308  
 International Rice Research Institute, 208  
 for the Semi-Arid Tropics, Hyderabad, 316  
 International Institute of Tropical Agriculture, 316  
 Immunology of, 28  
 polypeptides of, 26-28  
 Housefly (*Musca domestica*)  
 effect of pyrethroids on, 129  
 Ipswich strain, 133  
 relation of flight activity to age, 147  
 resistance of to insecticides, 131, 133, 134  
 Humberside, soil survey in, 246, 247  
*Hyalodendron* spp., on ripening grain, 209  
 Hydraulic conductivity cell, for study of soil water movement, 200  
 8-hydroxyquinoline  
 effect on soft-rotting of potatoes, 223  
 for preservation of damp hay, 209  
 Hypthal development, effect of growth factors on, 234  
 Illite, nature of, 293, 294  
 Imazali, as fungicide on potato, 226  
 Inoculants, of *Rhizobium*, testing of, 239  
 Inoculum density, effect on rate of infection by  
 Insect traps  
 aphids caught in, 86  
 computer program for, 87, 89  
 cutworms caught in, 89, 90  
 light traps, 86, 89  
 pheromone traps, 88, 89  
 pitfall traps, 96  
 Insecticides  
 action of on insect nervous systems, 130  
 anti-cholinesterase, 134  
 aphid resistance to, 92, 126, 127, 130-133  
 application methods, 126, 144-147  
 bioassay methods, 135  
 bird repellents, 145, 146  
 cismethrin, 133, 135  
 controlled droplet application, 126, 144, 145  
 cyclopropylphenylacetates, 127-129  
 cypermethrin, 127  
 DDT, 133  
 decamethrin, 127, 135, 149  
 diazinon, 150  
 dimethylphosphate esters, 131, 132  
 drift spraying, 145  
 efficacy of seed treatments, 144  
 electrostatic application, 126, 146, 147  
 enzyme responsible for resistance in *Myzus persicae*, 131, 132  
 ethiofencarb, 132  
 fenvalerate, 127, 129  
 for pea and bean weevils, 91  
 HCH, 134  
 housefly resistance to, 130, 131, 133, 134  
 malathion, 133  
 microencapsulation, 145, 146  
 NRD compounds, 129, 135  
 organophosphates, 131, 132  
 permethrin, 91, 93, 117, 119, 121, 127, 135, 149, 150  
 pithimicarb, 93, 132  
 placement spraying, 144, 145  
 poisoning of honeybees by, 134  
 PP 199, 145, 146  
 pyrethroids, 126-131, 133-135  
 selectivity of, 134, 135  
 tetrachlorophos, 133  
 triazophos, 134  
 trichlorophos, 133  
 Insects  
 action of insecticides in nervous system of, 130  
 beneficial, 126  
 chemoprinting of, 295, 296  
 elemental analysis of individuals, 295, 296  
 flight activity of, 147  
 neuroanatomical techniques for, 146  
 rearing of, 147, 148  
 selective insecticides for, 134, 135  
*See also*: Insect traps; names of individual insects  
 Interaomic distances, 162



- L-Valine* determinations, seed P effects in, 296  
of habitats of, 261  
Lysimeter experiments  
to measure leaching of nitrogen from sugar-beet  
fields, 66  
with nitrate inhibitors, 279, 280  
Lysis, enzymic, of mycorrhiza, 234, 235  
Macerases, treatment of leaf tissue with, 41  
Macrocyclic crown compounds, 159  
Macrocyclic polyethers, synthesis of, 157  
Magnesium  
coordination chemistry of, 162  
effect of calcining process on availability of, 293  
Maize  
for sugar-beet, 58, 66, 67  
effect of calcining process on availability of, 293  
inoculation of with VA mycorrhiza, 235, 236  
protein in seeds of, 25, 26  
Malawi, tobacco experiment in, 315  
Malaysia, oil-palm variety trial in, 316  
Maleic hydrazide (MH), effect on *Plasmodiophora brassicae*, 139  
Malonic acid, chelated complexes with, 162  
Mancozeb, effect on *Entomophthora* spp., 9  
Maneb  
effect on *Entomophthora* spp., 97  
in *Delsonia* M., 210  
Manganese, for sugar beet, 61  
Mercury porosity, application of to clay soils, 291  
*Metarrhizium anisopliae*, infection of *Sitona* larvae with, 91  
Meteorological Office, 79  
Mice, damage to sugar beet caused by, 62  
Microbial fertilizer, evaluation of, 232, 233  
Microcalorimeter, 160  
Microecological records, 194, 195  
Micromorphometry of soils, 259  
Mildew. See *Erysiphe graminis*  
Milk  
effect of progesterone-release device on yields, 306  
feasibility of production index for, 306, 307  
National Milk Quality Survey, 308  
'Millipore' filters, 233, 234  
'Milstem'. See Ethirimol  
Ministry of Agriculture, Fisheries and Food, 134, 263, 264, 304  
Fisheries Laboratory, 83  
Ministry of Overseas Development, 146, 304, 308  
315, 316  
Mitochondria, conversion of glycine to serine in, 22, 40, 41  
Molybdenum, in chelated complexes, 163  
Morphactin, effect on potatoes, 49  
*Mortierella rammanniana*, enzymic lysis of, 235  
Moths  
chemopopting of, 90, 295, 296  
moth trapping kit, 138  
pea moth monitoring, 86, 88, 89, 126, 138  
pheromone trap spacing, 88, 89, 304  
population dynamics of, 89, 304  
sex attractant lures for pea moth, 138  
spray trial for pea moths, 88  
statistical analysis of flight behaviour of male  
pea moth, 304  
Mucus, role of in aggregation behaviour of slugs, 96  
*Musca domestica*. See housefly  
Mycorrhiza  
barriers to infection by, 237  
comparative efficiency of various endophytes, 238, 239  
development of in host and 'non-host' plants, 237  
effect of aeration on spread of in soil, 236  
effect of cropping on, 237  
effect of nutrient solution on, 235  
effect of pesticides on, 236, 237  
enzymic lysis of, 234, 235  
effect on soil analysis for phosphorus, 284  
*Aphelenchoides ritzemabozzi*, 182  
*Aphelenchoides fragariae*, 182  
*Aphelenchoides blattophilus*, 186  
*Aphelenchoides* spp., 182  
Nematodes, scientific names of  
treatment of with penicillin, 176  
stunt nematodes, 172, 185  
stubby-root nematodes, 185  
spiral nematodes, 171, 172  
sex determination of cyst-nematodes, 185, 186  
spermatogenesis and sperm structure in, 183  
self-dispersal of, 174, 175  
scanning electron microscope studies of, 182, 183  
round-cyst nematodes, 180  
root-knot nematodes, 174  
population ecology of, 167  
pathotypes of, 179, 180  
osmotic pressure for, 186, 187  
on tobacco, 315  
on sugar beet, 58, 69  
on potatoes, 168-170, 176, 178-180, 305  
on oilseed rape, 185  
on cereals, 167, 168  
on carrots, 171  
on beans, 120  
morphology and function of, 182-184  
latent period for, 175  
Mendelian inheritance in, 182  
Hardy-Weinberg equilibrium, of genotypes, 182  
hatching of, 186, 187  
host ranges for cyst nematodes, 180, 181  
genes for resistance to by potatoes, 180  
gene-for-gene relationship in, 182  
fungal parasites of, 176, 177  
function of feeding pump in stem nematodes, 184  
from South America, 180, 181  
from North America, 180, 181  
from Bolivia, 176, 180  
fossil records of, 182  
filming techniques for, 184, 185  
epidemiology of, 174, 175  
*Entomophthora*-like fungus on, 176  
effect of micro-organisms on, 176  
cyst, 167, 168, 173-182  
creation of a 'domain' by, 174, 175  
control, 167  
contiguous spread of, 175  
computer model for population dynamics of, 167, 168, 173, 174  
competition between species of potato cyst-nematode, 175, 176  
co-evolution and phylogeny of cyst-nematodes, 181, 182  
biology of, 167  
Nematodes  
thiophanate, 168  
terbufos, 168  
'Telone', 172  
potential, assessment of, 168  
methods of incorporation in soil, 168, 170  
in a foliar spray, 170, 171  
for sugar beet, 69  
ethoprophos, 168  
degradation of, in soil, 148, 149  
carbendazim, 168  
bendiocarb, 168  
Nematicides  
Natural Environmental Research Council, 79, 260  
National Institute of Agricultural Engineering, 94  
National College of Agricultural Engineering, 112  
Nasonov gland, of honeybee, 100, 136-137  
protoplast formation, 235  
interaction with *Azotobacter*, 231  
in nutrient film culture of *Phaseolus vulgaris*, 235  
germination and growth of spores, 233, 234  
field inoculation trials with, 237-239  
factors affecting spread of endophytes, 235, 236  
Mycorrhiza (contd.)

INDEX



Nitrogen fertilizers (cont.)  
 effect on ureides and nitrate content in xylem exudate, 242  
 for sugar beet, 59, 61, 65, 66  
 in conjunction with microbial fertilizer treatments, 232, 233  
 measuring response of cereals to, 305  
<sup>15</sup>N fertilizer used to determine nitrogen fixation in legumes, 241, 242  
 on barley, 42, 43, 112, 211, 212, 281, 282  
 on beans, 120  
 on wheat, 36-38, 111, 121, 277  
 percentage of recovered in leachate, 279  
 ratio of ammonium to nitrate-N in, 276  
 relationship of yield and % N in grain to, 282  
 varietal response of wheat to, 37  
 See also: Fertilizers; Urea and individual crops  
 Nitrogen fixation  
 assimilation of ammonia produced by, 22  
 by field beans, 241  
 by VA mycorrhiza, 235  
 ureides as a measure of in legumes, 241, 242  
 Nitrogen in soil  
 effectiveness of chemical methods for measurement of, 305  
 leaching of nitrate, 276, 280  
 persistence of NH<sub>4</sub> nitrogen in soil, 277, 279  
 Nitrogenase activity, 120, 121  
 in field beans, 241  
 in legumes, 241, 242  
 5-nitro-8-hydroxyquinoline, effect on soft-rotting of potatoes, 223  
 NMR spectra, for cyclopropane based pyrethroids, 129, 130  
 Nervous activity, of insects in free-walking preparations, 130  
*Noctua pronuba*, caught in traps, 89, 90  
 Nodulation  
 by field beans, 240, 241  
 by mycorrhiza on plants grown in nutrient film cultures, 235  
 of lucerne by mycorrhiza, 238  
 of soybean by cowpea rhizobia, 240  
 of *Spylosanthes capitata* and *S. hamata*, 240  
 Norfolk, soil survey in, 248  
 North Yorkshire, soil survey in, 247, 263  
 NRDC compounds, 129, 135  
 'N-serve' See: nitrapsin  
 Nuarimol, as fungicide for potatoes, 226  
 Nuclear magnetic resonance spectroscopy, 159  
 Nutrient elements  
 representative soil sampling of nutrient status, 307, 308  
 routine analysis of, 297  
 Oats  
 chlormequat chloride on, 112  
*Heierodera avenae* on, 185  
 residual effects of cultivars, formalin and nematodes on, 177, 178  
*Oidium* sp., fungicides for control of, 226  
 nematodes on, 177, 178  
 Oilsed rape (*Brassica napus* spp. *oleifera*)  
 bee poisoning by triazophos on, 134  
 diseases of, 221, 222  
 effect of benomyl on, 221, 222  
 extracellular leaf protein from, 295  
*Leptosphaeria maculans* on, 221  
 nematodes on, 185  
*Ferrospora parasitica* on, 221  
 polyphenol in leaves of, 295  
*Pyrenopeziza brassicae* on, 221  
 weed control on, 113  
*Oplidium* spp., effect of new fungicides on, 211  
 Onion  
 field trial for inoculation of with mycorrhiza, 237, 238  
 spread of mycorrhiza on, 236  
*Omycetus* spp., on sugar beet, 99  
 effects of, 167, 168  
 Omycetus fungus, computer model to simulate

Nematodes, scientific names of (cont.)  
*Criconeoides* spp., 173  
*Cryptaphelenchoides* spp., 182, 183  
*Ditylenchus dipsaci*, 178, 184  
*Globodera pallida*, 175, 176, 178-182, 185, 187, 305  
*Globodera rososchistenis*, 168-170, 174-176, 178-180, 185, 186, 305  
*Globodera solanacearum*, 180  
*Globodera tabacum*, 180  
*Globodera vitifoliae*, 180  
*Helicotylenchus vulgaris*, 171, 172  
*Hemicylophora* spp., 173  
*Heierodera* spp., 173, 181, 183  
*Heierodera avenae*, 176-178  
*Heierodera carotae*, 171  
*Heierodera cruciferae*, 181, 185  
*Heierodera schachtii*, 69, 99, 176, 181, 186  
*Huntaphelenchoides* spp., 182  
*Lamphaphelenchus* spp., 182  
*Longidorus* spp., 58, 173  
*Meloidogyne* spp., 183  
*Meloidogyne incognita*, 183  
*Merlinus microrodorus*, 173  
*Paraphelenchus* spp., 182  
*Paraphelenchus* spp., 120, 172, 185  
*Pratylenchus* spp., 181  
*Punctodera* spp., 181  
*Radopholus similis*, 174  
*Senaura* spp., 182, 183  
*Telotylenchus ventralis*, 173  
*Tichodorus* spp., 58, 173  
*Tylenchorhynchus* spp., 172, 173  
*Tylenchorhynchus dubius*, 185  
*Tylenchus* spp., 120  
*Nephotettix virescens*, as vector of rice tungro disease, 208  
 Net assimilation rate, for grasses, 44  
 NF 48, as fungicide for potato, 226  
 Nitrapyrin, 277, 280  
 Nitrate, in xylem exudate of wheat, 23  
 Nitrate reduction, 22, 23  
 rates of, 40  
 Nitritation  
 measurement of in soils, 277, 279  
 statistical analysis of nitrification of aqueous ammonia, 304, 305  
 Nitritation inhibitors  
 analytical procedure for, 280  
 CS<sub>2</sub>, 280  
 effect on leaching losses, 279, 280  
 efficacy trials of, 149  
 for grass, 277, 280  
 for wheat, 277  
 lysimeter experiments with, 279, 280  
 nitrapyrin, 277, 279, 280  
 on direct drilled soil, 277, 279  
 sodium trithiocarbonate, 277, 279, 280  
 testing of neem oil, cake and kernel materials as, 281  
 trithiocarbonates as, 276  
 with aqueous N fertilizers, 277  
 Nitrifying bacteria, in Rothamsted and Woburn soils, 149  
 'Nitro-Chalk', effect on VA mycorrhiza, 236  
 Nitrogen  
 assimilation of in shoots, 23  
 concentration of in sugar-beet leaves, 65  
 extraction of from wheat, 25  
 leaching of, 66  
 mineral, in soil, 65  
 Nitrogen fertilizers  
 amount and time of application to cereals, 281, 282  
 application on Broadbalk, 116, 119  
 control of VA mycorrhizal infection in the field  
 aqueous, applied with nitrification inhibitors, 277  
 by, 235  
 effect on amino acids of grain, 28, 29  
 effect on photosynthate distribution, 38  
 effect on proteins of wheat and barley, 28, 29  
 effect on soil invertebrates, 95  
 Nitrification  
 rates of, 40  
 Nitrate reduction, 22, 23  
 Nitrate, in xylem exudate of wheat, 23  
 Nitrapyrin, 277, 280  
 NF 48, as fungicide for potato, 226  
 Net assimilation rate, for grasses, 44  
 diseases, 208  
*Nephotettix virescens*, as vector of rice tungro disease, 208  
 Nephrotettix virescens, as vector of rice tungro disease, 208  
 Nitrification inhibitors  
 analytical procedure for, 280  
 CS<sub>2</sub>, 280  
 effect on leaching losses, 279, 280  
 efficacy trials of, 149  
 for grass, 277, 280  
 for wheat, 277  
 lysimeter experiments with, 279, 280  
 nitrapyrin, 277, 279, 280  
 on direct drilled soil, 277, 279  
 sodium trithiocarbonate, 277, 279, 280  
 testing of neem oil, cake and kernel materials as, 281  
 trithiocarbonates as, 276  
 with aqueous N fertilizers, 277  
 Nitrifying bacteria, in Rothamsted and Woburn soils, 149  
 'Nitro-Chalk', effect on VA mycorrhiza, 236  
 Nitrogen  
 assimilation of in shoots, 23  
 concentration of in sugar-beet leaves, 65  
 extraction of from wheat, 25  
 leaching of, 66  
 mineral, in soil, 65  
 Nitrogen fertilizers  
 amount and time of application to cereals, 281, 282  
 application on Broadbalk, 116, 119  
 control of VA mycorrhizal infection in the field  
 aqueous, applied with nitrification inhibitors, 277  
 by, 235  
 effect on amino acids of grain, 28, 29  
 effect on photosynthate distribution, 38  
 effect on proteins of wheat and barley, 28, 29  
 effect on soil invertebrates, 95

INDEX



- Phoma exigua* var. *foveata* (gangrene on potato)  
 (contd.)  
 infected seed tubers, 224  
 infection of stems by, 224  
 pycnidia of on dying potato stems, 224  
 sources of inoculum, 224  
 Phorate  
 as aphicide on winter cereals, 211  
 effect on soil fauna, 93, 94  
 effect on VA mycorrhiza, 236  
 effect on VA mycorrhiza, 236  
 for herbage crops, 123  
 on barley, 212  
 on control *Stroma*, 91  
 Phosphorus fertilisers  
 Phosphorus in mycorrhizal inoculation trials,  
 use on controls in mycorrhizal inoculation trials,  
 prediction of phosphorus requirements for crops, 276  
 238, 239  
 See also: Fertilisers; and individual crops  
 Phosphorus in soil  
 effect of mycorrhiza on soil analysis for, 284  
 mycorrhizal infections in soils deficient in, 236  
 organic P in Rothamsted and Saxmundham soils,  
 283, 284  
 rate of mineralisation of, 283, 284  
 seed P effects in L-value determinations, 296  
 uptake of by mycorrhiza, 236  
 Photorrespiration  
 and ammonia, 40, 41  
 effect on net photosynthesis by wheat leaves, 39, 40  
 rate on ammonia release in, 22  
 Photosynthetic, distribution of in wheat, 38  
 effect of drought on in individual leaves, 195, 196  
 equipment for measurement of, 196, 197  
 field studies of, 196, 197  
 gross and net rates of, 39  
 in water-stressed cereals, 42  
 individual leaf, 195  
 laboratory studies of, 197  
 leaf chamber for measuring, 197  
 portable chamber for measurement of, 192  
 portable gas mixing apparatus for field studies  
 of, 197  
 rate of, 197  
*Phytolacca americana* L., as a virus inhibitor, 208  
*Phytophthora infestans* (blight), on potato, 113, 138  
 Pigs, breeding systems for, 307  
 Pirimicarb  
 as aphicide, 98, 132  
 effect on soil fauna, 93  
 for beans, 117, 119, 120  
 Plant Breeding Institute, 83, 179  
 Plant proteins  
 associated with resistance, 20  
 virus induced, 20  
*Plasmodiophora brassicae* (clubroot)  
 effect of fungicides on, 139  
 host response to, 139, 140  
 of cabbage, 139  
 of swede, 139  
*Plusia gamma*, deposits in traps, 89, 90  
*Plutella maculipennis* larvae, statistical  
 analysis of damage done on turnips by, 304  
 Pollination, of coconuts, 146  
 Polyacrylic acid, induction of resistance to tobacco  
 mosaic virus by, 207, 208  
 Polypeptides, 'B' and 'C' groups of, 26-28  
 Polyphenol, measurement of in leaves of crops, 295  
*Polysciasium pustulans*, fungicides for, 226  
 Porometer  
 calibration of, 196  
 types of, 196  
 Potassium  
 coordination chemistry of, 161  
 critical K potentials for crop growth, 286  
 release of in soils, 286  
 See also: individual crops  
 Potatoes  
 application of fungicides to sprouts, 225  
 effect of seed treatment on, 225  
 control during storage, 226  
*Phoma exigua* var. *foveata* (gangrene on potato)  
 var. *radicola*, 21, 213  
 var. *graminicola*, 21, 213  
 comparison of isolates of, 21, 213  
 carboxymethylcellulase activity of, 21  
*Phialophora radicola*  
*Phialophora* spp., new species of, 206, 213, 214  
 secretion of sex pheromones by slugs, 96  
 pheromone traps, 88, 89, 304  
 pea moth pheromone monitoring system, 86,  
 88, 126, 138  
 of honeybees, 100, 101, 136, 137  
 of *Angastia kuehniella*, 137  
 alarm pheromones, in aphids, 136  
 Pheromones  
 Pheromone traps. See Insect traps  
 Phenyl mercuric acetate, effect on damp hay, 209  
 Phenol, effect on damp hay, 209  
 Phenmedipham, for sugar beet, 58  
 measurement of nitrogen fixation in, 241, 242  
 inoculation with VA mycorrhiza, 235  
*Phaseolus vilgariis*  
 pyretroids on, 129  
*Phaedon cochleariae* (Mustard beetle), effect of  
 of sugar-beet seedlings, 98, 99  
 of leafless peas, 91, 92  
 of grass and forage crops, 92, 93  
 integrated control of in cereals, 98  
 detection and surveying of, 86-90  
 cultural control of, 94, 95  
 biological control of, 94, 95  
 Pests  
 octanol/water partition coefficients of, 149  
 leaching of, 58  
 for, 143  
 field experiment to evaluate simulation models  
 effect on VA mycorrhiza, 236, 237  
 effect on soil fauna, 93, 94  
 degradation of in soil, 148-150  
 behaviour of in soil, 143  
 adsorption of by soil, 149  
 Pesticides  
 in seed treatments, 135, 144  
 for control of pea and bean weevils, 91  
 for beans, 117, 119, 120  
 foliar sprays of, 144, 145  
 effect on soil fauna, 93  
 development of, 127  
 degradation of in soil, 149, 150  
 Permethrin  
*Periplaneta americana*. See Cockroach  
 Pesticides, fingerprinting of, 30  
 Pennines, soil survey in the, 247  
 Peat, survey of in Somerset, 255, 256  
 protein in seeds of, 25, 26  
 polyphenol in leaves of, 295  
 aspartate kinase of, 23, 24  
 Peas  
 pea moth. See Moths  
 Pea, leafless, pests of, 91, 92, 124  
 Particle-size distribution of soil samples, 262  
 weeds on, 52, 53  
 effect of nitrogen on invertebrates on, 95  
 Park Grass  
 Paraquat, effect on *Rhynchosporium secalis*, 212, 213  
 Patosols, 258  
*Paeclomyces varioti*, in hay, 209  
 Oxygenase, in wheat leaves, 40  
 Oximecarbamate nematocides, degradation of in  
 effect on soil fauna, 93  
 degradation of in soil, 148, 149  
 as nematocides, 168-172  
 Oxamy  
 Organophosphorus insecticides, 131-133  
 Open-topped chambers, modification of, 43, 44

INDEX



## INDEX

- Potatoes (*contd.*)  
bacterial diseases of, 222, 223  
bactericidal and fungicidal seed treatments for, 223, 225  
black dot, 225  
black scurf (*Rhizoctonia solani*) on, 151  
blight (*Phytophthora infestans*) on, 113, 138  
common scab (*Streptomyces scabies*) on, 138  
cyst nematodes on, 168–170, 175, 176, 178, 179  
diseases of, 206, 222–227  
dry rot (*Fusarium* spp.) on, 226  
effect of morphactin on, 48, 49  
effect of varying haulm structure, 49  
*Erwinia caratovota* on, 206, 222, 223  
fungicides on, 225, 226  
gangrene (*Phoma exigua* var. *foveata*) on, 151, 206, 222–225  
genes for nematode resistance in, 180  
glandular hairs and insect resistance of wild potatoes, 226, 227  
grafting techniques for, 49  
irrigation on, 193  
leaf stolon and tuber growth in pots, 50  
micrometeorological records for, 194, 195  
mother tuber as source of bacterial infection, 223  
potential bactericides for, 223  
powdery mildew (*Oidium* sp.) on, 226  
rate of tuber bulking, 49  
silver scurf (*Helminthosporium solani*) on, 225, 226  
skin spot (*Polyscytalum pustulans*) on, 226  
soft rotting of, 222, 223  
*Solanum* spp., susceptibility of to nematodes, 179, 180  
source/sink relationships in, 49  
statistical analysis of cyst nematode decline on, 305  
stolon pruning on, 222, 225  
tecnazene as sprout suppressant for, 151  
tuber-borne pathogens, 225, 226  
VA mycorrhiza on, 236  
varietal susceptibility to nematodes, 175, 179, 180  
viruses of, 20, 21  
yields, 113, 116  
Protein bodies, of cereal seeds, 25, 26  
Poultry, statistical data on, 306  
Powys, soil survey in, 256  
Processors and Growers Research Organisation, 138  
Propionaldehyde, 209  
Propionic acid, for preservation of damp hay, 208, 209  
Propyzamide, as herbicide on oilseed rape, 221  
Proteins  
barley hordeins, 24–29  
effect of N and S fertiliser treatments on, 28, 29  
in cereal seed, 24–29  
interaction with lipid, 25  
isolation of from plant viruses, 21  
synthesis of in developing seeds, 25, 26  
synthesis of *in vitro*, 26  
wheat gliadins, 24  
Protoplasts, isolation of from wheat leaves, 41  
*Pseudocercospora herpotrichoides*. See Eyespot  
*Pseudomonas* spp., on roots infected with  
*Gaeumannomyces graminis*, 233  
*Pterostichus melanarius*, as aphid predator, 96  
*Puccinia hordei* (brown rust on barley), 281, 282  
*Pyrenopeziza brassicae*, on oilseed rape, 221  
Pyrethroids  
action on *in vivo*, 130  
aphid resistance to, 127  
<sup>13</sup>C-NMR Spectra, 129, 130  
effect of *super-kdr* on, 133  
'FMC 16388', 135  
housefly resistance to, 133  
in seed treatments against wheat bulb fly larvae, 135  
molecular structure and insecticidal activity of, 127–130  
new compounds, 127–129  
NRDC compounds, 129, 135  
photostable, 135  
selectivity of, 134, 135  
toxicity of, 126  
*Pyricularia oryzae*, enzymes extracted from, 24  
*Pythium* spp.  
effect of new fungicides on, 211  
on lupin roots, 218, 219  
on sugar-beet seeds, 60  
Radionuclides, routine analysis of, 297  
Rain  
at Broom's Barn, 328  
at Rothamsted, 109, 110, 326  
at Saxmundham, 329  
at Woburn, 109, 110, 327  
*Rhizobium* spp.  
cowpea strains of, 240  
effect of amino acids on, 239  
effect of delayed inoculation, temperature and day length on, 243  
effect of lysozyme on, 240  
effectiveness in red clover, 242, 243  
inoculation of clover with, 238, 239  
inoculation of legumes with, 242  
large bodies of, 239, 240  
L-phase growth in, 240  
*Rhizobium japonicum*, nodulation of Malayan soyabean by, 240  
*Rhizobium trifolii*, breeding for high symbiotic effectiveness in red clover, 243  
Rothamsted *Rhizobium* collection, 239  
*Rhizoctonia* spp. (stem canker on potatoes), 151, 222, 225  
*Rhizopogon* spp., interaction with *Azotobacter* spp., 235  
*Rhynchosporium secalis*  
effects of herbicides and fungicides on, 206, 212, 213  
spore viability, 213  
Ribulose biphosphate, in wheat leaves, 40  
Rice, tungro disease of, 208  
River catchment study, in South West Wales, 261  
Root-infecting fungi, 211  
Root nodules, nitrogen fixation in, 22  
Root systems, observation of, 197, 198  
Rotation, for incorporating nematicides in soil, 168, 170  
Rothamsted Farm  
barley yields on, 111, 112  
bean yields on, 112, 113  
cereal aphids on, 87  
cereal variety experiment, 111, 112  
classical experiments, 115–117  
Cultivation-Weedkiller experiment, 110  
irrigation experiment, 192, 193  
light traps on, 89  
nitrifying bacteria in soils at, 149  
organic P in soils on, 283, 284  
potato yields on, 123  
rain at, 109, 110, 326  
weather, 326  
wheat yields on, 111  
Rothamsted Insect Survey, 227, 304  
Roughness length, in micrometeorology, 194  
Ryegrass. See Grass  
Salicylic acid, induction of resistance to tobacco mosaic virus by, 207, 208  
Samsum NN protein, 20  
Saxmundham  
free energy and enthalpy of K-Ca exchange in soil at, 285  
organic P in soils at, 283, 284  
porosity of soil carbonate at, 285  
weather at, 329  
Scottish Plant Breeding Station, 179  
'SD 740823AX', effect on soft-rotting of potatoes, 223  
Seed treatments  
adhesion of powders to seeds, 143, 144  
apparatus for, 147  
efficacy of, 144  
EMP steep for sugar-beet seeds, 63  
for field beans, 220  
for lupins, 219



## INDEX

- Seed treatments (*contd.*)  
 for potatoes, 223  
 for slug control, 135  
 fungicidal, 63  
 pyrethroid, 135
- Seeds  
 adhesion of powders to, 143, 144  
 boiled, effect of on mycorrhizal growth, 234
- Seepage analysis, of horizontal groundwater flow, 201
- Serine, conversion of glycine to, 40, 41
- Sewage sludge, effect on soil fauna, 95
- Sex pheromones, secretion of by slugs, 96
- Shrinkage potential, of clayey soils, 258
- Silver staining of insects, 146
- Simazine  
 distribution of among soil aggregates, 143  
 on beans, 113
- Simulation models, of behaviour of pesticides in soil, 143
- Sitona* spp. *See* Beetles
- Slugs  
 control of in cereals, 135  
 copulatory and aggregation behaviour of, 96  
 in direct drilled fields, 94  
 response of *Deroceras reticulatum* to food plant volatiles, 96
- Snail, use of digestive juices from for lysis of mycorrhiza, 235
- Sodium  
 co-ordination chemistry of, 157  
 for sugar beet, 66
- Sodium dodecylsulphate-PAGE, use of in virus studies, 20, 25-27
- Sodium nitrate, development of VA mycorrhiza in, 235
- Soil aggregates, herbicide distribution in, 143
- Soil biomass, adenosine 5'-triphosphate (ATP) content of, 289
- Soil classification, 259, 260
- Soil cores, assaying of, 215
- Soil data bank, 260
- Soil erosion, 261
- Soil fauna  
 cutworms, 89, 90  
 earthworms, 93-95  
 effect of direct drilling on, 94, 95  
 effect of farmyard manure on, 95  
 effect of fertilisers on, 95  
 effect of pesticides on, 93, 94
- Soil hydraulic conductivity, measurement of, 201
- Soil mapping, 260, 262-265
- Soil micro-organisms, enzyme cytochemistry of, 232
- Soil mineralogy  
 of Saxmundham soils, 285  
 weathering of clay soils, 294  
 X-ray fluorescence spectrometry of, 276  
 X-ray spectra of clays, 292, 293
- Soil organic matter  
 adsorption of organic chemicals by, 149  
 effect of direct drilling on, 289, 290  
 loss of during cultivation, 276  
 measurement of adenosine 5' triphosphate in soil, 289  
 sorption of by clay, 287
- Soil physics, 198-202
- Soil structure  
 aggregate size, 60, 291  
 effect of repeated wetting and drying on stability of soil aggregates, 231, 232  
 effect of tillage on, 199, 200  
 gaseous diffusion in compacted soils, 198, 199  
 gaseous diffusion within crumbs, 198  
 ion diffusion in structured soil, 288, 289  
 measurement of diffusion coefficients and tortuosity factors, 232, 288  
 of clay soils, 290-292  
 pore-size distribution of clay soils, 291  
 porosity, 198, 232  
 Soil Structure Working Group, 198
- Soil surveys  
 Cambridgeshire, 247, 248  
 Cornwall, 255  
 Cumbria, 246, 247, 262, 263  
 Dyfed, 256  
 Essex, 253, 254  
 Hereford and Worcester, 249, 250  
 Humberside, 246, 247, 263  
 Lake District, 247  
 Lincolnshire, 248, 249  
 Norfolk, 248  
 Pennines, 247  
 Powys, 256  
 Staffordshire, 250-252  
 Suffolk, 248, 263  
 Surrey, 254, 255  
 Warwickshire, 252, 253  
 Yorkshire, 247, 263
- Soil temperature, for barley, 42
- Soil water  
 chemical composition of groundwaters, 288  
 Darcy's Law, 200  
 hydraulic conductivity measurements, 201, 202  
 hydrodynamic dispersion of, 200, 201  
 in clay soils, 200, 290, 291  
 in heterogeneous soils, 200  
 in swelling soils, 200  
 land drainage theory, 201  
 limiting soil moisture deficits, 193, 194  
 movement of, 191, 200  
 retention of, 262  
 seepage analysis of horizontal groundwater flow, 201  
 soil moisture deficits on four Lincolnshire soils, 265  
 water content, 42, 193  
 water content and water potential relationships, 202  
 water content measurement, 202  
 water potential, 42, 193  
 water stability, 231, 232
- Solomon Islands, sweet potato yields in, 315, 316
- Sorbic acid, effect on damp hay, 209
- South West Wales River Division, 261
- Soyabean, Malayan, nodulation of by cowpea rhizobia, 240
- Spartina townsendii*, growth of, 44
- Spatial analysis, in soil surveys, 260
- Spores  
 adherence to plastics, 216  
 dispersal of, 195, 215, 216  
 effect of pesticides on mycorrhizal spores, 236, 237  
 germination and growth of mycorrhizal spores, 233, 234  
 germination of in axenic conditions, 233  
 of *Rhizosporium secalis*, 213  
 properties of, 216  
 samplers for, 216  
 splash-dispersed, 215, 216  
 viability of, 213
- Staffordshire, soil survey in, 250-252
- Standards, FORTRAN, 80
- Statistical analysis  
 for ADAS experiments, 305, 306  
 for comparing insoluble forms of phosphate on grassland, 306  
 for livestock experiments, 306, 307  
 for Small Ruminants Programme in Nigeria, 308  
 intercropping survey, 316  
 National Milk Quality Survey, 308  
 National survey of grass weeds, 308  
 of anthelmintic use, 308  
 of attacks by oomycetous fungus on nematodes, 177  
 of break-crop trials, 306  
 of carbon flow through leaves, 304  
 of carcass data, 307  
 of damage done by *Plutella maculipennis* larvae, 304  
 of flight behaviour of male pea moth, 304  
 of nitrogen response measured by soil chemical methods, 305  
 of nutrient status, 307, 308



- Statistical analysis (*cont.*)  
of overseas data, 315, 316  
of potato cyst eelworm decline rate, 305  
of spring nitrogen requirements of winter wheat, 306  
of weed-beet in 1978 sugar-beet crop, 308  
Rotamsted Insect Survey, 304  
routine analysis, 308, 309  
Survey of Fertiliser Practice, 307  
Statistical programming  
cluster analysis program, 314  
documentation, 312, 313  
Generalised Linear Interactive Modelling, 313, 314  
Genkey, 314  
GENSTAT, 194, 242, 311-313  
Maximum Likelihood Program, 312, 314  
STAB, 314  
Statistical theory  
combination of estimates of non-linear parameters, 310  
confidence regions in non-linear models, 310  
covariance analysis, 316, 317  
6<sup>3</sup> design, 1/6th replicate of, 309  
diagnostic keys, 310, 311  
multidimensional unfolding, 311  
screening algorithm for fractional replicate designs, 309  
Stockbridge House Experimental Horticulture Station, 263  
Stomata, effect of ionophores on, 165  
Stylosanthes *capitata*, nodulation of, 240  
Stylosanthes *hamata*, nodulation of, 240  
Suction traps. See Insect traps  
Suffolk, soil survey in, 248, 263  
Sugar beet  
aphids on, 59, 67, 68  
as a rotational crop, 68-70  
*Alouatta* spp. on, 99  
availability of calcined magnesite for, 293  
bird damage to, 62, 63  
boiling of, 59, 69, 70  
British Sugar Corporation, 63, 66, 70  
causes of seedling damage, 58  
conversion of seedling damage, 58  
conversion of radiant energy, 64  
crop productivity, 64-67  
Docking disorder, 58  
effect of far-red light on, 46, 47  
effect of light quality and duration on, 46, 47  
effect of seedbed soil structure, 60  
effect of temperature on leaf growth in, 46  
effect of triacotanol on, 47, 48  
effect of wood mice on, 62  
EMP steep for, 63  
endogenous gibberellins in, 47  
field performance of seed, 61  
frost damage, 57, 58  
herbicides for, 58  
irrigation for, 59  
leaf area production, 64  
leaf area persistence, 59  
leaf diseases, 59  
leaf persistence, 65  
magnesium for, 58, 66, 67  
magnesium deficiency, 61  
nematodes on, 58, 69, 171, 172, 175, 185  
nitrogen concentration in leaves of, 65  
nitrogen fertiliser for, 59, 61, 65  
pelleted seed, 61  
pesticides for, 58  
pests of seedlings, 98, 99  
*Phoma betae* on, 63  
plant establishment, 59, 60  
PMA steep for, 63  
poor root systems in, 58  
powdery mildew, 59  
radiation interception, 64  
ring numbers in, 47  
root growth and sugar accumulation in, 47  
rotation experiments, 68-70
- Sugar beet (*cont.*)  
rust on, 59  
seedling establishment, 60, 61  
seed taking by mice, 62  
seed-treatment fungicides, 63  
sodium for, 66  
storage root anatomy, 47  
Sugar Beet Research and Education Committee, 59  
TCMTB steep for, 63  
thiram seed steep for, 63  
time of sowing, 64  
virus diseases of, 58, 59, 67, 68  
water uptake by seeds, 60  
weed control on, 58  
yields, 58, 64  
Suphur  
deficiency of, in wheat, 28  
effect on wheat and barley proteins, 28, 29  
*Super-kdt*, as mechanism of pyrethroid resistance in houseflies, 133  
Survey, soil survey in, 254, 255  
in houseflies, 133  
Sutton Bridge Experimental Station, 225  
Sweden, clubroot (*Plasmodiophora brassicae*) of, 139  
Symbiotic effectiveness, breeding of red clover for with rhizobia, 242, 243  
Symphyla, effect of nitrogen on, 95  
Syrphids, as predators of aphids, 96  
Take-all on cereals  
assaying of inoculum, 215  
distribution of on root systems of winter wheat, 214, 215  
effect of breaks on, 214  
epidemiology of, 215  
fungicides for, 140  
profiles of, 214, 215  
validity of visual diagnosis of, 206, 207  
See also: *Gaeumannomyces graminis*  
Tanzania, effects of planting time and fertilisers on sugarcane in, 316  
*Taraxacum* spp., survey of on Park Grass, 52  
Telone, as a nematocide, 172  
Tecnazene, as sprout suppressant for potatoes, 151  
Terbufos, as nematocide, 168  
Thermal conductivity in soils, 200  
Thiabendazole  
as fungicide on beans, 220  
effect on VA mycorrhiza, 236  
for seed treatment of potatoes, 225, 226  
Thiophanate methyl, as nematocide, 168  
Thiophanate ethyl, as nematocide, 168  
as fungicide on barley, 213  
as nematocide, 168  
Thiram  
as steep for sugar beet seeds, 63  
on lupins, 219  
Tillage, 1977 tillage experiment, 199, 200  
Time-lapse cinematography, 168  
Tobacco  
effect of benzoic acid on, 208  
effect of ethylene dibromide on, 315  
effect of phytoalexin inhibitor on, 208  
effect of polyacrylic acid on, 207, 208  
effect of salicylic acid on, 207, 208  
growth of in Malawi, 315  
induced virus resistance in varieties of, 207, 208  
viruses of, 20, 207, 208  
Tomato, nematodes on, 185  
Transpiration, effect of ionophores on, 164, 165  
Triadimefon  
as fungicide on barley, 213  
effect on mycorrhiza, 236  
Triazophos, poisoning of honeybees by, 134  
*Trichoderma harzianum*, 235  
Tricyclazole, systemic activity of, 226  
Tridemorph  
as fungicide on wheat, 122, 226  
effect on *Entomophthora* spp., 97  
foliar spraying of, 144, 145  
on winter barley, 211, 212



- Trifolium dubium*, effect of foliar application of fungicide on mycorrhizal uptake of P, 236  
 Turnip, damage to by *Plutella maculipennis* larvae, 304
- Unit of Developmental Botany, 127  
 Unit of Nitrogen Fixation, 163, 164  
 Unit of Systemic Fungicides, 127  
 Upper Greensand soils, 257, 258  
 Urea, aqueous, applied on grass, 277  
 Urea inhibition, efficacy of xanthates for, 280, 281  
 Ureides, as measure of nitrogen fixation in legumes, 241, 242  
*Uromyces fabae* (rust) on beans, 120
- Venturia canescens*  
 in pesticide selectivity trials, 134, 135  
 oviposition by, 137  
 Vertical Band-Rotter technique, 168, 170  
*Verticillium* spp., on ripening grain, 209  
*Vicia faba*. See Beans  
*Vigna unguiculata*, nitrogen fixation in, 242
- Viruses  
 aphid-transmitted, 210, 211  
 effect of phytoalexin inhibitor on tobacco mosaic virus, 208  
 inactivation of, 207  
 induced resistance to tobacco mosaic virus in tobacco by acetyl salicylic acid, 207, 208  
 of beans, 207, 218, 221  
 of clover, 207, 218, 221  
 of cutworms, 98  
 of grasses, 207  
 of honeybees, 99, 100  
 of lupins, 207, 219, 220  
 of potatoes, 20, 21  
 of rice, 207  
 of sugar beet, 58, 59, 67  
 of tobacco, 20, 207, 208  
 proteins isolated from, 20, 21  
 resistance to, soil transmission, 207, 218  
 transmission of RCNMV by cutting, 218  
 Transmissible cryptic virus in crimson clover, 221
- Viruses, names of  
 acute bee paralysis, 100  
 barley yellow dwarf virus, 87, 207, 210-212  
 bean yellow mosaic, 207, 219, 220  
 bee virus X, 99  
 beet yellows, 58, 67, 68  
 black queen-cell virus, of bees, 99, 100  
 chronic bee paralysis, 99  
 clover yellow vein, 207, 219, 220  
 cloudy wing, of bees, 99  
 cucumber mosaic, 218  
 granulosus virus, 98  
 Kashmir bee virus, 99, 100  
 nuclear polyhedrosis virus, 98  
 potato leaf roll virus, 227  
 potato virus X, 20, 21  
 potato virus Y, 227  
 red clover necrotic mosaic, 207, 218  
 rice tungro viruses, 207, 208  
 ryegrass mosaic, 207, 218  
 sacbrood, of bees, 100  
 tobacco mosaic virus, 20, 207, 208  
 vicia cryptic, 207, 220, 221
- Warwickshire, soil survey in, 252, 253  
 Water Research Centre, 276, 287  
 Water stress, in barley, 41, 42, 195, 196  
 Weather
- at Broom's Barn, 328  
 at Rothamsted, 326  
 at Woburn, 327  
 Weed Research Organisation, 70, 143, 308
- Weeds  
 as host plants for potato aphids, 87, 88  
 control of, 111  
 germination of, 52  
 National survey of, 308  
 on Broadbalk, 50-52  
 on Park Grass, 52, 53  
 seedlings in pans, 52  
 Weevils. See Beetles  
 West Midlands, Pleistocene deposits in, 258, 259  
 Wheat  
 activity of RuBP carboxylase/oxygenase in leaves of, 40  
*Alternaria* spp. on, 210  
 aphids on, 98  
 baking quality of wheat flour, 25, 207  
 carbon dioxide enrichment in, 39  
 critical K potentials for crop growth, 286  
 deflating of, 25  
 extractability of leaf protein from, 295  
 extraction of nitrogen from, 25  
 eyespot (*Pseudocercospora herpotrichoides*) on, 140, 215-217  
 fungicides for, 140  
*Fusarium* spp. on, 210  
 gibberellins in developing grain, 45  
*Gibberina cerealis* on, 217  
 gliadin fraction of, 24  
 grain growth in, 45, 46  
 growth retardants for, 150  
 inoculation of with VA mycorrhiza, 235  
 integrated pest control in, 98  
 lodging of, 38, 210  
 microbial fertilisers on, 232  
 microflora of grain during ripening, 209, 210  
 milling and baking tests on grain from, 210  
 nematodes on, 171  
 nitrogen fertilizer for, 36-38, 306  
 photosynthate distribution in, 38  
 polyphenol in leaves of, 295  
 Professor Laloux's method of growing, 121, 122  
 protein in developing seeds, 25, 26  
 protoplasts from flag leaves of, 41  
 rate of photosynthesis in, 39, 40  
 semi-dwarf varieties of, 39  
 sugar concentrations in, 38  
 take-all on, 140, 213-215, 233  
 use of N, P and K on, 307  
 varietal response to carbon dioxide enrichment, 39  
 varietal response to nitrogen, 37  
 variety experiments, 111  
 weeds on, 50, 51, 111  
 wheat and fallow experiment on Hoosfield, 217  
 yields, 36-39, 111, 116  
 See also: Cereals; Eyespot; Take-all  
 wheat bulb fly, seed treatments for controlling, 135, 147  
 Wild Oats, on Broadbalk, 50, 51  
 Wind tunnel, acceptance trials in, 192  
 Woburn  
 barley yields at, 112  
 degradation of pesticides in soils at, 149  
 effect of pesticides on VA mycorrhiza at, 236, 237  
 irrigation experiments on, 192, 193  
*Nitrosomonas* spp. in soils at, 149  
 rain at, 109, 110, 327  
 weather, 109, 327  
 wheat on, 111  
 Wood mice. See Mice  
 Wye College, 112  
 X-ray fluorescence analysis  
 for chemoprint studies, 295, 296  
 for soil mineralogy, 276, 277  
 Xylem exudates  
 reduced N fraction of, 23  
 ureides in, as measure of nitrogen fixation in legumes, 241, 242  
 Yeasts, in ripening grain, 209, 210



## INDEX

- Zambia, fertiliser and variety trials on sunflowers  
in, 316
- Zeolites, cation exchange properties of, 286
- Zero plane displacement, in micrometeorology, 194
- Zineb  
effect on damp hay, 209
- Zineb (*contd.*)  
effect on *Entomophthora* spp., 97
- Zoospores  
biflagellate, 177  
matric potentials of, 177  
motile, 168, 177