

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Report for 1980 - Part 1

[Full Table of Content](#)



---

## Index

### Rothamsted Research

Rothamsted Research (1981) *Index* ; Report For 1980 - Part 1, pp 297 - 307 - **DOI:**  
<https://doi.org/10.23637/ERADOC-1-137>

## SUBJECT INDEX

The General Report by the Director (pp. 9–16) has not been indexed.

- Acaulospora laevis*, 203  
Acephate, on sugar beet, 74  
Acid brown soils, 229, 230  
'Acronal 4D', 130, 131  
*Actinomadura* spp.,  
  diagnostic keys for, 267  
  isolation of, 191  
2-acylcyclohexane-1,3-diones, 126  
ADAS, 254  
ADAS Aerial Photography Unit, 71  
Aerial pollution, effect on barley growth, 56, 57  
Aerobiology, 168, 169, 177, 180  
Agricultural meteorology, 165, 166, 168, 169  
*Agropyron repens* (couch grass), as the origin of take-all, 184  
*Agrotis segetum*, migration studies of, 98  
Aldicarb  
  as an aphicide, 32  
  as a nematicide, 31, 32, 150, 151, 153, 154, 156  
  effects on spread of ryegrass mosaic virus, 189  
  on barley, 22  
  on beans, 27, 29  
  on peas, 30, 32  
  on sugar beet, 68, 69, 151, 152  
  on winter wheat, 17, 19, 21  
  uptake by earthworms of, 135  
Aldicarb sulphone, leaching of, 129, 136  
Alkali metals, co-ordination chemistry of, 141  
Alkaline earth metals, co-ordination chemistry of, 141  
*Allolobophora longa*, 101  
*Alternaria* spp., 23  
  growth of, 191  
  on ripening grain, 190, 191  
Amino acids  
  accumulation of, 38  
  S-adenosyl-L-methionine, 38  
  analysis of, 39  
   $\beta$  carotene, 258  
  cysteine, 39, 40  
  in clubroot diseases of cabbage, 132  
  lysine, 36, 38, 39, 43  
  methionine, 36, 38–40  
  N-terminal sequence of, 40  
  proline, 39  
  sulphur group, 39  
  synthesis of, 36  
  threonine, 36, 38, 43  
  4-trans-hydroxyl-L-proline, 38  
  tryptophan, 39  
Ammonia, assimilation of, 37  
Ammonia oxidising bacteria, 209  
Anemometers, 168  
Anystid mites, as aphid predators, 74  
Anthelmintics, survey of, 269  
Aphicides  
  aldicarb, 32  
  for sugar beet, 64  
  'Metasytox', 182  
  pirimicarb, 17  
  See also: Insecticides; Pesticides  
Aphid  
  alarm pheromone of, 126  
  bulletins, 64  
  caught in suction traps, 74, 182, 183  
  detection of barley yellow dwarf virus in, 181  
  effect of aldicarb on, 21  
  effect of pirimicarb on, 21  
  forecasting, 99, 100  
  genetic variability of populations, 95, 96  
  infectivity of *Erynia neoaphidis* conidia for, 95  
  infectivity with barley yellow dwarf virus, 182, 183  
  insecticide resistance, 73, 74, 120, 121, 125  
  iso-enzyme typing of, 95, 96  
  migrations, 99  
  on beans and peas, 27, 32  
  on hops, 99, 100  
  on ryegrass, 96  
  on sugar beet, 64, 65, 72, 73  
  on virus infected cereals, 92, 93  
  on winter wheat, 21, 22  
  overwintering, 99  
  predators of, 21, 73, 74  
  transmission of bean yellow vein-banding virus by, 189  
  transmission of potato virus Y by, 183  
  vector specificity of isolates introduced by, 183  
  virus transmission by, 125  
Aphids, scientific names of,  
  *Acyrtosiphon pisum*, 27, 32, 95, 189  
  *Aphis fabae*, 27, 74, 99  
  *Macrosiphum avenae*, 182, 183  
  *Macrosiphum euphorbiae*, 74  
  *Metopolophium* sp. 21, 182  
  *Metopolophium dirhodum*, 92, 93, 128  
  *Myzus persicae*, 64, 73–75, 120, 121, 125, 126, 182, 189  
  *Phorodon humuli*, 99, 100  
  *Rhopalosiphum padi*, 21, 181–183  
  *Sitobion avenae*, 21, 92, 93, 95, 128  
  *Apis cerana*, sacbrood virus in, 94  
  *Aphis fabae*, as an aphid predator, 74, 75  
*Aspergillus* spp.,  
  on winter wheat, 23  
  spore germination in, 191  
Aspirin, stimulation of resistance-associated Pr-proteins by, 180  
*Atomaria linearis*, on sugar beet, 69  
*Aureobasidium*, spp., on ripening grain, 190  
*Aureobasidium pullulans*, on winter wheat, 22, 23  
Auxanometers, 167  
Auxin  
  in sugar beet, 59  
  in wheat grains, 56  
*Azotobacter*, spp., inoculation of lettuce with, 205  
Bactericides, to control soft rot of potatoes, 176, 194  
Bangladesh, deep water rice grown in, 154  
Barley  
  ammonia concentrations in, 53  
  aphids on, 128, 129  
  apical development, 23  
  aspartate kinase from, 38  
  barley yellow dwarf virus, 22, 92, 93, 175, 176, 181–183  
  benodanil on, 23  
  biochemical mutants of, 38, 39  
  continuous, in take-all experiment, 184  
  effect of aerial pollution on, 56, 57  
  effect of deep cultivation on, 167  
  effect of deep incorporation of P and K on, 24  
  effect of drought on, 167  
  effect of 'Milstem' on, 133  
  effect of respiratory substrates on CO<sub>2</sub> compensation concentration, 52  
  effect of sowing date on, 23, 24



## INDEX

- Barley (contd.)**  
effect of subsoiling, 24, 25  
effect of timing of nitrogen on, 23, 24  
endoplasmic reticulum from endosperm, 41  
*Erysiphe graminis* (mildew) on, 22, 168, 179  
fluoride content of, 56  
fungicides for, 186  
grain size, 54, 55  
grain yield, 186  
growth regulators for, 23, 24  
homoserine dehydrogenase from, 38  
leaf area, 25  
leaf growth, 167  
light transmission, 25  
membrane-bound polysomes from, 40, 41  
model for growth and yield, 166, 167  
mutants of, 53  
nematodes on, 150  
'Nitro-Chalk' on, 23  
on Broom's Barn Farm, 76  
on Hoosfield, 114  
on Rothamsted and Woburn, 109, 110  
photorespiratory mutants, 38  
production of dry matter, 167  
reduced tiller production, 56  
resistance to 'Milstem', 121  
response to nitrogen, 267  
*Rhynchosporium secalis* on, 178, 179, 186, 187  
root measurements, 26  
*Septoria* on, 22  
shoot measurements, 25  
soil and water measurements for, 26  
spikelet numbers, 23  
stomatal resistance, 25  
storage proteins, 40, 41  
straw yield, 186  
tissue cultures from, 43  
transformation studies with, 43  
tridemorph on, 23  
uptake of <sup>14</sup>C-labelled phenylureas by, 135  
virus diseases of, 22  
water stress in, 39  
water use, 167  
yields, 24, 56  
*See also: Cereals; Erysiphe graminis; Take-all*
- Beans (*Vicia faba*)**  
aldicarb on, 27  
aphids on, 27  
*Apion vorax* on, 28  
aspartate kinase from seeds of, 38  
at Rothamsted and Woburn, 110  
benomyl on, 27  
*Botrytis fabae* (chocolate spot) on, 189  
effect of weather on, 27  
foliar feed experiment with, 207  
fosetyl-Al on, 27, 190  
fungal diseases of, 28, 29  
fungicides for, 189, 190  
leaf roll virus of, 27–29  
nematodes on, 29, 152, 157, 158  
pests and pathogens of, 26, 27  
root disease in, 28, 189, 190  
seed bed dressings of benomyl on, 189, 190  
*Sitona* spp., on, 27–29  
use of foliar sprays on, 189, 190  
yields, 17, 27  
*See also: Phaseolus vulgaris*
- Bedfordshire, soil survey in, 214  
Beef, production of, 267, 268  
Bees, *See* Honeybees  
Beetles  
carabid, as aphid predators, 74  
carabid, on sugar beet, 73  
*Sitona* spp., 27–29  
Bendiocarb  
on sugar beet, 68, 69  
use in bird repellents, 130, 131  
Benodanil  
as a fungicide on potato, 195  
on winter barley, 23
- 298**
- Benomyl**  
for control of take-all, 133  
on clover, 115, 116  
on oilseed rape, 192  
on ripening grain, 190  
to control chocolate spot on beans, 189  
to control root disease of field beans, 190  
residual effect of, 186  
Benzylgeranyl, 126  
BHC. *See: HCH*  
Biodeterioration, of ripening grain, 190, 191  
Birds  
damage caused to sugar beet by, 67  
repellents for, 131  
Bore Place Farm, 102  
*Botrytis fabae* (chocolate spot), on beans, 29, 189  
Brassica crops, protoplast culture in, 42  
*See also: Cabbage*  
Brickhearths, distribution of, 257  
British Gas Research Division, 232  
Broadbalk  
classical experiments on, 114, 115  
earthworms on, 101  
potatoes on, 115  
recovery of <sup>15</sup>N labelled fertiliser by wheat on, 247  
wheat on, 108, 115  
2-bromobenzanilide, as a fungicide for potato, 195  
Broom's Barn  
crop rotations at, 76  
livestock, 76, 77  
weather at, 286  
Buckinghamshire, soil survey in, 214
- <sup>13</sup>C nuclear magnetic resonance titrations, 144  
Cabbage  
clubroot on, 132  
3, 5-D on, 121  
Calcium  
effect on VA mycorrhizal infection, 204  
Cambridgeshire, soil survey in, 214  
Captafol, on ripening grain, 190  
Carabid beetles  
as predators of aphids, 74  
on sugar beet, 73  
Carbendazim  
as a fungicide on peas, 33  
on potatoes, 196  
on ripening grain, 190  
Carbofuran  
as a nematicide, 150  
on sugar beet, 68, 69, 75  
Carbon, content of in soil biomass, 253  
Carbon dioxide assimilation, rates of, 51  
Carbon dioxide compensation concentration, of rye-grass cultivars, 51, 52  
Carbon dioxide enriched atmosphere, growth of barley mutants in, 53  
Carbon flux, in cereals, 53  
Carboxin, as a fungicide on potato, 195  
Carboxymethylcellulase activity, 37  
Catalase activity, in barley mutants, 53  
Cation-exchange capacity, 230, 251  
Central Electricity Research Laboratory, 233  
Cereals  
aphids on, 128, 129  
carbon flux in, 53  
*Erysiphe graminis* on, 22, 130, 134, 168, 186  
grain size in, 54, 55  
immature embryos from, 43  
seed treatments against slugs in, 128  
stem borers on, 129  
storage proteins in, 35, 39–42  
take-all on, 37, 133, 184, 208, 243, 244, 246  
thrips on, 129  
*See also: Barley; Erysiphe graminis; Maize; Oats; Take-all; Wheat*  
Chemical labelling, of splash-dispersed drops, 179  
Chloride, leaching of in cropped soil, 249  
Chlorine dioxide, as a bactericide for potatoes, 194  
Chlorophyll, biosynthesis of, 38



## INDEX

- Chloroplasts, photosynthesis by, 51  
 Chromium, toxicity of, 254  
*Cladosporium* spp. (sooty mould), 23  
   on ripening grain, 190, 191  
   on virus-infected wheat ears, 93  
 Classical experiments, 114–116  
*Claytonia perfoliata*  
   purification of beet mild yellowing virus from, 181  
 Cleveland, soil survey in, 216  
 Clover,  
   benomyl on, 115, 116  
   diseases of, 187, 188  
   fungi found in roots of, 188  
   in Classical experiments, 115, 116  
   inoculation of with VA mycorrhiza, 203–205  
   nematodes on, 152  
 Clubroot, *See: Plasmodiophora brassicae*  
 Clwyd, soil survey in, 219, 233  
 Cobalt, content of in topsoil, 257  
 Cockroach, *See: Periplaneta americana*  
 Common scab, *See: Streptomyces scabies*  
 Computer programs  
   ARC Metadata system, 87  
   CAMPAC, 87  
   data-bases, 86  
   DECODE, 231  
   for field experiments, 274  
   for molecular geometry, 147  
   for soil survey, 231  
   for statistical analyses, 269  
   GHOST, 87  
   GRASP, 87  
   languages, 80  
   LINDAT, 231  
   model for behaviour of fluometuron, 129  
   model for behaviour of pesticides in soil, 136  
   Open System Interconnection, 80  
   Rothamsted General Survey Program, 86, 273  
   SYMVU, 87  
   Winter wheat modelling, 246, 247  
   *See also:* Statistical programming  
 Computers  
   applications, 86, 87  
   ARC Computing Committee, 81  
   Communications processors, 84, 86  
   computer graphics, 146, 147  
   concentrators, 85, 86  
   data management, 166, 231  
   data verification, 269  
   Honeywell H716 processors, 83–86  
   IBM 370, 146, 147  
   IBM 1130, 147  
   ICL System 4, 83, 146, 147  
   Jacquard J100 systems, 82  
   mainframes, 84, 85  
   maintenance, 85  
   management services section, 87  
   manpower, 80  
   microprocessors, 168  
   operations and telecommunications section, 81–84  
   plotters, 85  
   Prime 300, 84, 86  
   Prime 550, 82, 84–86, 147  
   Quantimet 720, 225, 227  
   software, 85, 86  
   system failures, 83  
   system utilisation, 82  
   training, 87  
   word processing, 82, 85  
*Conidiobolus obscurus*, 208, 209  
 Controlled drop application, of pesticide sprays, 130  
 Copper  
   concentrations of in soil solutions, 254  
   content of in topsoil, 257  
   toxicity of, 254  
 Cotton  
   *Fusarium* wilt on, 156  
   root-knot nematode on, 154, 155  
 Couch grass, *See: Agropyron repens*  
 Crystal structure, determination of, 145  
*Culicoides*, elemental analysis of, 98  
 Cumbria, soil survey in, 216  
*Cylindricarpon* spp., on sugar beet roots, 76  
   3, 5-D, 121, 132, 133  
   'D-D', as a nematicide, 150  
   DDT, 120, 121  
   Decomposition, of <sup>14</sup>C labelled plant material, 253, 254  
   Degradation, microbial, 135  
   Deltamethrin, 120, 123, 125  
     on sugar beet, 74  
   Demeton-S-methyl, on sugar beet, 74  
   Density gradient centrifugation, 208  
   Department of Agriculture, Northern Ireland, 87  
   Department of the Environment, 254  
   Derbyshire, soil survey in, 215  
   Devon, soil survey in, 218  
   Diazinon, degradation of in soils, 136  
   Dichlorophen, as a bactericide for potatoes, 194  
   Dicyandiamide, in soils, 259  
   Differential sedimentation, 208  
   3-(4, 8-dimethyl-3,7-nonadienyl)sulpholene, 126  
   Dimexan, 249  
   Dinoseb, 186  
   Direct drilling, of wheat, 116, 183  
   Disulphide bonds, 40  
   cDNA cloning, 41  
   Dodecanoic acid, aphid resistance to, 125  
   Dorset, soil survey in, 218  
   Drainage pipes, elemental sulphur in, 257, 258  
   Drought experiments, 166, 167  
   Dry rot (*Fusarium solani* var. *caeruleum*), 196  
   Durham, soil survey in, 216  
   Dyes, fluorescent, for splash droplets, 178  
   Dyfed, soil survey in, 219, 222  
 Earthworms  
   effect of direct drilling on, 101  
   effect of organic matter on, 101  
   effect on wheat growth, 101  
   for protein production, 102  
   uptake of aldicarb by, 135  
   waste disposal by, 102  
 East Anglia, soil survey in, 214, 215  
 East of Scotland College of Agriculture, 257  
 Eggs, statistical analysis for prediction of grades, 268  
 (Z)-11-eicosen-1-ol, 126  
*Eisenia foetida*, 102  
 Electroantennography, for honeybee pheromone research, 96  
 Electrostatic spray systems, 166, 169  
*Entomophthora aphidis*, 95  
 Enzyme-linked immunosorbent assay (ELISA), 65  
 Enzymes  
   alcohol dehydrogenase, 43  
   aspartate kinase, 38  
   catalase, 53  
   cell-wall degrading, 37  
   elastase, 145, 146  
   glutamine synthetase, 37, 38, 53  
   homoserine dehydrogenase, 38  
   inhibitors of, 38  
   nitrate reductase, 43  
   proteolytic, 36  
   RuBP carboxylase/oxygenase, 50  
*Ephestia kuehniella*, 121  
   pheromones of, 126, 127  
*Epicoccum* spp., 23  
   on ripening grain, 190  
*Erwinia caratovora* (tuber soft rot), on potatoes, 193, 194  
*Erwinia caratovora* var. *atroseptica*, spread of, 178  
*Erynia neoaphidis*, 95  
*Erysiphe betae* (powdery mildew on sugar beet), 65  
*Erysiphe graminis* (barley mildew)  
   deposition of spores, 166, 168  
   incidence of, 22  
   residual effect of systemic fungicide on, 186



## INDEX

- Erysiphe graminis* (*contd.*)  
 sensitivity of to triadimenol, 134  
 sprays for, 130  
*Erysiphe polygoni*, on peas, 29, 32  
*Escherichia coli*, nematodes feeding on, 159  
 Essex, soil survey in, 214, 215  
 Ethephon, on winter barley, 23  
 Ethionine, in foliar sprays, 132  
 Ethirimol  
     for control of mildew, 133, 134  
     resistance of barley to, 121  
 Ethoprophos, as a nematocide, 150  
 Eyespot (*Pseudocercospora herpotrichoides*), on  
     wheat, 183
- 'F849' (Uniroyal) as a fungicide, on potato, 195  
 Farmer's lung disease, protection from, 192  
 (E)- $\beta$ -farnesene, 126  
 Fascioliasis, 222, 224  
 Fenamiphos, as a nematocide, 150  
 Fens, sugar beet trials on the, 69  
 Fertiliser prediction, for winter wheat, 249, 250  
 Fertilisers  
     residues of, 251  
     Survey of Fertiliser Practice, 268  
     *See also:* Nitrogen fertilizers; Phosphate ferti-  
         lizers; Potassium fertilizers  
 Field desorption mass spectrometry, 144  
 Field Drainage Experimental Unit, Cambridge; 257  
 Field Experiments  
     computer programmes for, 274  
     crop yields, 243  
     small plots, 113, 114  
     working party for, 113  
 Field Plots Committee, 113  
 Fluometuron, leaching of, 129  
 Fluorescent labelling, of splash droplets, 178  
 Fluoride, level of in barley, 56  
 Flutrimazole, on peas, 30  
 'FMC 35001', on sugar beet, 68, 69  
 Fosetyl-Al, on field beans 27, 190  
 Fumigants, soil effect on nematodes, 150  
 Fungi  
     growth of, 191  
     on sugar beet roots, 76  
     spore germination, 191  
     water activity in, 191  
     *See also:* Fungus diseases; *Fusarium*; *Gaeumannomyces-Phialophora* complex; Mycorrhiza;  
         Take-all  
 Fungicides  
     aniline, for potatoes, 195  
     foliar sprays, 133  
     for oilseed rape, 192  
     inhibition of mycelial growth and spore germination  
         by, 190, 191  
     on winter barley, 23  
     on winter wheat, 17, 22, 23  
     resistance to, 121, 134  
     to control chocolate spot on beans, 189  
     to control the microflora of ripening grain, 190, 191  
 Fungus diseases  
     chocolate spot, 28, 29  
     rust (*Uromyces fabae*), 29  
     *Septoria*, 22  
     *See also:* *Erysiphe*; Eyespot; *Fusarium*: Take-all  
*Fusarium* spp.  
     on cotton, 156  
     on potatoes, 195  
     on sugar beet roots, 75, 76  
     on winter wheat, 22, 23, 183  
*Fusarium sulphureum*, on potatoes, 196
- Gaeumannomyces graminis* var. *graminis*, 36, 176, 177,  
 184  
*Gaeumannomyces graminis* var. *tricitii*, 36, 37, 184,  
 207, 208  
*Gaeumannomyces-Phialophora* complex, 35-37, 184  
     bioassays with, 37  
     carboxymethylcellulase activity of isolates, 37
- Gaeumannomyces-Phialophora* (*contd.*)  
     host-infection tests with, 37  
     oat-attacking isolates, 36  
     on roots, 36  
     on wheat seedlings, 37  
     pathogenicity of, 37  
     polygalacturonase activity of, 37  
 Gaseous diffusion, in soil crumbs, 169, 170  
 Genetic manipulation, of crop plants, 35, 42, 43  
 Gibberellins, in wheat grains, 56  
*Gigaspora margarita*, 202  
 Gleadthorpe Experimental Husbandry Farm, 268  
 Gliadin, 39  
*Glomus caledonius*, 201, 202, 204, 205  
*Glomus epigaeus*, 203  
*Glomus fasciculatus*, 202, 203  
*Glomus mossae*, 202, 203  
 Gloucester, soil survey in, 215  
 Glutamic acid, effect of on photorespiration rates, 52  
 Glutamine synthetase, in barley leaves, 53  
 Glyphosate, 187  
 GOGAT activity, in barley leaves, 53  
 Gordiids, *See* Hair worms  
 Gradients, of spore dispersal, 179, 180  
 Grain, ripening, microflora of, 190, 191  
 Grain, wheat  
     developing, protein bodies from, 40  
     free sulphate content of, 39  
     gliadin from, 39, 40  
     S-deficient, 39  
 Grass crops  
     at Rothamsted and Woburn, 111  
     diseases of, 187, 188  
     nematodes on, 152, 153  
     take-all after, 185, 186  
     *See also:* Ryegrass  
 Grassland map, England and Wales, 212, 220, 221  
 Grassland, nitrification inhibitors for, 249  
 Gravimetric determination of mean temperature, 259  
 Growth substances  
     auxin, 56  
     gibberellins, 56  
     indoleacetic acid, 55  
 Gwent, soil survey in, 215  
 Gwynedd, soil survey in, 219
- Hair worms, comparison with nematodes, 161  
 Hampshire, soil survey in, 217  
 Hanbury Park Farm, 232  
 Hares, damage to sugar beet caused by, 67  
 HCH, 120  
 Herbicides  
     effect of on number and viability of *Rhynchosporium secalis* spores, 186, 187  
     on sugar beet, 64, 67  
     simulation of movement of in soil, 256  
     *See also:* names of chemicals used as herbicides  
 Hereford and Worcester, soil survey in, 215  
 High Mowthorpe Experimental Husbandry Farm, 232  
 Honeybees (*Apis mellifera*)  
     alarm pheromones of, 96, 121, 126  
     clustering, 97  
     electroantennography for, 96  
     Nasanov pheromone of, 97, 126  
     *Nosema apis* on, 94  
     poisoning of, 127  
     pollen collecting, 99  
     queen pheromone of, 97  
     viruses of, 93, 94  
 Hoosfield  
     Permanent Barley Experiment on, 114  
     wheat on, 108  
 Hops, aphids on, 99  
 Hordein, 40-42  
     genes of, 40  
 Host/plant pathogen relationships, 36, 37  
 Housefly (*Musca domestica*)  
     biological studies, 124  
     knock-down resistance in, 120, 124, 125  
     properties of lipids in, 124



## INDEX

- Humberside, soil survey in, 216  
*Hyalodendron*, on ripening grain, 190  
 Hydraulic conductivity, 169, 171, 172  
 Hydraulic conductivity cell, 165
- ICI, 242  
 Image analysis, use of in splash-droplet measurement, 177  
 Imazalil  
   as a fungicide for potato, 196  
   on oilseed rape, 192  
   on ripening grain, 190  
 Immunospecific electron microscopy, 176, 187, 189  
 Indoleacetic acid, in wheat grains, 55  
 Infectivity index, 182  
 Infra-red photography, of sugar beet, 70, 71  
 Inhibitors  
   of nitrification, 248  
   of urease, 248  
 Insect traps  
   light traps, 100, 101  
   suction traps, 183  
   *See also:* Traps  
 Insecticides  
   chlorinated hydrocarbons, 120  
   housefly resistance to, 120, 124, 125  
   leaching of, 129  
   lipophilic, 120  
   phenylureas, 121  
   selectivity of, 127  
   spray application, 129, 130  
   transport of, 121  
   use of on sugar beet, 68, 69  
   *See also:* Aphicides; Nematicides; Pesticides; pyrethroids; names of individual insecticides  
 Insects  
   chemoprinting of, 98  
   elemental analysis of, 98  
   insecticide resistance in, 120, 121  
   light traps for, 100, 101  
   neuroanatomy of, 123, 124  
   rearing of, 131  
   *See also:* Insect traps; names of individual insects.  
 International Crops Research Institute for the Semi-Arid Tropics, 201  
 Ionophores, effect on stomata, 145  
 Iprodione, as a fungicide on beans, 189  
 Irrigation  
   effect on spring beans, 17  
   effect on winter wheat, 17  
   for sugar beet, 72  
 Isle of Wight, soil survey in, 217  
 Iso-enzyme typing, of aphids, 95, 96  
 Isolation, selective, of actinomycetes, 191  
 Isotope ratio determination, 259
- John Innes Institute, 42
- Kjeldahl analysis, 242
- Lacewings, statistical analysis of, 266  
 Land drainage, 171  
 Leaching, of nitrate, in cropped soil, 249  
 Leaf juice extractor, improvements to, 258  
 Leaf protein, extraction of, 258  
 Leather jackets, on sugar beet, 69  
 Leeks, use of host photosynthate by fungus in, 252  
 Legumes, virus diseases of, 187–190  
   *See also:* Clover; Lucerne  
 Leicestershire, soil survey in, 215, 216  
*Lentiscus*, nematodes on, 160  
*Leptosphaeria maculans* (canker), on oilseed rape, 192  
 Lettuce, inoculation of with mycorrhiza, 205  
*Leucaena*, nematodes on, 154  
 Ley-arable experiments, 186  
*Limnaea truncatula*, ecology of, 222–224  
*Limothrips cerealium*  
   feeding mechanisms of, 92  
   on cereals, 129
- Lincolnshire, soil survey in, 215, 216, 224, 225  
 Little Knott, take-all on, 207, 208  
 Liver fluke, interactions with soil type, 222–224  
 Livestock  
   at Broom's Barn Farm, 76, 77  
   at Rothamsted and Woburn, 111  
   statistical analysis for, 267, 268  
 Locusts, neuroanatomy of, 123, 124  
*Lolium multiflorum*, *See* Ryegrass  
 Lucerne, nematodes on, 152  
*Lumbricus terrestris*, 101  
 Lupins, soil micro-organisms on, 208  
*Lycopodium* (club moss), spores of, 168  
 Lysimeters, 172
- MAFF Sea Fisheries Laboratories, 87  
 Maize  
   aspartate kinase from, 38  
   forage, nematodes on, 152–154  
   inoculation of with mycorrhiza, 204  
 Maneb, on ripening grain, 190  
 Manganese, concentrations of in displaced soil solutions, 254, 255  
 Maps, soil, 212, 214, 219, 230, 232, 233  
 Mean temperature, gravimetric determination of, 259  
 Mebenil, as a fungicide for potato, 195  
 Media  
   for *Gaeumannomyces-Phialophora* complex, 37  
   for isolation of field and storage fungi, 191  
 Mepiquat chloride, on winter barley, 23  
 Messenger RNA, 37  
 Metalaxyl, on field beans, 190  
 Metal salts, induction of Pr-proteins by, 180, 181  
 Meteorological Office, the, 229  
 Methyl bromide, on sugar beet, 75  
 Microencapsulation, 130, 131  
 Microflora, of ripening grain, 190, 191  
 Micromass 602D mass spectrometer, 259  
 Micronutrients, 254, 255  
 Microprocessors, 168  
 Microsporidia, 93, 94  
 Midlands, soil survey in, 215, 216  
 Mildew *See Erysiphe graminis*  
 Millipedes, damage to sugar beet caused by, 67, 69  
 'Milstem' *See* Ethirimol  
 Moths  
   pea moth monitoring, 30  
   pheromone traps for, 31, 97, 98  
*Musca domestica*, *See* Housefly  
 Mutant plants, synthesis of amino acids in, 35, 36  
 Mycelial growth, inhibition of by fungicides, 191  
 Mycorrhiza, vesicular-arbuscular  
   'active' infection of lettuce with, 205  
   biochemical studies of, 204, 205  
   effect of aldicarb on, 154  
   effect of calcium on, 204  
   effect on plant growth and internal P concentration, 251  
   electron microscope studies with, 205  
   endophyte trial, 203  
   field inoculation studies, 201, 202  
   models of infection spread, 252  
   nutrient film technique for, 202  
   spread of inoculum, 202  
 NA<sup>36</sup>Cl, leaching of, 129  
 Nasonov pheromone, *See* Honeybees  
 National College of Agricultural Engineering, 116  
 National map programme, 212, 214  
 National Research & Development Corporation, 123, 129, 130  
 National Soil Inventory, 214  
 National Vegetable Research Station, 206  
 Nematicides  
   aldicarb, 150, 152  
   carbofuran, 150  
   'D-D', 150  
   'D-D'/methyl isothiocyanate mixture, 150  
   effect on cereal cyst nematodes, 150, 151  
   effect on root ectoparasitic nematodes, 150  
   effect on yields, 150, 151



- Nematicides (contd.)  
ethoprophos, 150  
fenamiphos, 150  
foliar application of, 151  
granular, 150  
methyl bromide, 150  
non-tumigan, 150  
organophosphorus, 150  
oxamyl, 150, 151  
oximecarbamate, 150, 151  
vertical band applicator for, 151  
Nematodes  
beet cyst-nematode, 151  
cereal cyst-nematode, 151, 158  
chemical control of, 149-152  
comparison with hair-worms, 161  
cyst, control of, 150, 151  
cyst, pathology, 156, 157  
cyst, taxonomy of, 266  
deterministic characters for identification of  
*Meloidogyne*, 160  
effect of fumigation on, 150  
extraction of cyst nematodes, 162  
feeding behaviour, 159, 160  
food flow in stylet feeders, 159, 160  
fungi on, 158, 159  
hatching of, 157, 158  
interaction with *Rhizobium*, 156  
migratory, 32, 154  
morphology and fine structure of, 160  
new species of *Heterodera*, 160, 161  
on barley, 150  
on beans, 29, 152, 157, 158  
on clover, 152  
on cotton, 154, 155  
on *Leucaena*, 154, 155  
on lucerne, 152  
on maize, 152  
on oats, 152  
on onions, 152  
on peas, 152  
on pigeon pea, 154  
on potatoes, 150, 151, 156, 157  
on sorghum, 154  
on sugar beet, 150, 151  
on taro, 155  
on tomatoes, 150  
on wheat, 21, 150, 153  
pathogens of, 158, 159  
pea cyst-nematode, 151, 157  
potato varieties resistant to, 151, 157  
rice root-knot, 154  
root ectoparasitic, 150, 152, 153  
root lesion, 153  
scanning electron microscopy for study of, 160  
spear bearing, 21  
stem, 114, 152, 157, 158  
sugar beet cyst-nematode, 158  
Nematodes, scientific names of,  
*Caenorhabditis elegans*, 159  
*Criconeimoides*, 154  
*Ditylenchus dipsaci*, 114, 152, 157, 158  
*Globodera rostochiensis*, 150, 151, 155, 157, 162  
*Globodera pallida*, 150, 151, 155, 157, 162  
*Helicotylenchus* spp., 21, 75, 153, 154, 156  
*Helicotylenchus verticillatus*, 153  
*Helicotylenchus vulgatus*, 152, 156  
*Hemicycliphora*, 154  
*Heterodera avenae*, 151, 154, 159  
*Heterodera carotae*, 160  
*Heterodera cruciferae*, 160  
*Heterodera goettingiana*, 151, 156, 157, 160  
*Heterodera schachtii*, 151, 158  
*Hexatylenchus viviparus*, 160  
*Hirschmanniella* sp., 155  
*Longidorus* spp., 159  
*Meloidogyne* spp., 160  
*Meloidogyne acrona*, 154  
*Meloidogyne graminicola*, 154, 160  
*Meloidogyne graminis*, 160  
Nematicides (contd.)  
Oxamyl, 150, 151  
Organic matter, effects of on soils at Woburn, 252, 253  
Opto-electrical colour matching system, 165  
*Opomyza* spp., on winter wheat, 100  
Open-cast coal sites, 232  
*Oncchus* spp., on sugar beet, 69, 70  
nematodes on, 152, 154  
inoculation of with mycorrhiza, 203  
Onions  
mosaic virus, 188  
*Olipidium radicatae*, as a vector of red clover necrotic  
*Olipidium brassicae*, 188  
regeneration of from protoplasts, 42  
*Pyrenopeziza brassicae* on, 192  
male sterility in, 42  
*Leptosphaeria maculans* on, 192  
growth response to triadimefon, 176  
effect of chemicals applied to stubble, 192  
diseases of, 192, 193  
Oiled rape  
varieties resistant to stem nematodes, 152  
nematodes on, 152  
meta-toxicity in, 254  
*Gaeumannomyces-Phialophora* complex on, 36  
at Rothamsted and Woburn, 110  
at Broom's Barn, 76  
Oats  
Nutrient uptake rate, for winter wheat roots, 246  
Nuarimol, for control of take-all, 133  
NRDC 185, 127  
NRDC 108, 127  
NRDC 157, 123  
*Nosema apis*, 93  
North Yorkshire, soil survey in, 216  
Northamptonshire, soil survey in, 216  
Nodules, root, ammonia assimilation in, 37  
*Noctua pronuba*, migration studies with, 98  
Nitrogen metabolism, 35, 36  
Nitrogen in soils, 245  
symbiotic, 204  
estimation of in the field, 207  
Nitrogen fixation  
timing of, 23, 24, 267  
response to in spring barley, 267  
response of ryegrass to, 267  
265, 266  
relationship with N concentration in wheat grain,  
rates of application, 20, 21  
prediction of requirements, 249, 250  
on winter wheat, 17-20, 53, 54  
NO<sub>3</sub>-N, 20  
15N labelled, recovery of by winter wheat, 247  
for sugar beet, 64, 67, 72  
Nitrogen fertilisers  
Nitrication inhibitors, 242, 248, 249  
leaching of in cropped soil, 249  
in wheat stems, 245  
Nitrate  
Nitrapyrin, 248, 249  
NIA 16388, 123  
Netherlands Soil Survey Institute, 231  
*Nematophthora gynophila*, 158, 161, 162  
*Xiphinema elongatum*, 156  
*Tylenchus* spp., 21, 154  
*Tylenchorhynchus* spp., 21, 31, 32, 75, 153, 154  
*Trichodorus* spp., 150  
*Scutellonema* spp., 156  
*Rotylenchulus reniformis*, 156  
*Rotylenchus*, 154  
*Radopholus ritleri*, 65  
*Pratylenchus thornei*, 156  
*Pratylenchus neglectus*, 153, 154  
*Pratylenchus* spp., 21, 29, 31, 32, 75, 153, 154, 156  
*Paratylenchus*, 152, 153  
*Paratylenchus*, 152, 153  
*Paratrichodorus anemones*, 153  
*Meloidogyne incognita acrita*, 156  
Nematodes (contd.)  
Oxycarboxin, as a fungicide on potato, 195  
Oxfordshire, soil survey in, 217  
Oxamyl, as a nematocide, 150, 151  
Organic matter, effects of on soils at Woburn, 252, 253  
Opto-electrical colour matching system, 165  
*Opomyza* spp., on winter wheat, 100  
Open-cast coal sites, 232  
*Oncchus* spp., on sugar beet, 69, 70  
nematodes on, 152, 154  
inoculation of with mycorrhiza, 203  
Onions  
mosaic virus, 188  
*Olipidium radicatae*, as a vector of red clover necrotic  
*Olipidium brassicae*, 188  
regeneration of from protoplasts, 42  
*Pyrenopeziza brassicae* on, 192  
male sterility in, 42  
*Leptosphaeria maculans* on, 192  
growth response to triadimefon, 176  
effect of chemicals applied to stubble, 192  
diseases of, 192, 193  
Oiled rape  
varieties resistant to stem nematodes, 152  
nematodes on, 152  
meta-toxicity in, 254  
*Gaeumannomyces-Phialophora* complex on, 36  
at Rothamsted and Woburn, 110  
at Broom's Barn, 76  
Oats  
Nutrient uptake rate, for winter wheat roots, 246  
Nuarimol, for control of take-all, 133  
NRDC 185, 127  
NRDC 108, 127  
NRDC 157, 123  
*Nosema apis*, 93  
North Yorkshire, soil survey in, 216  
Northamptonshire, soil survey in, 216  
Nodules, root, ammonia assimilation in, 37  
*Noctua pronuba*, migration studies with, 98  
Nitrogen metabolism, 35, 36  
Nitrogen in soils, 245  
symbiotic, 204  
estimation of in the field, 207  
Nitrogen fixation  
timing of, 23, 24, 267  
response to in spring barley, 267  
response of ryegrass to, 267  
265, 266  
relationship with N concentration in wheat grain,  
rates of application, 20, 21  
prediction of requirements, 249, 250  
on winter wheat, 17-20, 53, 54  
NO<sub>3</sub>-N, 20  
15N labelled, recovery of by winter wheat, 247  
for sugar beet, 64, 67, 72  
Nitrogen fertilisers  
Nitrication inhibitors, 242, 248, 249  
leaching of in cropped soil, 249  
in wheat stems, 245  
Nitrate  
Nitrapyrin, 248, 249  
NIA 16388, 123  
Netherlands Soil Survey Institute, 231  
*Nematophthora gynophila*, 158, 161, 162  
*Xiphinema elongatum*, 156  
*Tylenchus* spp., 21, 154  
*Tylenchorhynchus* spp., 21, 31, 32, 75, 153, 154  
*Trichodorus* spp., 150  
*Scutellonema* spp., 156  
*Rotylenchulus reniformis*, 156  
*Rotylenchus*, 154  
*Radopholus ritleri*, 65  
*Pratylenchus thornei*, 156  
*Pratylenchus neglectus*, 153, 154  
*Pratylenchus* spp., 21, 29, 31, 32, 75, 153, 154, 156  
*Paratylenchus*, 152, 153  
*Paratylenchus*, 152, 153  
*Paratrichodorus anemones*, 153  
*Meloidogyne incognita acrita*, 156  
Nematodes (contd.)



## INDEX

- Paleosols, clay mineralogy of, 256  
*Parachordodes wolterstorffi*, 161  
 Park Grass, soil micro-organisms from, 208  
 Pea moth, *See* Moths  
 Pearl millet, tissue cultures from, 43  
**Peas**  
   aldicarb on, 30, 31  
   aphids on, 30  
   aspartate kinase from, 38  
   *Erysiphe polygoni* on, 29, 30, 32, 33  
   fungal diseases of, 32, 33  
   glutamine synthetase from leaves of, 38  
   leafless, 17, 29, 30, 33  
   nematodes on, 152, 156, 157  
   permethrin on, 30  
   pests of, 29–33  
   root nodulation in, 156  
   seasons and plant growth in, 30, 31  
   *Sitona lineatus* on, 30, 33  
   storage proteins from, 41  
   virus diseases of, 28, 32  
 Peat soils, cation-exchange capacity of, 230  
*Penicillium* spp.  
   on sugar beet roots, 76  
   spore germination in, 191  
*Periplaneta americana* (cockroach), effect of synergised pyrethroids on, 123  
 Perithecia, from *Phialophora radicola* var. *radicola* isolates, 185  
**Permethrin**  
   as an aphicide, 32  
   degradation of, 135, 136  
   for control of wheat bulb fly larvae, 127  
   insect resistance to, 125  
   on beans, 27  
   on peas, 30, 32, 33  
 Pesticide spray drops, deposition of, 168, 169  
**Pesticides**  
   computer simulation of, 136  
   leaching of in soil, 136  
   microbial degradation of, 135, 136  
   root penetration of, 135  
   root uptake of, 135  
   transport of in plants, 129  
   *See also:* Aphicides; Fungicides; Insecticides; Nematicides  
**Pests**  
   forecasting, 99, 100  
   migrant, origins of, 98  
   soil, on sugar beet, 69, 70  
*Phaseolus vulgaris*  
   ammonia assimilation in root nodules of, 37  
   inoculation of with *Rhizobium*, 206  
 Pheromone traps, for pea moths, 97, 98  
**Pheromones**  
   alarm, in honeybees, 96, 97, 121, 126  
   Nasonov pheromone, 97, 125, 126  
   of *Ephestia kuehniella*, 126, 127  
   of pea moths, orientation by, 97, 98  
   queen pheromone, 97  
*Phialophora radicola* var. *graminicola*, 36, 37, 184–186  
*Phialophora radicola* var. *radicola*, 36, 37, 177, 184, 185  
*Phoma* spp., on sugar beet, 75, 76  
*Phoma exigua* var. *foveata* (gangrene on potato)  
   effect of fungicides on, 196  
   sources of inoculum, 194  
   stolon infection, 194, 195  
 Phoridae, ecological survey of, 266  
 Phosphate, effects of concentration of on mycorrhizal infection, 203, 204  
**Phosphate fertilisers**  
   deep incorporation of, 24  
   for winter wheat, 250  
**Phosphates**, in leaves, estimation of, 51  
**Phosphorus**, soil  
   association with crop yields, 266  
   effect of mycorrhiza on, 251  
   measurement of in soil biomass, 242, 253  
 Photographic film, use of as a trapping surface, 177  
 Photorespiration, 38  
 Photosynthate, host, use of by fungus, 251, 252  
**Photosynthesis**  
   by protoplasts and chloroplasts, 51  
   effects of temperature on, 51  
   in sugar beet, 70  
*Phytophthora* spp., diagnostic keys for, 267  
 Pigeon pea, nematodes on, 154  
 Piperonyl butoxide, synergism by, 123  
**Pirimicarb**  
   on beans, 27  
   on sugar beet, 74  
   on winter wheat, 17, 19, 21  
 Plant material, <sup>14</sup>C labelled, decomposition of, 253  
 Plant physics, 165  
 Plant water potential, 165  
 Plant: weather interactions, 165  
*Plasmodiophora brassicae*  
   amino acids in, 132  
   response of host to, 132  
 Plum trees, bird repellents on, 130, 131  
 Pollen, sampling of for heavy metals, 99  
 Polyacrylamide gel electrophoresis, 41  
**Polyethers**  
   monocyclic, 144  
   open chain, 141, 144  
   polycyclic, 145  
 Polygalacturonase activity, 37  
**Polypeptides**  
   of gliadin, 39, 40  
   of hordein, 40, 41  
   polymorphism of, 40  
*Polyscytalum pustulans* (skin spot on potato), 196  
 Potash, deep incorporation of, 24  
**Potassium fertilisers**  
   adsorption of, 251  
   residues, 251  
 Potato Marketing Board, 176, 194  
**Potatoes**  
   abscisic acid content of, 155  
   aniline fungicides for, 195  
   bactericides for, 176, 194  
   blackleg on, 175, 193  
   blight (*Phytophthora infestans*) on, 175  
   calcium content of leaves, 155  
   common scab (*Streptomyces scabies*) on, 132, 133, 195  
   cyst nematode resistant varieties, 151, 155  
   3,5-D on, 121  
   diseases of, 175, 193–196  
   dry rot (*Fusarium* spp) on, 195, 196  
   effect of lodging in, 59  
   effect of organic matter on, 252, 253  
   effect of soil P on yield, 266  
   *Erwinia caratovora* var. *caratovora* (tuber soft rot) on, 193–195  
   fungicides for, 196  
   gangrene (*Phoma exigua* var. *foveata*) on, 194–196  
   genetic manipulation of, 42  
   growth of at Rothamsted and Woburn, 110  
   King Edward, nematodes on, 151, 155  
   mycorrhizal inoculation of, 251  
   nematodes on, 150, 151, 156, 157  
   on Broadbalk, 115  
   pycnidia on, 195  
   radiation interception, 59  
   skin spot (*Polyscytalum pustulans*) on, 196  
   stem canker on, 195  
   stolon infection, 194, 195  
   tuber treatment before storage, 195, 196  
   virus diseases of, 36  
   water use, 155  
   wound healing and storage diseases in, 195  
   yields, 59, 60, 115  
 Poultry experiments, 268  
 Powder diffraction, 146  
 Powys, soil survey in, 219  
**Prochloraz**  
   as a fungicide on beans, 189, 190



## INDEX

- Prochloraz (*contd.*)  
as a fungicide on oilseed rape, 192  
as a fungicide on potatoes, 196  
Protease inhibitors, 36  
Pr-proteins, relation of to virus resistance, 36, 176, 180, 181  
Protein crystallography, 145, 146  
Proteins  
gluten, 39, 40  
in cereal seed, 35  
in potatoes, 36  
leaf, extraction of, 258  
pathogenesis related, 36, 176, 180, 181  
storage, 35, 39, 42  
synthesis of, 37, 40, 41  
Protoplasts  
photosynthesis by, 51  
regeneration of plants from, 42, 43  
*Pseudomonas*, in bacterial population on Little Knott, 207, 208  
*Pterostichus melanarius*, as an aphid predator, 74  
Pyracarbolid, as a fungicide on potato, 195  
*Pyrenopeziza brassicae* (light leaf spot), effect of fungicides on, 192  
Pyrethroids  
antagonism by synergists, 123  
aphid resistance, 125  
effect on cockroaches, 123  
effect of synergists on action of, 123  
knock-down resistance to, 120, 121, 124, 125  
structure-activity studies, 122, 123  
Pyridoxal phosphate, inhibition of RuBP carboxylase from wheat with, 50, 51  
*Pythium* spp.  
on beans, 28  
on sugar beet roots, 76  
Quinalphos, on sugar beet, 69  
8-quinolinol, as a bactericide for potatoes, 194  
Quinones, 36  
as urease inhibitors, 248  
Radioactivity, natural, measurement of in soil, 251  
Radish, cytoplasts from, 42  
Rainfall, at Rothamsted and Woburn, 107, 108  
Raintower experiments, 178  
Red clover, diseases of, 187, 188  
Redcurrants, bird repellents on, 130, 131  
Repellents, bird, 130, 131  
Resistance, to tobacco mosaic virus, 180, 181  
Respirator filters, penetration of by actinomycete spores, 192  
*Rhizobium* spp.  
inoculation methods for *Phaseolus vulgaris*, 206  
interactions with nematodes, on peas, 156  
long-term storage of, 206  
*Rhizobium phaseoli*, 206  
*Rhynchosporium secalis*  
effect of herbicides on, 186, 187  
sensitivity to triadimenol, 134  
splash-dispersed spores of, 178, 179  
Rice, root-knot nematode on, 154  
Rifampicin, use of in media for isolation of actinomycetes, 191  
RNA fraction, of storage proteins, 41  
Root disease, of field beans, 190  
Roots, estimation of length of, 161  
Rothamsted, weather at, 107, 108, 284  
Rothamsted Insect Survey, 99, 182  
Rothamsted Rhizobium Collection, 206  
Royal Society for the Protection of Birds, 233  
RuBP carboxylase/oxygenase, purification procedure for, 50  
Ruminants, protein requirements of, 268  
Ryegrass  
aphids on, 95, 96  
CO<sub>2</sub> compensation concentration of cultivars, 52  
insect resistance in, 96  
response to N fertilisers, 267  
ryegrass mosaic virus, 188  
Ryegrass (*contd.*)  
seed-borne virus of, 187  
See also: Grass crops  
*Saccharomonospora viridis*, isolation of, 191  
Salicylanilide, as a fungicide on potato, 195  
Salterns, in Lincolnshire, 224, 225  
Samplers, liquid, for splash-dispersed diseases, 178  
Saxmundham, weather at, 287  
Scanning electron microscopy, for study of *Meloidogyne* spp., 160  
Scottish Plant Breeding Station, 151  
*Scutigerella immaculata*, on sugar beet, 69, 70  
SDS-PAGE, 39-41  
Seed storage proteins, 35, 39, 42  
Seeds  
methionine content of, 38  
threonine content of, 38  
wheat seed protein, 39, 40  
Seepage, of water through aquifers, 171  
*Septoria* spp., 22  
Severn-Trent River Authority, 233  
Sewage cake, for earthworm breeding, 102  
Sewage sludge, toxic effects of heavy metals in, 254  
Shirdley Hill Sand, mineralogy and weathering of, 258  
*Sitona* spp., 27, 29, 30  
Slugs  
damage to sugar beet, caused by, 67, 69  
seed treatments against, 128  
Soil analysis, 259  
Soil biomass  
<sup>14</sup>C labelled, build-up of, 253  
carbon in, 253  
phosphorus in, 242, 253  
Soil classification, 230  
Soil maps, 212, 214, 219, 220, 230  
Soil micro-organisms, physical studies on, 208, 209  
Soil mineralogy, 256, 258  
Soil moisture, See Soil water  
Soil organic matter, See Organic matter  
Soil origin, 257  
Soil profile, for sugar beet, 72  
Soil properties, spatial analysis of, 257  
Soil sampling, survey of, 268, 269  
Soil solutions, concentrations of copper and manganese in, 254, 255  
Soil structure  
characterisation and quantification of, 225-228  
clay-water pressure, 172  
computer analysis of, 225, 226  
crumb porosity, 165  
effects of subsoiling on, 26, 256  
formation of, 255, 256  
gaseous diffusion in soil crumbs, 169, 170  
non-swelling soils, 173  
overburden pressure, 172, 173  
particle size, 230, 258  
pore patterns, 227, 228  
quantification of aggregates, 227, 228  
swelling soils, 172, 173  
total specific surface, 255  
wetness, 228  
Soil surveys  
Bedfordshire, 214  
Buckinghamshire, 214  
Cambridgeshire, 214  
Cumbria, 216  
Dorset, 218  
Durham, 216  
Dyfed, 219, 222  
East Anglia, 214, 215  
Essex, 214, 215  
Gloucester, 215  
Gwent, 215  
Gwynedd, 219  
Hampshire, 217  
Hereford and Worcester, 215  
Isle of Wight, 217  
Leicestershire, 216  
Lincolnshire, 215, 224, 225



## INDEX

- Soil surveys (*contd.*)  
 Midlands, 215, 216  
 Northamptonshire, 216, 232  
 North Yorkshire, 216  
 Powys, 219  
 Somerset, 218  
 Staffordshire, 215  
 Suffolk, 214, 215  
 Sussex, 217  
 Worcestershire, 215
- Soil temperature, 169
- Soil type  
 effect on yields of winter wheat, 247  
 interaction with liver fluke, 222, 224
- Soil water  
 effect on workability, 228  
 infiltration and run off, 171  
 ponding time, 171  
 potential, 26, 173  
 profiles, 170, 171  
 regimes, 231, 232  
 retention of, 232  
 scaling techniques for, 171  
 use by winter wheat, 246
- Soil workability, 228, 229
- Solanum* spp., diagnostic keys for, 266, 267
- Solanum berthaultii*, resistance to potato virus X in, 181, 182
- Solar radiation, measurement of at Woburn, 165
- Solute movement, in soil, 254
- Somerset, soil survey in, 218
- Sorghum, nematodes on, 154, 155
- Spatial analysis, of soil properties, 257
- Splash dispersal, mechanisms of, 177, 178
- Splash dispersed diseases, study of, 176, 178
- Splash droplet measurement, use of image analysis in, 177
- Splash mixing process, the, 177, 178
- Spores  
 actinomycete, 191, 192  
 deposition of, 168, 169  
 extraction of from soil, 161, 162  
 germination of, 191  
 gradients of dispersal, 179, 180  
 growth of 191  
 mycorrhizal, 202  
 of *Conidiobolus obscurus*, 208  
 of *Erysiphe graminis*, 168  
 of *Lycopodium*, 168  
 of *Rhynchosporium secalis*, 186, 187  
 splash-dispersed, 178, 179  
 transport of by wind, 179
- Sprayers  
 electrostatic, 166, 169  
 for small plots, 114
- Spraying  
 controlled drop application, 130  
 foliar, 129, 130
- Staffordshire, soil survey in, 215
- Statistical analysis  
 anthelmintic survey, 269  
 diagnostic key construction, 266, 267  
 for ADAS, 267–269  
 for ODA projects, 269, 274  
 National Milk Quality Survey, 269  
 of lacewings, 266  
 of livestock experiments, 267, 268  
 of nitrogen concentration in wheat grain, 265  
 of Phoridae survey, 266  
 of soil phosphorus and yields, 266  
 routine analysis, 269  
 Survey of fertiliser practice, 268  
 Survey of soils, 268, 269  
 taxonomy of cyst nematodes, 266
- Statistical models  
 for growth and yield of barley, 166, 167  
 for plant: weather interactions, 166  
 for soil-water physics, 166
- Statistical programming  
 documentation, 272
- Statistical Programming (*contd.*)  
 Generalised linear interactive modelling (GLIM), 273  
 Genkey, 266, 267, 272  
 Genstat, 266, 271–273  
 high-level languages, 273  
 Maximum likelihood program (MLP) 270, 272, 273  
 releases, 271, 272  
 Rothamsted General Survey Program (RGSP), 86, 273  
 time-series analysis 271, 272
- Statistical theory  
 asymmetry in multivariate analysis, 270  
 differential equations, 270  
 dual polyclaves, 271  
 estimation for generalised linear models, 271  
 intercropping, 274  
 non-linear inference, 270  
 ordination between and within groups, 269, 270  
 precision of data, 274  
 singular-value decomposition of matrix, 270
- Stomata, effect of ionophores on, 145
- Strawburning, effect on diseases of wheat, 183
- Streptomyces albus*, isolation of, 191
- Streptomyces scabies* (potato common scab)  
 control of by foliar sprays, 132, 133  
 effects on crop growth and yield, 195
- Suffolk, soil survey in, 214, 215
- Sugar beet  
 acephate on, 74  
 aphids on, 64, 72–75  
 area index, 70  
 assessment of leaf cover, 70, 71  
 auxin content, 59  
 beet mild yellowing virus, 176, 181  
 blackleg on, 67  
 carabid beetles on, 73  
 chalkland problems, 75, 76  
 damage by birds, 67  
 damage by hares, 67  
 damage by millipedes, 67  
 damage by slugs, 67  
 Docking disorder, 65, 150  
 dry matter production, 71, 72  
 effect of carbofuran, 66  
 effect of nitrogen and irrigation, 72  
 effect of soil P on yield, 266  
 effect of temperature on leaf development, 57, 58  
 ELISA test on, 65  
*Erysiphe betae* on, 65  
 Establishment Survey, 66, 67  
 fungi on roots of, 75, 76  
 germination in the field, 65  
 growth trials in the Yorkshire Wolds, 68  
 herbicides, 64  
 hormonal control of, 58, 59  
 indole- $\alpha$ -pyrone in, 59  
 infra-red photography of, 70  
 insecticide sprays for, 68, 69  
 leaf area index, 57, 58  
*Myzus persicae* on, 72, 73  
 nematodes on, 150, 151, 158  
 nitrogen requirement, 63  
 nitrogen uptake, 71, 72  
 plant establishment, 65–70  
 post emergence losses, 66  
 pre-emergence losses, 65, 66  
 radiation interception, 70, 71  
*Radopholus ritteri* on, 65  
 seed bed irrigation, 66  
 seedling damage, 70  
 seedling establishment, 65, 66  
 soil insecticides for, 67, 68  
 soil pests on, 69, 70  
 soil profile for, 72  
 soluble impurities in the root, 72  
 sugar yields, 72, 76  
 superphosphate on, 75  
 time and method of nitrogen application, 67  
 trials on the Fens, 69



## INDEX

- Sugar beet (*contd.*)  
variation between rows, 66  
variation in seedling weight, 66  
virus diseases of, 65, 73–75  
weed beet, 64  
wood mouse damage to, 64  
Sugar beet establishment survey, 66, 67  
Sulphate, estimation of, 231  
Sulphur, in plastic drainage pipes, 257  
Surveys, *See* Rothamsted Insect Survey; Statistical analysis; Sugar beet establishment survey.  
Sussex, soil survey in, 217  
Syrphid larvae, on sugar beet, 74
- Take-all on cereals  
after grass crops, 185, 186  
anatomical studies of in lesioned tissue, 207, 208  
benomyl for control of, 133  
decline, 207, 208  
effect of breaks on, 184  
effect of nuarimol on, 133  
effect on yields, 243, 246  
lesions, 37  
microbiology of wheat roots infected with, 207, 208  
origin of, 184  
studies of a low-infectivity site, 184  
*See also: Gaeumannomyces graminis*
- Taro, nematodes on, 155  
Technicon AutoAnalyzer, 259  
Temperature, effects of on photosynthetic and photo-respiratory metabolism, 51  
Tensiometers, 172  
Thames Water Authority, 101, 233  
Thermal conductivity, effect of tillage on, 166, 169  
Thiabendazole  
as a fungicide on beans, 189  
as a fungicide on potatoes, 196  
Thiophamine, on potatoes, 196  
Thiophanate methyl, on potatoes, 196  
Thiram, on beans, 190  
Thrips  
on cereals, 129  
stylet apparatus in, 92  
Tillage experiments, 166, 169  
Time response, theory of, 172  
Tissue cultures, from wheat and barley, 43  
Tobacco  
Pr-proteins in tobacco callus tissue, 176, 180  
virus diseases of, 176, 181  
Tomatoes, nematodes on, 150  
Toxicity  
of heavy metals in sewage sludge, 254  
of trace metals, 254, 255  
zinc equivalent index of, 254  
Trace elements, determination of migrant pest origins by, 98  
Trace metal programme, 242  
Trafficability, maps showing, 233  
Transducer technique, to measure stem diameter, 165  
Transmission, of viruses, 187, 188  
Traps  
for *Rhynchosporium secalis* spores, 178, 179  
pitfall traps, 74  
sticky traps, 74  
suction traps, 183  
water traps, 74  
*See also: Insect traps*  
Triadimefon  
on rape stubble, 192, 193  
residual effect of, 186  
Triadimenol, response of barley pathogens to, 134  
Tridemorph  
mode of action of, 134  
on winter barley, 23, 130  
*Trifolium repens*, *See* Clover  
University of Wales experimental farm, 71  
Upper Greensand soils, 217, 218  
Urea, aqueous, 248, 249
- Urease inhibitors, 249
- Vectors  
putative, of red clover necrotic mosaic virus, 188  
specificity of isolates introduced by infective aphids, 183  
*Venturia canescens*, 121, 127  
*Verticillium*  
on ripening grain, 190  
on winter wheat, 22, 23  
*Verticillium chlamydosporium*, 159, 161, 162  
Vesicular-arbuscular mycorrhiza, *See* Mycorrhiza  
Viruses  
aphid infectivity, 182  
enzyme-assisted extraction of, 181  
helper, 189  
hypersensitivity, 36  
interactions with aphids, 182, 189  
of beans, 188–190  
of cereals, 181–182  
of grasses, 187  
of honeybees, 93, 94  
of legumes, 187–189  
of peas, 189  
of potatoes, 181, 182  
of sugar beet, 65, 73–75, 176  
of tobacco, 36, 176, 181  
properties of, 180–182  
purification of, 181  
resistance to, 176, 180, 181  
serological relationships of, 181  
transmission by *Myzus persicae*, 125  
Viruses, names of,  
acute bee paralysis virus, 94  
Arkansas bee virus, 94  
barley yellow dwarf virus, 22, 92, 93, 175, 176, 181–183  
bean leaf roll virus, 27, 28, 32, 189  
bean yellow vein-banding virus, 189  
bee filamentous virus, 94  
bee virus Y, 93  
beet cryptic virus, 181  
beet mild yellowing virus, 176, 181  
beet yellows, 65, 72, 73  
black queen-cell virus, 93  
cauliflower mosaic virus, 42  
chronic bee paralysis virus, 93, 94  
Kashmir bee virus, 94  
pea early-browning virus, 32, 189  
pea enation mosaic, 28, 32, 189  
potato virus X, 36, 181, 182  
potato virus Y, 182  
red clover necrotic mosaic virus, 187, 188  
red clover vein mosaic virus, 32  
ryegrass mosaic virus, 187  
ryegrass seed-borne virus, 187  
sacbrood virus, 94  
tobacco mosaic virus, 36, 176, 180, 181  
vicia cryptic virus, 188, 189  
Visitors, 116  
Water activity, for spore germination, 191  
Water Research Centre, the, 101  
Water stress  
response of spring barley to, 167  
role of proline in, 39  
Weather  
at Broom's Barn, 286  
at Rothamsted, 284  
at Saxmundham, 287  
at Woburn, 285  
Wheat  
absorption of pheromone by leaves, 98  
aldicarb on, 17, 19  
at Broom's Barn, 76  
at Rothamsted and Woburn, 108, 109  
baking quality of flour, 39, 40  
concentration of nitrogen in grain, 265, 266  
direct drilling of, 116, 183  
diseases of, 246

## INDEX

### Wheat (*contd.*)

ear dry weight, 18, 19  
effect of early sowing, 17, 18  
effect of earthworms on, 101  
effect of glume removal, 55  
effect of irrigation on, 17, 19  
effect of organic matter on, 252, 253  
effect of soil type on yields, 247  
effect of subsoiling on, 116  
eyespot on, 183  
fungicides for, 133, 176  
*Fusarium* on, 183  
grain size, 54  
grain yield, 17  
growth of grain in cultured ears, 55, 56  
Highbury, 55, 56  
Hobbit, 55  
Hustler, 55  
indoleacetic acid in grains of, 55  
inoculation with mycorrhiza, 251  
late sowing, 17, 18  
leaf area index, 18, 19  
leaf senescence, 19  
microflora of developing ears, 22, 23  
nematodes on, 21, 150, 153, 154  
nitrogen in soil, 245  
nitrogen in stems, 245  
nitrogen, 17–20, 53, 54  
nitrogen uptake, 245, 246  
nutrient uptake rate, 246  
pests of, 100  
phosphorus fertilisers for, 250  
pirimicarb on, 17, 19  
pre-harvest sprouting of, 55  
recovery of <sup>15</sup>N labelled fertiliser by, 247, 248  
root samples from, 17  
seed protein in, 39, 40  
seed rates for, 116  
*Septoria* on, 175  
Sicco, 55, 56

### Wheat (*contd.*)

soil water use, 246  
strawburning, 183  
sulphur-deficient grain, 39  
take-all on, 184–186, 207, 208  
tiller number, 18, 19  
timing of N for, 267  
virus-infected, *Cladosporium* spp. on, 93  
winter wheat modelling, 246, 247  
winter, yields of, 242–245  
*See also:* Cereals; *Gaeumannomyces graminis*;  
Take-all  
Wheat bulb fly  
control of larvae, 127  
elemental analysis of, 98  
forecasting, 100  
Wiltshire, soil survey in, 218  
Wind, transport of spores by, 179  
Wireworms, on sugar beet, 69  
Woburn Farm  
barley on, 109, 110  
beans on, 110  
direct drilling experiment, 108  
livestock on, 111  
measurement of solar radiation at, 165  
nitrogen in soils at, 245, 246  
oats on, 110  
pea early-browning virus at, 189  
potatoes, 110, 111  
take-all at, 184  
wheat on, 108, 109, 243–245  
Worcestershire, soil survey in, 215  
Wye College, 116

Yeasts, on ripening grain, 190, 191  
Yield variation programme, 242, 243  
Yorkshire Wolds, sugar beet trials on, 68

Zinc equivalent index, of metal toxicity, 254