

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Report for 1981 - Part 1

[Full Table of Content](#)



Index

Rothamsted Research

Rothamsted Research (1982) *Index* ; Report For 1981 - Part 1, pp 305 - 316 - DOI:
<https://doi.org/10.23637/ERADOC-1-128>

SUBJECT INDEX

The General Report by the Director (pp. 9-17) has not been indexed.

- Abacarus hystrix*, as a vector of ryegrass mosaic virus, 191
Abscisic acid, in wheat, 60
Acephate, on sugar beet, 77, 78
Acetylcholinesterase, in houseflies, 124, 130
Acid sulphate soils, soil survey in, 227-229
Acremoniella atra, on winter wheat, 24
'Actipron', on sugar beet, 74
ADAS, 75, 97, 209, 257
Crop Pest and Disease Intelligence Unit, 97
statistical analyses for, 274, 275
Veterinary Service, 276
Adenine compounds, link with disease resistance, 39, 40
Adenosine deaminases, 139
Adenylate energy charge (AEC), of the soil microbial biomass, 258
Aerial pollutants, effect on cereal yields, 55, 56
Aerobiology, 176
Agricultural meteorology, 183
Agrobacterium tumefaciens, 46, 47
Air Photographic Units, 233, 234
Aldicarb
as a nematicide, 159, 164, 165
effect on barley yellow dwarf virus, 22
on beans, 32, 33, 36, 159
on winter barley, 29, 30, 32
on winter wheat, 19, 20, 22, 23
Alkali metals, co-ordination chemistry of, 147-150
Alternaria spp.,
on wheat, 24, 25, 199
Alternaria alternata, 199, 201
Amino acids
S-adenosylmethionine, 40, 46
analysis, 43, 44, 46, 57
arginine, 41
asparagine, 41
biosynthesis of, 40, 41
composition of in archaeological samples, 42, 43
effect on growth of VA mycorrhiza, 211
glutamine, 41
glycine, 42, 211
lysine, 40-43, 46, 211
methionine, 40, 41
N-terminal sequences of, 44
ornithine, 41
proline, 41, 42, 46
threonine, 40, 41, 46
Ammonia, assimilation of, 40
Amyl acetate, microcapsules of, 136
Ancymidol, effect on bolting of sugar beet, 63
Anemometers, 183
Anglesey, soil survey in, 226
Antifeedants, 125, 131
APE 80 sprayer, 135, 136
Aphicides
for sugar beet, 77, 78
on barley, 196, 197
on winter wheat, 25, 26
pirimicarb, 23
See also: Insecticides; Pesticides
Aphids
alarm pheromone of, 125, 130-132
bulletins, 96, 97
caught in suction traps, 96, 97, 186
cereal, 98-101
chemical interference with virus transmission by, 131, 132
Aphis fabae, 78, 96, 130, 131
Aulacorthum solani, 96
Brachycaudus helichrysi, 101
Brevicoryne brassicae, 130
Claytonia perfoliata, 77
Cryptomyzus galeopsidis, 101
Macrosiphum euphorbiae, 96
Metopolophium dirhodum, 23, 32, 96, 98, 99-101
Metopolophium festucae, 23, 31, 32, 34, 130, 197
Myzus persicae, 77, 78, 96-98, 130-132, 189, 203
Nasonovia ribisnigri, 130
Phorodon humuli, 96
Rhopalosiphum padi, 23, 31, 32, 96, 98, 130, 197
Sitobion avenae, 31, 32, 96, 98-100, 130
Apis cerana, isolation of *Streptococcus pluton* from, 107
ARC Computing Centre, 83
Archaeological samples, Egyptian, of barley grain, protein compositions of, 43
Arthriniun spp., on winter wheat, 24
Arthur Rickwood EHF, 74
Aspergillus spp., on winter wheat, 199
Aspergillus candidus, effect of oxygen concentration on, 200, 201
Aspergillus repens, 201
Aspirin, stimulation of resistance-associated Pr-proteins by, 38, 39
ATP, measurement of in the soil biomass, 245, 258, 259, 267
Atrazine, leaching of, 134, 135
Atrichum undulatum, 54
Aureobasidium pullulans, on winter wheat, 199, 200
Auxin, in wheat, 60, 61
Azotobacter spp., interaction with VA mycorrhiza, 211
Bacteria, earthworms feeding on, 103, 104
Bacteriocins, production of by *Rhizobium*, 214
Bacterium-like organelles, 212
Barley
aldicarb on, 29, 30, 32
analysis of wild and old grain, 43
aphids on, 31, 32, 116
at Rothamsted and Woburn, 116
Atem, 116
Athene, 116
basal respiration in, 181

INDEX

- Barley (contd.)**
brown rust on, 31
Cladosporium sp. on, 99
crop establishment with various drills, 182, 183
effect of deep cultivation on, 180
effect of drought on, 175
effect of subsoiling on, 262, 263
Erysiphe graminis on, 30, 31, 116, 139, 183, 186, 187
ethirimol on, 116
factors limiting yield of winter barley, 29–32
fungicides on, 30, 139
Georgie, 114, 116
Goldmarker, 116
growth and development of, 29, 30
growth regulator on, 30
high-lysine mutant lines, 42
hordein fraction of, 42, 43
Igri, 29, 114, 116
insects on, 133, 134
Koru, 116
leaf blotch on, 31
leaf growth in, 180
leaf water potential for, 182
Lycopodium (club moss) on, 183
lysine plus threonine resistant mutants, 40
Maris Otter, 116
mesophyll conductance in, 181
mycorrhizal infection of, 210
net blotch on, 31
nitrogen on, 29, 30
number of plants and shoots, 29, 30
on Hoos field, 114, 120, 121, 258
pests of, 134
photorespiration in, 41, 181
photosynthesis in, 180, 181
prochloraz ('Sportak') on, 29, 30
quantum yield in, 181
residual effects of triadimenol on, 186, 187, 193, 194
Rhynchosporium secalis on, 31, 139, 187
RUBP carboxylase/oxygenase isolated from, 54
selection of mutants, 45, 46
Simon, 116
stem borers on, 134
total dry weight, 29
triadimenol ('Baytan') on, 65–67
tridemorph on, 116
Triumph, 116
water stress in, 180, 181,
yellow dwarf virus of, 1, 23, 27–29, 32, 96, 98, 99, 195–198
yellow mosaic virus of, 186
See also: Cereals; Erysiphe graminis; Take-all
Basal respiration, in spring barley, 181
'Baytan', *See Triadimenol*
Beans (*Vicia faba*)
 aldicarb, on, 32, 36
 aphids on, 34
 at Rothamsted and Woburn, 117
 benomyl on, 33, 117
 carbofuran on, 32, 36
 chocolate spot (*Botrytis fabae*), 34, 117, 198
 'economic' treatment for, 36
 fosetyl-Al on, 32, 33
 irrigation of, 34–36
 nematodes on, 35, 163, 164
 pea early browning virus on, 199
 pests and pathogens on, 32–36
 phorate on, 36, 117
 pirimicarb on, 32, 117
 root fungi of, 35
 rust (*Uromyces fabae*) on, 35
 season and plant growth, 33, 34
 seed-borne viruses of, 199
 seed treatment of, 35
 simazine on, 117
 Sitona spp., on, 34, 36, 101–103, 117
 stem nematodes on, 35, 163, 164
 thiram, on, 32, 117
 viruses of, 34, 187, 199
See also: Phaseolus vulgaris
- Bedfordshire, soil survey in, 221, 224, 235
Beef, production of, 275
Bees, *See Honeybees*
Beetles
 carabid, as aphid predators, 100
 Philonthus cognatus, 100
 See also: Carabid beetles; Sitona spp.
Behaviour controlling chemicals, 125
Bendiocarb, effect on *Sitona* spp., 103
Benomyl
 effect on take-all, 138, 139
 on beans, 33, 117, 198
 on clover, 121
 on winter wheat, 99, 100, 138, 139, 199, 200
Berkshire, soil survey in, 224
Billington, wheat at, 245–248
Bioclimatic Map, 230
Biodeterioration, 199–201
Bioresmethrin, effect on houseflies, 128
Birds, repellents for, 136
Black pepper, nematodes on, 160, 161
Blackleg
 on potato, 186, 201
 on sugar beet, 70, 71
Blight, on potato, 186
Blowfly, action of pyrethroids on nervous system of, 127, 128
Boehmite, crystal thickness of, 264, 265
Bore Place Farm Project, the, 105
Botrytis fabae (chocolate spot), on beans, 34, 117, 198
Bracken (*Pteris aquilina*), detection of enzymes in, 54
Brassica campestris, breeding of, 137
Brassica crops, clubroot disease of, 137
See also: Cabbage
British Sugar Beet Seed Producers' Association, 72
British Sugar Corporation, the, 69, 70, 72
'Brittox', 23
Broadbalk
 barley on, 121
 classical experiments on, 120, 121
 potatoes on, 120
 prochloraz on, 120
 residual fertiliser nitrogen and nitrogen mineralisation in soils at, 253
 wheat on, 114, 120, 121
Bromoxymil, on winter wheat, 23
Broom's Barn
 cereals on, 78, 79
 crop rotations at, 78, 79
 livestock, 79
 sugar beet on, 79
 weather at, 294
Brown rust, on barley, 31
Buckinghamshire, soil survey in, 224, 235
- ¹⁴C, assimilation by mycorrhizal plants, 261
C₄ species, RuBP carboxylases in, 55
Cabbage, aphids on, 97, 98
Calf rearing, survey of, 276
Calliphora erythrocephala (blowfly) 127, 128
Callus, regeneration of potato plants from, 45
Cambridgeshire, soil survey in, 234
CAM plants, RuBP carboxylases in, 55
Captan ('Sanspor'), on winter wheat, 19, 200
Carabid beetles
 Agonum dorsale, 100
 Amara spp., 100
 as predators of aphids, 100
 Loricera pilicornis, 100
 Pterostichus madidus, 100
 Pterostichus melanarius, 100
Carbendazim
 for control of take-all, 139
 on winter wheat, 19, 199
Carbofuran
 as a nematicide, 159
 on field beans, 32
 to control *Sitona* spp. 102
Carbon dioxide concentration, effect on field and storage fungi, 200

INDEX

- Carbophenothion, toxicity of, 134
Carbosulfan, on sugar beet, 77
Carrots, stem nematode on, 163, 164
Cellulose xanthate, effect on dispersal of eyespot spores, 188, 189
Cereal endosperm proteins, 41–44
Cereals
 aphids on, 98–101
 barley yellow dwarf virus on, 19, 23, 27–29, 32, 96, 98, 99, 186, 195–198
 Cladosporium sp. on, 24, 25, 99
 diseases of, 191–198
 effect of mycorrhiza on growth of, 261, 262
 insect pathogenic fungi on, 99
 on Broom's Barn Farm, 78, 79
 on Rothamsted and Woburn, 115–117
 pest control in, 99–101
 take-all on, 191–193
 See also: Barley; *Erysiphe graminis*; Maize; Oats; Rye; Take-all; Wheat
Chalky Boulder Clay, soils in, 231
Chamaecyparis lawsoniana, 54
Chenopodium quinoa, 191
Cheshire, soil survey in, 222, 235
Chlорfenviphos, 134
Chlormequat chloride, 61
 foliar application of, 141
Chlorophyll, in leaves of wheat, 56
Chloroplasts, photosynthesis by, 58, 59
 synthesis of amino acids by, 41
Chocolate spot,
 See: *Botrytis fabae*
Chromium, toxicity of, 260
Chrysopa carnea,
 See: Lacewings
Cicer arietinum, rhizobia isolated from, 214, 215
Cismethrin, for control of wheat bulb fly larvae, 134
Cladosporium, sp., on wheat and barley, 24, 25, 99
Cladosporium cladosporioides, 199
Cladosporium herbarum, 199
Classical experiments, 120, 121
Clay minerals,
 effect of crystal thickness on position and intensity of, 264, 265
 impurities in, 257, 258
 interaction of water with, 263, 264
Cleavers (*Gallium aparine*), on winter wheat, 23, 24
Climatic classification, of England and Wales, 230
Clingfilm technique, for measuring leaf-water potential, 182
Clover
 benomyl on, 121
 in Classical experiments, 121
 inoculation of with VA mycorrhiza on, 211
 nematodes on, 163, 164
 response of to nitrogen, 255
 Rhizobium on, 213
 viruses of, 190
Clubroot, See: *Plasmodiophora brassicae*
Cobalt
 complex of with polyether, 151
 in displaced soil solutions, 259, 260
Coccinellidae, on winter wheat, 101
Cockroach, See: *Periplaneta americana*
Colombia, sheep trials in, 282
Common scab, See: *Streptomyces scabies*
Complexes, determination of, 148, 150
Computer programs,
 ARC Metadata system, 90
 CAMGRID, 232
 d BASE II, 90
 data bases, 90
 DECODE, 90
 FAMULUS, 90
 for RIS aphid data, 96
 for soil survey, 231, 232
 GHOST, 90, 232
 GRASP, 90, 232
 INFO package, 87, 90, 232
 languages, 87, 88, 91
 Computer programs (contd.)
 LINDAT, 232
 MINITAB, 90
 NATCAT, 232
 NVRS Gene Bank Project, 91
 Programming Advisory Service, 91
 RIRO C, 232
 Rothamsted General Survey Program, 91, 92
 SELECTOR, 90
 TAXIR, 90
 See also: Statistical programming
Computers,
 ARC Computing Centre, 83
 ARC Computing Committee, 87
 CDC 7600, 91
 data management, 87, 91
 documentation, 87
 front end processors, 84, 86, 89
 IBM 370, 91
 ICL System 4, 84–91
 image data tablet, 88
 Jacquard J100, 276
 management services section, 92
 microcomputers, 281
 microprocessors, 87–89
 microsystems inter-connection, 88
 microtechnology, 84
 MIDAS systems, 87, 88
 National Computer Centre Threshold Scheme, 84
 NCR B-series, 91
 network, 89
 plotters, 88, 89
 Prime 550, 84, 86, 88, 90, 91
 printers, 88
 software, 87
 system failures, 86
 systems utilisation, 85
 telecommunications, 89
 training, 90, 91
 Vegetable Gene Bank Project, 84
 Conidiobolus obscurus, 100
Controlled drop application, of pesticide sprays, 136
Copper, for preparation of sewage sludge, 260
Cornwall,
 Loess soils in, 267
 soil survey in, 225
‘Cosmic’, on winter wheat, 19
Crop establishment, significance of tractor wheelings for, 182, 183
Crown gall, 46, 47
Crystal structure, determination of, 148, 150
Crystal thickness, effect of on position and intensity of the 020 reflection of lepidocrite and boehmite, 264, 265
Culex sp., pheromones of, 132
Cultivations, reduced, effect on soil-borne disease, 192, 193
Cumbria, soil survey in 223, 236
Curve fitting algorithms, 281
Cypermethrin, effect on *Sitona* spp., 103

2,4-D, 141
3,5-D, mode of action of, 137, 138
Dairy heifers, weight of, 275
DDT, 128
Deep cultivation, effect on spring barley, 180
‘Delsene M’, on winter wheat, 199, 200
Deltamethrin
 effect on potato virus Y, 186, 189, 190
 effect on *Sitona* spp., 103
 on sugar beet, 77, 78
Demephion, on sugar beet, 77, 78
Demeton-S-methyl
 effect on *Sitona* spp., 103
 on sugar beet, 77, 78
Derbyshire, soil survey in, 222, 223
Devon, soil survey in, 225, 236
Dicyandiamide, on winter wheat, 25, 252
Diffusion, simulation of in soil aggregates, 265

INDEX

- Dimethoate
on cereals, 99, 100
toxicity of, 134
- Dinitrogen-bridged ditungsten complex, 152
- Dispersal, of fungal spores, 187-189
- cDNA, 40
cloning of, 41, 42, 44
- Docking disorder, of sugar beet, 69
- Dodecanoic acid, effect on potato virus Y acquisition, 190
- Dorset, soil survey in, 225, 236
- Drainage rates, effect of tillage treatment on, 177
- Drills, seed, effect on crop establishment, 182, 183
- Drosophila melanogaster*, toxicity of insecticides to, 134
- Dufour's gland, in *Nemeritis canescens*, 133
- Durham, soil survey in, 235
- Dyfed, soil survey in, 235
- Earthworms
Allolobophora longa, 104
Dendrobaena veneta, 104
Eisenia foetida, 103-106
food value of, 104
harvester for, 105
Lumbricus rubellus, 104
Lumbricus terrestris, 104
production of from different wastes, 104, 105
toxicity of chemicals to, 105, 106
use of in waste disposal and protein production, 103-105
- East Anglia, soil survey in, 221, 227, 228, 231
- East of Scotland College of Agriculture, 266
- EEC legislation, on toxicity of chemicals to earth-worms, 105, 106
- Egyptian archaeological sites, protein compositions from, 43
- Electrified fences, 122
- Electron microscopy
immunosorbent, 189
of bacterium-like organelles, 212
- ELISA technique, 76, 186, 189, 197
- England and Wales, soil survey in, 92
- Enthalpies, of K-Ca exchange on clays, 257, 258
- Entomophthora* spp., 23
- Entomophthora planchoniana*, 100
- Enzyme-linked immunosorbant assay (ELISA), 76, 186, 189, 197
- Enzymes
acetylcholinesterase, 130
adenosine deaminase, 139
alcohol dehydrogenase, 45, 46
asparagine synthetase, 41
aspartate kinase, 41, 46
carbonic anhydrase, 58
detection of in moss, 54
fructose biphosphate, 58
glutamate-glyoxylate aminotransferase, 58
glutamine synthetase, 40
nitrate reductase, 46, 58
nitrogenase, 40
porcine pancreatic elastase, 152, 153
RuBP carboxylase, 54-56, 58
serine-glyoxylate aminotransferase, 58
threonine synthase, 41
- Ephelia kuehniella*, structure-activity effects of, 133
- Equisetum arvense* (Common horsetail), 54
- Eriophyid mites (*Abacarus hystricis*), 191
- Erwinia carotovora* (tuber soft rot),
on potatoes, 201
- Erynia neoaphidis*, 100
- Erysiphe graminis* (barley mildew),
adenosine deaminases from, 139
dispersal of spores, 187, 188
lift off of spores, 183
on barley, 31, 125, 139, 186, 187
residual effect of triadimefon on, 193
sensitivity of to triadimefon, 194
- Escherichia coli*, transfer of plasmids from, 216
- Ethephon, on winter barley, 29
- Ethiosencarb, on sugar beet, 77, 78
- Ethirimol
for control of mildew, 125
mode of action of, 139
- European Weed Research Society, 135
- Eyespot (*Pseudocercosporella herpotrichoides*), on wheat, 24, 188, 189
- 'Farmers Weekly', 220, 235
- Farmyard manure, on cereals, 78
- (E)-B-farnesene, 130, 131
- Fenpropimorph, 139
- Fenvalerate
analogues of, 126
effect on *Sitona* spp., 103
- Fertilisers
Survey of Fertiliser Practice, 276
See also: Nitrogen fertilisers; Phosphate fertilisers; Potassium fertilisers
- Field Experiments,
crop yields, 114, 120, 121
small plots, 119
working party for, 119
- Fish farming, sources of protein in, 104
- Foliar application, of chlormequat chloride, 141
- Fosetyl-Al, on field beans, 32, 33
- Fuberidazole, on winter barley, 29
- Fungal diseases
eyespot, 24
of potatoes, 140
of wheat, 24, 25
Septoria, 24
See also: Erysiphe; Eyespot; Fusarium; Take-all
- Fungi
field and storage, effect of environmental factors on, 200
filamentous, 24
root, 35
storage, 24
See also: Fungus diseases; Fusarium; Gaeumannomyces-Phialophora complex; Mycorrhiza; Take-all
- Fungicides
effect on take-all, 138, 139
ethylmercury phosphate, 70
hydroxypyrimidine, 139
iprodione, 70
non-mercurial, 70
on barley, 29, 30, 139
on potatoes, 202, 203
on sugar beet, 70
on winter wheat, 19, 20, 24, 25, 199, 200
phenylmercury acetate, 70
prochloraz, 120
resistance to, 125, 139
sterol synthesis inhibitors, 139
TCMTB, 70
thiram, 32, 70, 117
- Fusarium* spp.,
epidemiology of, 202
on beans, 35
on black pepper, 160, 161
on potatoes, 187
- Fusarium coeruleum*, 202
- Fusarium culmorum*, on winter wheat, 199
- Fusarium sulphureum*, 202
- Gaeumannomyces graminis* var. *tritici*, 192, 216
changes within populations of, 192
See also: Phialophora radicola
- Gallium aparine (cleavers), control of, 23, 24
- Gangrene, *See: Phoma exigua* var. *foveata*
- Gardner's method, of analysing soil-water diffusivity, 177
- Garlic, nematodes on, 163, 164
- Gas exchange measurements, of photosynthesis and photorespiration, 57
- Genetic manipulation, of crop plants, 44-47
- Genetic material, transfer of into plants, 46, 47
- Gibberellins, in wheat, 61

INDEX

- Ginkgo biloba*, 54
Glasshouse facilities, 47
Gleadthorpe Experimental Husbandry Farm, 276
Glomus caledonius, 212
Glomus fasciculatus, 211
Glomus mossae, 210
(¹⁴C) Glutamate, as a precursor of proline, 41
Grain
 analyses of wild and old barley grain, 42, 43
 proteins from, 41–44
 ripening microflora, 24, 25
Grasses
 barley yellow dwarf virus on, 197, 198
 responses of to nitrogen, 254, 255
RuBP carboxylases in, 55
ryegrass mosaic virus, 191
take-all after, 192
Grassland Research Institute, 210
Gravel pit soils, *Rhizobium* in, 212, 213
Grazing classification, of soils, 229, 230
Growth regulators,
 on barley, 29
 on sugar beet, 73
Gwynedd, soil survey in, 235
Hair worms, comparison with nematodes, 170
Hampshire, soil survey in, 224, 234
Herbicides
 effect on insect fauna of wheat, 100, 101
 foliar application of, 140, 141
 on sugar beet, 74, 75
 PCF mixture, 74
 See also: names of chemicals used as herbicides
Hertfordshire, soil survey in, 221
Hexose phosphates, metabolism of to sucrose, 56
Hexton, wheat at, 245–248, 251
Hoagland solution, for feeding wheat plants, 56
'Hoe 25682', on sugar beet, 77
Honeybees (*Apis mellifera*)
 Acarapis woodi on, 106
 bee virus X, 107
 bee virus Y, 107
 European foulbrood, 106, 107
 filamentous virus, 107
 Malpighamoeba mellifcae, 107
 Nosema apis on, 106, 107
 poisoning of, 133
 sacbrood virus of, 107, 108
 viruses of, 107, 108
Hoosfield, barley on, 114, 120, 121, 258
Hordeins
 extraction of, 42
 'B', 42
 'D', 42
Host/plant pathogen relationships, 38
Housefly (*Musca domestica*)
 acetylcholinesterase activity, 124, 130
 biochemistry of insecticide resistance, 130
 effect of fenvalerate analogues on, 126
 gene flow and dispersal, 128
 genetics of resistance in, 128, 129
 insecticide resistance in, 128
 knock-down resistance in, 130
 modelling of resistance in, 128
 phospholipids in, 130
 population dynamics of, 128
 rearing of, 137
 sex determination in, 129
Humberside, soil survey in, 233
Hydraulic conductivity, 176, 177
Hydroquinone, 252
Hydroxypyrimidine fungicides, mode of action of, 139
IAR, See: Intrinsic antibiotic resistance
ICI, 73, 75
 'Ten-Tonne Club' survey, 245
Imazalil, on winter wheat, 200
Immunosorbent electron microscopy, 189
Imperial Cancer Research Fund, 40
Indoleacetic acid, in wheat, 60
3-indolylacetonitrile, (IAN), link with clubroot disease, 137
Indolylmethylglucosinolate (IMG), 137
'Infectivity Index', for barley yellow dwarf virus, 96
Insect traps
 aphids caught in, 186
 suction traps, 196
Insecticides
 aphid resistance to, 190
 housefly resistance to, 128, 129
 poisoning of honeybees by, 133
 spray application, 136
 See also: Aphicides; Nematicides; Pesticides;
 Pyrethroids; names of individual insecticides
Insects
 effect of herbicides on, 100, 101
 fungi pathogenic to, 99, 100
 insecticide resistance in, 124, 125
 neuroanatomy of, 127
 on barley, 133, 134
 rearing of, 136, 137
Rothamsted Insect Survey, 96, 97, 196
traps for, 196, 203, 204
 See also: Insect traps; names of individual insects
Integrated Control in Cereals Working Group, 99
Interferon system, the, 40
International Society of Soil Science, 232, 234
Intrinsic antibiotic resistance, 214, 215
In vitro synthesis, of PR-proteins, 40
Ionophores, effect on stomata, 151
Ixoxynil, on winter wheat, 23, 24
Iprodione, as a fungicide on wheat, 70, 139
Irrigation
 of field beans, 33
 of winter wheat, 19, 25, 26
ISEM, See: Immunosorbent electron microscopy
Japan, transplanting of sugar beet in, 75
John Innes Institute, 209, 210, 214
'Kadethrin', 134
Kairomonal activity, in *Nemeritis canescens*, 133
Kaolinites, impurities of, 257
Kent, soil survey in, 224
Knock-down resistance mechanism, 124, 125, 127–130
'Kriging', 266
Lacewings, on winter wheat, 101
Lambs, grazing, 275
Lancashire, soil survey in, 223
Lawson's cypress (*Chamaecyparis lawsoniana*), 54
Leaching, of nitrate, 250, 251, 266
Leaf chamber, to determine rates of photosynthesis and photorespiration, 57
Leaf protein, extraction of, 267
Leaf water potential, measurement of, 182
Leeks, mycorrhizal, carbon and phosphorus physiology of, 261
Legumes, root nodules on, 40
 See also: Clover; Lucerne
Leicestershire, soil survey in, 222
Lepidocrite, crystal thickness of, 264, 265
Lesions, necrotic, caused by tobacco mosaic virus, 38
Letcombe Laboratory, the, 176, 192, 193, 235, 248
Leys, take-all on wheat after, 191, 192
Lincolnshire, soil survey in, 222
Lipophilic chemicals, translocation of, 140
Livestock
 at Broom's Barn Farm, 79
 at Rothamsted and Woburn, 118
 statistical analysis for, 275, 276
Locusts, neuroanatomy of, 125
Loess soils, in Cornwall, 267
Long Ashton Research Station, 196, 248
Lotus corniculatus, rhizobia on, 212, 213
Lucerne
 inoculation of with mycorrhiza, 210, 211
 nematodes on, 163, 164

INDEX

- Lupinus angustifolius*, rhizobia on, 213
Lycopodium (club moss), spores of, 183
- MAFF Experimental Husbandry Farm, Terrington, 104
MAFF Wildlife Investigation Scheme, 133
Magnesium, complexes of, 150
Magnesium perchlorate cations, of alkali metal cations, 150
Maize
 detection of enzymes in, 54
 inoculation of with mycorrhiza, 210, 211
 nitrogen on, 121, 122
 statistical analysis of trials in Nepal, 282
 stem nematodes on, 163
Mancozeb, on potato, 117
Maneb, on winter wheat, 19, 199, 200
Manganese, concentrations of in soil solutions, 259
Maps, soil, 220, 232
Mathematical models
 of pesticide movement in soil, 135
 of photosynthesis, 180, 181
Maulden, wheat at, 246, 251
Mecoprop, on winter wheat, 23
Medicago sativa, rhizobia on, 212, 213
Melilotus officinalis, 212, 213
Mepiquat chloride and ethephon ('Terpal') on winter barley, 29, 30
Mesophyll conductance, in spring barley, 181
Messenger RNA, 40
Metamitron, on sugar beet, 74
Methiocarb, microencapsulation of, 136
Metribuzin, leaching of, 134, 135
Mice, damage caused to sugar beet by, 68, 69
Microcalorimeter, for measuring thermal changes in clays, 244
Microcomputers, 281
Microencapsulation, of insecticides, 136
Microflora, of ripening grain, 24, 25
Micronutrients, 259
Microorganisms, link with earthworm production, 103, 104
Midlands, soil survey in, 222, 223, 231
Mildew, *See: Erysiphe graminis*
Milton Keynes, soil survey in, 235
Mole drainage, 179
Molecular recognition, phenomenon of, 148
Molecular structure, of pyrethroids, 125, 126
Mop top, on potatoes, 186
Mosquito, oviposition attractant pheromone of, 125, 132
Moss (*Atrichum undulatum*), detection of enzymes in, 54
Moths
 likely flight behaviour of pea moths, 274
 sex attractants for pea moth, 132
Musca domestica, *See: Housefly*
Muscid flies, action of pyrethroids on nervous system of, 127, 128
Mushrooms
 growing of, 105
 nematode of, 167, 168
Mustard beetles (*Phaeodon cochleariae*), effect of fenvalerate analogues on, 126
Mutants
 barley, 42, 45, 46
 nitrate reductase-minus, 46
 of the moss *Physcomitrella patens*, 46
Mycorrhiza, vesicular-arbuscular
 chemical characterisation of, 212
 effect of amino acids on, 211
 effect of nitrogen on, 211
 effect on barley, 210
 effect on cereal growth in the field, 261, 262
 effect on clover, 211
 effect on lettuce, 211
 effect on lucerne, 210, 211
 effect on maize, 210, 211
 effect on peas, 209, 210
- NAD(P)H-dependent glutamate synthase, 40
Narcissus, stem nematodes on, 164
National College of Agricultural Engineering, 179, 259
National Institute for Research in Dairying, 105, 107
National Institute of Agricultural Botany, 72, 201
National Institute of Agricultural Engineering, 105, 282
National Soil Catalogue, 232
National Soil Inventory, 221, 230, 232
National Soil Map, 220, 221
National Vegetable Research Station, 91
Nectria haematocephala f. sp. *piperis*, 161
Nematicides
 aldicarb, 159, 164, 165
 carbofuran, 159
 culture technique for, 158
 'Hoe 00668', 158
 new, 158
 oxamyl, 158, 159
 'RH 9358', 158
 vertical band applicator for, 158
Nematodes,
 cuticular fibrils of, 170
 cyst nematodes, 157, 163, 168, 169
 depth distribution of *Paratrichodorus*, 164
 desiccation of, 162
 differentiation of pathotypes, 162, 163
 effect of *Solanum* spp., on, 159
 feeding pump of, 167
 fungal pathogens, 165
 hatching of, 161, 162
 interaction with *Verticillium dahliae*, 160
 male reproductive system in, 166, 167
 Mexican cyst nematode, 168
 modelling of dispersal, 170
 of ryegrasses, 164, 165
 on beans, 35, 163, 164
 on carrots, 163
 on garlic, 163
 on lucerne, 163
 on maize, 163
 on narcissus, 164
 on oats, 163
 on oilseed rape, 163
 on onions, 163
 on peas, 199
 on potatoes, 140, 158, 159
 on rice, 161
 on sugar beet, 69
 on tulips, 164
 on wheat, 22
 pathogens of cyst nematodes, 165, 166
 pea cyst nematode, 160, 171
 population dynamics of cyst nematodes, 278
 potato cyst nematodes, 158–160
 rickettsia-like organisms from, 165, 166
 root knot, 157, 161, 166
 staining of, 171
 stem, 157, 163, 164
 stylet length, 169
 suppression of *Rhizobium* by, 160
 taxonomy of, 168
Nematodes, scientific names of
 Aphelenchoides spp., 167
 Ditylenchus dipsaci, 159, 160, 163, 164, 167
 Globodera spp., 166–168
 Globodera pallida, 158–160, 162, 163, 168
 Globodera rostochiensis, 158–163, 166–168
 Globodera solanacearum, 168
 Globodera tabacum, 168
 Globodera virginiae, 168
 Gramineae group, 169
 Helicotylenchus varicaudatus, 164
 Helicotylenchus vulgaris, 22

INDEX

- Nematodes, scientific names of (*contd.*)
Heterodera spp., 166
Heterodera arenaria, 169
Heterodera avenae, 159, 165, 168, 169
Heterodera glycines, 165
Heterodera goettingiana, 171
Heterodera mani, 168, 169
Heterodera schachtii, 163, 165
Longidorus spp., 22, 168
Meloidogyne spp., 165–167, 169
Meloidogyne acronea, 165, 166
Meloidogyne arenaria, 166, 167
Meloidogyne graminicola, 166, 167
Meloidogyne hapla, 166
Meloidogyne incognita, 161, 165–167
Meloidogyne javanica, 165, 167
Meloidogyne naasi, 165
Meloidogyne oryzae, 166
Paratrichodorus anemones, 164
Pratylenchus spp., 22, 35, 36, 170
Pratylenchus crenatus, 35
Pratylenchus neglectus, 22, 35
Pratylenchus pinguicaudatus, 35
Pratylenchus thornei, 160
Rotylenchulus reniformis, 165
Rotylenchus spp., 168
Trichodorus spp., 170
Trichostrongylus colubriformis, 170, 171
Tylenchorhynchus dubius, 22
Tylenchulus semipenetrans, 165
Xiphinema spp., 22
Nematophthora gynophila, 165
Nemeritis canescens,
Dufour's gland components in, 133
oviposition responses from, 133
Net blotch, on barley, 31
Neutron moderation meter, 25, 178
Nickel, toxicity of to plants, 260
Nicotiana glutinosa, 40
Nicotiana tabacum, 39, 40
Nitrate
growth of mutants of moss on, 46
soil, leaching of, 251, 266
Nitrification inhibitors, 25, 252
Nitrilacarb, on sugar beet, 77
'Nitro-Chalk', 115
Nitrogen
content in winter wheat, 274
leaching of, 250
nitrate N in wheat stems, 28
uptake of in wheat, 21, 28, 254
Nitrogen fertilisers
Balance Sheet approach for, 251
effect of amount and timing on control of cleavers, 23, 24
effect on photorespiration rate in wheat, 56
effect on wheat yields, 19–21, 25–28
¹⁵N labelled, 253, 254
NO₃-N content of wheat stems, 28
on barley, 29, 30
prediction of requirements, 250–252
residual, in Broadbalk soils, 253
response of grass and grass-clover swards to nitrogen, 255
timing of, 19
uptake of by wheat, from previous crop, 254
yield response to, 274, 275
Nitrogen fixation, 212–216
carbon cost of, 215
rates of, 244
symbiotic, 209
Nodules, root
formation of, 213, 214
glutamine synthetase in, 40
Norfolk Agricultural Station, 71, 74
Norfolk Broads, soil survey in, 227
Northamptonshire, soil survey in, 221
Northumberland, soil survey in, 235
Nottinghamshire, soil survey in, 222, 223
Nuarimol, for control of take-all, 139
Oats
at Rothamsted and Woburn, 117
barley yellow dwarf virus on, 98, 197
nematodes on, 163
Official Seed Testing Station, 72
Oilseed rape
damage to honeybees from insecticide application to, 133
nematodes on, 163
Olpidium radicale, as a vector of red clover necrotic mosaic virus, 186, 190
Omethoate, effect on *Sitona* spp., 103
Onions
inoculation of with mycorrhiza, 211
nematodes on, 163
Onobrychis viciifolia, 213
Organic phosphorus
accumulation of under long leys, 256, 257
changes in, 256
Oviposition attractant, 133
Oxamyl, as a nematicide, 158, 159
Oxfordshire, soil survey in, 224
Oxygen
affinity of RuBP carboxylase/oxygenase for, 55
effect of concentration of on growth of fungi, 200, 201
³¹P nuclear magnetic resonance spectroscopy, 256
Parachordodes wolterstorffi, 170
Parasitoids, aphid, 101
Partitioning, of chemicals on to lipophilic root solids, 140
Pea moth, *See Moths*
Peas
leafless, 121, 209, 210
nematodes on, 199
rhizobia on, 214
Sitona spp. on, 101–103
vesicular arbuscular mycorrhiza on, 209, 210
viruses of, 187, 199
Penetrometer readings, after subsoiling experiments, 263
Penicillium spp., on wheat grains, 24, 199–201
Penicillium brevi compactum, effect of oxygen concentration on, 201
Penicillium roquefortii, effect of low oxygen concentration on, 201
Peptone, effect on growth of VA mycorrhiza, 211
Periplaneta americana, (cockroach)
effect of pyrethroids on, 125
neuroanatomy of, 127
Permethrin
analogues of, 126
effect on houseflies, 128, 129
for control of *Sitona* spp., 102, 103
for control of wheat bulb fly larvae, 134
microencapsulation of, 136
on sugar beet, 77
Perry Foundation, the, 158
Pesticides
bird repellents, 136
movements of in soils, 139, 140
spray application of, 136
See also: Aphicides; Fungicides; Insecticides; Nematicides
Pests, control of in cereals and beans, 99, 101
Phaseolus coccineus, 213
Phaseolus vulgaris, inoculation of with *Rhizobium*, 212, 213
Phenmedipham, on sugar beet, 74
Phenoxyacetic acids, for control of potato common scab, 137, 138
Pheromones
aphid alarm pheromone, 125
derivatives of, 131
mosquito, 125, 132
Phialophora graminicola, 191, 192
Phialophora radicicola var. *graminicola*, 216
Phloem transport in plants, 135
Phoma betae, 70

INDEX

- Phoma exigua* var. *foveata* (gangrene on potato), effect of fungicides on, 187, 202, 203
Phorate for control of *Sitona* spp., 36, 102, 103, 117 on spring beans, 33, 36 toxicity of, 134
Phosphate fertilisers, characterisation of 256, 257
Phosphonate, in soil, identification of, 256
Phosphorus accumulation of under long leys, 256, 257 changes in soils, 256 characterisation of, 256 evaluation of reserves, 256 physiology of mycorrhizal plants, 261 soil biomass, 258 uptake of by potatoes, 160
Photoinhibition, 57, 58
Photorespiration gas exchange measurements of, 57, 58 in barley, 41, 181 in wheat, 56
Photosynthesis by isolated protoplasts and chloroplasts, 58, 59 in a leaf chamber, 57 in spring barley, 175, 180, 181 in winter wheat, 56, 182 induction period proceeding, 58, 59 interference with, 99 mathematical models of, 180, 181 net in sugar beet, 73
Phoxim, as a nematicide, 159
Physosomitrella patens, mutants of, 46
Phytophthora spp., on sugar beet, 70, 71
Phytophthora palmivora, on black pepper, 160, 161
Pig waste, breeding of earthworms on, 104
Pigs, ultrasonic fat-depth measurement for, 275, 276
Piper nigrum, root-knot nematode in, 160, 161
Pirimicarb microencapsulation of, 136 on beans, 32, 117 on potatoes, 117 on sugar beet, 77, 78 on winter wheat, 99, 100
Pirimiphos-methyl, effect on *Sitona* spp., 103
Plant Breeding Institute, 72
Plant physics, 180–183
Plasmodiophora brassicae, host-parasite relationship, 137
Poly A + RNA, extraction of from tobacco, 39, 40, 44
Polyacrylic acid, injection of tobacco leaves with, 38
Polyethers macrobicyclic, 147–150 monocyclic, 150 neutral bicyclic, 147 open chain, 150, 151
Polygodial, 125, 131, 190
Polymyxxa betae, 191
Polymyxxa graminis, 186, 190
Porcine pancreatic elastase, X-ray analysis of, 152, 153
Potassium complexes of, 148 enthalpies of K-Ca exchange, 257 release of non-exchangeable, 257 uptake of by potatoes, 160
Potatoes anaerobic and aerobic tests on, 201 aphids on, 97 Arran Banner, 158, 162 Arran Consul, 160 at Rothamsted and Woburn, 117 blackleg on, 186, 201 blight on, 186 canker on, 186 Cara, 117, 159 cyst nematodes on, 158, 159 Desirée, 117, 160 Duke of York, 164 effect of subsoiling on, 262, 263 *Erwinia caratovora* var. *caratovora*, (tuber soft rot) on, 201
Potatoes (contd.) fungal diseases of, 140 fungicides on, 203 *Fusarium* spp., on, 187, 202 gangrene (*Phoma exigua* var. *foveata*) on, 187, 202, 203 Golden Wonder, 160 Great Scott, 160 hatching, of cyst nematodes on root exudate, 161, 162 Immune Ashleaf, 160 Kerr's Pink, 160 King Edward, 158, 159 mancozeb on, 117 Maris Anchor, 160 Maris Peer, 160 Maris Piper, 158–160 mop top of, 186 nematode resistance in, 159, 160, 163 nematodes on, 140, 158, 159 nutrient uptake, 160 on Broadbalk, 120 Pentland Crown, 158, 159 phosphorus uptake, 160 potassium uptake, 160 powdery scab on, 186 protoplasts from, 45 regeneration of from leaf protoplasts and callus, 45 *Solanum* spp., on, 159 *Solanum andigena*, 163 *Solanum kurtzianum*, 163 *Solanum vernei*, 163 stem canker (*Rhizoctonia solani*) on, 187, 203 *Streptomyces scabies* (potato common scab) on, 137, 138 tolerance to cyst nematodes, 159, 160 tuber susceptibility, 202 virus diseases of, 203, 204 wound healing in, 202 yields, 117
Poultry Research Centre, the, 105
Poultry waste, worms grown in, 105
Powder diffraction, 153
'PP333', 73, 74
Pr(pathogenesis related)-proteins, relation of to virus resistance, synthesis of, 38, 39
Predators, of aphids, 100, 101
Processors and Growers Research Organisation, 103
Prochloraz ('Spartak') on barley, 29–31 on wheat, 120
Prolamин storage proteins high molecular weight, 43 homologies between, 44 in cereals, 41–44
Propham/chlorpropham/fenuron (PCF) mixture, on sugar beet, 74
Protein crystallography, 152, 153
Proteins cereal grain, 41–44 compositions of in Egyptian barley grain, 43 leaf, extraction of, 267 pathogenesis related, 38–40 use of earthworms in production of, 103–105
Protoplasts culture of, 45 leaf, regeneration of potatoes from, 45 photosynthesis by, 58, 59
Pseudocercosporella herpotrichoides (eyespot), 24, 188, 189, 192, 193
Pteris aquilina, 54
Puccinia hordei, (brown rust), on barley, 31
Pyrenophora teres (net blotch), on barley, 31
Pyrethroids action of on nervous system of Muscid flies, 127, 128 decomposition of on leaves, 126, 127 for control of wheat bulb fly larvae, 134 insect resistance to, 124, 125, 129, 130 structure-activity relationships, 125
Pythium spp., on sugar beet, 71

INDEX

- Quantum yield, in spring barley, 181
Radar imagery, in soil survey, 233, 234
Rainfall, simulated, effect on spore dispersal, 188
Relative grazing value (RGV) 229, 230
Rhenium, complex of, 152
Rhizobium spp.,
 bacteriocin production by, 214
 competition among strains of *R. leguminosarum*, 213, 214
 genetics of, 215, 216
 identification of, 214, 215
 in gravel pit soils, 212, 213
 inoculation of field beans with, 213, 214
 inoculation of peas with, 213, 214
 inoculation of *Phaseolus vulgaris* with, 209
 populations in soil, 213
Rhizobium japonicum, 214
Rhizobium leguminosarum, 213–215
Rhizobium meliloti, 214
Rhizobium trifoli, 213, 214
Rhizobium phaseoli, 212
 suppression of by nematodes, 160
Rhizoctonia solani (stem canker), effects on potato yields, 187, 203
Rhynchosporium secalis
 effect of seed treatments on, 139, 194
 interplot interference by, 195
 on barley, 31
 spore production on barley straw, 194, 195
Rice, root-knot nematode on, 161
Ricinus communis test system, 135
Rickettsia-like organisms, 165, 166
'Rizomania', of sugar beet, 186, 191
mRNA coding, for PR-proteins, 39, 43
RNA, messenger, 40
 poly A +, 39, 44
RNA fraction, of storage proteins, 44
Root hairs, growth of, 262
Roots, translocation from to shoots, 140
Rotation of crops, 254
Rothamsted
 barley at, 258
 classical experiments at, 120, 121
 growth and yield of winter wheat at, 25–29

INDEX

- Soil surveys (*contd.*)
 Oxfordshire, 224
 radar imagery in, 233, 234
 Scotland, 224, 229, 230
 Shropshire, 222, 227, 235
 Snowdonia, 226
 Somerset, 225, 236
 South-West England, 224–226
 Staffordshire, 234
 Suffolk, 221
 Sussex, 234
 Wales, 226, 227, 236
 Warwickshire, 222, 223
 Wiltshire, 226, 236
 Yorkshire, 223, 235
- Soil water
 diffusivity of, 176
 hydraulic conductivity, 176
 interaction of with soils and clays, 263
 measurement of content and pressure, 178
 potential, 176
 regimes, 234
 retention of, 234
 thermal conductivity profiles, 179
- Solanum* spp., 159
 Solanum andigena, 163
 Solanum kurtzianum, 163
 Solanum vernei, 163
- Somerset, soil survey in, 225, 236
- South-West England, soil survey in, 224–226
- Spectrophotometer, 244
- Spinning disc applicators, 124
- Spongopora subterranea*, 186
- Spores
 dispersal of, 187–189, 195
 effect of cellulose xanthate on, 188, 189
 of *Erysiphe graminis*, 183, 187, 188
 of *Pseudocercospora herpotrichoides*, 188, 189
 of *Septoria*, 188
 production of *Rhynchosporium secalis* spores on barley straw, 194, 195
 splash-dispersed, 188
 suction samplers for, 188
- 'Sportak', *See* Prochloraz
- Sprayers
 electrostatic, 124, 135, 136
 field trials of the APE 80, 136
 of microcapsules, 136
- Spraying
 drop application, 136
 foliar, 136
- Stability constants, of monocyclic ligands, 150
- Staffordshire, soil survey in, 234
- Staphylinid beetles, 100
- Statistical analysis
 calf rearing study, 276
 for ADAS, 274, 275
 for ODA projects, 282
 Insect Survey data, 97
 of livestock experiments, 275
 of soils, 276
 Survey of fertiliser practice, 276
- Statistical models, wheat crop growth model, 244, 245, 248, 249
 See also: Mathematical models
- Statistical programming
 Cluster Analysis Program (CLASP), 281
 documentation and support (Genstat), 279
 Generalised linear interactive modelling (GLIM), 280, 283
 Genkey, 280
 Genstat, 277–279, 281, 283
 Maximum Likelihood Program (MLP), 280
 Programs for interactive statistical modelling (Prism), 280, 281
 releases, 279
- Statistical theory
 covariance and production, 277
 distance in multivariate analysis, 277
- Statistical theory (*contd.*)
 effective replication, 277, 278
 individual-differences scaling, 277
 intercropping, 281, 283
 models with split lines, 278
 parallel curve analysis, 278
 population dynamics of cyst nematodes, 278
- Stem borers, control of, 134
- Stem canker, *See: Rhizoctonia solani*
- Sterol synthesis inhibitors, 139
- Stomata, effect of ionophores on, 151
- Stomatal resistance, determination of, 57
- Storage protein (hordein) patterns, 43
- Streptococcus pluton*, isolation of, 107
- Streptomyces scabies* (potato common scab),
 chemicals for control of, 137
 control of by foliar sprays, 137
 mode of action of 3,5-D on, 138
- Subsoil modification, 244, 262, 263
- Suction cups, soil solution extraction with, 265
- Suction samplers, for splash dispersed spores, 188
- Suffolk, soil survey in, 221
- Sugar beet
 aphids on, 77, 78
 bird damage, 68
 blackleg on, 70, 71
 bolting, 63
 damage to caused by soil pests, 68
 damage to caused by wood mice, 68, 69
 DM partitioning within cells, 64
 docking disorder, 69
 effect of ancyimidol on, 63
 effect of rainfall on, 68
 Erysiphe betae (powdery mildew) on, 70
 field survey of viruses of, 77
 fungicides on, 70
 germination in the field, 68
 germination in the laboratory, 72
 growth regulators on, 73, 74
 herbicide tolerance, 74, 75
 leaf area growth, 69
 leaf area index, 62
 leaf development, 62, 63
 Line G, 63
 mildew on, 70
 N fertiliser on, 68
 nematodes on, 69
 nitrilacarb on, 77
 on Broom's Barn Farm, 79
 Phoma betae on, 70
 Phytophthora spp., on, 70, 71
 Polymyxa betae on, 190, 191
 post-emergence losses, 68, 72
 pre-emergence losses, 68
 Pythium spp. on, 71
 Rizomania of, 186, 191
 seed quality studies, 71, 72
 seedbed physical structure and seedling growth, 71
 seedling emergence, 71
 sodium chloride experiments with, 72, 73
 solar radiation interception, 69, 74
 sowing date, 68
 transplanting, 75
 tubular virus of, 190, 191
 variation between seed lots, 72
 vernalislation stimulus, 63
 virus diseases of, 76–78, 131, 186, 189–191
 waterlogging and germination, 68
- Sulphur, prolamins rich in, 44
- Sulphur dioxide, effects of on activities of RuBP carboxylase, 55, 56
- Sussex, soil survey in, 224, 234
- Syrphidae, 101
 Episyphus balteatus, 101
 Platychirius manicatus, 101
- Take-all on cereals
 after leys, 192
 cultural variations in, 192

INDEX

- Take-all on cereals (*contd.*)
decline, 192
effect of reduced cultivations on, 193
fungal inhibitor of, 192
slow growth, 192
See also: Gaeumannomyces graminis
'Ten-Tonne Club' survey, 245, 249
- Tensiometers, 178, 179
- Tetrachlorfenvinphos, 134
- 'Terpal', *See: Mepiquat and ethephon*
- Thiabendazole, effect on stem nematodes, 159
- Thiobacillus ferrioxidans*, 227, 228
- Thionazin, 134
- Thiram, on beans, 32, 117
- Thrips, stylet apparatus in, 170
- Tillage experiments, 179, 192
- Tissue cultures, from wheat, 45
- Tobacco
mutants of, 46
Pr-proteins in leaves of, 38
statistical analysis of, 282
virus diseases of, 38–40
- Toxares deltiger*, 101
- Toxic metals, in sewage sludge, 244
- Toxicity, of industrial chemicals, 105, 106
- Trace elements, analysis of, 244, 245, 266
- Transformation studies, 46, 47
- Transposon mutation, 215, 216
- Traps, *See: Insect traps*
- Triadimenol, residual effect of, 186, 187, 193, 194
- Triadimenol, ('Baytan') 29, 30, 125, 139
- Triazophos, poisoning of honeybees by, 133
- Trichostyngylus colubriformis*, effect of osmotic stress on, 170, 171
- Tridemorph
mode of action of, 116
on winter barley, 29
- Trifolium fragiferum*, 213
- Trifolium pratense*, rhizobia on, 212
- Trifolium repens*, *See: Clover*
- Triticum*, photosynthesis in species of, 59
- Tuber soft rot, *See: Erwinia carotovora* var. *carotovora*
- Tulip, stem nematodes on, 164
- Tungsten, complex of, 152
- United States Department of Agriculture, 158
- University of East Anglia, 228
- University of Aston, 105
- Upper Greensand soils, 234
- Urea, on winter wheat, 25
- Urease inhibitors, 252
- Uromyces fabae* (rust on beans), 35
- Vectors
aphid, 97, 189, 190
fungus, 190, 191
mite, 191
- Verticillium* spp., on winter wheat, 24, 25
- Verticillium chlamydosporium*, 165
- Verticillium dahliae*, 160
- Verticillium lecanii*, 199
- Vicia faba*
pests and pathogens on, 32, 36
rhizobia on, 212, 213
- Viruses
antisera for BMYV and BWYV, 189
aphid infectivity, 96, 131, 195–197
aphid vectors, 96, 97, 189, 190
aphids, infectivity index, 96
interactions between BLRV and PEMV in field beans, 199
necrosis induced by, 199
of barley, 19, 23, 27–29, 32, 96, 98, 99, 186, 195–198
of beans, 34, 187, 199
of cereals, 195–198
of grasses, 191
of honeybees, 107, 108
of legumes, 187, 199
of peas, 187, 199
of potatoes, 189, 190, 203, 204
- Viruses (*contd.*)
of red clover, 186, 190
of sugar beet, 76–78, 131, 186, 189–191
of tobacco, 38–40
of wheat, 19, 23, 28, 29, 98, 115, 197, 198
resistance to, 38, 39
sources of barley yellow dwarf virus, 197
transmission of by fungi, 190
- Viruses, names of
barley yellow dwarf virus, 19, 23, 27–29, 32, 96, 98, 99, 115, 195–198
barley yellow mosaic virus, 186
bean leaf roll virus, 34, 187, 189, 199
bee virus X, 107
bee virus Y, 107
beet mild yellowing virus, 76, 131, 186
beet necrotic yellow vein, 186
beet western yellows, 189
beet yellows, 77, 78, 131, 132
black queen-cell virus, 107
broad bean stain virus, 199
broad bean true mosaic, 199
pea early browning virus, 34, 187, 199
pea enation mosaic virus, 34, 187, 199
potato leaf roll virus, 203, 205
potato mop top virus, 203, 204
potato virus Y, 189, 190
red clover necrotic mosaic virus, 186, 190
ryegrass mosaic virus, 191
sacbrood virus of bees, 107, 108
sugar beet yellows, 69, 70
tubular virus, of sugar beet, 190, 191
- Visitors, to Rothamsted, 122
- Wales, soil survey in, 226, 227, 236
- Warwickshire, soil survey in, 222, 223
- Water activity, effect on spore germination, 200, 201
- Water stress, response of spring barley to, 180, 181
- Weather
at Broom's Barn, 294
at Rothamsted, 292
at Saxmundham, 295
at Woburn, 293
- Weed Research Organisation, 75
- Weevils, 101
- Welsh Plant Breeding Station, 196
- Wheat
abscisic acid in, 60
Acremoniella atra on, 24
Alternaria alternata on, 24
aphicide on, 25, 245
at Rothamsted, 19–29, 115, 116, 246–251
at Woburn, 25–28, 113–115, 119, 176, 245, 246
auxin in, 60, 61
Avalon, 75, 115, 245
barley yellow dwarf virus on, 19, 23, 27, 28, 98, 115, 197
brown foot rot on, 192, 193
chemical composition of, 56, 57
chlorophyll in leaves of, 56
cleavers on, 23, 24
Cladosporium sp. on, 24, 25
components of yield, 27
Continuous Wheat experiments, 254
dry matter yield, 27, 28, 245, 246
ear number in, 59
effect of herbicide on insect fauna of, 100
effect of husbandry treatments on, 254
effect of soil type on yields of, 249
effect of sowing date on yield, 75, 76
effect of subsoiling on, 262
estimation of sugars in, 57
eyespot on, 24, 188, 189
Factors Limiting Yield of Winter Wheat experiment, 25
- Fenman, 115
- Flanders, 114, 115
- Four-Institute Yield Variation, 244
- fungal diseases of, 19, 24, 25
- fungicides on, 19, 21, 24, 115, 138, 139, 199, 200, 245

INDEX

- Wheat (contd.)**
Fusarium culmorum on, 24
gibberellins in, 61
grain N concentration of, 254
grain set in, 60
grain yield, 19, 26, 27
growth and yield at Rothamsted and Woburn, 25–29
growth of, 20, 27, 28
growth regulator for, 23, 24
herbicides on, 23, 115
Highbury, 60
Hobbit, 61
Huntsman, 61
Hustler, 25, 26, 60, 61, 115, 245
indoleacetic acid in, 60
invasion of roots by *Gaeumannomyces graminis* var. *tritici* or *Phialophora radicola* var. *graminicola*, 216
irrigation of, 19, 21, 25–27, 245
leaf area index, 20, 27, 28
leaf-water potential for, 182
microflora of developing ears, 24, 25
mildew on, 115
nematodes on, 22
nitrate N in stems of, 28
'Nitro-Chalk' on, 115
nitrogen content of, 74
nitrogen on, 19–21, 24–30, 115, 245, 250–252
nitrogen uptake by, 21, 28, 254
Norman, 116, 245
number of shoots m⁻², 20
nutrient uptake, 248
on Broadbalk, 114, 120, 121
Penicillium spp. on, 24, 199–201
photosynthesis in, 181, 182
prolamins from, 14, 43, 44
protoplast studies, 45
regeneration of, 45
root growth of, 247, 248
rotation experiment, 254
RuBP levels in, 57
semi-dwarf cultivars, 60
Septoria on, 24
- Wheat (contd.)**
shoot root ratio, 248
soil-borne diseases of, 138, 139
sowing date, 19, 21, 24
take-all on, 192, 193
tiller survival, 59, 60
tissue cultures from, 45
total dry weight, 20
urea on, 25
Verticillium spp. on, 24, 160, 165, 199
Virtue, 245
water relations of root cells, 262
winter, crop model for, 244, 245, 248, 249
winter, factors limiting yields of, 19–28
yeasts on, 24, 25
yields, 19–28, 245
See also: Cereals; *Gaeumannomyces graminis*; Take-all
Wheat bulb fly, control of larvae, 134
Willow (*Salix babylonica*), detection of enzymes in, 54
- Yeast, on wheat, 24, 25
Yorkshire, soil survey in, 223, 235
- Zea mays*, *See: Maize*
- Zoospores, transfer of, 190