


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Report for 1981 - Part 1

[Full Table of Content](#)



Index

Rothamsted Research

Rothamsted Research (1982) *Index* ; Report For 1981 - Part 1, pp 305 - 316 - DOI:
<https://doi.org/10.23637/ERADOC-1-128>

SUBJECT INDEX

The General Report by the Director (pp. 9–17) has not been indexed.

- Abacarus hystrix*, as a vector of ryegrass mosaic virus, 191
- Absciscic acid, in wheat, 60
- Acephate, on sugar beet, 77, 78
- Acetylcholinesterase, in houseflies, 124, 130
- Acid sulphate soils, soil survey in, 227–229
- Acremonia atra*, on winter wheat, 24
- 'Actipron', on sugar beet, 74
- ADAS, 75, 97, 209, 257
- Crop Pest and Disease Intelligence Unit, 97
- statistical analyses for, 274, 275
- Veterinary Service, 276
- Adenine compounds, link with disease resistance, 39, 40
- Adenosine deaminases, 139
- Adenylate energy charge (AEC), of the soil microbial biomass, 258
- Aerial pollutants, effect on cereal yields, 55, 56
- Aerobiology, 176
- Agricultural meteorology, 183
- Agrobacterium tumefaciens*, 46, 47
- Air Photographic Units, 233, 234
- Aldicarb
- as a nematicide, 159, 164, 165
- effect on barley yellow dwarf virus, 22
- on beans, 32, 33, 36, 159
- on winter barley, 29, 30, 32
- on winter wheat, 19, 20, 22, 23
- Alkali metals, co-ordination chemistry of, 147–150
- Alternaria* spp.,
- on wheat, 24, 25, 199
- Alternaria alternata*, 199, 201
- Amino acids
- S-adenosylmethionine, 40, 46
- analysis, 43, 44, 46, 57
- arginine, 41
- asparagine, 41
- biosynthesis of, 40, 41
- composition of in archaeological samples, 42, 43
- effect on growth of VA mycorrhiza, 211
- glutamine, 41
- glycine, 42, 211
- lysine, 40–43, 46, 211
- methionine, 40, 41
- N-terminal sequences of, 44
- ornithine, 41
- proline, 41, 42, 46
- threonine, 40, 41, 46
- Ammonia, assimilation of, 40
- Amyl acetate, microcapsules of, 136
- Ancymidol, effect on bolting of sugar beet, 63
- Anemometers, 183
- Anglesey, soil survey in, 226
- Antifeedants, 125, 131
- APE 80 sprayer, 135, 136
- Aphicides
- for sugar beet, 77, 78
- on barley, 196, 197
- on winter wheat, 25, 26
- pirimicarb, 23
- See also: Insecticides; Pesticides
- Aphids
- alarm pheromone of, 125, 130–132
- bulletins, 96, 97
- caught in suction traps, 96, 97, 186
- cereal, 98–101
- chemical interference with virus transmission by, 131, 132
- Aphids (contd.)
- detection of beet mild yellowing virus in, 189
- entomophthoraceous fungi on, 100
- infected with *Erynia neoaphidis*, 100
- Infectivity Index, 186, 195–197
- migrations, 23
- on barley, 197
- on beans, 34
- on cabbage, 97, 98
- on potatoes, 97, 189, 190
- on sugar beet, 69, 70, 77
- on winter barley, 31
- overwintering, 70, 97, 98
- parasitoids of, 101
- predators of, 101
- rearing of, 136
- repellents for, 190
- spray warning scheme, 189
- transmission of barley yellow dwarf virus, by, 22, 23
- transmission of potato virus Y by, 189, 190
- virus yellows and, 77, 78
- Aphids, scientific names of
- Aphis fabae*, 78, 96, 130, 131
- Aulacorthum solani*, 96
- Brachycaudus helichrysi*, 101
- Brevicoryne brassicae*, 130
- Claytonia perfoliata*, 77
- Cryptomyzus galeopsidis*, 101
- Macrosiphum euphorbiae*, 96
- Metopolophium dirhodum*, 23, 32, 96, 98, 99–101
- Metopolophium festucae*, 23, 31, 32, 34, 130, 197
- Myzus persicae*, 77, 78, 96–98, 130–132, 189, 203
- Nasonovia ribisnigri*, 130
- Phorodon humuli*, 96
- Rhopalosiphum padi*, 23, 31, 32, 96, 98, 130, 197
- Sitobion avenae*, 31, 32, 96, 98–100, 130
- Apis cerana*, isolation of *Streptococcus pluton* from, 107
- ARC Computing Centre, 83
- Archaeological samples, Egyptian, of barley grain, protein compositions of, 43
- Arthrionum* spp., on winter wheat, 24
- Arthur Rickwood EHF, 74
- Aspergillus* spp., on winter wheat, 199
- Aspergillus candidus*, effect of oxygen concentration on, 200, 201
- Aspergillus repens*, 201
- Aspirin, stimulation of resistance-associated Pr-proteins by, 38, 39
- ATP, measurement of in the soil biomass, 245, 258, 259, 267
- Atrazine, leaching of, 134, 135
- Atrichum undulatum*, 54
- Aureobasidium pullulans*, on winter wheat, 199, 200
- Auxin, in wheat, 60, 61
- Azotobacter* spp., interaction with VA mycorrhiza, 211
- Bacteria, earthworms feeding on, 103, 104
- Bacteriocins, production of by *Rhizobium*, 214
- Bacterium-like organelles, 212
- Barley
- aldicarb on, 29, 30, 32
- analysis of wild and old grain, 43
- aphids on, 31, 32, 116
- at Rothamsted and Woburn, 116
- Atem, 116
- Athene, 116
- basal respiration in, 181

INDEX

- Barley (contd.)**
 brown rust on, 31
Cladosporium sp. on, 99
 crop establishment with various drills, 182, 183
 effect of deep cultivation on, 180
 effect of drought on, 175
 effect of subsoiling on, 262, 263
Erysiphe graminis on, 30, 31, 116, 139, 183, 186, 187
 ethirimol on, 116
 factors limiting yield of winter barley, 29–32
 fungicides on, 30, 139
 Georgie, 114, 116
 Goldmarker, 116
 growth and development of, 29, 30
 growth regulator on, 30
 high-lysine mutant lines, 42
 hordein fraction of, 42, 43
 Igri, 29, 114, 116
 insects on, 133, 134
 Koru, 116
 leaf blotch on, 31
 leaf growth in, 180
 leaf water potential for, 182
Lycopodium (club moss) on, 183
 lysine plus threonine resistant mutants, 40
 Maris Otter, 116
 mesophyll conductance in, 181
 mycorrhizal infection of, 210
 net blotch on, 31
 nitrogen on, 29, 30
 number of plants and shoots, 29, 30
 on Hoos field, 114, 120, 121, 258
 pests of, 134
 photorespiration in, 41, 181
 photosynthesis in, 180, 181
 prochloraz ('Sportak') on, 29, 30
 quantum yield in, 181
 residual effects of triadimefon on, 186, 187, 193, 194
Rhynchosporium secalis on, 31, 139, 187
 RuBP carboxylase/oxygenase isolated from, 54
 selection of mutants, 45, 46
 Simon, 116
 stem borers on, 134
 total dry weight, 29
 triadimenol ('Baytan') on, 65–67
 tridemorph on, 116
 Triumph, 116
 water stress in, 180, 181,
 yellow dwarf virus of, 1, 23, 27–29, 32, 96, 98, 99,
 195–198
 yellow mosaic virus of, 186
 See also: Cereals; *Erysiphe graminis*; Take-all
 Basal respiration, in spring barley, 181
 'Baytan', See Triadimenol
Beans (*Vicia faba*)
 aldicarb, on 32, 36
 aphids on, 34
 at Rothamsted and Woburn, 117
 benomyl on, 33, 117
 carbofuran on, 32, 36
 chocolate spot (*Botrytis fabae*), 34, 117, 198
 'economic' treatment for, 36
 fosetyl-Al on, 32, 33
 irrigation of, 34–36
 nematodes on, 35, 163, 164
 pea early browning virus on, 199
 pests and pathogens on, 32–36
 phorate on, 36, 117
 pirimicarb on, 32, 117
 root fungi of, 35
 rust (*Uromyces fabae*) on, 35
 season and plant growth, 33, 34
 seed-borne viruses of, 199
 seed treatment of, 35
 simazine on, 117
Sitona spp., on, 34, 36, 101–103, 117
 stem nematodes on, 35, 163, 164
 thiram, on, 32, 117
 viruses of, 34, 187, 199
 See also: *Phaseolus vulgaris*
- Bedfordshire, soil survey in, 221, 224, 235
 Beef, production of, 275
 Bees, See Honeybees
Beetles
 carabid, as aphid predators, 100
Philonthus cognatus, 100
 See also: Carabid beetles; *Sitona* spp.
 Behaviour controlling chemicals, 125
 Bendiocarb, effect on *Sitona* spp., 103
Benomyl
 effect on take-all, 138, 139
 on beans, 33, 117, 198
 on clover, 121
 on winter wheat, 99, 100, 138, 139, 199, 200
 Berkshire, soil survey in, 224
 Billington, wheat at, 245–248
 Bioclimatic Map, 230
 Biodeterioration, 199–201
 Bioresmethrin, effect on houseflies, 128
 Birds, repellents for, 136
 Black pepper, nematodes on, 160, 161
Blackleg
 on potato, 186, 201
 on sugar beet, 70, 71
 Blight, on potato, 186
 Blowfly, action of pyrethroids on nervous system of,
 127, 128
 Boehmite, crystal thickness of, 264, 265
 Bore Place Farm Project, the, 105
Botrytis fabae (chocolate spot), on beans, 34, 117, 198
 Bracken (*Pteris aquilina*), detection of enzymes in, 54
Brassica campestris, breeding of, 137
 Brassica crops, clubroot disease of, 137
 See also: Cabbage
 British Sugar Beet Seed Producers' Association, 72
 British Sugar Corporation, the, 69, 70, 72
 'Brittox', 23
Broadbalk
 barley on, 121
 classical experiments on, 120, 121
 potatoes on, 120
 prochloraz on, 120
 residual fertiliser nitrogen and nitrogen mineralisa-
 tion in soils at, 253
 wheat on, 114, 120, 121
 Bromoxymil, on winter wheat, 23
Broom's Barn
 cereals on, 78, 79
 crop rotations at, 78, 79
 livestock, 79
 sugar beet on, 79
 weather at, 294
 Brown rust, on barley, 31
 Buckinghamshire, soil survey in, 224, 235
- ¹⁴C, assimilation of by mycorrhizal plants, 261
 C₄ species, RuBP carboxylases in, 55
 Cabbage, aphids on, 97, 98
 Calf rearing, survey of, 276
Calliphora erythrocephala (blowfly) 127, 128
 Callus, regeneration of potato plants from, 45
 Cambridgeshire, soil survey in, 234
 CAM plants, RuBP carboxylases in, 55
 Captafol ('Sanspor'), on winter wheat, 19, 200
Carabid beetles
Agonum dorsale, 100
Amara spp., 100
 as predators of aphids, 100
Loricera pilicornis, 100
Pterostichus madidus, 100
Pterostichus melanarius, 100
Carbendazim
 for control of take-all, 139
 on winter wheat, 19, 199
Carbofuran
 as a nematocide, 159
 on field beans, 32
 to control *Sitona* spp. 102
 Carbon dioxide concentration, effect on field and
 storage fungi, 200

INDEX

- Carbophenothion, toxicity of, 134
 Carbosulfan, on sugar beet, 77
 Carrots, stem nematode on, 163, 164
 Cellulose xanthate, effect on dispersal of eyespot spores, 188, 189
 Cereal endosperm proteins, 41–44
 Cereals
 aphids on, 98–101
 barley yellow dwarf virus on, 19, 23, 27–29, 32, 96, 98, 99, 186, 195–198
 Cladosporium sp. on, 24, 25, 99
 diseases of, 191–198
 effect of mycorrhiza on growth of, 261, 262
 insect pathogenic fungi on, 99
 on Broom's Barn Farm, 78, 79
 on Rothamsted and Woburn, 115–117
 pest control in, 99–101
 take-all on, 191–193
 See also: Barley; Erysiphe graminis; Maize; Oats; Rye; Take-all; Wheat
 Chalky Boulder Clay, soils in, 231
Chamaecyparis lawsoniana, 54
Chenopodium quinoa, 191
 Cheshire, soil survey in, 222, 235
 Chlorfenvinphos, 134
 Chloromequat chloride, 61
 foliar application of, 141
 Chlorophyll, in leaves of wheat, 56
 Chloroplasts, photosynthesis by, 58, 59
 synthesis of amino acids by, 41
 Chocolate spot,
 See: Botrytis fabae
 Chromium, toxicity of, 260
Chrysopa carnea,
 See: Lacewings
Cicer arietinum, rhizobia isolated from, 214, 215
 Cismethrin, for control of wheat bulb fly larvae, 134
Cladosporium, sp., on wheat and barley, 24, 25, 99
Cladosporium cladosporioides, 199
Cladosporium herbarum, 199
 Classical experiments, 120, 121
 Clay minerals,
 effect of crystal thickness on position and intensity of, 264, 265
 impurities in, 257, 258
 interaction of water with, 263, 264
 Cleavers (*Galium aparine*), on winter wheat, 23, 24
 Climatic classification, of England and Wales, 230
 Clingfilm technique, for measuring leaf-water potential, 182
 Clover
 benomyl on, 121
 in Classical experiments, 121
 inoculation of with VA mycorrhiza on, 211
 nematodes on, 163, 164
 response of to nitrogen, 255
 Rhizobium on, 213
 viruses of, 190
 Clubroot, *See: Plasmodiophora brassicae*
 Cobalt
 complex of with polyether, 151
 in displaced soil solutions, 259, 260
 Coccinellidae, on winter wheat, 101
 Cockroach, *See: Periplaneta americana*
 Colombia, sheep trials in, 282
 Common scab, *See: Streptomyces scabies*
 Complexes, determination of, 148, 150
 Computer programs,
 ARC Metadata system, 90
 CAMGRID, 232
 d BASE II, 90
 data bases, 90
 DECODE, 90
 FAMULUS, 90
 for RIS aphid data, 96
 for soil survey, 231, 232
 GHOST, 90, 232
 GRASP, 90, 232
 INFO package, 87, 90, 232
 languages, 87, 88, 91
 Computer programs (*contd.*)
 LINDAT, 232
 MINITAB, 90
 NATCAT, 232
 NVRs Gene Bank Project, 91
 Programming Advisory Service, 91
 RIRO C, 232
 Rothamsted General Survey Program, 91, 92
 SELECTOR, 90
 TAXIR, 90
 See also: Statistical programming
 Computers,
 ARC Computing Centre, 83
 ARC Computing Committee, 87
 CDC 7600, 91
 data management, 87, 91
 documentation, 87
 front end processors, 84, 86, 89
 IBM 370, 91
 ICL System 4, 84–91
 image data tablet, 88
 Jacquard J100, 276
 management services section, 92
 microcomputers, 281
 microprocessors, 87–89
 microsystems inter-connection, 88
 microtechnology, 84
 MIDAS systems, 87, 88
 National Computer Centre Threshold Scheme, 84
 NCR B-series, 91
 network, 89
 plotters, 88, 89
 Prime 550, 84, 86, 88, 90, 91
 printers, 88
 software, 87
 system failures, 86
 systems utilisation, 85
 telecommunications, 89
 training, 90, 91
 Vegetable Gene Bank Project, 84
 Conidiobolus obscurus, 100
 Controlled drop application, of pesticide sprays, 136
 Copper, for preparation of sewage sludge, 260
 Cornwall,
 Loess soils in, 267
 soil survey in, 225
 'Cosmic', on winter wheat, 19
 Crop establishment, significance of tractor wheelings for, 182, 183
 Crown gall, 46, 47
 Crystal structure, determination of, 148, 150
 Crystal thickness, effect of on position and intensity of the 020 reflection of lepidocrite and boehmite, 264, 265
 Culex sp., pheromones of, 132
 Cultivations, reduced, effect on soil-borne disease, 192, 193
 Cumbria, soil survey in, 223, 236
 Curve fitting algorithms, 281
 Cypermethrin, effect on *Sitona* spp., 103

 2,4-D, 141
 3,5-D, mode of action of, 137, 138
 Dairy heifers, weight of, 275
 DDT, 128
 Deep cultivation, effect on spring barle, 180
 'Delsene M', on winter wheat, 199, 200
 Deltamethrin
 effect on potato virus Y, 186, 189, 190
 effect on *Sitona* spp., 103
 on sugar beet, 77, 78
 Demeption, on sugar beet, 77, 78
 Demeton-S-methyl
 effect on *Sitona* spp., 103
 on sugar beet, 77, 78
 Derbyshire, soil survey in, 222, 223
 Devon, soil survey in, 225, 236
 Dicyandiamide, on winter wheat, 25, 252
 Diffusion, simulation of in soil aggregates, 265

INDEX

- Dimethoate
 on cereals, 99, 100
 toxicity of, 134
Dinitrogen-bridged ditungsten complex, 152
Dispersal, of fungal spores, 187–189
cDNA, 40
 cloning of, 41, 42, 44
Docking disorder, of sugar beet, 69
Dodecanoic acid, effect on potato virus Y acquisition, 190
Dorset, soil survey in, 225, 236
Drainage rates, effect of tillage treatment on, 177
Drills, seed, effect on crop establishment, 182, 183
Drosophila melanogaster, toxicity of insecticides to, 134
Dufour's gland, in *Nemeritis canescens*, 133
Durham, soil survey in, 235
Dyfed, soil survey in, 235
- Earthworms
 Allolobophora longa, 104
 Dendrobaena veneta, 104
 Eisenia foetida, 103–106
 food value of, 104
 harvester for, 105
 Lumbricus rubellus, 104
 Lumbricus terrestris, 104
 production of from different wastes, 104, 105
 toxicity of chemicals to, 105, 106
 use of in waste disposal and protein production, 103–105
East Anglia, soil survey in, 221, 227, 228, 231
East of Scotland College of Agriculture, 266
EEC legislation, on toxicity of chemicals to earthworms, 105, 106
Egyptian archaeological sites, protein compositions from, 43
Electrified fences, 122
Electron microscopy
 immunosorbent, 189
 of bacterium-like organelles, 212
ELISA technique, 76, 186, 189, 197
England and Wales, soil survey in, 92
Enthalpies, of K-Ca exchange on clays, 257, 258
Entomophthora spp., 23
Entomophthora planchoniana, 100
Enzyme-linked immunosorbant assay (ELISA), 76, 186, 189, 197
- Enzymes
 acetylcholinesterase, 130
 adenosine deaminase, 139
 alcohol dehydrogenase, 45, 46
 asparagine synthetase, 41
 aspartate kinase, 41, 46
 carbonic anhydrase, 58
 detection of in moss, 54
 fructose biphosphate, 58
 glutamate-glyoxylate aminotransferase, 58
 glutamine synthetase, 40
 nitrate reductase, 46, 58
 nitrogenase, 40
 porcine pancreatic elastase, 152, 153
 RuBP carboxylase, 54–56, 58
 serine-glyoxylate aminotransferase, 58
 threonine synthase, 41
Ephestia kuehniella, structure-activity effects of, 133
Equisetum arvense (Common horsetail), 54
Eriophyid mites (*Abacarus hystrix*), 191
Erwinia carotovora (tuber soft rot),
 on potatoes, 201
Erynia neophidis, 100
Erysiphe graminis (barley mildew),
 adenosine deaminases from, 139
 dispersal of spores, 187, 188
 lift off of spores, 183
 on barley, 31, 125, 139, 186, 187
 residual effect of triadimefon on, 193
 sensitivity of to triadimefon, 194
Escherichia coli, transfer of plasmids from, 216
Ethepon, on winter barley, 29
- Ethiofencarb, on sugar beet, 77, 78
Ethirimol
 for control of mildew, 125
 mode of action of, 139
European Weed Research Society, 135
Eyespot (*Pseudocercospora herpotrichoides*), on
 wheat, 24, 188, 189
- 'Farmers Weekly', 220, 235
Farmyard manure, on cereals, 78
(E)-B-farnesene, 130, 131
Fenpropimorph, 139
Fenvalerate
 analogues of, 126
 effect on *Sitona* spp., 103
Fertilisers
 Survey of Fertiliser Practice, 276
 See also: Nitrogen fertilisers; Phosphate fertilisers;
 Potassium fertilisers
Field Experiments,
 crop yields, 114, 120, 121
 small plots, 119
 working party for, 119
Fish farming, sources of protein in, 104
Foliar application, of chlormequat chloride, 141
Fosetyl-Al, on field beans, 32, 33
Fuberidazole, on winter barley, 29
Fungal diseases
 eyespot, 24
 of potatoes, 140
 of wheat, 24, 25
 Septoria, 24
 See also: Erysiphe; Eyespot; Fusarium; Take-all
Fungi
 field and storage, effect of environmental factors
 on, 200
 filamentous, 24
 root, 35
 storage, 24
 See also: Fungus diseases; Fusarium; Gaeumannomyces-Phialophora complex; Mycorrhiza;
 Take-all
Fungicides
 effect on take-all, 138, 139
 ethylmercury phosphate, 70
 hydroxypyrimidine, 139
 iprodione, 70
 non-mercurial, 70
 on barley, 29, 30, 139
 on potatoes, 202, 203
 on sugar beet, 70
 on winter wheat, 19, 20, 24, 25, 199, 200
 phenylmercury acetate, 70
 prochloraz, 120
 resistance to, 125, 139
 sterol synthesis inhibitors, 139
 TCMTB, 70
 thiram, 32, 70, 117
Fusarium spp.,
 epidemiology of, 202
 on beans, 35
 on black pepper, 160, 161
 on potatoes, 187
Fusarium coeruleum, 202
Fusarium culmorum, on winter wheat, 199
Fusarium sulphureum, 202
- Gaeumannomyces graminis* var. *tritici*, 192, 216
 changes within populations of, 192
 See also: Phialophora radicola
Gallium aparine (cleavers), control of, 23, 24
Gangrene, See: *Phoma exigua* var. *foveata*
Gardner's method, of analysing soil-water diffusivity,
 177
Garlic, nematodes on, 163, 164
Gas exchange measurements, of photosynthesis and
 photorespiration, 57
Genetic manipulation, of crop plants, 44–47
Genetic material, transfer of into plants, 46, 47
Gibberellins, in wheat, 61

INDEX

- Ginkgo biloba*, 54
 Glasshouse facilities, 47
 Gleadthorpe Experimental Husbandry Farm, 276
Glomus caledonius, 212
Glomus fasciculatus, 211
Glomus mossae, 210
 (¹⁴C) Glutamate, as a precursor of proline, 41
 Grain
 analyses of wild and old barley grain, 42, 43
 proteins from, 41–44
 ripening microflora, 24, 25
 Grasses
 barley yellow dwarf virus on, 197, 198
 responses of to nitrogen, 254, 255
 RuBP carboxylases in, 55
 ryegrass mosaic virus, 191
 take-all after, 192
 Grassland Research Institute, 210
 Gravel pit soils, *Rhizobium* in, 212, 213
 Grazing classification, of soils, 229, 230
 Growth regulators,
 on barley, 29
 on sugar beet, 73
 Gwynedd, soil survey in, 235

 Hair worms, comparison with nematodes, 170
 Hampshire, soil survey in, 224, 234
 Herbicides
 effect on insect fauna of wheat, 100, 101
 foliar application of, 140, 141
 on sugar beet, 74, 75
 PCF mixture, 74
 See also: names of chemicals used as herbicides
 Hertfordshire, soil survey in, 221
 Hexose phosphates, metabolism of to sucrose, 56
 Hexton, wheat at, 245–248, 251
 Hoagland solution, for feeding wheat plants, 56
 'Hoe 25682', on sugar beet, 77
 Honeybees (*Apis mellifera*)
 Acarapis woodi on, 106
 bee virus X, 107
 bee virus Y, 107
 European foulbrood, 106, 107
 filamentous virus, 107
 Malpighaemoeba mellificae, 107
 Nosema apis on, 106, 107
 poisoning of, 133
 sacbrood virus of, 107, 108
 viruses of, 107, 108
 Hoosfield, barley on, 114, 120, 121, 258
 Hordeins
 extraction of, 42
 'B', 42
 'D', 42
 Host/plant pathogen relationships, 38
 Housefly (*Musca domestica*)
 acetylcholinesterase activity, 124, 130
 biochemistry of insecticide resistance, 130
 effect of fenvalerate analogues on, 126
 gene flow and dispersal, 128
 genetics of resistance in, 128, 129
 insecticide resistance in, 128
 knock-down resistance in, 130
 modelling of resistance in, 128
 phospholipids in, 130
 population dynamics of, 128
 rearing of, 137
 sex determination in, 129
 Humberside, soil survey in, 233
 Hydraulic conductivity, 176, 177
 Hydroquinone, 252
 Hydroxypyrimidine fungicides, mode of action of, 139

 IAR. *See*: Intrinsic antibiotic resistance
 ICI, 73, 75
 'Ten-Tonne Club' survey, 245
 Imazalil, on winter wheat, 200
 Immunosorbent electron microscopy, 189
 Imperial Cancer Research Fund, 40
 Indoleacetic acid, in wheat, 60

 3-indolylacetonitrile, (IAN), link with clubroot disease, 137
 Indolylmethylglucosinolate (IMG), 137
 'Infectivity Index', for barley yellow dwarf virus, 96
 Insect traps
 aphids caught in, 186
 suction traps, 196
 Insecticides
 aphid resistance to, 190
 housefly resistance to, 128, 129
 poisoning of honeybees by, 133
 spray application, 136
 See also: Aphicides; Nematicides; Pesticides; Pyrethroids; names of individual insecticides
 Insects
 effect of herbicides on, 100, 101
 fungi pathogenic to, 99, 100
 insecticide resistance in, 124, 125
 neuroanatomy of, 127
 on barley, 133, 134
 rearing of, 136, 137
 Rothamsted Insect Survey, 96, 97, 196
 traps for, 196, 203, 204
 See also: Insect traps; names of individual insects
 Integrated Control in Cereals Working Group, 99
 Interferon system, the, 40
 International Society of Soil Science, 232, 234
 Intrinsic antibiotic resistance, 214, 215
In vitro synthesis, of PR-proteins, 40
 Ionophores, effect on stomata, 151
 Ioxynil, on winter wheat, 23, 24
 Iprodione, as a fungicide on wheat, 70, 139
 Irrigation
 of field beans, 33
 of winter wheat, 19, 25, 26
 ISEM. *See*: Immunosorbent electron microscopy

 Japan, transplanting of sugar beet in, 75
 John Innes Institute, 209, 210, 214

 'Kadethrin', 134
 Kairomonal activity, in *Nemeritis canescens*, 133
 Kaolinites, impurities of, 257
 Kent, soil survey in, 224
 Knock-down resistance mechanism, 124, 125, 127–130
 'Kriging', 266

 Lacewings, on winter wheat, 101
 Lambs, grazing, 275
 Lancashire, soil survey in, 223
 Lawson's cypress (*Chamaecyparis lawsoniana*), 54
 Leaching, of nitrate, 250, 251, 266
 Leaf chamber, to determine rates of photosynthesis and photorespiration, 57
 Leaf protein, extraction of, 267
 Leaf water potential, measurement of, 182
 Leeks, mycorrhizal, carbon and phosphorus physiology of, 261
 Legumes, root nodules on, 40
 See also: Clover; Lucerne
 Leicestershire, soil survey in, 222
 Lepidocrite, crystal thickness of, 264, 265
 Lesions, necrotic, caused by tobacco mosaic virus, 38
 Letcombe Laboratory, the, 176, 192, 193, 235, 248
 Leys, take-all on wheat after, 191, 192
 Lincolnshire, soil survey in, 222
 Lipophilic chemicals, translocation of, 140
 Livestock
 at Broom's Barn Farm, 79
 at Rothamsted and Woburn, 118
 statistical analysis for, 275, 276
 Locusts, neuroanatomy of, 125
 Loess soils, in Cornwall, 267
 Long Ashton Research Station, 196, 248
Lotus corniculatus, rhizobia on, 212, 213
 Lucerne
 inoculation of with mycorrhiza, 210, 211
 nematodes on, 163, 164

INDEX

- Lupinus angustifolius*, rhizobia on, 213
Lycopodium (club moss), spores of, 183
- MAFF Experimental Husbandry Farm, Terrington, 104
MAFF Wildlife Investigation Scheme, 133
Magnesium, complexes of, 150
Magnesium perchlorate cations, of alkali metal cations, 150
- Maize
 detection of enzymes in, 54
 inoculation of with mycorrhiza, 210, 211
 nitrogen on, 121, 122
 statistical analysis of trials in Nepal, 282
 stem nematodes on, 163
- Mancozeb, on potato, 117
Maneb, on winter wheat, 19, 199, 200
Manganese, concentrations of in soil solutions, 259
Maps, soil, 220, 232
Mathematical models
 of pesticide movement in soil, 135
 of photosynthesis, 180, 181
Maulden, wheat at, 246, 251
Mecoprop, on winter wheat, 23
Medicago sativa, rhizobia on, 212, 213
Melilotus officinalis, 212, 213
Mepiquat chloride and ethephon ('Terpal') on winter barley, 29, 30
Mesophyll conductance, in spring barley, 181
Messenger RNA, 40
Metamitron, on sugar beet, 74
Methiocarb, microencapsulation of, 136
Metribuzin, leaching of, 134, 135
Mice, damage caused to sugar beet by, 68, 69
Microcalorimeter, for measuring thermal changes in clays, 244
Microcomputers, 281
Microencapsulation, of insecticides, 136
Microflora, of ripening grain, 24, 25
Micronutrients, 259
Microorganisms, link with earthworm production, 103, 104
Midlands, soil survey in, 222, 223, 231
Mildew, *See: Erysiphe graminis*
Milton Keynes, soil survey in, 235
Mole drainage, 179
Molecular recognition, phenomenon of, 148
Molecular structure, of pyrethroids, 125, 126
Mop top, on potatoes, 186
Mosquito, oviposition attractant pheromone of, 125, 132
Moss (*Atrichum undulatum*), detection of enzymes in, 54
Moths
 likely flight behaviour of pea moths, 274
 sex attractants for pea moth, 132
Musca domestica, *See: Housefly*
Muscid flies, action of pyrethroids on nervous system of, 127, 128
Mushrooms
 growing of, 105
 nematode of, 167, 168
Mustard beetles (*Phaedon cochleariae*), effect of fenvalerate analogues on, 126
Mutants
 barley, 42, 45, 46
 nitrate reductase-minus, 46
 of the moss *Physcomitrella patens*, 46
Mycorrhiza, vesicular-arbuscular
 chemical characterisation of, 212
 effect of amino acids on, 211
 effect of nitrogen on, 211
 effect on barley, 210
 effect on cereal growth in the field, 261, 262
 effect on clover, 211
 effect on lettuce, 211
 effect on lucerne, 210, 211
 effect on maize, 210, 211
 effect on peas, 209, 210
Mycorrhiza, vesicular-arbuscular (*contd.*)
 inoculum production, 209, 211
 interaction with *Azotobacter chroococcum*, 211
 nutrient film technique for, 209, 211
 studies of, 244
NAD(P)H-dependent glutamate synthase, 40
Narcissus, stem nematodes on, 164
National College of Agricultural Engineering, 179, 259
National Institute for Research in Dairying, 105, 107
National Institute of Agricultural Botany, 72, 201
National Institute of Agricultural Engineering, 105, 282
National Soil Catalogue, 232
National Soil Inventory, 221, 230, 232
National Soil Map, 220, 221
National Vegetable Research Station, 91
Nectria haematococca f. sp. *piperis*, 161
Nematicides
 aldicarb, 159, 164, 165
 carbofuran, 159
 culture technique for, 158
 'Hoe 00668', 158
 new, 158
 oxamyl, 158, 159
 'RH 9358', 158
 vertical band applicator for, 158
Nematodes
 cuticular fibrils of, 170
 cyst nematodes, 157, 163, 168, 169
 depth distribution of *Paratrichodorus*, 164
 desiccation of, 162
 differentiation of pathotypes, 162, 163
 effect of *Solanum* spp., on, 159
 feeding pump of, 167
 fungal pathogens, 165
 hatching of, 161, 162
 interaction with *Verticillium dahliae*, 160
 male reproductive system in, 166, 167
 Mexican cyst nematode, 168
 modelling of dispersal, 170
 of ryegrasses, 164, 165
 on beans, 35, 163, 164
 on carrots, 163
 on garlic, 163
 on lucerne, 163
 on maize, 163
 on narcissus, 164
 on oats, 163
 on oilseed rape, 163
 on onions, 163
 on peas, 199
 on potatoes, 140, 158, 159
 on rice, 161
 on sugar beet, 69
 on tulips, 164
 on wheat, 22
 pathogens of cyst nematodes, 165, 166
 pea cyst nematode, 160, 171
 population dynamics of cyst nematodes, 278
 potato cyst nematodes, 158-160
 rickettsia-like organisms from, 165, 166
 root knot, 157, 161, 166
 staining of, 171
 stem, 157, 163, 164
 stylet length, 169
 suppression of *Rhizobium* by, 160
 taxonomy of, 168
Nematodes, scientific names of
 Aphelenchoides spp., 167
 Ditylenchus dipsaci, 159, 160, 163, 164, 167
 Globodera spp., 166-168
 Globodera pallida, 158-160, 162, 163, 168
 Globodera rostochiensis, 158-163, 166-168
 Globodera solanacearum, 168
 Globodera tabacum, 168
 Globodera virginiae, 168
 Graminae group, 169
 Helicotylenchus varicaudatus, 164
 Helicotylenchus vulgaris, 22

INDEX

- Nematodes, scientific names of (contd.)**
Heterodera spp., 166
Heterodera arenaria, 169
Heterodera avenae, 159, 165, 168, 169
Heterodera glycines, 165
Heterodera goettingiana, 171
Heterodera mani, 168, 169
Heterodera schachtii, 163, 165
Longidorus spp., 22, 168
Meloidogyne spp., 165–167, 169
Meloidogyne acrona, 165, 166
Meloidogyne arenaria, 166, 167
Meloidogyne graminicola, 166, 167
Meloidogyne hapla, 166
Meloidogyne incognita, 161, 165–167
Meloidogyne javanica, 165, 167
Meloidogyne naasi, 165
Meloidogyne oryzae, 166
Paratylenchus, 168
Paratrichodorus anemones, 164
Pratylenchus spp., 22, 35, 36, 170
Pratylenchus crenatus, 35
Pratylenchus neglectus, 22, 35
Pratylenchus pinguicaudatus, 35
Pratylenchus thornei, 160
Rotylenchulus reniformis, 165
Rotylenchus spp., 168
Trichodorus spp., 170
Trichostrongylus colubriformis, 170, 171
Tylenchorhynchus dubius, 22
Tylenchulus semipenetrans, 165
Xiphinema spp., 22
Nematophthora gynophila, 165
Nemeritis canescens,
 Dufour's gland components in, 133
 oviposition responses from, 133
 Net blotch, on barley, 31
 Neutron moderation meter, 25, 178
 Nickel, toxicity of to plants, 260
Nicotiana glutinosa, 40
Nicotiana tabacum, 39, 40
 Nitrate
 growth of mutants of moss on, 46
 soil, leaching of, 251, 266
 Nitrification inhibitors, 25, 252
 Nitrilacarb, on sugar beet, 77
 'Nitro-Chalk', 115
 Nitrogen
 content of in winter wheat, 274
 leaching of, 250
 nitrate N in wheat stems, 28
 uptake of in wheat, 21, 28, 254
 Nitrogen fertilisers
 Balance Sheet approach for, 251
 effect of amount and timing on control of cleavers,
 23, 24
 effect on photorespiration rate in wheat, 56
 effect on wheat yields, 19–21, 25–28
¹⁵N labelled, 253, 254
 NO³-N content of wheat stems, 28
 on barley, 29, 30
 prediction of requirements, 250–252
 residual, in Broadbalk soils, 253
 response of grass and grass-clover swards to
 nitrogen, 255
 timing of, 19
 uptake of by wheat, from previous crop, 254
 yield response to, 274, 275
 Nitrogen fixation, 212–216
 carbon cost of, 215
 rates of, 244
 symbiotic, 209
 Nodules, root
 formation of, 213, 214
 glutamine synthetase in, 40
 Norfolk Agricultural Station, 71, 74
 Norfolk Broads, soil survey in, 227
 Northamptonshire, soil survey in, 221
 Northumberland, soil survey in, 235
 Nottinghamshire, soil survey in, 222, 223
 Nuarimol, for control of take-all, 139
- Oats**
 at Rothamsted and Woburn, 117
 barley yellow dwarf virus on, 98, 197
 nematodes on, 163
 Official Seed Testing Station, 72
 Oilseed rape
 damage to honeybees from insecticide application
 to, 133
 nematodes on, 163
Olpidium radicale, as a vector of red clover necrotic
 mosaic virus, 186, 190
 Omethoate, effect on *Sitona* spp., 103
 Onions
 inoculation of with mycorrhiza, 211
 nematodes on, 163
Onobrychis viciifolia, 213
 Organic phosphorus
 accumulation of under long leys, 256, 257
 changes in, 256
 Oviposition attractant, 133
 Oxamyl, as a nematicide, 158, 159
 Oxfordshire, soil survey in, 224
 Oxygen
 affinity of RuBP carboxylase/oxygenase for, 55
 effect of concentration of on growth of fungi, 200,
 201
- ³¹P nuclear magnetic resonance spectroscopy, 256
Parachordodes wolterstorffi, 170
 Parasitoids, aphid, 101
 Partitioning, of chemicals on to lipophilic root
 solids, 140
 Pea moth, *See* Moths
 Peas
 leafless, 121, 209, 210
 nematodes on, 199
 rhizobia on, 214
 Sitona spp. on, 101–103
 vesicular arbuscular mycorrhiza on, 209, 210
 viruses of, 187, 199
 Penetrometer readings, after subsoiling experiments,
 263
Penicillium spp., on wheat grains, 24, 199–201
Penicillium brevis compactum, effect of oxygen con-
 centration on, 201
Penicillium roquefortii, effect of low oxygen con-
 centration on, 201
 Peptone, effect on growth of VA mycorrhiza, 211
Periplaneta americana, (cockroach)
 effect of pyrethroids on, 125
 neuroanatomy of, 127
 Permethrin
 analogues of, 126
 effect on houseflies, 128, 129
 for control of *Sitona* spp., 102, 103
 for control of wheat bulb fly larvae, 134
 microencapsulation of, 136
 on sugar beet, 77
 Perry Foundation, the, 158
 Pesticides
 bird repellents, 136
 movements of in soils, 139, 140
 spray application of, 136
 See also: Aphicides; Fungicides; Insecticides;
 Nematicides
 Pests, control of in cereals and beans, 99, 101
Phaseolus coccineus, 213
Phaseolus vulgaris, inoculation of with *Rhizobium*,
 212, 213
 Phenmedipham, on sugar beet, 74
 Phenoxycetic acids, for control of potato common
 scab, 137, 138
 Pheromones
 aphid alarm pheromone, 125
 derivatives of, 131
 mosquito, 125, 132
Phialophora graminicola, 191, 192
Phialophora radicularis var. *graminicola*, 216
 Phloem transport in plants, 135
Phoma betae, 70

INDEX

- Phoma exigua* var. *foveata* (gangrene on potato), effect of fungicides on, 187, 202, 203
- Phorate
for control of *Sitona* spp., 36, 102, 103, 117
on spring beans, 33, 36
toxicity of, 134
- Phosphate fertilisers, characterisation of 256, 257
- Phosphonate, in soil, identification of, 256
- Phosphorus
accumulation of under long leys, 256, 257
changes in soils, 256
characterisation of, 256
evaluation of reserves, 256
physiology of mycorrhizal plants, 261
soil biomass, 258
uptake of by potatoes, 160
- Photoinhibition, 57, 58
- Photorespiration
gas exchange measurements of, 57, 58
in barley, 41, 181
in wheat, 56
- Photosynthesis
by isolated protoplasts and chloroplasts, 58, 59
in a leaf chamber, 57
in spring barley, 175, 180, 181
in winter wheat, 56, 182
induction period preceding, 58, 59
interference with, 99
mathematical models of, 180, 181
net, in sugar beet, 73
- Phoxim, as a nematicide, 159
- Physocomitrella patens*, mutants of, 46
- Phytophthora* spp., on sugar beet, 70, 71
- Phytophthora palmivora*, on black pepper, 160, 161
- Pig waste, breeding of earthworms on, 104
- Pigs, ultrasonic fat-depth measurement for, 275, 276
- Piper nigrum*, root-knot nematode in, 160, 161
- Pirimicarb
microencapsulation of, 136
on beans, 32, 117
on potatoes, 117
on sugar beet, 77, 78
on winter wheat, 99, 100
- Pirimiphos-methyl, effect on *Sitona* spp., 103
- Plant Breeding Institute, 72
- Plant physics, 180–183
- Plasmodiophora brassicae*, host-parasite relationship, 137
- Poly A + RNA, extraction of from tobacco, 39, 40, 44
- Polyacrylic acid, injection of tobacco leaves with, 38
- Polyethers
macrobicyclic, 147–150
monocyclic, 150
neutral bicyclic, 147
open chain, 150, 151
- Polygoidal, 125, 131, 190
- Polymyxa betae*, 191
- Polymyxa graminis*, 186, 190
- Porcine pancreatic elastase, X-ray analysis of, 152, 153
- Potassium
complexes of, 148
enthalpies of K-Ca exchange, 257
release of non-exchangeable, 257
uptake of by potatoes, 160
- Potatoes
anaerobic and aerobic tests on, 201
aphids on, 97
Arran Banner, 158, 162
Arran Consul, 160
at Rothamsted and Woburn, 117
blackleg on, 186, 201
blight on, 186
canker on, 186
Cara, 117, 159
cyst nematodes on, 158, 159
Desirée, 117, 160
Duke of York, 164
effect of subsoiling on, 262, 263
Erwinia caratovora var. *caratovora*, (tuber soft rot) on, 201
- Potatoes (*contd.*)
fungal diseases of, 140
fungicides on, 203
Fusarium spp., on, 187, 202
gangrene (*Phoma exigua* var. *foveata*) on, 187, 202, 203
Golden Wonder, 160
Great Scott, 160
hatching, of cyst nematodes on root exudate, 161, 162
Immune Ashleaf, 160
Kerr's Pink, 160
King Edward, 158, 159
mancozeb on, 117
Maris Anchor, 160
Maris Peer, 160
Maris Piper, 158–160
mop top of, 186
nematode resistance in, 159, 160, 163
nematodes on, 140, 158, 159
nutrient uptake, 160
on Broadbalk, 120
Pentland Crown, 158, 159
phosphorus uptake, 160
potassium uptake, 160
powdery scab on, 186
protoplasts from, 45
regeneration of from leaf protoplasts and callus, 45
Solanum spp., on, 159
Solanum andigena, 163
Solanum kurtzianum, 163
Solanum vernei, 163
stem canker (*Rhizoctonia solani*) on, 187, 203
Streptomyces scabies (potato common scab) on, 137, 138
tolerance to cyst nematodes, 159, 160
tuber susceptibility, 202
virus diseases of, 203, 204
wound healing in, 202
yields, 117
- Poultry Research Centre, the, 105
- Poultry waste, worms grown in, 105
- Powder diffraction, 153
- 'PP333', 73, 74
- Pr(pathogenesis related)-proteins, relation of to virus resistance, synthesis of, 38, 39
- Predators, of aphids, 100, 101
- Processors and Growers Research Organisation, 103
- Prochloraz ('Sportak')
on barley, 29–31
on wheat, 120
- Prolamin storage proteins
high molecular weight, 43
homologies between, 44
in cereals, 41–44
- Propham/chlorpropham/fenuron (PCF) mixture, on sugar beet, 74
- Protein crystallography, 152, 153
- Proteins
cereal grain, 41–44
compositions of in Egyptian barley grain, 43
leaf, extraction of, 267
pathogenesis related, 38–40
use of earthworms in production of, 103–105
- Protoplasts
culture of, 45
leaf, regeneration of potatoes from, 45
photosynthesis by, 58, 59
- Pseudocercospora herpotrichoides* (eyespot), 24, 188, 189, 192, 193
- Pteris aquilina*, 54
- Puccinia hordei*, (brown rust), on barley, 31
- Pyrenophora teres* (net blotch), on barley, 31
- Pyrethroids
action of on nervous system of Muscid flies, 127, 128
decomposition of on leaves, 126, 127
for control of wheat bulb fly larvae, 134
insect resistance to, 124, 125, 129, 130
structure-activity relationships, 125
- Pythium* spp., on sugar beet, 71

INDEX

- Quantum yield, in spring barley, 181
- Radar imagery, in soil survey, 233, 234
- Rainfall, simulated, effect on spore dispersal, 188
- Relative grazing value (RGV) 229, 230
- Rhenium, complex of, 152
- Rhizobium* spp.,
 bacteriocin production by, 214
 competition among strains of *R. leguminosarum*, 213, 214
 genetics of, 215, 216
 identification of, 214, 215
 in gravel pit soils, 212, 213
 inoculation of field beans with, 213, 214
 inoculation of peas with, 213, 214
 inoculation of *Phaseolus vulgaris* with, 209
 populations in soil, 213
Rhizobium japonicum, 214
Rhizobium leguminosarum, 213–215
Rhizobium meliloti, 214
Rhizobium trifolii, 213, 214
Rhizobium phaseoli, 212
 suppression of by nematodes, 160
- Rhizoctonia solani* (stem canker), effects on potato yields, 187, 203
- Rhynchosporium secalis*
 effect of seed treatments on, 139, 194
 interplot interference by, 195
 on barley, 31
 spore production on barley straw, 194, 195
- Rice, root-knot nematode on, 161
- Ricinus communis* test system, 135
- Rickettsia-like organisms, 165, 166
- 'Rizomania', of sugar beet, 186, 191
- mRNA coding, for PR-proteins, 39, 43
- RNA, messenger, 40
 poly A+, 39, 44
- RNA fraction, of storage proteins, 44
- Root hairs, growth of, 262
- Roots, translocation from to shoots, 140
- Rotation, of crops, 254
- Rothamsted
 barley at, 258
 classical experiments at, 120, 121
 growth and yield of winter wheat at, 25–29
 potatoes at, 117
 weather at, 113, 119, 292
 wheat at, 246–251
- Rothamsted Insect Survey, 96, 97, 196
- Rothamsted *Rhizobium* Collection, 214
- Royal Agricultural Society of England
 Autumn Cultivations Demonstration, 235
 Soil and Water Management Association, 220
- Royal Aircraft Establishment, Farnborough, 234
- RuBP carboxylase/oxygenase
 activation of, 54, 58
 affinity for carbon dioxide, 54, 55
 affinity for oxygen, 55
 effect of sulphur dioxide on, 55, 56
 purification procedure for, 54
- Rye, prolamin fraction of, 42, 44
- Ryegrasses
 effect of aerial pollutants on, 55, 56
 nematodes of, 164, 165
 response of to nitrogen, 255
- Salix babylonica*, 54
- Samplers, suction, for splash dispersed spores, 188
- 'Sanspor' See Captafol
- SAR-580 experiment, 233, 234
- Saxmundham
 classical experiments at, 120
 subsoiling at, 263
 weather at, 295
 wheat on, 245, 246, 251
- Scilly Isles, Loess soils in, 267
- Scottish Crop Research Institute, 201
- SDS-PAGE, 43, 44
- Secale cereale*, RuBP carboxylases in, 55
- Seed drills, effect on crop establishment, 182, 183
- Seed storage proteins, 41–44
- Seeds, barley, accumulation of soluble threonine in, 46
- Septoria* spp.,
 dispersal of spores, 186, 188
 on winter wheat, 24
- Severn-Trent Water Authority, 235
- Sewage sludge, toxic effects of heavy metals in, 244, 260
- Sex attractants, for pea moth, 132
- Sex determination, in houseflies, 129
- Sheep
 serial dipping of, 275
 trials with in Colombia, 282
- Shropshire, soil survey in, 222, 227, 235
- Simazine
 degradation of in soil, 135
 on beans, 117
- Sitona* spp.,
 control of, 101–103
 establishment of natural mortality, 101
 leaf notching caused by, 34, 36
 monitoring and forecasting of, 101
- Snowdonia, soil survey in, 226
- Sodium chloride, on sugar beet, 72, 73
- Soil biomass
 adenylate energy charge of, 258
 measurement of ATP in, 245, 258, 259
 measurement of phosphorus in, 258
 residual N in, 253
- Soil classification, 232
- Soil erosion, 233
- Soil maps, 220, 221, 232
- Soil micromorphology, 232, 234
- Soil micro-organisms, physical studies on, 216
- Soil pests
 damage caused to sugar beet by, 68
- Soil sampling, representative, 276
- Soil solutions, displaced, concentrations of manganese in, 259
- Soil structure
 effect of tillage on pores, 179
 gaseous diffusion, 180
 interaction of water with soils and clays, 263, 264
 mole drainage, 179
 particle size distribution, 231, 264
 pastures field experiment, 230, 231
 regeneration of, 231, 264
 simulation of diffusion in soil aggregates, 265
 soil solution extraction with suction cups, 265
 spatial analysis of soil properties, 266
- Soil Survey of Scotland, 224, 229, 230
- Soil surveys
 Anglesey, 226
 Bedfordshire, 221, 224, 235
 Berkshire, 224
 Buckinghamshire, 224, 235
 Cambridgeshire, 234
 Cheshire, 222, 235
 Cornwall, 225
 Derbyshire, 222, 223
 Devon, 225, 236
 Dorset, 225, 236
 Durham, 235
 Dyfed, 235
 East Anglia, 221, 227, 228, 231
 England and Wales, 92
 Gwynedd, 235
 Hampshire, 224, 234
 Hertfordshire, 221
 Humberside, 223
 Kent, 224
 Lancashire, 223
 Leicestershire, 222
 Lincolnshire, 222
 Midlands, 222, 223, 231
 Milton Keynes, 235
 Norfolk Broads, 227
 Northamptonshire, 221
 Northumberland, 235
 Nottinghamshire, 223

INDEX

- Soil surveys (*contd.*)
Oxfordshire, 224
radar imagery in, 233, 234
Scotland, 224, 229, 230
Shropshire, 222, 227, 235
Snowdonia, 226
Somerset, 225, 236
South-West England, 224–226
Staffordshire, 234
Suffolk, 221
Sussex, 234
Wales, 226, 227, 236
Warwickshire, 222, 223
Wiltshire, 226, 236
Yorkshire, 223, 235
- Soil water
diffusivity of, 176
hydraulic conductivity, 176
interaction of with soils and clays, 263
measurement of content and pressure, 178
potential, 176
regimes, 234
retention of, 234
thermal conductivity profiles, 179
- Solanum* spp., 159
Solanum andigena, 163
Solanum kurtzianum, 163
Solanum vernei, 163
- Somerset, soil survey in, 225, 236
South-West England, soil survey in, 224–226
Spectrophotometer, 244
Spinning disc applicators, 124
Spongospora subterranea, 186
- Spores
dispersal of, 187–189, 195
effect of cellulose xanthate on, 188, 189
of *Erysiphe graminis*, 183, 187, 188
of *Pseudocercospora herpotrichoides*, 188, 189
of *Septoria*, 188
production of *Rhynchosporium secalis* spores on
barley straw, 194, 195
splash-dispersed, 188
suction samplers for, 188
- 'Sportak', *See* Prochloraz
- Sprayers
electrostatic, 124, 135, 136
field trials of the APE 80, 136
of microcapsules, 136
- Spraying
drop application, 136
foliar, 136
- Stability constants, of monocyclic ligands, 150
Staffordshire, soil survey in, 234
Staphylinid beetles, 100
- Statistical analysis
calf rearing study, 276
for ADAS, 274, 275
for ODA projects, 282
Insect Survey data, 97
of livestock experiments, 275
of soils, 276
Survey of fertiliser practice, 276
- Statistical models, wheat crop growth model, 244,
245, 248, 249
See also: Mathematical models
- Statistical programming
Cluster Analysis Program (CLASP), 281
documentation and support (Genstat), 279
Generalised linear interactive modelling (GLIM),
280, 283
Genkey, 280
Genstat, 277–279, 281, 283
Maximum Likelihood Program (MLP), 280
Programs for interactive statistical modelling
(Prism), 280, 281
releases, 279
- Statistical theory
covariance and production, 277
distance in multivariate analysis, 277
- Statistical theory (*contd.*)
effective replication, 277, 278
individual-differences scaling, 277
intercropping, 281, 283
models with split lines, 278
parallel curve analysis, 278
population dynamics of cyst nematodes, 278
- Stem borers, control of, 134
Stem canker, *See*: *Rhizoctonia solani*
Sterol synthesis inhibitors, 139
Stomata, effect of ionophores on, 151
Stomatal resistance, determination of, 57
Storage protein (hordein) patterns, 43
Streptococcus pluton, isolation of, 107
Streptomyces scabies (potato common scab),
chemicals for control of, 137
control of by foliar sprays, 137
mode of action of 3,5-D on, 138
Subsoil modification, 244, 262, 263
Suction cups, soil solution extraction with, 265
Suction samplers, for splash dispersed spores, 188
Suffolk, soil survey in, 221
- Sugar beet
aphids on, 77, 78
bird damage, 68
blackleg on, 70, 71
bolting, 63
damage to caused by soil pests, 68
damage to caused by wood mice, 68, 69
DM partitioning within cells, 64
docking disorder, 69
effect of ancymidol on, 63
effect of rainfall on, 68
Erysiphe betae (powdery mildew) on, 70
field survey of viruses of, 77
fungicides on, 70
germination in the field, 68
germination in the laboratory, 72
growth regulators on, 73, 74
herbicide tolerance, 74, 75
leaf area growth, 69
leaf area index, 62
leaf development, 62, 63
Line G, 63
mildew on, 70
N fertiliser on, 68
nematodes on, 69
nitrilacarb on, 77
on Broom's Barn Farm, 79
Phoma betae on, 70
Phytophthora spp., on, 70, 71
Polymyxa betae on, 190, 191
post-emergence losses, 68, 72
pre-emergence losses, 68
Pythium spp. on, 71
Rizomania of, 186, 191
seed quality studies, 71, 72
seedbed physical structure and seedling growth, 71
seedling emergence, 71
sodium chloride experiments with, 72, 73
solar radiation interception, 69, 74
sowing date, 68
transplanting, 75
tubular virus of, 190, 191
variation between seed lots, 72
vernalisation stimulus, 63
virus diseases of, 76–78, 131, 186, 189–191
waterlogging and germination, 68
- Sulphur, prolamins rich in, 44
Sulphur dioxide, effects of on activities of RuBP
carboxylase, 55, 56
- Sussex, soil survey in, 224, 234
Syrphidae, 101
Episyrphus balteatus, 101
Platychirus manicatus, 101
- Take-all on cereals
after leys, 192
cultural variations in, 192

INDEX

- Take-all on cereals (*contd.*)
 decline, 192
 effect of reduced cultivations on, 193
 fungal inhibitor of, 192
 slow growth, 192
See also: Gaemannomyces graminis
 'Ten-Tonne Club' survey, 245, 249
 Tensiometers, 178, 179
 Tetrachlorofenvinphos, 134
 'Terpal', *See: the Mepiquat and ethephon*
 Thiabendazole, effect on stem nematodes, 159
Thiobacillus ferrooxidans, 227, 228
 Thionazin, 134
 Thiram, on beans, 32, 117
 Thrips, stylet apparatus in, 170
 Tillage experiments, 179, 192
 Tissue cultures, from wheat, 45
 Tobacco
 mutants of, 46
 Pr-proteins in leaves of, 38
 statistical analysis of, 282
 virus diseases of, 38-40
Toxares deltiger, 101
 Toxic metals, in sewage sludge, 244
 Toxicity, of industrial chemicals, 105, 106
 Trace elements, analysis of, 244, 245, 266
 Transformation studies, 46, 47
 Transposon mutation, 215, 216
 Traps, *See: Insect traps*
 Triadimefon, residual effect of, 186, 187, 193, 194
 Triadimenol, ('Baytan') 29, 30, 125, 139
 Triazophos, poisoning of honeybees by, 133
Trichostrongylus colubriformis, effect of osmotic stress on, 170, 171
 Tridormorph
 mode of action of, 116
 on winter barley, 29
Trifolium fragiferum, 213
Trifolium pratense, rhizobia on, 212
Trifolium repens, *See: Clover*
Triticum, photosynthesis in species of, 59
 Tuber soft rot, *See: Erwinia carotovora var. carotovora*
 Tulip, stem nematodes on, 164
 Tungsten, complex of, 152

 United States Department of Agriculture, 158
 University of East Anglia, 228
 University of Aston, 105
 Upper Greensand soils, 234
 Urea, on winter wheat, 25
 Urease inhibitors, 252
Uromyces fabae (rust on beans), 35

 Vectors
 aphid, 97, 189, 190
 fungus, 190, 191
 mite, 191
Verticillium spp., on winter wheat, 24, 25
Verticillium chlamydosporium, 165
Verticillium dahliae, 160
Verticillium lecanii, 199
Vicia faba
 pests and pathogens on, 32, 36
 rhizobia on, 212, 213
 Viruses
 antiserum for BMV and BWV, 189
 aphid infectivity, 96, 131, 195-197
 aphid vectors, 96, 97, 189, 190
 aphids, infectivity index, 96
 interactions between BLRV and PEMV in field beans, 199
 necrosis induced by, 199
 of barley, 19, 23, 27-29, 32, 96, 98, 99, 186, 195-198
 of beans, 34, 187, 199
 of cereals, 195-198
 of grasses, 191
 of honeybees, 107, 108
 of legumes, 187, 199
 of peas, 187, 199
 of potatoes, 189, 190, 203, 204

Viruses (contd.)
 of red clover, 186, 190
 of sugar beet, 76-78, 131, 186, 189-191
 of tobacco, 38-40
 of wheat, 19, 23, 28, 29, 98, 115, 197, 198
 resistance to, 38, 39
 sources of barley yellow dwarf virus, 197
 transmission of by fungi, 190
 Viruses, names of
 barley yellow dwarf virus, 19, 23, 27-29, 32, 96, 98, 99, 115, 195-198
 barley yellow mosaic virus, 186
 bean leaf roll virus, 34, 187, 189, 199
 bee virus X, 107
 bee virus Y, 107
 beet mild yellowing virus, 76, 131, 186
 beet necrotic yellow vein, 186
 beet western yellows, 189
 beet yellows, 77, 78, 131, 132
 black queen-cell virus, 107
 broad bean stain virus, 199
 broad bean true mosaic, 199
 pea early browning virus, 34, 187, 199
 pea enation mosaic virus, 34, 187, 199
 potato leaf roll virus, 203, 205
 potato mop top virus, 203, 204
 potato virus Y, 189, 190
 red clover necrotic mosaic virus, 186, 190
 ryegrass mosaic virus, 191
 sacbrood virus of bees, 107, 108
 sugar beet yellows, 69, 70
 tubular virus, of sugar beet, 190, 191
 Visitors, to Rothamsted, 122

 Wales, soil survey in, 226, 227, 236
 Warwickshire, soil survey in, 222, 223
 Water activity, effect on spore germination, 200, 201
 Water stress, response of spring barley to, 180, 181
 Weather
 at Broom's Barn, 294
 at Rothamsted, 292
 at Saxmundham, 295
 at Woburn, 293
 Weed Research Organisation, 75
 Weevils, 101
 Welsh Plant Breeding Station, 196
 Wheat
 abscisic acid in, 60
 Acremonium atra on, 24
 Alternaria alternata on, 24
 aphicide on, 25, 245
 at Rothamsted, 19-29, 115, 116, 246-251
 at Woburn, 25-28, 113-115, 119, 176, 245, 246
 auxin in, 60, 61
 Avalon, 75, 115, 245
 barley yellow dwarf virus on, 19, 23, 27, 28, 98, 115, 197
 brown foot rot on, 192, 193
 chemical composition of, 56, 57
 chlorophyll in leaves of, 56
 cleavers on, 23, 24
 Cladosporium sp. on, 24, 25
 components of yield, 27
 Continuous Wheat experiments, 254
 dry matter yield, 27, 28, 245, 246
 ear number in, 59
 effect of herbicide on insect fauna of, 100
 effect of husbandry treatments on, 254
 effect of soil type on yields of, 249
 effect of sowing date on yield, 75, 76
 effect of subsoiling on, 262
 estimation of sugars in, 57
 eyespot on, 24, 188, 189
 Factors Limiting Yield of Winter Wheat experiment, 25
 Fenman, 115
 Flanders, 114, 115
 Four-Institute Yield Variation, 244
 fungal diseases of, 19, 24, 25
 fungicides on, 19, 21, 24, 115, 138, 139, 199, 200, 245

INDEX

Wheat (*contd.*)

- Fusarium culmorum* on, 24
- gibberellins in, 61
- grain N concentration of, 254
- grain set in, 60
- grain yield, 19, 26, 27
- growth and yield at Rothamsted and Woburn, 25-29
- growth of, 20, 27, 28
- growth regulator for, 23, 24
- herbicides on, 23, 115
- Highbury, 60
- Hobbit, 61
- Huntsman, 61
- Hustler, 25, 26, 60, 61, 115, 245
- indoleacetic acid in, 60
- invasion of roots by *Gaeumannomyces graminis* var. *tritici* or *Phialophora radicola* var. *graminicola*, 216
- irrigation of, 19, 21, 25-27, 245
- leaf area index, 20, 27, 28
- leaf-water potential for, 182
- microflora of developing ears, 24, 25
- mildew on, 115
- nematodes on, 22
- nitrate N in stems of, 28
- 'Nitro-Chalk' on, 115
- nitrogen content of, 74
- nitrogen on, 19-21, 24-30, 115, 245, 250-252
- nitrogen uptake by, 21, 28, 254
- Norman, 116, 245
- number of shoots m⁻², 20
- nutrient uptake, 248
- on Broadbalk, 114, 120, 121
- Penicillium* spp. on, 24, 199-201
- photosynthesis in, 181, 182
- prolamins from, 14, 43, 44
- protoplast studies, 45
- regeneration of, 45
- root growth of, 247, 248
- rotation experiment, 254
- RuBP levels in, 57
- semi-dwarf cultivars, 60
- Septoria* on, 24

Wheat (*contd.*)

- shoot root ratio, 248
- soil-borne diseases of, 138, 139
- sowing date, 19, 21, 24
- take-all on, 192, 193
- tiller survival, 59, 60
- tissue cultures from, 45
- total dry weight, 20
- urea on, 25
- Verticillium* spp. on, 24, 160, 165, 199
- Virtue, 245
- water relations of root cells, 262
- winter, crop model for, 244, 245, 248, 249
- winter, factors limiting yields of, 19-28
- yeasts on, 24, 25
- yields, 19-28, 245
- See also: Cereals; *Gaeumannomyces graminis*; Take-all
- Wheat bulb fly, control of larvae, 134
- Willow (*Salix babylonica*), detection of enzymes in, 54
- Wiltshire, soil survey in, 226, 236
- Woburn
 - barley on, 258
 - classical experiments at, 120
 - continuous maize at, 121
 - grass on, 254, 255
 - Market Garden experiment, 256
 - Organic Manuring Experiment at, 259
 - organic matter in sandy soils, at 259
 - potatoes at, 117
 - subsoiling at, 1
 - weather at, 113, 114, 293
 - wheat at, 25-28, 113-115, 119, 176, 245, 246
- Wood mice, damage to sugar beet caused by, 68, 69
- Worms, See: Earthworms
- Writtle Agricultural College, 231
- Wye Double Digger, for subsoil cultivation, 263
- Yeasts, on wheat, 24, 25
- Yorkshire, soil survey in, 223, 235
- Zea mays*, See: Maize
- Zoospores, transfer of, 190