

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Report for 1982 - Part 1

[Full Table of Content](#)



---

## Index

### Rothamsted Research

Rothamsted Research (1983) *Index* ; Report For 1982 - Part 1, pp 317 - 329 - **DOI:**  
<https://doi.org/10.23637/ERADOC-1-129>

## SUBJECT INDEX

The General Report by the Director (pp. 9–17 has not been indexed).

- Acaulospora laevis*, 218  
Acetylene, 219  
Acid extractions, 266  
Acid sulphate soils, 238, 239  
'Actellic'. *See* Pirimiphos-methyl  
Acyclic ligands, 145, 146  
Aerial photographs, 76  
Aerobiology, 188  
Agricultural meteorology, 174–176  
*Agrobacterium* spp., 51  
*Agrobacterium rhizogenes*, 52  
*Agrobacterium tumefaciens*, 52  
*Agrotis segetum*, 100  
Air-drying of soil, 267  
Alcohol dehydrogenase, 48  
Aldicarb,  
  as a nematocide, 157–159, 273  
  effect on barley yellow dwarf virus, 22  
  on barley, 30–33  
  on beans, 33  
  on peas, 37–39  
  on winter wheat, 19, 25–27  
Aldoxycarb,  
  breakdown of, 137  
  simulation of the leaching of, 273  
Alkali metals, co-ordination chemistry of, 145, 149, 150  
Alkaline earth metals, co-ordination chemistry of, 145  
*Allium schoenoprasum* (chives), 217  
Altenuec, 138  
*Alternaria*, spp., 138  
*Alternaria alternata*, on wheat, 23, 138  
Alternariol, 138  
Alternariol monomethylether, 138  
Aluminium, pyrophosphate extraction of, 240, 241  
Amino acids,  
  S-adenosylmethionine, 48  
  asparagine, 56  
  aspartate family, 46, 49, 56  
  biosynthesis of, 48  
  cysteine, 55  
  glutamic acid, 50  
  lysine, 48, 49, 56, 58  
  methionine, 48, 49, 55  
  N-terminal sequences of, 56  
  proline, 49, 50  
  threonine, 49  
2-aminobutane, 204  
5-aminoisophthalic acid, derivatives of, 48  
Ammonia,  
  assimilation of, 46, 48  
  concentrations of, 274  
Ammonium iodide complex, 150  
Analogues, of 3,5-D, 134  
Anglo Maribo Seed Company, 80  
Anions, uptake of, 271  
Anthelmintics, 286, 287  
APE 80 sprayer, 132  
*Aphanomyces cochlioides*, 70, 72, 73  
*Aphanomyces euteiches*, on peas, 135  
Aphicides,  
  on barley, 110, 195, 196  
  on potatoes, 39  
  on wheat, 25  
  pirimicarb, 110  
  *See also*: Insecticides; Potatoes  
*Aphidius matricariae*, 130  
Aphids,  
  alarm pheromone of, 120, 126, 191, 206  
  Aphids (*contd.*)  
  black bean aphids, 33  
  caught in suction traps, 71  
  cereal, 92, 185  
  chemical interference with virus transmission by, 127, 128  
  electrophoretic survey of, 93  
  genetic variability of populations, 93, 94  
  infected with *Erynia neoaphidis*, 99  
  monitoring of, 92  
  on barley, 32, 33  
  on beans, 35, 99–100  
  on peas, 99  
  on potatoes, 40, 41  
  on sugar beet, 70  
  on wheat, 22  
  parasites of, 130  
  rearing of, 133  
  resistance of *Myzus persicae*, to insecticides, 125  
  virus from *R. padi*, 191  
Aphids, scientific names of,  
  *Acyrtosiphon pisum*, 35  
  *Aphis fabae*, 99  
  *Lipaphis erysimi*, 126  
  *Metopolophium dirhodum*, 22, 99, 100, 189, 196  
  *Metopolophium festucae*, 22, 32, 196  
  *Myzus persicae*, 40, 70, 71, 79, 80, 120, 125, 127, 130, 206  
  *Rhopalosiphum padi*, 22, 32, 100, 101, 185, 189, 191  
  *Sitobion avenae*, 22, 32, 93, 94, 100, 101, 189, 196  
  *Sitobion fragariae*, 93, 94  
*Apion vorax*, 201  
*Arabidopsis*, mutants in, 46  
Archaeological samples, of soils from Stoke Newington, 276  
*Arion hortensis*, 102  
ARS Computing Service, 232, 233  
Arthur Rickwood EHF, 76  
Asparagine, 56  
Aspartate family, of amino acids, 46, 49, 56  
Aspartate kinase, 49  
*Aspergillus* spp., on winter wheat, 199, 200  
*Aspergillus glaucus* conidia,  
  release and sedimentation of, 188  
*Aspergillus ruber*, 188  
Aspirin,  
  stimulation of resistance-associated PR-proteins by, 186  
*Aureobasidium pullulans*, on winter wheat, 23, 198, 199  
Australia, 173–175  
Bacteria  
  in milk, 286  
  interaction with earthworms, 104  
  on winter wheat, 198, 199  
  xylem-limited, plant pathogenic, 207  
'Baited straw technique' the, 74  
Baking quality, effect of sulphur on, 54  
Barley,  
  aldicarb on, 30–33  
  aphids on, 32, 33, 130  
  Atem, 112  
  'Baytan' on. *See* Triadimenol  
  beneficial insects on, 130  
  brown foot rot of, 32  
  brown rust on, 32  
  caryopses of, 50  
  chlorpyrifos on, 29, 30  
  development of the crop, 31  
  distribution of chemicals within shoots, 137

## INDEX

- Barley (*contd.*)  
 effect of mycorrhizas on, 271, 272  
*Erysiphe graminis* on, 32, 112, 135, 136, 186, 192, 193  
 eyespot on, 32  
 followed by wheat, 255  
 fungal diseases of, 32, 192  
 fungicides on, 30, 112  
 Georgie, 111, 112  
 Gerbel, 112  
 grain proteins of, 55  
 grain yield, 31, 266  
 growth and development of, 179, 266  
 growth regulator on, 30, 31  
 high-lysine mutant lines, 58  
 hordein fraction of, 55, 56  
 Igri, 30, 112  
 in a rotation with maize, 158, 159  
 infertile spikelets, 32  
 inter-plot interactions, 193  
 isolation of protoplasts from, 50, 51  
 Koru, 112  
 land suitable for, 236, 237  
 leaf blotch on, 32  
 leaf growth in, 179  
 leaf scald on, 136  
 model for growth and yield of, 179  
 mutants in, 46–49, 58, 59  
 nematodes on, 162  
 net blotch on, 32  
 nitrogen on, 30  
 on Hoosfield, 116  
 pests of, 33, 130  
 photorespiration in, 47, 48  
 potassium in, 266  
 prochloraz on, 32  
 prolamin storage proteins of, 54  
*Rhynchosporium secalis* on, 84, 136, 192, 194  
 sharp eyespot on, 32  
 slugs on, 33  
 sowing date, 31  
 spore dispersal in, 174, 175  
 spores collected in, 188  
 take-all in, 197, 198  
 triadimenol on, 29–32, 136  
 volunteers, 195  
 wheat after, 19–23  
 yellow dwarf virus of, 22, 33, 185, 195, 196  
 yellow mosaic virus of, 186, 189  
*See also: Cereals; Erysiphe graminis; Take-all*  
 'Baytan', *See: Triadimenol*  
 Beans (*Vicia faba*),  
 aldicarb on, 33  
 aphids on, 35, 117  
 at Rothamsted and Woburn, 113  
 benomyl on, 33–35, 113, 202  
 chocolate spot of, 34, 35, 187, 201, 202  
 'economic' treatment for, 33, 36  
 grain yields, 34  
 irrigation of, 34  
 Maris Bead, 164  
 midge on, 35  
 Minden, 113, 157  
 moths on, 100  
 nematodes on, 36, 157, 158, 164  
 pests and pathogens of, 33–35  
 propiconazole on, 33, 117  
 propyzamide and simazine on, 113  
 rust (*Uromyces fabae*) on, 35, 117, 202  
 season and plant growth, 34  
 seed treatment, 157  
 seed yield, 157  
*Sitona* spp., on, 34–36, 187  
 spray timing on, 201  
 thiram on, 33  
 Throws MS, 113  
 viruses of, 35, 186, 200, 201  
 yields, 113  
 Beddgelert Forest, soil survey in, 239, 240  
 Bedfordshire, soil survey in, 229, 242
- 318
- Bees. *See* Honeybees  
 Belgium, winter-wheat experiments in, 262  
 'Benlate', *See: Benomyl*  
 'Benlate T' (benomyl + thiram), 113  
 Benomyl, 217  
 effect on take-all, 135  
 on beans, 33–35, 113, 202  
 on forage maize, 158, 159  
 on winter wheat, 23  
 Benzylmorpholin, activity of, 121, 122  
 Berkshire, soil survey in, 230  
*Beta macrocarpa*, effect of systemic infection by beet necrotic yellow vein virus on, 190  
 Bicyclic ligands, 149, 150  
 Biomass, *See* Soil biomass  
 Biopolymers, 152  
 Bioresmethrin, effect on houseflies, 123, 124  
 Birds, repellents for, 133  
 Bis-crown ethers, 'clam' type of, 150, 151  
 Blackleg, on potato, 41, 205  
*Boerhaavia diffusa*, as an inhibitor of virus infection, 191  
*Botrytis cinerea*, 23  
*Botrytis fabae* (chocolate spot), on beans, 34–36, 187, 201, 202  
 Botswana, 292  
 Bracken (*Pteris aquilina*), detection of enzymes in, 44  
*Brassica campestris*, breeding of, 134  
 Brickearth samples, 276, 277  
 British Gas Corporation Engineering Research Station, 245  
 British Sugar Corporation, the, 70, 75  
 British Technology Group, the, 156  
 British Telecom Package Switching Service, 233  
 Broadbalk,  
 Classical experiments on, 116  
 effect of <sup>15</sup>N fertilizer on, 263  
 potatoes on, 116, 117  
 wheat on, 67, 116, 117  
 Bromide, uptake of by mycorrhizal cereals in the field, 270, 274  
 Broom's Barn,  
 cereals on, 83  
 crop rotations at, 83  
 livestock, 84  
 oilseed rape at, 71  
 sugar beet on, 69–84, 287  
 weather at, 306  
 winter wheat at, 72  
 Brown rust, on barley, 32  
 Buckinghamshire, soil survey in, 230  
 BYDV, 22, 33, 185, 195, 196
- Cadmium in sewage sludge, 268  
 Calcium, uptake of by potatoes, 160  
 Calcium resin method, calibration of the, 266  
 Calf rearing, survey of, 288  
 Calves, Raigro implants in ear of, 285, 286  
 Cambridge and Ely, soil map of, 229, 239  
 Cambridgeshire, soil survey in, 229, 238, 242  
 Capillary condensation, 272  
 Captafol,  
 effect on fungal pathogens of nematodes, 165, 166  
 on winter wheat, 199  
 toxicity to *Rhizobium*, 220  
 Captan, toxicity to *Rhizobium*, 220  
 Carbamate nematicides, 156  
 Carbamate resistance, in *Myzus persicae*, 125  
 Carbaryl, toxicity of to earthworms, 104  
 Carbendazim,  
 effect on nematodes, 157  
 on potatoes, 205  
 on winter wheat, 199  
*See also: 'Delsene M'*  
 Carbofuran,  
 as a nematicide, 157, 158  
 to control *Sitona* spp., 158  
 Carbohydrates, extraction of from *Heterodera goettingiana*, 163

## INDEX

- Carbon dioxide concentration,  
relationship with net photosynthesis, 47
- Carbonyl compounds, pheromonal, 129, 130
- Carboxylesterase, in *Myzus Persicae*, 125
- Caryopses, barley, 50
- Cascade impactor, 188
- Catalase-like activity, 45
- Cattle, at Rothamsted, 114
- Centro Internacional de Agricultura Tropical, 221
- Cereal endosperm, 50
- Cereals,  
aluminium tolerance of, 272  
at Rothamsted and Woburn, 110  
baking quality of, 54  
caryopses of, 50  
effect of mycorrhiza on growth of, 254, 271  
grain yield, 284  
immature embryos of, 51  
land suitability for, 236, 237  
nematodes on, 165  
response of to water stress, 176, 177  
seed proteins in, 54–59  
uptake of bromide by, 270, 271  
volunteers, 195  
*See also*: Barley; *Erysiphe graminis*; Maize; Oats;  
Take-all; Wheat
- Ceuthorynchus assimilis*, 94, 95
- Ceuthorynchus quadridens*, 94
- Chenopodium quinoa*, 189
- Cheshire, soil survey in, 229, 231
- Chickpea, nitrogen fixation in, 222
- China, survey of soils from, 275
- Chives, growth of mycorrhiza on, 217
- $\gamma$ -chlordene, 152
- Chloridazon, on sugar beet, 84
- Chloride ion, diffusion of, into soil aggregates, 131
- Chlormequat, on wheat, 19, 25
- Chlorops pumilionis*, 130
- Chlorpropham, 204
- Chlorpyrifos, on barley, 30
- Chlorsulfuron, leaching of in the field, 131
- Chlortoluron,  
degradation of, 110, 131  
on wheat, 111
- Chocolate spot, of field beans,  
*See*: *Botrytis fabae*
- Chromosomal location, of structural genes for 'D'  
hordein, 56
- Chromosome, separate, location of a recessive barley  
mutation on, 58
- Chromosome numbers, in wheat cultivars, 51
- Cinematicography, 166
- Cladospodium* spp., on wheat, 23, 199, 200
- Classical experiments, 67, 115
- Clay minerals, in soils, 272
- Clay soils, wheat on, 256, 257
- Clays,  
fenland, 239  
interaction of water with, 272, 273
- Cleavers (*Galium aparine*), on wheat, 111
- Climatic maps, 241, 242
- Clones, cDNA, for cereal storage proteins, 57, 58
- Close House Field Station, 81
- Clover,  
inoculation of with VA mycorrhiza, 215, 216, 218  
*Rhizobium* on, 219, 220
- Cloves, Sumatra disease of, 207
- Clubroot, *See* *Plasmodiophora brassicae*
- CO<sub>2</sub> exchange, of beet carbon, 76, 77
- Cockroach, *See* *Periplaneta americana*
- Colletotrichum coccodes* (black dot on potato), 41
- Common scab (of potatoes), *See* *Streptomyces scabies*
- Computer programs,  
ALTRIX, 153  
AREAS, 234, 241, 293  
BLOKLS, 153  
CAMGRID, 241  
CONTUR, 153  
crystallographic programs, 153  
databases, 232, 233, 241
- Computer programs (*contd.*)  
DATASTAR, 294  
DECODE, 243  
DELRED, 153  
for analysis of nuclear magnetic resonance spectra,  
153  
for studies of gas diffusion, 174  
GHOST, 293  
graph plotting, 291  
languages, 241  
NATCAT, 243  
SURFACE II, 153, 241  
*See also*: Models; Statistical programming
- Computers,  
ARC Computing Committee, 90  
assessment of requirements, 293  
computer graphics, 168, 293  
data logging, 293  
data preparation, 294  
Elliott NRDC 401, 89  
Elliott 402, 89  
Ferranti Orion, 89  
ICL 4-70, 90  
ICL 4-72, 90  
image analysis, 180, 181, 240, 273, 274  
Jacquard J100, 283, 293  
media conversion, 294  
microcomputers, 241, 291–293  
MIDAS systems, 241  
Prime 550, 153  
Quantimet, 239  
Rothamsted Computing Unit, 284  
service activities, 293  
Superbrain microcomputer, 241
- Conidiobolus obscurus*, 99
- Contour maps, 241, 242
- Controlled droplet application, of fungicides, 138
- Co-ordination chemistry, 145–152
- Copper,  
concentrations of in soil solutions, 268, 269  
content of in different soil series, 269  
in sewage sludge, 267, 268
- Copper sulphate, toxicity to earthworms, 104, 105
- 'Corbel', *See* Fenpropimorph
- Corn rot disease, of taro, 167, 168
- Cornwall, soil survey in, 244
- Cotswolds, soil survey in, 231, 244
- Cotton,  
electrostatic sprayers for, 121  
nematodes of, 169
- Coversands, 277
- Cows, anthelmintic-treated, 286, 287
- Crop canopies, dispersal of spores within, 174
- Crop establishment, 237
- Crop sequence experiments, 116
- Crop suitability, 237
- Crown gall, 52, 53
- Crystal structure, determination of, 145–149, 152
- CSIRO, 173–175
- Culicoides* spp., 100, 101
- Cumbria, soil survey in, 245
- Cutworms, 40, 100
- Cyclic polyethers, 147, 148
- Cycloaddition, 126
- Cyclodiene-type insecticides, 152
- Cypermethrin, on potatoes, 206
- Cysteine, 55
- 2,4-D, 131
- 3,5-D,  
effect on potato scab, 134, 135  
effect on root rot of peas, 135
- Dacron bag technique, for estimating protein  
degradability, 286
- 'Dark earth', 275, 276
- Dark respiration, 77
- Dasyneura brassicae* (pod midges), 94, 95
- Data management, 241, 242
- Dazomet, on maize, 198

## INDEX

- Delia coarctata* (wheat bulb fly), 100  
*Delia platura* (bean seed fly), 33  
'Delsene M', on winter wheat, 199  
Deltamethrin,  
  effect on dispersal of *Myzus persicae*, 127  
  effect on houseflies, 123, 124  
  effect on potato virus Y, 206  
  in bird repellents, 133  
Demeton-S-methyl,  
  effect on *Aphidius matricariae*, 130  
  effect on spring barley pests, 130  
  on sugar beet, 127  
Department of the Environment, 267, 268  
Deposition, of particles, 174, 175, 188  
Derbyshire, soil survey in, 229  
*Derocerus reticulatum*, 102  
*Diabrotica balteata*, 130  
Diamondback moth, sex pheromone of, 120  
Diazinon, 122  
Dicamba, 152  
Dichlorophen, 204  
3,6-dichloropicolinic acid, 84  
Dicyandiamide nitrogen, mineralisation of, 264  
Diffusion theory, 175, 176  
Digital cartography, 243  
Dihydropicolinic acid synthase, 49  
Dimethoate, effect on stem nematodes, 157  
Direct probe mass spectrometry, 214  
Disease resistance, 53  
Dispersal, of fungal spores, 174, 188  
'Dithane 945', See Mancozeb  
DNA,  
  complementary, 55, 57–59  
  genomic, 58  
  incubation with, 52, 53  
  recombinant, 54  
Docking disorder, of sugar beet, 70  
Dolgellau, soil map of, 243  
Drainage experiments, 179, 180  
*Drosophila melanogaster*, toxicity of insecticides to,  
  130  
Drought,  
  effect on winter wheat, 173, 255, 259–260  
  risk of, 237  
Droughtiness, 242  
Droughting, effect on wheat, 257  
Dry matter accumulation, 257, 258  
Durham, soil survey in, 245  
  
Earthworms,  
  *Eisenia foetida*, 102–104  
  *Eudrilus eugeniae*, 103  
  feeding trials, 103  
  food value of, 103  
  interaction with microorganisms, 104  
  pilot worm-growing systems, 103  
  production of from farm wastes, 92, 103, 104  
  productivity of large scale systems, 103, 104  
  toxicity of chemicals to, 104, 105  
  wastes worked by, 104  
East Anglia, soil survey in, 228  
East Malling Research Station, 244  
EEC sponsored study, by Soil Survey, 244  
Electrostatic spraying systems, 121  
Electro-ultrafiltration, 266  
ELISA technique, 71, 79, 80  
Embryos, immature, of wheat and barley, 51  
Endodermis, disruption of the, 160  
Endosperm development, expression of hordein genes  
  during, 58, 59  
Energy dispersive analysis, of insects, 100  
England and Wales, soil survey in, 228  
*Entomophthora muscae*, 99  
Entomophthorales, 98, 99  
Enzyme-linked immunosorbant assay (ELISA), 71,  
  79, 80  
Enzymes,  
  adenosyltransferases, 48  
  alcohol dehydrogenase, 48, 49  
  Enzymes (*contd.*)  
  aspartate kinase, 49  
  catalase, 47  
  cellulases, 54  
  dihydropicolinic acid synthase, 49  
  endochitinases, 54  
  exochitinases, 54  
  for survey of *Sitobion* spp., 93, 94  
  glutamate dehydrogenase, 48  
  glutamate synthase, 46  
  glutamine synthetase, 46, 48, 57  
  glycollate oxidase, 47, 48  
  nitrate reductase, 47, 48, 50  
  nitrogenase, 219, 220  
  of the aspartate pathway, 48  
  oxygenase, 44  
  protease, 54  
  resistance of PR proteins to, 53, 54  
  RuBP carboxylase, 44, 47  
  xanthine dehydrogenase, 50  
*Epicoccum purpurascens*, 23, 199, 200  
Erosion, soil, 242, 243  
*Erwinia caratovora* var. *caratovora*, (tuber soft rot of  
  potatoes), 41, 205, 206  
*Erynia neoaphidis*, 99  
*Erysiphe betae* (powdery mildew on sugar beet), 71  
*Erysiphe graminis* (cereal mildew),  
  dispersal of spores, 188  
  in cultivar mixtures, 192, 193  
  on barley, 32, 112, 186  
  residual effect of triadimefon on, 193  
*Erysiphe polygoni*, 37  
*Escherichia coli*,  
  synthesis of RuBP carboxylase in, 44  
Essex, soil survey in, 229  
Euro-Carto I group, 243  
European SAR 580 Project, the, 242  
Eyespot (*Pseudocercospora herpotrichoides*), on  
  wheat, 194  
  
Falkland Islands, 292  
'Farmers Weekly', 228, 244, 245  
(*E*)- $\beta$ -farnesene, 120, 126, 191, 206  
Fenitrothion, 130  
Fenpropimorph, 135  
Fens, soil survey in, 238, 239  
Fenugreek (*Trigonella foenum-graecum*), 118  
Fertilizers,  
  effect on wound healing and gangrene susceptibility  
  in potatoes, 203, 204  
  Survey of Fertiliser Practice, 287, 288  
  See also: Nitrogen fertilizers; Phosphate ferti-  
  lizers; Potassium fertilizers  
Field experiments,  
  crop yields, 110, 111  
  number of plots, 110, 115, 116  
  small plots, 116  
  working party for, 115  
'Fingerprints', from pyrolysate analyses, 214  
Fluometuron, 273  
Foliar sprays, against potato scab, 134  
Food Research Institute, 147  
Food technology, 57  
Forestry, data on, 231  
Forestry Commission, the, 239, 240, 245  
Formalin, effect on fungal pathogens of nematodes,  
  165, 166  
Formothion, 157  
Fuberidazole, on winter barley, 136  
Fungal diseases,  
  clubroot, 133, 134  
  effect of VA mycorrhiza on, 216  
  of barley, 135, 136  
  of potatoes, 41  
  root rot of peas, 135  
  See also: *Erysiphe*; Eyespot; *Fusarium*; Take-all  
Fungicides,  
  application to potato tubers, 137, 138  
  benomyl, 23, 33–35, 113, 135, 158, 159, 202, 217

## INDEX

- Fungicides (*contd.*)  
 captan, 165, 166, 199, 220  
 captan, 220  
 controlled droplet application of, 138  
 for control of take-all, 135  
 inhibitors of sterol synthesis, 136  
 iprodione, 39, 217  
 new, 73  
 on barley, 135, 136  
 on potatoes, 39, 137, 138  
 on sugar beet, 72, 73  
 on wheat, 19, 112, 135, 198, 199  
 seeds coated with, 217, 220  
 sensitivity of mildew to, 135, 136  
 toxicity to *Rhizobium*, 220
- Fusarium*, spp.,  
 effect of VA mycorrhiza on, 216  
 on barley, 32  
 on peas, 38  
 on sugar beet, 71  
 on wheat, 23, 186, 199
- Fusarium avenaceum*, on winter wheat, 199  
*Fusarium culmorum*, on winter wheat, 199, 200
- Gaeumannomyces graminis* var. *tritici*, 215  
 See also: *Phialophora radicola*
- Galleria mellonella*, 99
- Gangrene, See *Phoma exigua* var. *foveata*
- Garlic, nematodes on, 164
- Gas diffusion, studies of, 174, 175, 181, 182
- GCRI, 104
- Gene transfer studies, 48–53
- Genes,  
 hordein, 58, 59  
 isolation of, 57, 58  
 of disease resistance, 53  
 of nematode resistance, 164  
 RuBP, isolation of, 44  
 structural, for 'D' hordein, 56  
 vertically acting, 164
- Genetic manipulation, of crop plants, 48, 49
- Genetics, qualitative, of resistance to pyrethroids, 125
- Genkey, 290
- Genstat, 232, 289, 290  
 foreign language manuals of, 290
- Gibberellins, in developing wheat grains, 59
- Gigaspora heterogama*, 218
- Gigaspora margarita*, 217, 218
- Gleadthorpe Experimental Husbandry Farm, 203
- Gliadins, of wheat, 55, 56
- Globulins, of oats, 54, 56, 57
- Glomus caledonium*, 159, 215–218
- Glomus clarum*, 218
- Glomus epigaeum*, 218
- Glomus fasciculatum*, 215, 218, 270
- Glomus macrocarpum*, 218
- Glomus mossae*, 159, 215, 216–219, 271
- Glutamic acid, 50
- Glutamine synthetase, 46, 48, 57
- Glyoxylate, oxidation of, 47, 48
- Gradients of spore deposition, 188
- Grain,  
 developing, 55, 59  
 proteins from, 54–59
- Grass,  
 at Rothamsted and Woburn, 114  
 effect of VA mycorrhiza on, 215, 216  
 nematodes on, 161, 162
- Grassland,  
 nitrification inhibitors for, 264, 265  
 uptake of fertilizer N by, 264, 265
- Grassland Research Institute, 216, 244
- Grasslands Trials Unit, 292
- Great Knott, wheat on, 19, 29
- Groundnut, nitrogen fixation in, 222
- Growing season, map of, 231
- Growth regulators,  
 on wheat, 19, 25
- Guazatine, effect on take-all, 135
- Hampshire, soil survey in, 243, 244
- Hatching factor, natural, of potato cyst-nematodes, 162
- HCl reflux, 266
- Heat and momentum conservation equations, 173, 175
- Heavy metals,  
 effect on clover yield, 268  
 tolerance of *Rhizobium* to, 220
- Helminthosporium solani* (silver scurf on potato), 41, 203
- Herbicides,  
 effect of weather on behaviour of in soils, 131  
 on sugar beet, 77, 78  
 on wheat, 111  
 resistance to, 48  
 simulation of behaviour of, 131  
 X-ray structural studies of, 152
- Heterogeneous media, flow in, 180
- High Mowthorpe Experimental Husbandry Farm, 244
- Homoendrin, 152
- Homoisodrin, 152
- Homoisodrin acetate, 152
- Honeybees (*Apis mellifera*),  
 Nasonov pheromone of, 95, 96  
 queen pheromone of, 96
- Hong Kong, pea moths in, 98
- Hoosfield,  
 barley on, 116  
 Exhaustion Land, 272
- Hordeins,  
 'A', 55  
 'B', 55–57  
 'C', 55–57  
 'D', 56, 57  
 expression of genes during endosperm development, 58, 59  
 gene organisation in normal and mutant barley lines, 58  
 immunological relationships in, 55, 56  
 synthesis of, 50, 55  
 total grain N in, 55  
 X-ray photographs of, 152
- Hordeum vulgare*, amino acid biosynthesis in leaves of, 48
- Housefly (*Musca domestica*),  
*Entomophthorales* in, 98, 99  
 gene flow in, 124, 125  
 insecticide resistance in, 120, 123–125  
 knock-down resistance in, 123, 124  
 long term control of, 124  
 rearing of, 133  
 tests of  $\beta$ -phenylnitroethanes on, 122
- Humberside, soil survey in, 245
- Hyalodendron* spp., 23, 198, 199
- Hydraulic conductivity, of soils, 174, 179, 180, 240, 267
- Hymexazol, 73
- ICI, 77
- ICRISAT (International Crops Research Institute for the Semi Arid Tropics), 222
- Imazalil,  
 on potatoes, 39  
 on winter wheat, 199
- Immunological relationships, of cereal prolamins, 55, 56
- Immunospecific electron microscopy, 186, 187
- Index of Dominance, 200
- Indole glucosinolates,  
 role of in development of clubroot symptoms, 134
- Inductivity Coupled Plasma Emission Spectrometer, 277
- 'Infectivity Index', for barley yellow dwarf virus, 195, 196
- Infiltration rates, 240
- Inflorescences, tissue cultures from, 51
- Insect traps,  
 pea moths in field traps, 96  
 pheromone traps, 98, 284
- Insecticides,  
 aphid resistance to, 120, 125

## INDEX

- Insecticides (*contd.*)  
biological activity of in soil, 130  
cyclo-diene-type, 152  
housefly resistance to, 120, 123–125  
insect resistance to, 120  
*See also:* Aphicides; Nematicides; Pesticides; Pyrethroids; names of individual insecticides
- Insects,  
beneficial, 130  
elemental analysis of, 100, 101  
insecticide resistance in, 120, 123, 124  
monophagous, 101  
neuroanatomy of, 122, 123  
polyphagous, 101  
rearing of, 133  
*See also:* Insect traps; names of individual insects
- Institute of Archaeology, University of London, 244, 245
- Institute of Terrestrial Ecology, 239
- Invertebrates, behaviour of, 120, 125–130
- Iprodione, as a fungicide, 39, 217
- Iron, pyrophosphate extraction of, 240
- Iron sulphide, oxidation of, 238
- Irrigation,  
of field beans, 33, 34  
of wheat, 25, 26, 257
- Isle of Wight, soil survey on, 244
- Isomeric compounds, 148, 149
- Isomeric diols, 147
- Isothermal gas-solid chromatography, 214
- 'Jumbo' type sprayers, 132
- Kent, soil survey in, 230, 244
- Kings Sedgemoor, soil survey at, 239
- Knock-down resistance mechanism, 123, 124
- 'Kriging', 275
- Lancashire, soil survey in, 245
- Land drainage, 179, 180
- Land suitability studies, 236, 237
- Leaching,  
model of, 179, 261  
of solutes, 274  
simulation of, 273
- Lead, in sewage sludge, 268
- Leaf protein, extraction of, 277
- Leeks, mycorrhizal infections on, 270
- Legumes,  
nitrogen fixation in, 219, 220  
treatment of seed with fungicide, 220  
tropical grain, 222  
*See also:* Clover; Lucerne
- Lens esculenta*, rhizobia on, 221
- Letcombe Laboratory, the, 180
- Lettuce,  
growth in worm-worked wastes, 104  
moths reared on, 100
- Ley Arable Experiment, 114
- Ley grass, soil erosion in, 242
- Lift off, of barley mildew spores, 188
- Light intensity, 47
- Little Knot, mobile shelter on, 255, 259, 260
- Livestock,  
at Broom's Barn Farm, 84  
at Rothamsted and Woburn, 114  
statistical analysis for, 285–288
- Loess soils, 254, 276, 277
- Lucerne,  
at Woburn, 114  
nematodes on, 158, 164  
VA mycorrhiza on, 216
- Lyriomyza* spp., 33
- Lysine,  
high content of in a phenotype in mutant barley lines, 58  
in globulins of oats, 56  
mutants resistant to, 49  
synthesis of, 49
- Macrobicyclic ligands, 149, 150
- MAFF, 238
- MAFF Field Drainage Experimental Unit, 180
- Maize,  
aluminium tolerance of, 272  
effect of dazomet on, 198  
effects of aldicarb and benomyl on, 158, 159  
Fronica, 158  
inoculation of with mycorrhiza, 216  
nematodes on, 164
- Mancozeb,  
on beans, 202  
on potatoes, 39, 113  
on winter wheat, 199  
*See also:* 'Patafol Plus'
- Maneb,  
on beans, 202  
on winter wheat, 199  
*See also:* 'Delsene M'
- Manganese,  
complexes of, 146  
concentrations of in soil solutions, 269
- Man-made urban soils, 275, 276
- Market gardening, in eroded fields, 242
- Markov chain trajectory simulation, 173, 175, 176
- Mathematical models, *See* Models
- Medicago sativa*, rhizobia on, 220
- Meligethes aeneus*, 94
- Metalaxyl, 73
- Metamitron, 77
- Meteorological Office, the, 241
- Methabenzthiazuron, 111
- Methiocarb,  
for slug control, 40  
microencapsulation of, 133
- Methionine,  
in hordein fractions, 55  
synthesis of, 48
- Methionine sulphoximine, 48
- Methomyl, degradation of, 137
- Mica, 273
- Microcomputers, 241, 291–293
- Microdochium bolleyi*, 198
- Microencapsulation, of bird repellents, 133
- Microflora,  
of ripening ears, 23  
soil, sampling of, 214
- Micronutrients, 267–269
- Microorganisms, interaction with earthworms, 104
- Microporosity, of soils, 272
- Midge,  
on winter beans, 35  
pod, on oilseed rape, 94, 95
- Midlands, soil survey in, 229, 230
- Mildew,  
downy, on peas, 38  
on sugar beet, 71  
powdery, on peas, 38  
*See also:* *Erysiphe graminis* (cereal mildew)
- Milk,  
anthelmintic treatment of, 286, 287  
microbiological population of, 286
- Millet, N<sub>2</sub>-fixation in, 222
- Millipedes, on sugar beet, 74
- 'Mistral'. *See* Fenpropimorph
- Mixed-layer group, of clay minerals, 272
- Mobile gas-exchange system, for sugar beet, 76, 77
- Mobile shelters, 255, 260
- Models,  
computer, 44  
drought, 255, 259, 260  
for growth and yield of spring barley, 178, 179  
for simulation of pesticide behaviour in soils, 131, 261  
leaching, 179  
Markov chain, 173, 175, 176  
of crop response to drought, 173, 174  
of nitrogen requirement predictions, 261, 262  
of pea moth flight, 97, 284  
of pheromone dispersal in pea moths, 97

INDEX

- Models (*contd.*)  
of the turbulent dispersal of small particles, 175, 176  
winter wheat crop model, 179, 259
- Moisture characteristic analysis, 180, 181
- Molluscicides, 102
- Molybdenum, complexes of, 152
- Momentum and heat conservation equations, 173, 175
- Monitoring,  
for moth pests, 97, 98  
for soil pests, 74
- Monocyclic ligands, 147–149
- Monophagous insects, 101
- Montmorillonite, 273
- Monuron, leaching of in the field, 131
- Moths,  
diamond back, 120  
lucerne, 128  
mathematical models for flight of pea moths, 97, 284  
*Noctua pronuba*, 100  
pea moth monitoring, 97, 98
- Mucor* spp., 23
- Multilayer formation, in soils, 272
- Musca domestica*, *See* Housefly
- Muscid flies,  
action of pyrethroids on nervous system of, 123, 124  
pharmacology of frontal prothoracic nerve preparations of, 123
- Mutants,  
in *Arabidopsis*, 46  
in barley, 46–50, 58  
photorespiratory, 47, 48
- Mycorrhiza, vesicular, arbuscular,  
behaviour in soil amended with different amounts  
of phosphate, 217, 218  
changes in endophyte efficiency in different soils,  
218  
effect of benomyl on, 159  
effect of fungicide-coated seed on, 217  
effect of heat on, 218, 219  
effect of host nutrition on, 216, 217  
effect of nitrogen on, 217  
effect of pH on, 269, 270  
effect of phosphate on, 217  
effect on chives, 217  
effect on fungal pathogens in plant roots, 216  
effect on grass, 215, 216  
effect on lettuce, 216  
effect on lucerne, 216  
effect on maize, 216  
effect on onions, 217, 218  
effect on white clover, 215, 216, 218  
mechanisms determining efficiency of different  
endophytes, 270  
modelling infection spread in developing root  
systems, 270  
on leeks, 270  
optimum endophyte clover combinations, 218  
saprophytic growth of, 216  
soil preference of, 218  
studies on infectivity of fungal mycelium, 219  
uptake of bromide by mycorrhizal cereals, 270, 271  
use of in cereals, 271, 272
- Narcissus, stem nematodes on, 164
- National Catalogue of Soil Series, 228
- National Catalogue of Soils, 243
- National Institute of Agricultural Botany, 187
- National Institute of Agricultural Engineering, 103
- National Lowland Peat Inventory, 228
- National Peat Inventory, 237, 238
- National Soil Inventory, 228, 230, 241, 243
- National Soil Map, 228–231, 236, 237, 243, 244
- National Vegetable Research Station, 104
- Nematicides,  
‘DS 46995’, 156  
‘DS 47187’, 156  
effect on beet cyst nematodes, 165  
‘Hoe 00752’, 156  
new, 156  
oxamyl, 40, 114, 137, 156, 157, 161, 162
- Nematicides (*contd.*)  
vertical band applicator for, 156
- Nematodes,  
artificial hatching agents, 162  
collection of specimens, 167  
computer graphics for reconstruction of serial  
sections, 168  
cyst nematodes, 156, 157, 165  
feeding pump of, 166  
food flow in, 166  
giant race of *D. dipsaci*, 164, 165  
integrated control of, 165  
interaction with *Rhizobium* of peas, 161  
migratory, 37, 38  
morphology and function of, 166, 167  
on barley, 162  
on beans, 36, 157, 158, 164  
on cotton, 169  
on garlic, 164  
on grass crops, 161, 162  
on lucerne, 158, 164  
on maize, 164  
on narcissus, 164  
on oats, 164  
on onions, 164  
on peas, 38, 161, 164  
on potatoes, 39–41, 156–164  
on sugar beet, 70, 81, 82, 164–166  
on taro, 167  
on tulips, 164  
on wheat, 21  
pathogens of cyst nematodes, 165, 166  
population models for cyst nematodes, 163, 164  
population studies for stem nematodes, 164  
potato cyst nematodes, 156–164  
role of potato root exudate for, 162, 163  
root ectoparasitic nematodes, 161, 162  
root knot, 168  
selection for virulence in *G. pallida*, 163, 164  
stem, 157  
stylet length, 168  
time-lapse cinematography of tracks, 168, 169  
trehalose in, 163  
virulence of, 163, 164
- Nematodes, scientific names of,  
*Aphelenchus* sp. a, 167  
*Aphelenchoides* sp. a, 167  
*Aphelenchoides blastophthorus*, 167  
*Ditylenchus dipsaci*, 157, 161, 164, 167  
*Globodera pallida*, 39, 156, 157, 160, 161  
*Globodera rostochiensis*, 39, 156, 157, 161–163  
*Heterodera avenae*, 21, 159, 165  
*Heterodera goettingiana*, 161, 163  
*Heterodera schachtii*, 81, 165, 166  
*Hirschmaniella*, sp. a, 167, 168  
*Longidorus* spp., 70  
*Meloidogyne* spp., 168  
*Meloidogyne acronea*, 169  
*Paraphelenchus pseudoparietinus*, 167  
*Paratrichodorus* spp., 70  
*Paratrichodorus anemones*, 161, 162  
*Paratylenchus* spp., 158, 159  
*Pratylenchus* spp., 21, 36  
*Pratylenchus neglectus*, 36  
*Pratylenchus pinguicaudatus*, 36  
*Pratylenchus thornei*, 36  
*Tylenchorhynchus* spp., 158, 159  
*Tylenchorhynchus dubius*, 159  
*Tylenchus* spp., 21, 159
- Nematophthora gynophila*, 165, 166
- Nemeritis canescens*, Dufour’s gland components in,  
129
- Nepal, 292
- Net blotch, on barley, 32
- Neutron diffraction measurements, 147
- New Plant Products Ltd., 214
- Nickel,  
complexes of, 146  
concentrations of in soil solutions, 268, 269  
in different soil series, 269



## INDEX

- Nickel (*contd.*)  
in sewage sludge, 268  
*Nicotiana tabacum*, (tobacco), 53, 54, 188, 190  
*Nilaparvata lugens*, 100, 101  
Nitrapyrin, 264, 265  
Nitrate,  
effect of supply on photosynthesis and growth of  
wheat, 46, 47  
soil, 274  
Nitrate reductase, 47, 48, 50  
Nitrification, 262  
Nitrification inhibitors, 112, 264, 265  
Nitrogen,  
<sup>15</sup>N, 219, 254  
effect on yield and composition of cereal grain  
protein, 54  
in the soil, 30  
in wheat grain, 54, 55  
soil, modelling of, 254, 261  
soil, spatial variation of, 274  
Nitrogen fertilizers,  
Balance Sheet system, 254, 262  
best rate for, 262  
effect of addition of inorganic fertilizer N on supply  
of inorganic N from soil, 262, 263  
effect on wheat yields, 19  
grain N%, 284  
immobilization of, 262, 263  
losses of <sup>15</sup>N labelled fertilizers applied to winter  
wheat, 263  
<sup>15</sup>N labelled, 222, 262–264  
net mineralization of, 262  
on winter wheat, 21, 21–29, 257, 285  
prediction of requirements, 261  
rates of, 19, 257  
timing of, 19, 25, 29, 255  
uptake of by old grassland, 264, 265  
Nitrogen fixation, 213  
associative, 222  
carbon costs of, 219, 220  
in tropical grain legumes, 222  
Nitrogen metabolism, intermediates of, 45  
Nitrogenase activity, 219, 220, 222  
Nodules, root,  
exposure of to <sup>15</sup>N<sub>2</sub>, 219, 220  
formation of, 221  
Norfolk Agricultural Station, 78  
Norfolk, soil survey in, 229  
Northumberland, soil survey in, 230, 245  
Northumbrian Water Authority, 245  
Nuarimol, for control of take-all, 135  
Nuclear magnetic resonance spectroscopy, 145
- Oats,  
at Rothamsted and Woburn, 113  
followed by potatoes, 255, 256  
globulins of, 54, 56, 57  
nematodes on, 157, 158, 164  
Panema, 113  
Peniarth, 113  
wheat after, 19–23  
ODA, the, 155, 156  
Official Seed Testing Station, 74  
Oilseed rape,  
at Broom's Barn, 71  
crown galls induced by, 52, 53  
isolation of protoplasts from, 50, 51  
land suitability for, 236, 237  
pests of, 92, 94, 95  
viruses of, 80  
Omethoate,  
effect on spring barley pests, 130  
Onions,  
inoculation of with mycorrhiza, 217, 218  
nematodes on, 164  
*Onychiurus armatus*, 73, 74  
*Opomyza florum*, 33  
Organophosphorus insecticides,  
as nematicides, 156
- Organophosphorus insecticides (*contd.*)  
resistance to, 125, 130  
*Oscinella* spp., 130  
Oviposition attractant pheromone, 128  
Oviposition deterrent, 129  
Oxamyl,  
degradation of, 137  
on potatoes, 40, 156, 157, 161, 162  
to control nematodes, 114, 156, 157  
Oxfordshire, soil survey in, 230  
Oximecarbamates, accumulation of by plant roots, 137  
Oximino-alkyl substituted compounds, 122  
Oxygen, flux of, into root nodules, 219  
Oxygen metabolism, intermediates of, 45
- Palaeoargillic horizons, 275  
Palaeosols, 275  
Park Grass,  
botanical analysis of hay on, 67  
fertilizers on, 109  
the Continuous Hay Experiment on, 263, 264  
Particle dispersal, 174, 176, 188  
'Patafol Plus' (mancozeb + ofurace), 39, 113  
PBI, 44  
PCF, mixture, 78  
Pea moth, *See* Moths  
Peas,  
aldicarb on, 36–39  
*Erysiphe polygoni* on, 36, 37  
fungal diseases of, 38  
interaction between nematodes and *Rhizobium* of,  
161  
leafless, 36–38  
nematodes on, 37, 38, 164  
phorate on, 37–39  
rhizobia on, 161, 219–221  
root rot of, 135  
*Sitona* spp. on, 37, 38  
thiram on, 37  
viruses of, 38  
*See also: Pisum sativum*  
Peat, survey of, 237–239  
Peat soils, survey of, 237–239  
*Penicillium* spp., on winter wheat, 199, 200  
*Penicillium brevi-compactum*, 200  
*Penicillium cyclopium*, 200  
*Penicillium hordei*, 200  
*Penicillium piceum*, 200  
*Penicillium roquefortii*, 200  
Pentachlorophenol, 105  
*Periplaneta americana*, (cockroach), neuroanatomy  
of, 122, 123  
Permethrin,  
for control of *Myzus persicae*, 120  
in the presence of aphid alarm pheromone, 127, 128  
*Peronospora farinosa*, (downy mildew on sugar beet),  
71  
*Peronospora schachtii*, (downy mildew on sugar beet),  
38  
Persistence, of bird repellents, 133  
Pesticide Residues Section, of MAFF-ADAS, 131  
Pesticides,  
behaviour of in soils, 130, 131  
leaching of in the field, 131, 273  
organophosphorus, 120  
systemic transport of in plants, 131, 132  
X-ray structural studies of, 152  
*See also: Aphicides; Fungicides; Insecticides;*  
*Nematicides*
- Pests,  
of oilseed rape, 92, 94, 95  
soil, on sugar beet, 74  
*Phaseolus vulgaris*,  
inoculation with *Rhizobium*, 221  
Phenmedipham, 77, 84  
Phenoxyacetic acids, co-ordination  
chemistry of, 146  
 $\beta$ -Phenylnitroethanes, 122  
Phenylureas, accumulation of by plant roots, 137

## INDEX

- Pheromones,  
 alarm, in honeybees, 95, 96  
 aphid alarm pheromone, 120, 126  
 formulations of, 128  
 in the lucerne moth, 128  
 mathematical models of dispersal of, 97  
 Nasonov pheromone, 95, 96  
 of *Ephestia kuehniella*, 128, 129  
 of the diamond back moth, 120  
 pea moth, 97, 98, 128, 284  
 propheromones, 120, 129  
 queen pheromone, 96  
*Phialophora radicola* var. *graminicola*, 215  
 Phloem mobility, in plants, 131, 132  
 Phloem translocation factors, 131  
*Phoma betae*, 72–73  
*Phoma exigua* var. *foveata* (gangrene on potato),  
 effect of fertilizer treatment on, 187, 203, 204  
 effect of fungicides on, 204  
 effect of storage temperature on, 203  
 Phorate,  
 on leafless peas, 36–39  
 on potatoes, 39  
 Phosphamidon, 157  
 Phosphate deficiency,  
 in maize, 216  
 in onions, 217  
 Phosphate fertilizers,  
 effect of levels of on behaviour of VA mycorrhiza,  
 217, 218  
 effect on metal concentrations in soils, 269  
 on maize, 216  
 on onions, 217, 218  
 Phosphinothricin, 48  
 Phosphorus,  
 effect on response of cereals to mycorrhizas, 271  
 interactions with nitrogen, 265  
 root, 216, 217  
 soil, 254, 265, 284  
 uptake by herbage, 264, 265  
 Photo-release,  
 of pheromonal carbonyl compounds, 129, 130  
 Photorespiration,  
 fluxes of carbon and nitrogen in, 46  
 in barley, 47, 48  
 research into, 67, 68  
 Photorespiratory metabolism, 45  
 Photosynthesis,  
 ARC's priority programme on, 44  
 effect of environment and nitrate supply on, 46, 47  
 net, in sugar beet, 77  
 net, in wheat, 178  
 research into, 67, 68  
 Photosystem I activity, 47  
 Photosynthetic metabolism, 45, 46  
*Physcomitrella patens*, 50  
*Phytophthora fragariae*, 216  
 Piezometers, 174, 180  
 Pig-breeding units, houseflies in, 124, 125  
 Pigeon pea, nitrogen fixation in, 222  
 Pigs, criss-cross mating in, 287  
 Pirimicarb,  
 effect on dispersal of *Myzus persicae*, 127, 128  
 on barley, 110  
 on potatoes, 39  
 on winter wheat, 19  
 Pirimiphos-methyl, effect on stem nematodes, 157  
*Pisum sativum*,  
 amino acid biosynthesis in leaves of, 48  
 nodulation of, 48, 221, 222  
 Plant growth regulators, 59  
 Plasmids, host range, in *Rhizobium*, 220, 221  
*Plasmodiophora brassicae*,  
 host-parasite relationship, 133, 134  
 Pod midges, 94, 95  
 Podzols, weathering in, 277  
 Pollen beetles, 94  
 Polyethers, open chain, 145, 146  
 Polygodial, 127  
*Polymyxa betae*, 186, 189, 190  
*Polymyxa graminis*, 189  
 Polyphagous insects, 101  
*Polyscytalum pustulans* (skin spot on potatoes), 41,  
 205  
 Pore patterns, quantification of, 239  
 Pore size distribution, 239, 240  
 Potassium,  
 calibration of calcium resin method for, 265, 266  
 effect of fertilizer residues on release of, 266  
 exchangeable, 266  
 in sylvinitite, 285  
 methods for assessing reserves of, 266  
 on barley, 266  
 release of non-exchangeable, 265, 266  
 release of to crops, 254  
 'spot test' for, 145  
 uptake of by herbage, 264  
 Potato Marketing Board, 137  
 Potatoes,  
 aphids on, 40, 41  
 application of fungicides to tubers, 39, 137, 138  
 Arran Banner, 156  
 at Rothamsted and Woburn, 112–114  
 black dot on, 41  
 blackleg on, 41, 205  
 black scurf on, 41  
 calcium uptake by, 160  
 Cara, 113, 156, 159  
 common scab on, 203  
 Croft, 156  
 Désirée, 39, 40, 113, 114  
*Erwinia caratovora* var. *caratovora* (tuber soft rot)  
 on, 41, 205  
 followed by wheat, 255, 256  
 fungal diseases of, 41  
 fungicides on, 187  
*Fusarium* spp. on, 204  
 gangrene on, 187, 203, 204  
 in eroded fields, 242  
 irrigation of, 203  
 isolation of protoplasts from, 50, 51  
 King Edward, 113, 159  
 land suitability for, 236, 237  
 Maris Anchor, 156, 161  
 Maris Peer, 156, 161  
 Maris Piper, 39, 156  
 nematode resistance in, 159–161, 163, 164  
 nematodes on, 156–164  
 on Broadbalk, 116, 117  
 Pentland Crown, 113, 156, 159  
 Pentland Dell, 156  
 powdery scab of, 187, 203  
 PR proteins in, 190  
 protoplasts from, 50, 51  
 regeneration of from protoplasts and callus, 52  
 resistance genes in, 164  
 silver scurf on, 41, 203  
 skin spot on, 205  
 slugs on, 41  
*Solanum* spp. on, 157  
*Solanum berthaultii*, 120, 186, 191  
*Solanum brevidens*, 52  
*Solanum demissum*, 190  
*Solanum vernei*, 160, 163  
 stem canker (*Rhizoctonia solani*) on, 41  
*Streptomyces scabies* (potato common scab) on,  
 41, 134, 135  
 tolerance to cyst nematodes, 159  
 tuber diseases, 203, 204  
 vertically acting gene in, 164  
 virus diseases of, 40, 53, 206, 207  
 water use by, 160  
 yield losses due to nematodes, 156  
 'Potential machinery work days', 237  
 Potential vegetation map, 243  
 Powder diffraction, 153  
 Powdery mildew, *See Erysiphe* spp.  
 Powys, soil survey in, 244  
 PR (pathogenesis related)-proteins,  
 effect of temperature on, 190

## INDEX

- PR (pathogenesis related)-proteins (*contd.*)  
 in potato, 190  
 relation of to virus resistance, 53, 54, 191  
 serological relationships of, 190  
 'Priming effect', 262  
 Principal component analysis, of insects, 100, 101  
 Processors and Growers Research Organisation, 97  
 Prochloraz, 29, 32, 112, 199, 204  
 Programs, *See* Computer programs; Statistical programming  
 Prolamin storage proteins, 54  
 immunological relationships of, 55, 56  
 Proline, 48–50  
 Prometryne, 152  
 Propylthiouracil, 120, 129  
 Propiconazole, 19, 34, 110, 117, 136, 202  
 Propyzamide,  
 degradation of, 131  
 on beans, 113  
 on oilseed rape, 114  
 Protein,  
 cereal grain, 54–59  
 degradability of, 286  
 leaf, extraction of, 277  
 pathogenesis related, 53, 54, 190, 191  
 Protoplasts, gene transfer via, 50, 51  
 regeneration of potato plants from, 52  
 Protozoa, interaction with earthworms, 104  
*Pseudocercospora herpotrichoides*, (eyespot), 32  
*Pteris aquilina*, (bracken), 44  
*Puccinia hordei*, (brown rust), on barley, 32  
*Pyrenophora teres* (net blotch), on barley, 32  
 Pyrethroids,  
 effect on dispersal of *Myzus persicae*, 127, 128  
 insect resistance to, 120, 123, 125  
 mode of action of, 122, 123  
 sales value of, 120  
 Pyrolysates, analysis of, 214  
 Pyrolysis, differentiation of microorganisms by, 214  
 Pyrophosphate extraction, of Fe and Al, 240, 241  
*Pythium* spp., on sugar beet, 73
- Rabbits, national survey of, 244  
 Radar imagery, 242  
 Radioactive isotopes, analyses of, 277  
 Radnor, soil survey study area, 244  
*Ramularia beticola*, 71  
 Rats, social behaviour of, 284, 285  
 Red core disease of strawberry, (*Phytophthora fragariae*), 216  
 Regeneration, of potato plants from protoplasts, 52  
*Resseliella* spp., on winter beans, 35  
*Rhizobium* spp.,  
 competition among strains of *R. leguminosarum*, 221, 222  
 competition among strains of *R. phaseoli*, 221  
 differentiation of isolates, 214  
 host and strain interactions, 221  
 in a legume symbiosis, 219, 220  
 inoculation of fenugreek with, 118  
 on peas, 161, 219–221  
 production of inoculum, 213, 221  
*Rhizobium japonicum*, 221  
*Rhizobium leguminosarum*, 161, 220–222  
*Rhizobium meliloti*, 118, 220  
*Rhizobium phaseoli*, 220  
*Rhizobium trifolii*, 220  
 soybean strains, 220, 221  
 tolerance of to heavy metals, 220  
 toxicity of fungicides to, 220  
 transfer of host range plasmids in, 220  
*Rhizoctonia cerealis*, 196  
*Rhizoctonia solani* (stem canker of potato), on leafless peas, 41  
 Rhizosphere microbiology, 214, 215  
*Rhynchosporium secalis*, on barley, 84, 136, 192, 194  
 Ribulose biphosphate carboxylase, 44, 45  
 catalase-like activity in, 45  
 Rice, planthopper on, 100, 101
- 326**
- Ricinus communis* test system, 131  
 'Rizomania' of sugar beet, 186  
 RNA fraction, of storage proteins, 55  
 RNA, messenger, 55, 57, 58  
 Root Concentration Factor, 137  
 Root growth, in potatoes, 159  
 Root-soil relations, 254  
 Root systems, developing, modelling infection spread in, 270  
 Roots, phosphorus levels in, 216  
 Rotation, of crops, 116, 284  
 Rothamsted,  
 barley at, 266  
 classical experiments at, 116  
 potatoes at, 116, 117  
 weather at, 109, 110, 304  
 wheat at, 19–24, 28–30  
 Rothamsted controlled temperature gradient apparatus, 73, 74  
 Rothamsted Insect Survey, 91, 92  
 Rothamsted Insect Survey Cereal Aphid Monitoring Scheme, 92  
 'Rovral', *See*: Iprodione  
 Royal Aircraft Establishment, Farnborough, 242  
 Royal Show, the, 228, 244  
 Rural Planning Research Trust, 244  
 Rye, prolamin fraction of, 54, 56
- Safety, of X-ray cameras, 153  
 Sandy soils, wheat on, 256, 257  
 Saxmundham, rotation experiments at, 266, 284  
*Scutigerella immaculata*, 74  
 Secalins, of rye, 56  
 Sedimentation, of *Aspergillus* spp. conidia, 188  
 Seed storage proteins, 50, 54–59  
 Seed-weevils, 94, 95  
 Seeds, barley, accumulation of  
 soluble threonine in, 49  
 protein bodies in, 54  
*Septoria* spp., on winter wheat, 22, 23, 83  
 Severn-Trent Water Authority, 245  
 Sewage sludge,  
 toxic effects of metals in, 254, 267, 268  
 Sex attractants, for pea moth, 128  
 Shardlow, aphids at, 196  
 Shropshire, soil survey in, 242–244  
 Simazine,  
 as a herbicide, 113  
 degradation of in soil, 131  
*Sitona* spp.,  
 on field beans, 34, 35, 158, 187  
 on peas, 37, 38, 158  
 transmission of broad bean mottle virus by, 201  
 Slugs, chemical control of, 102  
 on barley, 33  
 on potatoes, 40  
 Smectite, 273  
 Sodium lamps, 24  
 Sodium trithiocarbonate, 264, 265  
 Soil,  
 behaviour of pesticides in, 130, 131  
 biomass C contents of, 267  
 Soil analysis, 277  
 Soil biomass,  
 effect of dazomet on in maize monoculture, 198  
 survival of after air drying of soil, 267  
 Soil-borne diseases,  
 control of by foliar sprays, 134, 135  
 Soil erosion, 242, 243  
 Soil Information System, computerized, 228, 232  
 Soil maps, 228–232, 241–243, 275  
 Soil micromorphology, 243, 273, 274  
 Soil microorganisms,  
 differentiation of by pyrolysis, 214  
 physical studies on, 214  
 sampling of, 214  
 Soil microstructure, 239, 240  
 Soil moisture deficits, 237, 241, 242  
 Soil pH, 221

## INDEX

- Soil solutions,  
concentrations of manganese in, 268, 269
- Soil structure,  
application of stereological principles to, 274  
as a case of spatial variations, 274  
gaseous diffusion in dry and wetted crumbs, 182  
gaseous diffusion in swelling soils, 181, 182  
interaction of water with soils and clays, 272, 273  
particle size fractions, 274, 275  
pore size distribution, 174, 180, 181, 240  
profile development in Hamble series, 276  
regeneration of, 273  
regional variations in, 274, 275  
spatial analysis of soil properties, 274, 275  
studies of, 173, 174
- Soil Survey Information System, 232–234
- Soil Survey of England and Wales, 228, 243, 275, 293
- Soil Survey Research Advisory Committee, 228
- Soil Surveys,  
Bedfordshire, 229, 240  
Berkshire, 230  
Buckinghamshire, 230  
Cambridgeshire, 229, 238, 242  
Cheshire, 229, 231  
Cornwall, 244  
Derbyshire, 229  
East Anglia, 228, 229  
England and Wales, 228  
Hampshire, 243, 244  
Humberside, 245  
Kent, 230, 244  
Midlands, 229, 230  
Northumberland, 230, 245  
Shropshire, 242–244  
Somerset, 237–239, 242  
South-East England, 230  
South-West England, 231  
Suffolk, 229, 238, 239  
Sussex, 243–245  
Wales, 231, 232, 243  
Yorkshire, 245
- Soil water,  
flow in heterogeneous media, 180  
leaching of soluble salts, 179  
research into, 173, 174  
retention of, 237
- Soils,  
genesis of, 254  
swell-shrink behaviour of, 272
- Solanum* spp.,  
aphid alarm pheromone in exudate from sticky hairs of, 191  
effect on numbers of potato cyst-nematodes in the soil, 157  
mutants of, 48  
*Solanum berthaultii*, 120, 186, 191  
*Solanum brevidens*, 52  
*Solanum demissum*, 190  
*Solanum vernei*, 160, 163  
'trap crops' of, 157
- Solar radiation, in wheat, 24
- Solid state nuclear magnetic resonance, 147, 148
- Solomon Islands, nematodes found in, 167, 168
- Soluble salts, leaching of, 179
- Solute movement, 273
- 'Somaclonal' variations, 51
- Somerset, soil survey in, 237, 239, 242
- Sorghum,  
aluminium tolerance of, 272  
associative N<sub>2</sub> fixation with, 222
- South-East England, soil survey in, 230
- South-West England, soil survey in, 231
- Spatial analysis, of soil properties, 274, 275
- Spatial variation, 274, 275
- Spinning disc generators, 174
- Spongospora subterranea*, 203
- Spores,  
dispersal of, 174, 188  
of *Erysiphe graminis*, 188
- 'Sportak', See Prochloraz
- Sprayers,  
electrostatic, 121, 132  
hydraulic, 138  
'Jumbo', 132
- Springtails, as pests of sugar beet, 73, 74
- Stability constants, 148, 149
- Statistical analysis,  
calf rearing study, 288  
for ADAS, 285  
for ODA projects, 291, 292  
of anthelmintic treatment, 286, 287  
of criss-cross mating in pigs, 287  
of livestock experiments, 285–287  
Rothamsted Insect Survey, 91, 92  
Survey of fertilizer practice, 288
- Statistical models,  
wheat crop growth model, 254, 255, 259  
See also: Models
- Statistical programming,  
Genkey, 290  
Genstat, 289–291  
Maximum Likelihood Program (MLP), 290  
Programs for interactive statistical modelling (PRISM), 290, 291  
releases, 290
- Statistical theory,  
individual differences scaling, 288  
intercropping, 292  
metrics and multidimensional graphics, 288  
parallel model analysis, 289  
quasi-complete Latin Squares, 288  
restricted randomization, 288  
uniqueness of solutions in curve fitting, 288, 289
- Stem borers, control of, 30, 130
- Stem canker, See: *Rhizoctonia solani*
- Stem weevils, 94, 95
- Sterol synthesis inhibitors, 136
- Straw, *in-vitro* digestibility of, 286
- Strawberries,  
effect of VA mycorrhiza on, 218  
red core disease of, 216
- Streptomyces scabies* (common scab on potato), 41,  
134, 135
- Sudan, 292
- Suffolk, soil survey in, 229, 238, 239
- Sugar beet,  
*Aphanomyces cochlioides* on, 72, 73  
aphids on, 70, 71  
blackleg on, 73  
bolting, 70, 76, 82  
Broom's Barn Plant Clinic, 70  
chloridazon on, 84  
crop establishment, 70  
damage to caused by soil pests, 74  
dark respiration in, 77  
Docking disorder, 70  
*Erysiphe betae* (powdery mildew) on, 71  
fungicides on, 72, 73  
*Fusarium* spp. on, 71  
herbicide tolerance, 77, 78  
in eroded fields, 238  
in one-in-three rotations, 83  
irrigation bulletins, 71, 72  
land suitability for, 236, 237  
leaf area index, 79  
leaf growth and development, 78, 79  
MAFF Beet Eelworm Order, 81  
millipedes on, 74  
mobile gas-exchange system, 77  
Nomo, 76  
nematodes on, 70, 81, 82, 164–166  
net photosynthesis in, 77  
on Broom's Barn Farm, 69–84  
pests of, 73, 74  
*Phoma betae* on, 72  
plant establishment, 72–74  
*Polymyxa betae* on, 186, 189, 190  
*Pythium* spp. on, 73  
radiation interception, 70  
*Ramularia beticola*, 71

## INDEX

- Sugar Beet (*contd.*)  
  'Rizomania' of, 186  
  seedling establishment, 70  
  springtails on, 73, 74  
  survey of, 287  
  *Uromyces betae*, 71  
  virus diseases of, 71, 79–81  
  weed beet, 82, 83  
  yellowing viruses of, 79, 80  
  yield prediction, 74, 75  
  yields, 69, 70, 74–76
- Sulphite, carboxylation and oxygenation in the presence of, 46
- Sulphur,  
  deficiency of, 54, 55  
  effect on baking quality of cereals, 54  
  effect on composition of cereal grain protein, 54, 55
- Sumatra Clove Disease, 207
- Surfactants, applied with fungicides, 135
- Sussex, soil survey in, 243–245
- Sutton Bridge Experimental Station, 137
- Sylvinite, 285
- Take-all on cereals,  
  decline, 197, 198  
  fungicides for control of, 135  
  on barley, 197, 198  
  on wheat after barley, 23
- Taro, nematodes on, 167
- Temperature,  
  effect on PR-proteins and virus spread, 190  
  influence on competitiveness of field and storage fungi, 200  
  soil, 181  
  storage, effect on potato gangrene, 203
- Tensiometers, null point, 174
- 'Terpal', on winter barley, 29
- Tetrachlorvinphos, 130
- Thiabendazole,  
  effect on stem nematodes, 157, 158  
  for control of potato gangrene, 203, 204
- Thiabendazole hypophosphite, 157
- Thin section analysis, 180, 181
- Thionazin, 130
- 2-thiouracil, 191
- Thiram, for seed treatments, 217
- Threonine,  
  mutants resistant to, 49  
  synthesis of, 49
- Tillage, experiments, 174
- Tiller survival, 23, 24
- 'Tilt', *See* Propiconazole
- Time lapse cinematography, 168, 169
- Tissue cultures, from wheat, 51, 52
- Tobacco,  
  deterioration of cured leaf, 188  
  virus diseases of, 53, 54, 190, 191
- Tomatoes, *Verticillium* on, 216
- Toxic metals, in sewage sludge, 254
- Toxicity,  
  of industrial chemicals to earthworms, 104, 105  
  of metals in sewage sludge, 267, 268
- Toxins, *Alternaria*, production of, 138
- Trace elements, in different soil series, 269
- Transformation of plant cells by *Agrobacterium*, 51
- Translocation, of chemicals to plants, 137
- Transpermethrin, 123, 124
- Transpiration, in winter wheat, 177
- Transpiration Stream Concentration Factors, 137
- Traps, *See* Insect traps
- Triadimefon,  
  activity against *Rhynchosporium secalis*, 194  
  persistence of in soil, 194  
  residual effects of, 193, 194
- Triadimenol, 29–32, 136
- Triazophos, effect on stem nematodes, 157
- Trichloroacetic acid, toxicity of to earthworms, 104, 105
- Trichoderma* spp., 198
- Trifolium repens*, *See* Clover
- Trihydroxyanthracene, 133
- Tritiated water, diffusion of, 131
- Triticum*, purification of RuBP carboxylases from, 45
- Tuber soft rot,  
  *See Erwinia caratovora* var. *caratovora*
- Tulip, stem nematodes on, 164
- Tungsten, complex of, 152
- Unit of Nitrogen Fixation, 152
- Upper Greensand soils, 243
- Urea,  
  aqueous, for grassland, 264, 265  
  on winter wheat, 285
- Uromyces betae*, 71
- Uromyces fabae* (rust on beans), 117, 202
- Vamidithion, 157
- Vertical band applicator, 156
- Verticillium* spp.,  
  effect of VA mycorrhiza on, 216
- Verticillium chlamydosporium*, 165, 166
- Verticillium dahliae*, 161
- Verticillium lecanii*, 23, 198, 200
- Vicia faba*, rhizobia on, 219, 221
- Viruses,  
  acquisition of, 190  
  aphid infectivity, 195, 196  
  aphid vectors, 189  
  mechanical inoculation with, 189  
  of barley, 22, 33, 185, 189, 195, 196  
  of beans, 35, 186, 200, 201  
  of oilseed rape, 80  
  of potatoes, 40, 53, 206, 207  
  of sugar beet, 71, 79–81, 186, 189, 190  
  of tobacco, 53, 54, 191  
  of watermelon, 207  
  picornavirus, 191  
  seed-borne, 200, 201  
  tobamoviruses, 186  
  transfer by zoospores, 189  
  transmission by fungi, 189, 190  
  turnip yellow mosaic, 207
- Viruses, names of,  
  barley yellow dwarf virus, 22, 33, 185, 195, 196  
  barley yellow mosaic virus, 186, 189  
  bean leaf roll virus, 35, 38  
  bean yellow mosaic virus, 35  
  beet cryptic viruses, 80, 81  
  beet mild yellowing virus, 71, 79, 80  
  beet mosaic virus, 189  
  beet necrotic yellow vein, 186  
  beet yellows, 71, 79, 80  
  broad bean mottle virus, 201  
  broad bean stain virus, 201  
  broad bean true mosaic, 201  
  pea enation mosaic virus, 35, 38  
  potato virus X, 53  
  potato virus Y, 53, 189, 207  
  tobacco mosaic virus, 53, 54, 190, 191  
  turnip yellow mosaic, 207
- Volunteers, of cereal crops, 195
- Wales, soil survey in, 231, 232, 243
- Water desorption-sorption isotherms, 272
- Watermelons, virus disease of, 207
- Water movement, relationship to soil microstructure, 239, 240
- Water relations, of wheat root cells, 267
- Water stress,  
  response of cereals to, 177, 178  
  yield losses due to, 254
- Wavelength dispersive analysis, 100
- Weather,  
  at Broom's Barn, 306  
  at Rothamsted, 109, 110, 304  
  at Saxmundham, 307  
  at Woburn, 305  
  effect on herbicide behaviour in soils, 131
- Weathering, in podzols developed in Late Devensian coversands, 277

## INDEX

- Weed ecology, 267  
 Weed Research Organisation, 68, 77  
 Weevils, *See Sitona* spp.  
 Welsh Plant Breeding Station, 215  
 Westhay and Shapwick Heaths, soil survey at, 239  
 Wheat,  
   after barley, 19–23  
   after oats, 19–23  
   aldicarb on seedbed, 25, 26  
   Aquila, 111, 112  
   at Rothamsted, 19–24, 28, 29, 111, 112  
   at Woburn, 24–28, 111, 112  
   Avalon, 19, 22, 24, 25, 28, 29, 111, 112, 177, 186, 197  
   bacteria on, 198, 199  
   bread-making quality of, 54  
   crop model for, 259  
   diseases of, 258  
   effect of drought on, 259, 260  
   effect of environment and nitrate supply on growth of, 46, 47  
   effect of mycorrhizas on, 271, 272  
   effect of sowing date on yield, 25  
   effect of temperature on, 72  
   eyespot on, 194  
   Factors Limiting Yield of Winter Wheat experiment, 19–24  
   Flanders, 111  
   following oats, barley and potatoes, 255, 256  
   foot rot on, 23  
   fungal diseases of, 22, 23, 198–200  
   fungicides on, 19, 23, 258, 262, 285  
   *Fusarium* spp. on, 22, 23, 258  
   gibberellins in, 59  
   gliadins of, 56  
   grain growth, 72  
   grain N concentration of, 54, 55  
   grain yield, 19, 25, 26, 72, 178, 255, 258, 262  
   growth of, 19–21, 26–28  
   Guardian, 112  
   herbicides on, 111  
   Huntsman, 197  
   Hustler, 29, 111  
   irrigation of, 25, 26, 177, 178, 257  
   leaf area index, 20, 26–28, 177, 178  
   light intensity in, 24  
   Longbow, 112  
   Maris Huntsman, 199  
   microflora of developing ears, 23, 199  
   mildew on, 258  
   mycelial growth on, 194  
   nitrate N in stems of, 258, 259  
   nitrogen content of, 21  
   nitrogen on, 21, 24, 25, 177, 255, 256, 285  
   nitrogen uptake by, 28  
   Norman, 111, 112, 197  
   number of grains per ear, 72  
   number of shoots m<sup>-2</sup>, 20, 27  
   on a sandy and on a clay soil, 256, 257  
   on Broadbalk, 67, 110, 116, 117  
   on Great Knott, 19, 29  
 Wheat (*contd.*)  
   pesticide treated, 262  
   photosynthesis in, 178  
   plant numbers, 258  
   prolamins from, 54  
   Rapier, 112  
   rate of N on, 255  
   root growth of, 260  
   semi-dwarf, 196  
   *Septoria* on, 22, 258  
   sharp eyespot of, 196, 197  
   sowing date, 25, 28  
   straw yield, 178  
   sulphur content of, 54, 55  
   take-all on, 23  
   tiller survival, 23, 24  
   transpiration in, 177  
   variability of yields, 287  
   water potentials, 194  
   water use and growth and yields, 176–178  
   winter, effects of different pre-cropping on, 117  
   winter, modelling of, 177  
   yeasts on, 198  
   yields, 72  
   *See also: Cereals: Take-all*  
 Wheat bulb fly,  
   elemental analysis of, 100  
   on barley, 33  
 Wheat roots, microbiology of, 214, 215  
 Wind gusts, distribution of spores in, 188  
 Wind tunnel experiments, 174, 176  
 Woburn,  
   Market Garden experiment, 254, 267, 268  
   oilseed rape at, 114  
   potatoes at, 39–41, 113, 114  
   take-all in barley at, 197  
   weather at, 109, 110  
   wheat at, 24–28, 256, 257  
 Worm-worked wastes, 104  
 Worms, *See Earthworms*  
 Xanthine dehydrogenase, 50  
 X-ray analysis,  
   of hordein protein fractions, 152  
   of insects, 100  
   for structural studies of pesticides, 152  
 Xylem transpiration stream, 137  
 Yemen, watermelon disease in the, 207  
 Yield variation studies, 254, 255, 262  
 Yorkshire, soil survey in, 245  
 Yugoslavia, viruses from, 190  
 Zanzibar, 187  
*Zea mays*, *See Maize*  
 Zimbabwe, 188  
 Zinc,  
   concentrations of in soil solutions, 268, 269  
   in different soil series, 269  
   in sewage sludge, 268  
 Zoospores, transfer of viruses by, 189