

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Report for 1982 - Part 1

[Full Table of Content](#)



Index

Rothamsted Research

Rothamsted Research (1983) *Index* ; Report For 1982 - Part 1, pp 317 - 329 - DOI:
<https://doi.org/10.23637/ERADOC-1-129>

SUBJECT INDEX

The General Report by the Director (pp. 9–17 has not been indexed).

- Acaulospora laevis*, 218
Acetylene, 219
Acid extractions, 266
Acid sulphate soils, 238, 239
'Actellic'. *See* Pirimiphos-methyl
Acyclic ligands, 145, 146
Aerial photographs, 76
Aerobiology, 188
Agricultural meteorology, 174–176
Agrobacterium spp., 51
Agrobacterium rhizogenes, 52
Agrobacterium tumefaciens, 52
Agrotis segetum, 100
Air-drying of soil, 267
Alcohol dehydrogenase, 48
Aldicarb,
 as a nematocide, 157–159, 273
 effect on barley yellow dwarf virus, 22
 on barley, 30–33
 on beans, 33
 on peas, 37–39
 on winter wheat, 19, 25–27
Aldoxycarb,
 breakdown of, 137
 simulation of the leaching of, 273
Alkali metals, co-ordination chemistry of, 145, 149, 150
Alkaline earth metals, co-ordination chemistry of, 145
Allium schoenoprasum (chives), 217
Altenuec, 138
Alternaria, spp., 138
Alternaria alternata, on wheat, 23, 138
Alternariol, 138
Alternariol monomethylether, 138
Aluminium, pyrophosphate extraction of, 240, 241
Amino acids,
 S-adenosylmethionine, 48
 asparagine, 56
 aspartate family, 46, 49, 56
 biosynthesis of, 48
 cysteine, 55
 glutamic acid, 50
 lysine, 48, 49, 56, 58
 methionine, 48, 49, 55
 N-terminal sequences of, 56
 proline, 49, 50
 threonine, 49
2-aminobutane, 204
5-aminoisophthalic acid, derivatives of, 48
Ammonia,
 assimilation of, 46, 48
 concentrations of, 274
Ammonium iodide complex, 150
Analogues, of 3,5-D, 134
Anglo Maribo Seed Company, 80
Anions, uptake of, 271
Anthelmintics, 286, 287
APE 80 sprayer, 132
Aphanomyces cochlioides, 70, 72, 73
Aphanomyces euteiches, on peas, 135
Aphicides,
 on barley, 110, 195, 196
 on potatoes, 39
 on wheat, 25
 pirimicarb, 110
 See also: Insecticides; Potatoes
Aphidius matricariae, 130
Aphids,
 alarm pheromone of, 120, 126, 191, 206
 Aphids (*contd.*)
 black bean aphids, 33
 caught in suction traps, 71
 cereal, 92, 185
 chemical interference with virus transmission by, 127, 128
 electrophoretic survey of, 93
 genetic variability of populations, 93, 94
 infected with *Erynia neoaphidis*, 99
 monitoring of, 92
 on barley, 32, 33
 on beans, 35, 99–100
 on peas, 99
 on potatoes, 40, 41
 on sugar beet, 70
 on wheat, 22
 parasites of, 130
 rearing of, 133
 resistance of *Myzus persicae*, to insecticides, 125
 virus from *R. padi*, 191
Aphids, scientific names of,
 Acyrtosiphon pisum, 35
 Aphis fabae, 99
 Lipaphis erysimi, 126
 Metopolophium dirhodum, 22, 99, 100, 189, 196
 Metopolophium festucae, 22, 32, 196
 Myzus persicae, 40, 70, 71, 79, 80, 120, 125, 127, 130, 206
 Rhopalosiphum padi, 22, 32, 100, 101, 185, 189, 191
 Sitobion avenae, 22, 32, 93, 94, 100, 101, 189, 196
 Sitobion fragariae, 93, 94
Apion vorax, 201
Arabidopsis, mutants in, 46
Archaeological samples, of soils from Stoke Newington, 276
Arion hortensis, 102
ARS Computing Service, 232, 233
Arthur Rickwood EHF, 76
Asparagine, 56
Aspartate family, of amino acids, 46, 49, 56
Aspartate kinase, 49
Aspergillus spp., on winter wheat, 199, 200
Aspergillus glaucus conidia,
 release and sedimentation of, 188
Aspergillus ruber, 188
Aspirin,
 stimulation of resistance-associated PR-proteins by, 186
Aureobasidium pullulans, on winter wheat, 23, 198, 199
Australia, 173–175
Bacteria
 in milk, 286
 interaction with earthworms, 104
 on winter wheat, 198, 199
 xylem-limited, plant pathogenic, 207
'Baited straw technique' the, 74
Baking quality, effect of sulphur on, 54
Barley,
 aldicarb on, 30–33
 aphids on, 32, 33, 130
 Atem, 112
 'Baytan' on. *See* Triadimenol
 beneficial insects on, 130
 brown foot rot of, 32
 brown rust on, 32
 caryopses of, 50
 chlorpyrifos on, 29, 30
 development of the crop, 31
 distribution of chemicals within shoots, 137

INDEX

- Barley (*contd.*)
 effect of mycorrhizas on, 271, 272
Erysiphe graminis on, 32, 112, 135, 136, 186, 192, 193
 eyespot on, 32
 followed by wheat, 255
 fungal diseases of, 32, 192
 fungicides on, 30, 112
 Georgie, 111, 112
 Gerbel, 112
 grain proteins of, 55
 grain yield, 31, 266
 growth and development of, 179, 266
 growth regulator on, 30, 31
 high-lysine mutant lines, 58
 hordein fraction of, 55, 56
 Igri, 30, 112
 in a rotation with maize, 158, 159
 infertile spikelets, 32
 inter-plot interactions, 193
 isolation of protoplasts from, 50, 51
 Koru, 112
 land suitable for, 236, 237
 leaf blotch on, 32
 leaf growth in, 179
 leaf scald on, 136
 model for growth and yield of, 179
 mutants in, 46–49, 58, 59
 nematodes on, 162
 net blotch on, 32
 nitrogen on, 30
 on Hoosfield, 116
 pests of, 33, 130
 photorespiration in, 47, 48
 potassium in, 266
 prochloraz on, 32
 prolamin storage proteins of, 54
Rhynchosporium secalis on, 84, 136, 192, 194
 sharp eyespot on, 32
 slugs on, 33
 sowing date, 31
 spore dispersal in, 174, 175
 spores collected in, 188
 take-all in, 197, 198
 triadimenol on, 29–32, 136
 volunteers, 195
 wheat after, 19–23
 yellow dwarf virus of, 22, 33, 185, 195, 196
 yellow mosaic virus of, 186, 189
See also: Cereals; Erysiphe graminis; Take-all
 'Baytan', *See: Triadimenol*
 Beans (*Vicia faba*),
 aldicarb on, 33
 aphids on, 35, 117
 at Rothamsted and Woburn, 113
 benomyl on, 33–35, 113, 202
 chocolate spot of, 34, 35, 187, 201, 202
 'economic' treatment for, 33, 36
 grain yields, 34
 irrigation of, 34
 Maris Bead, 164
 midge on, 35
 Minden, 113, 157
 moths on, 100
 nematodes on, 36, 157, 158, 164
 pests and pathogens of, 33–35
 propiconazole on, 33, 117
 propyzamide and simazine on, 113
 rust (*Uromyces fabae*) on, 35, 117, 202
 season and plant growth, 34
 seed treatment, 157
 seed yield, 157
Sitona spp., on, 34–36, 187
 spray timing on, 201
 thiram on, 33
 Throws MS, 113
 viruses of, 35, 186, 200, 201
 yields, 113
 Beddgelert Forest, soil survey in, 239, 240
 Bedfordshire, soil survey in, 229, 242
- 318
- Bees. *See* Honeybees
 Belgium, winter-wheat experiments in, 262
 'Benlate', *See: Benomyl*
 'Benlate T' (benomyl + thiram), 113
 Benomyl, 217
 effect on take-all, 135
 on beans, 33–35, 113, 202
 on forage maize, 158, 159
 on winter wheat, 23
 Benzylmorpholin, activity of, 121, 122
 Berkshire, soil survey in, 230
Beta macrocarpa, effect of systemic infection by beet necrotic yellow vein virus on, 190
 Bicyclic ligands, 149, 150
 Biomass, *See* Soil biomass
 Biopolymers, 152
 Bioresmethrin, effect on houseflies, 123, 124
 Birds, repellents for, 133
 Bis-crown ethers, 'clam' type of, 150, 151
 Blackleg, on potato, 41, 205
Boerhaavia diffusa, as an inhibitor of virus infection, 191
Botrytis cinerea, 23
Botrytis fabae (chocolate spot), on beans, 34–36, 187, 201, 202
 Botswana, 292
 Bracken (*Pteris aquilina*), detection of enzymes in, 44
Brassica campestris, breeding of, 134
 Brickearth samples, 276, 277
 British Gas Corporation Engineering Research Station, 245
 British Sugar Corporation, the, 70, 75
 British Technology Group, the, 156
 British Telecom Package Switching Service, 233
 Broadbalk,
 Classical experiments on, 116
 effect of ¹⁵N fertilizer on, 263
 potatoes on, 116, 117
 wheat on, 67, 116, 117
 Bromide, uptake of by mycorrhizal cereals in the field, 270, 274
 Broom's Barn,
 cereals on, 83
 crop rotations at, 83
 livestock, 84
 oilseed rape at, 71
 sugar beet on, 69–84, 287
 weather at, 306
 winter wheat at, 72
 Brown rust, on barley, 32
 Buckinghamshire, soil survey in, 230
 BYDV, 22, 33, 185, 195, 196
- Cadmium in sewage sludge, 268
 Calcium, uptake of by potatoes, 160
 Calcium resin method, calibration of the, 266
 Calf rearing, survey of, 288
 Calves, Raigro implants in ear of, 285, 286
 Cambridge and Ely, soil map of, 229, 239
 Cambridgeshire, soil survey in, 229, 238, 242
 Capillary condensation, 272
 Captafol,
 effect on fungal pathogens of nematodes, 165, 166
 on winter wheat, 199
 toxicity to *Rhizobium*, 220
 Captan, toxicity to *Rhizobium*, 220
 Carbamate nematicides, 156
 Carbamate resistance, in *Myzus persicae*, 125
 Carbaryl, toxicity of to earthworms, 104
 Carbendazim,
 effect on nematodes, 157
 on potatoes, 205
 on winter wheat, 199
See also: 'Delsene M'
 Carbofuran,
 as a nematicide, 157, 158
 to control *Sitona* spp., 158
 Carbohydrates, extraction of from *Heterodera goettingiana*, 163

INDEX

- Carbon dioxide concentration,
relationship with net photosynthesis, 47
- Carbonyl compounds, pheromonal, 129, 130
- Carboxylesterase, in *Myzus Persicae*, 125
- Caryopses, barley, 50
- Cascade impactor, 188
- Catalase-like activity, 45
- Cattle, at Rothamsted, 114
- Centro Internacional de Agricultura Tropical, 221
- Cereal endosperm, 50
- Cereals,
aluminium tolerance of, 272
at Rothamsted and Woburn, 110
baking quality of, 54
caryopses of, 50
effect of mycorrhiza on growth of, 254, 271
grain yield, 284
immature embryos of, 51
land suitability for, 236, 237
nematodes on, 165
response of to water stress, 176, 177
seed proteins in, 54–59
uptake of bromide by, 270, 271
volunteers, 195
See also: Barley; *Erysiphe graminis*; Maize; Oats;
Take-all; Wheat
- Ceuthorynchus assimilis*, 94, 95
- Ceuthorynchus quadridens*, 94
- Chenopodium quinoa*, 189
- Cheshire, soil survey in, 229, 231
- Chickpea, nitrogen fixation in, 222
- China, survey of soils from, 275
- Chives, growth of mycorrhiza on, 217
- γ -chlordane, 152
- Chloridazon, on sugar beet, 84
- Chloride ion, diffusion of, into soil aggregates, 131
- Chlormequat, on wheat, 19, 25
- Chlorops pumilionis*, 130
- Chlorpropham, 204
- Chlorpyrifos, on barley, 30
- Chlorsulfuron, leaching of in the field, 131
- Chlortoluron,
degradation of, 110, 131
on wheat, 111
- Chocolate spot, of field beans,
See: *Botrytis fabae*
- Chromosomal location, of structural genes for 'D'
hordein, 56
- Chromosome, separate, location of a recessive barley
mutation on, 58
- Chromosome numbers, in wheat cultivars, 51
- Cinematicography, 166
- Cladospodium* spp., on wheat, 23, 199, 200
- Classical experiments, 67, 115
- Clay minerals, in soils, 272
- Clay soils, wheat on, 256, 257
- Clays,
fenland, 239
interaction of water with, 272, 273
- Cleavers (*Galium aparine*), on wheat, 111
- Climatic maps, 241, 242
- Clones, cDNA, for cereal storage proteins, 57, 58
- Close House Field Station, 81
- Clover,
inoculation of with VA mycorrhiza, 215, 216, 218
Rhizobium on, 219, 220
- Cloves, Sumatra disease of, 207
- Clubroot, *See* *Plasmodiophora brassicae*
- CO₂ exchange, of beet carbon, 76, 77
- Cockroach, *See* *Periplaneta americana*
- Colletotrichum coccodes* (black dot on potato), 41
- Common scab (of potatoes), *See* *Streptomyces scabies*
- Computer programs,
ALTRIX, 153
AREAS, 234, 241, 293
BLOKLS, 153
CAMGRID, 241
CONTUR, 153
crystallographic programs, 153
databases, 232, 233, 241
- Computer programs (*contd.*)
DATASTAR, 294
DECODE, 243
DELRED, 153
for analysis of nuclear magnetic resonance spectra,
153
for studies of gas diffusion, 174
GHOST, 293
graph plotting, 291
languages, 241
NATCAT, 243
SURFACE II, 153, 241
See also: Models; Statistical programming
- Computers,
ARC Computing Committee, 90
assessment of requirements, 293
computer graphics, 168, 293
data logging, 293
data preparation, 294
Elliott NRDC 401, 89
Elliott 402, 89
Ferranti Orion, 89
ICL 4-70, 90
ICL 4-72, 90
image analysis, 180, 181, 240, 273, 274
Jacquard J100, 283, 293
media conversion, 294
microcomputers, 241, 291–293
MIDAS systems, 241
Prime 550, 153
Quantimet, 239
Rothamsted Computing Unit, 284
service activities, 293
Superbrain microcomputer, 241
- Conidiobolus obscurus*, 99
- Contour maps, 241, 242
- Controlled droplet application, of fungicides, 138
- Co-ordination chemistry, 145–152
- Copper,
concentrations of in soil solutions, 268, 269
content of in different soil series, 269
in sewage sludge, 267, 268
- Copper sulphate, toxicity to earthworms, 104, 105
- 'Corbel', *See* Fenpropimorph
- Corn rot disease, of taro, 167, 168
- Cornwall, soil survey in, 244
- Cotswolds, soil survey in, 231, 244
- Cotton,
electrostatic sprayers for, 121
nematodes of, 169
- Coversands, 277
- Cows, anthelmintic-treated, 286, 287
- Crop canopies, dispersal of spores within, 174
- Crop establishment, 237
- Crop sequence experiments, 116
- Crop suitability, 237
- Crown gall, 52, 53
- Crystal structure, determination of, 145–149, 152
- CSIRO, 173–175
- Culicoides* spp., 100, 101
- Cumbria, soil survey in, 245
- Cutworms, 40, 100
- Cyclic polyethers, 147, 148
- Cycloaddition, 126
- Cyclodiene-type insecticides, 152
- Cypermethrin, on potatoes, 206
- Cysteine, 55
- 2,4-D, 131
- 3,5-D,
effect on potato scab, 134, 135
effect on root rot of peas, 135
- Dacron bag technique, for estimating protein
degradability, 286
- 'Dark earth', 275, 276
- Dark respiration, 77
- Dasyneura brassicae* (pod midges), 94, 95
- Data management, 241, 242
- Dazomet, on maize, 198

INDEX

- Delia coarctata* (wheat bulb fly), 100
Delia platura (bean seed fly), 33
'Delsene M', on winter wheat, 199
Deltamethrin,
 effect on dispersal of *Myzus persicae*, 127
 effect on houseflies, 123, 124
 effect on potato virus Y, 206
 in bird repellents, 133
Demeton-S-methyl,
 effect on *Aphidius matricariae*, 130
 effect on spring barley pests, 130
 on sugar beet, 127
Department of the Environment, 267, 268
Deposition, of particles, 174, 175, 188
Derbyshire, soil survey in, 229
Derocerus reticulatum, 102
Diabrotica balteata, 130
Diamondback moth, sex pheromone of, 120
Diazinon, 122
Dicamba, 152
Dichlorophen, 204
3,6-dichloropicolinic acid, 84
Dicyandiamide nitrogen, mineralisation of, 264
Diffusion theory, 175, 176
Digital cartography, 243
Dihydropicolinic acid synthase, 49
Dimethoate, effect on stem nematodes, 157
Direct probe mass spectrometry, 214
Disease resistance, 53
Dispersal, of fungal spores, 174, 188
'Dithane 945', See Mancozeb
DNA,
 complementary, 55, 57–59
 genomic, 58
 incubation with, 52, 53
 recombinant, 54
Docking disorder, of sugar beet, 70
Dolgellau, soil map of, 243
Drainage experiments, 179, 180
Drosophila melanogaster, toxicity of insecticides to,
 130
Drought,
 effect on winter wheat, 173, 255, 259–260
 risk of, 237
Droughtiness, 242
Droughting, effect on wheat, 257
Dry matter accumulation, 257, 258
Durham, soil survey in, 245

Earthworms,
 Eisenia foetida, 102–104
 Eudrilus eugeniae, 103
 feeding trials, 103
 food value of, 103
 interaction with microorganisms, 104
 pilot worm-growing systems, 103
 production of from farm wastes, 92, 103, 104
 productivity of large scale systems, 103, 104
 toxicity of chemicals to, 104, 105
 wastes worked by, 104
East Anglia, soil survey in, 228
East Malling Research Station, 244
EEC sponsored study, by Soil Survey, 244
Electrostatic spraying systems, 121
Electro-ultrafiltration, 266
ELISA technique, 71, 79, 80
Embryos, immature, of wheat and barley, 51
Endodermis, disruption of the, 160
Endosperm development, expression of hordein genes
 during, 58, 59
Energy dispersive analysis, of insects, 100
England and Wales, soil survey in, 228
Entomophthora muscae, 99
Entomophthorales, 98, 99
Enzyme-linked immunosorbant assay (ELISA), 71,
 79, 80
Enzymes,
 adenosyltransferases, 48
 alcohol dehydrogenase, 48, 49
 Enzymes (contd.)
 aspartate kinase, 49
 catalase, 47
 cellulases, 54
 dihydropicolinic acid synthase, 49
 endochitinases, 54
 exochitinases, 54
 for survey of *Sitobion* spp., 93, 94
 glutamate dehydrogenase, 48
 glutamate synthase, 46
 glutamine synthetase, 46, 48, 57
 glycollate oxidase, 47, 48
 nitrate reductase, 47, 48, 50
 nitrogenase, 219, 220
 of the aspartate pathway, 48
 oxygenase, 44
 protease, 54
 resistance of PR proteins to, 53, 54
 RuBP carboxylase, 44, 47
 xanthine dehydrogenase, 50
Epicoccum purpurascens, 23, 199, 200
Erosion, soil, 242, 243
Erwinia caratovora var. *caratovora*, (tuber soft rot of
 potatoes), 41, 205, 206
Erynia neoaphidis, 99
Erysiphe betae (powdery mildew on sugar beet), 71
Erysiphe graminis (cereal mildew),
 dispersal of spores, 188
 in cultivar mixtures, 192, 193
 on barley, 32, 112, 186
 residual effect of triadimefon on, 193
Erysiphe polygoni, 37
Escherichia coli,
 synthesis of RuBP carboxylase in, 44
Essex, soil survey in, 229
Euro-Carto I group, 243
European SAR 580 Project, the, 242
Eyespot (*Pseudocercospora herpotrichoides*), on
 wheat, 194

Falkland Islands, 292
'Farmers Weekly', 228, 244, 245
(*E*)- β -farnesene, 120, 126, 191, 206
Fenitrothion, 130
Fenpropimorph, 135
Fens, soil survey in, 238, 239
Fenugreek (*Trigonella foenum-graecum*), 118
Fertilizers,
 effect on wound healing and gangrene susceptibility
 in potatoes, 203, 204
 Survey of Fertiliser Practice, 287, 288
 See also: Nitrogen fertilizers; Phosphate ferti-
 lizers; Potassium fertilizers
Field experiments,
 crop yields, 110, 111
 number of plots, 110, 115, 116
 small plots, 116
 working party for, 115
'Fingerprints', from pyrolysate analyses, 214
Fluometuron, 273
Foliar sprays, against potato scab, 134
Food Research Institute, 147
Food technology, 57
Forestry, data on, 231
Forestry Commission, the, 239, 240, 245
Formalin, effect on fungal pathogens of nematodes,
 165, 166
Formothion, 157
Fuberidazole, on winter barley, 136
Fungal diseases,
 clubroot, 133, 134
 effect of VA mycorrhiza on, 216
 of barley, 135, 136
 of potatoes, 41
 root rot of peas, 135
 See also: *Erysiphe*; Eyespot; *Fusarium*; Take-all
Fungicides,
 application to potato tubers, 137, 138
 benomyl, 23, 33–35, 113, 135, 158, 159, 202, 217

INDEX

- Fungicides (*contd.*)
 captan, 165, 166, 199, 220
 captan, 220
 controlled droplet application of, 138
 for control of take-all, 135
 inhibitors of sterol synthesis, 136
 iprodione, 39, 217
 new, 73
 on barley, 135, 136
 on potatoes, 39, 137, 138
 on sugar beet, 72, 73
 on wheat, 19, 112, 135, 198, 199
 seeds coated with, 217, 220
 sensitivity of mildew to, 135, 136
 toxicity to *Rhizobium*, 220
- Fusarium*, spp.,
 effect of VA mycorrhiza on, 216
 on barley, 32
 on peas, 38
 on sugar beet, 71
 on wheat, 23, 186, 199
- Fusarium avenaceum*, on winter wheat, 199
Fusarium culmorum, on winter wheat, 199, 200
- Gaeumannomyces graminis* var. *tritici*, 215
 See also: *Phialophora radicola*
- Galleria mellonella*, 99
- Gangrene, See *Phoma exigua* var. *foveata*
- Garlic, nematodes on, 164
- Gas diffusion, studies of, 174, 175, 181, 182
- GCRI, 104
- Gene transfer studies, 48–53
- Genes,
 hordein, 58, 59
 isolation of, 57, 58
 of disease resistance, 53
 of nematode resistance, 164
 RuBP, isolation of, 44
 structural, for 'D' hordein, 56
 vertically acting, 164
- Genetic manipulation, of crop plants, 48, 49
- Genetics, qualitative, of resistance to pyrethroids, 125
- Genkey, 290
- Genstat, 232, 289, 290
 foreign language manuals of, 290
- Gibberellins, in developing wheat grains, 59
- Gigaspora heterogama*, 218
- Gigaspora margarita*, 217, 218
- Gleadthorpe Experimental Husbandry Farm, 203
- Gliadins, of wheat, 55, 56
- Globulins, of oats, 54, 56, 57
- Glomus caledonium*, 159, 215–218
- Glomus clarum*, 218
- Glomus epigaeum*, 218
- Glomus fasciculatum*, 215, 218, 270
- Glomus macrocarpum*, 218
- Glomus mossae*, 159, 215, 216–219, 271
- Glutamic acid, 50
- Glutamine synthetase, 46, 48, 57
- Glyoxylate, oxidation of, 47, 48
- Gradients of spore deposition, 188
- Grain,
 developing, 55, 59
 proteins from, 54–59
- Grass,
 at Rothamsted and Woburn, 114
 effect of VA mycorrhiza on, 215, 216
 nematodes on, 161, 162
- Grassland,
 nitrification inhibitors for, 264, 265
 uptake of fertilizer N by, 264, 265
- Grassland Research Institute, 216, 244
- Grasslands Trials Unit, 292
- Great Knott, wheat on, 19, 29
- Groundnut, nitrogen fixation in, 222
- Growing season, map of, 231
- Growth regulators,
 on wheat, 19, 25
- Guazatine, effect on take-all, 135
- Hampshire, soil survey in, 243, 244
- Hatching factor, natural, of potato cyst-nematodes, 162
- HCl reflux, 266
- Heat and momentum conservation equations, 173, 175
- Heavy metals,
 effect on clover yield, 268
 tolerance of *Rhizobium* to, 220
- Helminthosporium solani* (silver scurf on potato), 41, 203
- Herbicides,
 effect of weather on behaviour of in soils, 131
 on sugar beet, 77, 78
 on wheat, 111
 resistance to, 48
 simulation of behaviour of, 131
 X-ray structural studies of, 152
- Heterogeneous media, flow in, 180
- High Mowthorpe Experimental Husbandry Farm, 244
- Homoendrin, 152
- Homoisodrin, 152
- Homoisodrin acetate, 152
- Honeybees (*Apis mellifera*),
 Nasonov pheromone of, 95, 96
 queen pheromone of, 96
- Hong Kong, pea moths in, 98
- Hoosfield,
 barley on, 116
 Exhaustion Land, 272
- Hordeins,
 'A', 55
 'B', 55–57
 'C', 55–57
 'D', 56, 57
 expression of genes during endosperm development, 58, 59
 gene organisation in normal and mutant barley lines, 58
 immunological relationships in, 55, 56
 synthesis of, 50, 55
 total grain N in, 55
 X-ray photographs of, 152
- Hordeum vulgare*, amino acid biosynthesis in leaves of, 48
- Housefly (*Musca domestica*),
Entomophthorales in, 98, 99
 gene flow in, 124, 125
 insecticide resistance in, 120, 123–125
 knock-down resistance in, 123, 124
 long term control of, 124
 rearing of, 133
 tests of β -phenylnitroethanes on, 122
- Humberside, soil survey in, 245
- Hyalodendron* spp., 23, 198, 199
- Hydraulic conductivity, of soils, 174, 179, 180, 240, 267
- Hymexazol, 73
- ICI, 77
- ICRISAT (International Crops Research Institute for the Semi Arid Tropics), 222
- Imazalil,
 on potatoes, 39
 on winter wheat, 199
- Immunological relationships, of cereal prolamins, 55, 56
- Immunospecific electron microscopy, 186, 187
- Index of Dominance, 200
- Indole glucosinolates,
 role of in development of clubroot symptoms, 134
- Inductivity Coupled Plasma Emission Spectrometer, 277
- 'Infectivity Index', for barley yellow dwarf virus, 195, 196
- Infiltration rates, 240
- Inflorescences, tissue cultures from, 51
- Insect traps,
 pea moths in field traps, 96
 pheromone traps, 98, 284
- Insecticides,
 aphid resistance to, 120, 125

INDEX

- Insecticides (*contd.*)
biological activity of in soil, 130
cyclo-diene-type, 152
housefly resistance to, 120, 123–125
insect resistance to, 120
See also: Aphicides; Nematicides; Pesticides; Pyrethroids; names of individual insecticides
- Insects,
beneficial, 130
elemental analysis of, 100, 101
insecticide resistance in, 120, 123, 124
monophagous, 101
neuroanatomy of, 122, 123
polyphagous, 101
rearing of, 133
See also: Insect traps; names of individual insects
- Institute of Archaeology, University of London, 244, 245
- Institute of Terrestrial Ecology, 239
- Invertebrates, behaviour of, 120, 125–130
- Iprodione, as a fungicide, 39, 217
- Iron, pyrophosphate extraction of, 240
- Iron sulphide, oxidation of, 238
- Irrigation,
of field beans, 33, 34
of wheat, 25, 26, 257
- Isle of Wight, soil survey on, 244
- Isomeric compounds, 148, 149
- Isomeric diols, 147
- Isothermal gas-solid chromatography, 214
- 'Jumbo' type sprayers, 132
- Kent, soil survey in, 230, 244
- Kings Sedgemoor, soil survey at, 239
- Knock-down resistance mechanism, 123, 124
- 'Kriging', 275
- Lancashire, soil survey in, 245
- Land drainage, 179, 180
- Land suitability studies, 236, 237
- Leaching,
model of, 179, 261
of solutes, 274
simulation of, 273
- Lead, in sewage sludge, 268
- Leaf protein, extraction of, 277
- Leeks, mycorrhizal infections on, 270
- Legumes,
nitrogen fixation in, 219, 220
treatment of seed with fungicide, 220
tropical grain, 222
See also: Clover; Lucerne
- Lens esculenta*, rhizobia on, 221
- Letcombe Laboratory, the, 180
- Lettuce,
growth in worm-worked wastes, 104
moths reared on, 100
- Ley Arable Experiment, 114
- Ley grass, soil erosion in, 242
- Lift off, of barley mildew spores, 188
- Light intensity, 47
- Little Knot, mobile shelter on, 255, 259, 260
- Livestock,
at Broom's Barn Farm, 84
at Rothamsted and Woburn, 114
statistical analysis for, 285–288
- Loess soils, 254, 276, 277
- Lucerne,
at Woburn, 114
nematodes on, 158, 164
VA mycorrhiza on, 216
- Lyriomyza* spp., 33
- Lysine,
high content of in a phenotype in mutant barley lines, 58
in globulins of oats, 56
mutants resistant to, 49
synthesis of, 49
- Macrobicyclic ligands, 149, 150
- MAFF, 238
- MAFF Field Drainage Experimental Unit, 180
- Maize,
aluminium tolerance of, 272
effect of dazomet on, 198
effects of aldicarb and benomyl on, 158, 159
Fronica, 158
inoculation of with mycorrhiza, 216
nematodes on, 164
- Mancozeb,
on beans, 202
on potatoes, 39, 113
on winter wheat, 199
See also: 'Patafol Plus'
- Maneb,
on beans, 202
on winter wheat, 199
See also: 'Delsene M'
- Manganese,
complexes of, 146
concentrations of in soil solutions, 269
- Man-made urban soils, 275, 276
- Market gardening, in eroded fields, 242
- Markov chain trajectory simulation, 173, 175, 176
- Mathematical models, *See* Models
- Medicago sativa*, rhizobia on, 220
- Meligethes aeneus*, 94
- Metalaxyl, 73
- Metamitron, 77
- Meteorological Office, the, 241
- Methabenzthiazuron, 111
- Methiocarb,
for slug control, 40
microencapsulation of, 133
- Methionine,
in hordein fractions, 55
synthesis of, 48
- Methionine sulphoximine, 48
- Methomyl, degradation of, 137
- Mica, 273
- Microcomputers, 241, 291–293
- Microdochium bolleyi*, 198
- Microencapsulation, of bird repellents, 133
- Microflora,
of ripening ears, 23
soil, sampling of, 214
- Micronutrients, 267–269
- Microorganisms, interaction with earthworms, 104
- Microporosity, of soils, 272
- Midge,
on winter beans, 35
pod, on oilseed rape, 94, 95
- Midlands, soil survey in, 229, 230
- Mildew,
downy, on peas, 38
on sugar beet, 71
powdery, on peas, 38
See also: *Erysiphe graminis* (cereal mildew)
- Milk,
anthelmintic treatment of, 286, 287
microbiological population of, 286
- Millet, N₂-fixation in, 222
- Millipedes, on sugar beet, 74
- 'Mistral'. *See* Fenpropimorph
- Mixed-layer group, of clay minerals, 272
- Mobile gas-exchange system, for sugar beet, 76, 77
- Mobile shelters, 255, 260
- Models,
computer, 44
drought, 255, 259, 260
for growth and yield of spring barley, 178, 179
for simulation of pesticide behaviour in soils, 131, 261
leaching, 179
Markov chain, 173, 175, 176
of crop response to drought, 173, 174
of nitrogen requirement predictions, 261, 262
of pea moth flight, 97, 284
of pheromone dispersal in pea moths, 97

INDEX

- Models (*contd.*)
of the turbulent dispersal of small particles, 175, 176
winter wheat crop model, 179, 259
- Moisture characteristic analysis, 180, 181
- Molluscicides, 102
- Molybdenum, complexes of, 152
- Momentum and heat conservation equations, 173, 175
- Monitoring,
for moth pests, 97, 98
for soil pests, 74
- Monocyclic ligands, 147–149
- Monophagous insects, 101
- Montmorillonite, 273
- Monuron, leaching of in the field, 131
- Moths,
diamond back, 120
lucerne, 128
mathematical models for flight of pea moths, 97, 284
Noctua pronuba, 100
pea moth monitoring, 97, 98
- Mucor* spp., 23
- Multilayer formation, in soils, 272
- Musca domestica*, *See* Housefly
- Muscid flies,
action of pyrethroids on nervous system of, 123, 124
pharmacology of frontal prothoracic nerve preparations of, 123
- Mutants,
in *Arabidopsis*, 46
in barley, 46–50, 58
photorespiratory, 47, 48
- Mycorrhiza, vesicular, arbuscular,
behaviour in soil amended with different amounts
of phosphate, 217, 218
changes in endophyte efficiency in different soils,
218
effect of benomyl on, 159
effect of fungicide-coated seed on, 217
effect of heat on, 218, 219
effect of host nutrition on, 216, 217
effect of nitrogen on, 217
effect of pH on, 269, 270
effect of phosphate on, 217
effect on chives, 217
effect on fungal pathogens in plant roots, 216
effect on grass, 215, 216
effect on lettuce, 216
effect on lucerne, 216
effect on maize, 216
effect on onions, 217, 218
effect on white clover, 215, 216, 218
mechanisms determining efficiency of different
endophytes, 270
modelling infection spread in developing root
systems, 270
on leeks, 270
optimum endophyte clover combinations, 218
saprophytic growth of, 216
soil preference of, 218
studies on infectivity of fungal mycelium, 219
uptake of bromide by mycorrhizal cereals, 270, 271
use of in cereals, 271, 272
- Narcissus, stem nematodes on, 164
- National Catalogue of Soil Series, 228
- National Catalogue of Soils, 243
- National Institute of Agricultural Botany, 187
- National Institute of Agricultural Engineering, 103
- National Lowland Peat Inventory, 228
- National Peat Inventory, 237, 238
- National Soil Inventory, 228, 230, 241, 243
- National Soil Map, 228–231, 236, 237, 243, 244
- National Vegetable Research Station, 104
- Nematicides,
‘DS 46995’, 156
‘DS 47187’, 156
effect on beet cyst nematodes, 165
‘Hoe 00752’, 156
new, 156
oxamyl, 40, 114, 137, 156, 157, 161, 162
- Nematicides (*contd.*)
vertical band applicator for, 156
- Nematodes,
artificial hatching agents, 162
collection of specimens, 167
computer graphics for reconstruction of serial
sections, 168
cyst nematodes, 156, 157, 165
feeding pump of, 166
food flow in, 166
giant race of *D. dipsaci*, 164, 165
integrated control of, 165
interaction with *Rhizobium* of peas, 161
migratory, 37, 38
morphology and function of, 166, 167
on barley, 162
on beans, 36, 157, 158, 164
on cotton, 169
on garlic, 164
on grass crops, 161, 162
on lucerne, 158, 164
on maize, 164
on narcissus, 164
on oats, 164
on onions, 164
on peas, 38, 161, 164
on potatoes, 39–41, 156–164
on sugar beet, 70, 81, 82, 164–166
on taro, 167
on tulips, 164
on wheat, 21
pathogens of cyst nematodes, 165, 166
population models for cyst nematodes, 163, 164
population studies for stem nematodes, 164
potato cyst nematodes, 156–164
role of potato root exudate for, 162, 163
root ectoparasitic nematodes, 161, 162
root knot, 168
selection for virulence in *G. pallida*, 163, 164
stem, 157
stylet length, 168
time-lapse cinematography of tracks, 168, 169
trehalose in, 163
virulence of, 163, 164
- Nematodes, scientific names of,
Aphelenchus sp. a, 167
Aphelenchoides sp. a, 167
Aphelenchoides blastophthorus, 167
Ditylenchus dipsaci, 157, 161, 164, 167
Globodera pallida, 39, 156, 157, 160, 161
Globodera rostochiensis, 39, 156, 157, 161–163
Heterodera avenae, 21, 159, 165
Heterodera goettingiana, 161, 163
Heterodera schachtii, 81, 165, 166
Hirschmaniella, sp. a, 167, 168
Longidorus spp., 70
Meloidogyne spp., 168
Meloidogyne acronea, 169
Paraphelenchus pseudoparietinus, 167
Paratrichodorus spp., 70
Paratrichodorus anemones, 161, 162
Paratylenchus spp., 158, 159
Pratylenchus spp., 21, 36
Pratylenchus neglectus, 36
Pratylenchus pinguicaudatus, 36
Pratylenchus thornei, 36
Tylenchorhynchus spp., 158, 159
Tylenchorhynchus dubius, 159
Tylenchus spp., 21, 159
- Nematophthora gynophila*, 165, 166
- Nemeritis canescens*, Dufour’s gland components in,
129
- Nepal, 292
- Net blotch, on barley, 32
- Neutron diffraction measurements, 147
- New Plant Products Ltd., 214
- Nickel,
complexes of, 146
concentrations of in soil solutions, 268, 269
in different soil series, 269

INDEX

- Nickel (*contd.*)
in sewage sludge, 268
Nicotiana tabacum, (tobacco), 53, 54, 188, 190
Nilaparvata lugens, 100, 101
Nitrapyrin, 264, 265
Nitrate,
effect of supply on photosynthesis and growth of
wheat, 46, 47
soil, 274
Nitrate reductase, 47, 48, 50
Nitrification, 262
Nitrification inhibitors, 112, 264, 265
Nitrogen,
¹⁵N, 219, 254
effect on yield and composition of cereal grain
protein, 54
in the soil, 30
in wheat grain, 54, 55
soil, modelling of, 254, 261
soil, spatial variation of, 274
Nitrogen fertilizers,
Balance Sheet system, 254, 262
best rate for, 262
effect of addition of inorganic fertilizer N on supply
of inorganic N from soil, 262, 263
effect on wheat yields, 19
grain N%, 284
immobilization of, 262, 263
losses of ¹⁵N labelled fertilizers applied to winter
wheat, 263
¹⁵N labelled, 222, 262–264
net mineralization of, 262
on winter wheat, 21, 21–29, 257, 285
prediction of requirements, 261
rates of, 19, 257
timing of, 19, 25, 29, 255
uptake of by old grassland, 264, 265
Nitrogen fixation, 213
associative, 222
carbon costs of, 219, 220
in tropical grain legumes, 222
Nitrogen metabolism, intermediates of, 45
Nitrogenase activity, 219, 220, 222
Nodules, root,
exposure of to ¹⁵N₂, 219, 220
formation of, 221
Norfolk Agricultural Station, 78
Norfolk, soil survey in, 229
Northumberland, soil survey in, 230, 245
Northumbrian Water Authority, 245
Nuarimol, for control of take-all, 135
Nuclear magnetic resonance spectroscopy, 145
- Oats,
at Rothamsted and Woburn, 113
followed by potatoes, 255, 256
globulins of, 54, 56, 57
nematodes on, 157, 158, 164
Panema, 113
Peniarth, 113
wheat after, 19–23
ODA, the, 155, 156
Official Seed Testing Station, 74
Oilseed rape,
at Broom's Barn, 71
crown galls induced by, 52, 53
isolation of protoplasts from, 50, 51
land suitability for, 236, 237
pests of, 92, 94, 95
viruses of, 80
Omethoate,
effect on spring barley pests, 130
Onions,
inoculation of with mycorrhiza, 217, 218
nematodes on, 164
Onychiurus armatus, 73, 74
Opomyza florum, 33
Organophosphorus insecticides,
as nematicides, 156
- Organophosphorus insecticides (*contd.*)
resistance to, 125, 130
Oscinella spp., 130
Oviposition attractant pheromone, 128
Oviposition deterrent, 129
Oxamyl,
degradation of, 137
on potatoes, 40, 156, 157, 161, 162
to control nematodes, 114, 156, 157
Oxfordshire, soil survey in, 230
Oximecarbamates, accumulation of by plant roots, 137
Oximino-alkyl substituted compounds, 122
Oxygen, flux of, into root nodules, 219
Oxygen metabolism, intermediates of, 45
- Palaeoargillic horizons, 275
Palaeosols, 275
Park Grass,
botanical analysis of hay on, 67
fertilizers on, 109
the Continuous Hay Experiment on, 263, 264
Particle dispersal, 174, 176, 188
'Patafol Plus' (mancozeb + ofurace), 39, 113
PBI, 44
PCF, mixture, 78
Pea moth, *See* Moths
Peas,
aldicarb on, 36–39
Erysiphe polygoni on, 36, 37
fungal diseases of, 38
interaction between nematodes and *Rhizobium* of,
161
leafless, 36–38
nematodes on, 37, 38, 164
phorate on, 37–39
rhizobia on, 161, 219–221
root rot of, 135
Sitona spp. on, 37, 38
thiram on, 37
viruses of, 38
See also: Pisum sativum
Peat, survey of, 237–239
Peat soils, survey of, 237–239
Penicillium spp., on winter wheat, 199, 200
Penicillium brevi-compactum, 200
Penicillium cyclopium, 200
Penicillium hordei, 200
Penicillium piceum, 200
Penicillium roquefortii, 200
Pentachlorophenol, 105
Periplaneta americana, (cockroach), neuroanatomy
of, 122, 123
Permethrin,
for control of *Myzus persicae*, 120
in the presence of aphid alarm pheromone, 127, 128
Peronospora farinosa, (downy mildew on sugar beet),
71
Peronospora schachtii, (downy mildew on sugar beet),
38
Persistence, of bird repellents, 133
Pesticide Residues Section, of MAFF-ADAS, 131
Pesticides,
behaviour of in soils, 130, 131
leaching of in the field, 131, 273
organophosphorus, 120
systemic transport of in plants, 131, 132
X-ray structural studies of, 152
See also: Aphicides; Fungicides; Insecticides;
Nematicides
- Pests,
of oilseed rape, 92, 94, 95
soil, on sugar beet, 74
Phaseolus vulgaris,
inoculation with *Rhizobium*, 221
Phenmedipham, 77, 84
Phenoxyacetic acids, co-ordination
chemistry of, 146
 β -Phenylnitroethanes, 122
Phenylureas, accumulation of by plant roots, 137

INDEX

- Pheromones,
 alarm, in honeybees, 95, 96
 aphid alarm pheromone, 120, 126
 formulations of, 128
 in the lucerne moth, 128
 mathematical models of dispersal of, 97
 Nasonov pheromone, 95, 96
 of *Ephestia kuehniella*, 128, 129
 of the diamond back moth, 120
 pea moth, 97, 98, 128, 284
 propheromones, 120, 129
 queen pheromone, 96
Phialophora radicola var. *graminicola*, 215
 Phloem mobility, in plants, 131, 132
 Phloem translocation factors, 131
Phoma betae, 72–73
Phoma exigua var. *foveata* (gangrene on potato),
 effect of fertilizer treatment on, 187, 203, 204
 effect of fungicides on, 204
 effect of storage temperature on, 203
 Phorate,
 on leafless peas, 36–39
 on potatoes, 39
 Phosphamidon, 157
 Phosphate deficiency,
 in maize, 216
 in onions, 217
 Phosphate fertilizers,
 effect of levels of on behaviour of VA mycorrhiza,
 217, 218
 effect on metal concentrations in soils, 269
 on maize, 216
 on onions, 217, 218
 Phosphinothricin, 48
 Phosphorus,
 effect on response of cereals to mycorrhizas, 271
 interactions with nitrogen, 265
 root, 216, 217
 soil, 254, 265, 284
 uptake by herbage, 264, 265
 Photo-release,
 of pheromonal carbonyl compounds, 129, 130
 Photorespiration,
 fluxes of carbon and nitrogen in, 46
 in barley, 47, 48
 research into, 67, 68
 Photorespiratory metabolism, 45
 Photosynthesis,
 ARC's priority programme on, 44
 effect of environment and nitrate supply on, 46, 47
 net, in sugar beet, 77
 net, in wheat, 178
 research into, 67, 68
 Photosystem I activity, 47
 Photosynthetic metabolism, 45, 46
Physcomitrella patens, 50
Phytophthora fragariae, 216
 Piezometers, 174, 180
 Pig-breeding units, houseflies in, 124, 125
 Pigeon pea, nitrogen fixation in, 222
 Pigs, criss-cross mating in, 287
 Pirimicarb,
 effect on dispersal of *Myzus persicae*, 127, 128
 on barley, 110
 on potatoes, 39
 on winter wheat, 19
 Pirimiphos-methyl, effect on stem nematodes, 157
Pisum sativum,
 amino acid biosynthesis in leaves of, 48
 nodulation of, 48, 221, 222
 Plant growth regulators, 59
 Plasmids, host range, in *Rhizobium*, 220, 221
Plasmodiophora brassicae,
 host-parasite relationship, 133, 134
 Pod midges, 94, 95
 Podzols, weathering in, 277
 Pollen beetles, 94
 Polyethers, open chain, 145, 146
 Polygodial, 127
Polymyxa betae, 186, 189, 190
Polymyxa graminis, 189
 Polyphagous insects, 101
Polyscytalum pustulans (skin spot on potatoes), 41,
 205
 Pore patterns, quantification of, 239
 Pore size distribution, 239, 240
 Potassium,
 calibration of calcium resin method for, 265, 266
 effect of fertilizer residues on release of, 266
 exchangeable, 266
 in sylvinitite, 285
 methods for assessing reserves of, 266
 on barley, 266
 release of non-exchangeable, 265, 266
 release of to crops, 254
 'spot test' for, 145
 uptake of by herbage, 264
 Potato Marketing Board, 137
 Potatoes,
 aphids on, 40, 41
 application of fungicides to tubers, 39, 137, 138
 Arran Banner, 156
 at Rothamsted and Woburn, 112–114
 black dot on, 41
 blackleg on, 41, 205
 black scurf on, 41
 calcium uptake by, 160
 Cara, 113, 156, 159
 common scab on, 203
 Croft, 156
 Désirée, 39, 40, 113, 114
Erwinia caratovora var. *caratovora* (tuber soft rot)
 on, 41, 205
 followed by wheat, 255, 256
 fungal diseases of, 41
 fungicides on, 187
Fusarium spp. on, 204
 gangrene on, 187, 203, 204
 in eroded fields, 242
 irrigation of, 203
 isolation of protoplasts from, 50, 51
 King Edward, 113, 159
 land suitability for, 236, 237
 Maris Anchor, 156, 161
 Maris Peer, 156, 161
 Maris Piper, 39, 156
 nematode resistance in, 159–161, 163, 164
 nematodes on, 156–164
 on Broadbalk, 116, 117
 Pentland Crown, 113, 156, 159
 Pentland Dell, 156
 powdery scab of, 187, 203
 PR proteins in, 190
 protoplasts from, 50, 51
 regeneration of from protoplasts and callus, 52
 resistance genes in, 164
 silver scurf on, 41, 203
 skin spot on, 205
 slugs on, 41
Solanum spp. on, 157
Solanum berthaultii, 120, 186, 191
Solanum brevidens, 52
Solanum demissum, 190
Solanum vernei, 160, 163
 stem canker (*Rhizoctonia solani*) on, 41
Streptomyces scabies (potato common scab) on,
 41, 134, 135
 tolerance to cyst nematodes, 159
 tuber diseases, 203, 204
 vertically acting gene in, 164
 virus diseases of, 40, 53, 206, 207
 water use by, 160
 yield losses due to nematodes, 156
 'Potential machinery work days', 237
 Potential vegetation map, 243
 Powder diffraction, 153
 Powdery mildew, *See Erysiphe* spp.
 Powys, soil survey in, 244
 PR (pathogenesis related)-proteins,
 effect of temperature on, 190

INDEX

- PR (pathogenesis related)-proteins (*contd.*)
in potato, 190
relation of to virus resistance, 53, 54, 191
serological relationships of, 190
'Priming effect', 262
Principal component analysis, of insects, 100, 101
Processors and Growers Research Organisation, 97
Prochloraz, 29, 32, 112, 199, 204
Programs, *See* Computer programs; Statistical programming
Prolamin storage proteins, 54
immunological relationships of, 55, 56
Proline, 48–50
Prometryne, 152
Propheromones, 120, 129
Propiconazole, 19, 34, 110, 117, 136, 202
Propyzamide,
degradation of, 131
on beans, 113
on oilseed rape, 114
Protein,
cereal grain, 54–59
degradability of, 286
leaf, extraction of, 277
pathogenesis related, 53, 54, 190, 191
Protoplasts, gene transfer via, 50, 51
regeneration of potato plants from, 52
Protozoa, interaction with earthworms, 104
Pseudocercospora herpotrichoides, (eyespot), 32
Pteris aquilina, (bracken), 44
Puccinia hordei, (brown rust), on barley, 32
Pyrenophora teres (net blotch), on barley, 32
Pyrethroids,
effect on dispersal of *Myzus persicae*, 127, 128
insect resistance to, 120, 123, 125
mode of action of, 122, 123
sales value of, 120
Pyrolysates, analysis of, 214
Pyrolysis, differentiation of microorganisms by, 214
Pyrophosphate extraction, of Fe and Al, 240, 241
Pythium spp., on sugar beet, 73
- Rabbits, national survey of, 244
Radar imagery, 242
Radioactive isotopes, analyses of, 277
Radnor, soil survey study area, 244
Ramularia beticola, 71
Rats, social behaviour of, 284, 285
Red core disease of strawberry, (*Phytophthora fragariae*), 216
Regeneration, of potato plants from protoplasts, 52
Resseliella spp., on winter beans, 35
Rhizobium spp.,
competition among strains of *R. leguminosarum*, 221, 222
competition among strains of *R. phaseoli*, 221
differentiation of isolates, 214
host and strain interactions, 221
in a legume symbiosis, 219, 220
inoculation of fenugreek with, 118
on peas, 161, 219–221
production of inoculum, 213, 221
Rhizobium japonicum, 221
Rhizobium leguminosarum, 161, 220–222
Rhizobium meliloti, 118, 220
Rhizobium phaseoli, 220
Rhizobium trifolii, 220
soybean strains, 220, 221
tolerance of to heavy metals, 220
toxicity of fungicides to, 220
transfer of host range plasmids in, 220
Rhizoctonia cerealis, 196
Rhizoctonia solani (stem canker of potato), on leafless peas, 41
Rhizosphere microbiology, 214, 215
Rhynchosporium secalis, on barley, 84, 136, 192, 194
Ribulose biphosphate carboxylase, 44, 45
catalase-like activity in, 45
Rice, planthopper on, 100, 101
- 326**
- Ricinus communis* test system, 131
'Rizomania' of sugar beet, 186
RNA fraction, of storage proteins, 55
RNA, messenger, 55, 57, 58
Root Concentration Factor, 137
Root growth, in potatoes, 159
Root-soil relations, 254
Root systems, developing, modelling infection spread in, 270
Roots, phosphorus levels in, 216
Rotation, of crops, 116, 284
Rothamsted,
barley at, 266
classical experiments at, 116
potatoes at, 116, 117
weather at, 109, 110, 304
wheat at, 19–24, 28–30
Rothamsted controlled temperature gradient apparatus, 73, 74
Rothamsted Insect Survey, 91, 92
Rothamsted Insect Survey Cereal Aphid Monitoring Scheme, 92
'Rovral', *See*: Iprodione
Royal Aircraft Establishment, Farnborough, 242
Royal Show, the, 228, 244
Rural Planning Research Trust, 244
Rye, prolamin fraction of, 54, 56
- Safety, of X-ray cameras, 153
Sandy soils, wheat on, 256, 257
Saxmundham, rotation experiments at, 266, 284
Scutigerella immaculata, 74
Secalins, of rye, 56
Sedimentation, of *Aspergillus* spp. conidia, 188
Seed storage proteins, 50, 54–59
Seed-weevils, 94, 95
Seeds, barley, accumulation of
soluble threonine in, 49
protein bodies in, 54
Septoria spp., on winter wheat, 22, 23, 83
Severn-Trent Water Authority, 245
Sewage sludge,
toxic effects of metals in, 254, 267, 268
Sex attractants, for pea moth, 128
Shardlow, aphids at, 196
Shropshire, soil survey in, 242–244
Simazine,
as a herbicide, 113
degradation of in soil, 131
Sitona spp.,
on field beans, 34, 35, 158, 187
on peas, 37, 38, 158
transmission of broad bean mottle virus by, 201
Slugs, chemical control of, 102
on barley, 33
on potatoes, 40
Smectite, 273
Sodium lamps, 24
Sodium trithiocarbonate, 264, 265
Soil,
behaviour of pesticides in, 130, 131
biomass C contents of, 267
Soil analysis, 277
Soil biomass,
effect of dazomet on in maize monoculture, 198
survival of after air drying of soil, 267
Soil-borne diseases,
control of by foliar sprays, 134, 135
Soil erosion, 242, 243
Soil Information System, computerized, 228, 232
Soil maps, 228–232, 241–243, 275
Soil micromorphology, 243, 273, 274
Soil microorganisms,
differentiation of by pyrolysis, 214
physical studies on, 214
sampling of, 214
Soil microstructure, 239, 240
Soil moisture deficits, 237, 241, 242
Soil pH, 221

INDEX

- Soil solutions,
concentrations of manganese in, 268, 269
- Soil structure,
application of stereological principles to, 274
as a case of spatial variations, 274
gaseous diffusion in dry and wetted crumbs, 182
gaseous diffusion in swelling soils, 181, 182
interaction of water with soils and clays, 272, 273
particle size fractions, 274, 275
pore size distribution, 174, 180, 181, 240
profile development in Hamble series, 276
regeneration of, 273
regional variations in, 274, 275
spatial analysis of soil properties, 274, 275
studies of, 173, 174
- Soil Survey Information System, 232–234
- Soil Survey of England and Wales, 228, 243, 275, 293
- Soil Survey Research Advisory Committee, 228
- Soil Surveys,
Bedfordshire, 229, 240
Berkshire, 230
Buckinghamshire, 230
Cambridgeshire, 229, 238, 242
Cheshire, 229, 231
Cornwall, 244
Derbyshire, 229
East Anglia, 228, 229
England and Wales, 228
Hampshire, 243, 244
Humberside, 245
Kent, 230, 244
Midlands, 229, 230
Northumberland, 230, 245
Shropshire, 242–244
Somerset, 237–239, 242
South-East England, 230
South-West England, 231
Suffolk, 229, 238, 239
Sussex, 243–245
Wales, 231, 232, 243
Yorkshire, 245
- Soil water,
flow in heterogeneous media, 180
leaching of soluble salts, 179
research into, 173, 174
retention of, 237
- Soils,
genesis of, 254
swell-shrink behaviour of, 272
- Solanum* spp.,
aphid alarm pheromone in exudate from sticky hairs of, 191
effect on numbers of potato cyst-nematodes in the soil, 157
mutants of, 48
Solanum berthaultii, 120, 186, 191
Solanum brevidens, 52
Solanum demissum, 190
Solanum vernei, 160, 163
'trap crops' of, 157
- Solar radiation, in wheat, 24
- Solid state nuclear magnetic resonance, 147, 148
- Solomon Islands, nematodes found in, 167, 168
- Soluble salts, leaching of, 179
- Solute movement, 273
- 'Somaclonal' variations, 51
- Somerset, soil survey in, 237, 239, 242
- Sorghum,
aluminium tolerance of, 272
associative N₂ fixation with, 222
- South-East England, soil survey in, 230
- South-West England, soil survey in, 231
- Spatial analysis, of soil properties, 274, 275
- Spatial variation, 274, 275
- Spinning disc generators, 174
- Spongospora subterranea*, 203
- Spores,
dispersal of, 174, 188
of *Erysiphe graminis*, 188
- 'Sportak', See Prochloraz
- Sprayers,
electrostatic, 121, 132
hydraulic, 138
'Jumbo', 132
- Springtails, as pests of sugar beet, 73, 74
- Stability constants, 148, 149
- Statistical analysis,
calf rearing study, 288
for ADAS, 285
for ODA projects, 291, 292
of anthelmintic treatment, 286, 287
of criss-cross mating in pigs, 287
of livestock experiments, 285–287
Rothamsted Insect Survey, 91, 92
Survey of fertilizer practice, 288
- Statistical models,
wheat crop growth model, 254, 255, 259
See also: Models
- Statistical programming,
Genkey, 290
Genstat, 289–291
Maximum Likelihood Program (MLP), 290
Programs for interactive statistical modelling (PRISM), 290, 291
releases, 290
- Statistical theory,
individual differences scaling, 288
intercropping, 292
metrics and multidimensional graphics, 288
parallel model analysis, 289
quasi-complete Latin Squares, 288
restricted randomization, 288
uniqueness of solutions in curve fitting, 288, 289
- Stem borers, control of, 30, 130
- Stem canker, See: *Rhizoctonia solani*
- Stem weevils, 94, 95
- Sterol synthesis inhibitors, 136
- Straw, *in-vitro* digestibility of, 286
- Strawberries,
effect of VA mycorrhiza on, 218
red core disease of, 216
- Streptomyces scabies* (common scab on potato), 41,
134, 135
- Sudan, 292
- Suffolk, soil survey in, 229, 238, 239
- Sugar beet,
Aphanomyces cochlioides on, 72, 73
aphids on, 70, 71
blackleg on, 73
bolting, 70, 76, 82
Broom's Barn Plant Clinic, 70
chloridazon on, 84
crop establishment, 70
damage to caused by soil pests, 74
dark respiration in, 77
Docking disorder, 70
Erysiphe betae (powdery mildew) on, 71
fungicides on, 72, 73
Fusarium spp. on, 71
herbicide tolerance, 77, 78
in eroded fields, 238
in one-in-three rotations, 83
irrigation bulletins, 71, 72
land suitability for, 236, 237
leaf area index, 79
leaf growth and development, 78, 79
MAFF Beet Eelworm Order, 81
millipedes on, 74
mobile gas-exchange system, 77
Nomo, 76
nematodes on, 70, 81, 82, 164–166
net photosynthesis in, 77
on Broom's Barn Farm, 69–84
pests of, 73, 74
Phoma betae on, 72
plant establishment, 72–74
Polymyxa betae on, 186, 189, 190
Pythium spp. on, 73
radiation interception, 70
Ramularia beticola, 71

INDEX

- Sugar Beet (*contd.*)
 'Rizomania' of, 186
 seedling establishment, 70
 springtails on, 73, 74
 survey of, 287
 Uromyces betae, 71
 virus diseases of, 71, 79–81
 weed beet, 82, 83
 yellowing viruses of, 79, 80
 yield prediction, 74, 75
 yields, 69, 70, 74–76
- Sulphite, carboxylation and oxygenation in the presence of, 46
- Sulphur,
 deficiency of, 54, 55
 effect on baking quality of cereals, 54
 effect on composition of cereal grain protein, 54, 55
- Sumatra Clove Disease, 207
- Surfactants, applied with fungicides, 135
- Sussex, soil survey in, 243–245
- Sutton Bridge Experimental Station, 137
- Sylvinite, 285
- Take-all on cereals,
 decline, 197, 198
 fungicides for control of, 135
 on barley, 197, 198
 on wheat after barley, 23
- Taro, nematodes on, 167
- Temperature,
 effect on PR-proteins and virus spread, 190
 influence on competitiveness of field and storage fungi, 200
 soil, 181
 storage, effect on potato gangrene, 203
- Tensiometers, null point, 174
- 'Terpal', on winter barley, 29
- Tetrachlorvinphos, 130
- Thiabendazole,
 effect on stem nematodes, 157, 158
 for control of potato gangrene, 203, 204
- Thiabendazole hypophosphite, 157
- Thin section analysis, 180, 181
- Thionazin, 130
- 2-thiouracil, 191
- Thiram, for seed treatments, 217
- Threonine,
 mutants resistant to, 49
 synthesis of, 49
- Tillage, experiments, 174
- Tiller survival, 23, 24
- 'Tilt', *See* Propiconazole
- Time lapse cinematography, 168, 169
- Tissue cultures, from wheat, 51, 52
- Tobacco,
 deterioration of cured leaf, 188
 virus diseases of, 53, 54, 190, 191
- Tomatoes, *Verticillium* on, 216
- Toxic metals, in sewage sludge, 254
- Toxicity,
 of industrial chemicals to earthworms, 104, 105
 of metals in sewage sludge, 267, 268
- Toxins, *Alternaria*, production of, 138
- Trace elements, in different soil series, 269
- Transformation of plant cells by *Agrobacterium*, 51
- Translocation, of chemicals to plants, 137
- Transpermethrin, 123, 124
- Transpiration, in winter wheat, 177
- Transpiration Stream Concentration Factors, 137
- Traps, *See* Insect traps
- Triadimefon,
 activity against *Rhynchosporium secalis*, 194
 persistence of in soil, 194
 residual effects of, 193, 194
- Triadimenol, 29–32, 136
- Triazophos, effect on stem nematodes, 157
- Trichloroacetic acid, toxicity of to earthworms, 104, 105
- Trichoderma* spp., 198
- Trifolium repens*, *See* Clover
- Trihydroxyanthracene, 133
- Tritiated water, diffusion of, 131
- Triticum*, purification of RuBP carboxylases from, 45
- Tuber soft rot,
 See Erwinia caratovora var. *caratovora*
- Tulip, stem nematodes on, 164
- Tungsten, complex of, 152
- Unit of Nitrogen Fixation, 152
- Upper Greensand soils, 243
- Urea,
 aqueous, for grassland, 264, 265
 on winter wheat, 285
- Uromyces betae*, 71
- Uromyces fabae* (rust on beans), 117, 202
- Vamidithion, 157
- Vertical band applicator, 156
- Verticillium* spp.,
 effect of VA mycorrhiza on, 216
- Verticillium chlamydosporium*, 165, 166
- Verticillium dahliae*, 161
- Verticillium lecanii*, 23, 198, 200
- Vicia faba*, rhizobia on, 219, 221
- Viruses,
 acquisition of, 190
 aphid infectivity, 195, 196
 aphid vectors, 189
 mechanical inoculation with, 189
 of barley, 22, 33, 185, 189, 195, 196
 of beans, 35, 186, 200, 201
 of oilseed rape, 80
 of potatoes, 40, 53, 206, 207
 of sugar beet, 71, 79–81, 186, 189, 190
 of tobacco, 53, 54, 191
 of watermelon, 207
 picornavirus, 191
 seed-borne, 200, 201
 tobamoviruses, 186
 transfer by zoospores, 189
 transmission by fungi, 189, 190
 turnip yellow mosaic, 207
- Viruses, names of,
 barley yellow dwarf virus, 22, 33, 185, 195, 196
 barley yellow mosaic virus, 186, 189
 bean leaf roll virus, 35, 38
 bean yellow mosaic virus, 35
 beet cryptic viruses, 80, 81
 beet mild yellowing virus, 71, 79, 80
 beet mosaic virus, 189
 beet necrotic yellow vein, 186
 beet yellows, 71, 79, 80
 broad bean mottle virus, 201
 broad bean stain virus, 201
 broad bean true mosaic, 201
 pea enation mosaic virus, 35, 38
 potato virus X, 53
 potato virus Y, 53, 189, 207
 tobacco mosaic virus, 53, 54, 190, 191
 turnip yellow mosaic, 207
- Volunteers, of cereal crops, 195
- Wales, soil survey in, 231, 232, 243
- Water desorption-sorption isotherms, 272
- Watermelons, virus disease of, 207
- Water movement, relationship to soil microstructure, 239, 240
- Water relations, of wheat root cells, 267
- Water stress,
 response of cereals to, 177, 178
 yield losses due to, 254
- Wavelength dispersive analysis, 100
- Weather,
 at Broom's Barn, 306
 at Rothamsted, 109, 110, 304
 at Saxmundham, 307
 at Woburn, 305
 effect on herbicide behaviour in soils, 131
- Weathering, in podzols developed in Late Devensian coversands, 277

INDEX

- Weed ecology, 267
 Weed Research Organisation, 68, 77
 Weevils, *See Sitona* spp.
 Welsh Plant Breeding Station, 215
 Westhay and Shapwick Heaths, soil survey at, 239
 Wheat,
 after barley, 19–23
 after oats, 19–23
 aldicarb on seedbed, 25, 26
 Aquila, 111, 112
 at Rothamsted, 19–24, 28, 29, 111, 112
 at Woburn, 24–28, 111, 112
 Avalon, 19, 22, 24, 25, 28, 29, 111, 112, 177, 186, 197
 bacteria on, 198, 199
 bread-making quality of, 54
 crop model for, 259
 diseases of, 258
 effect of drought on, 259, 260
 effect of environment and nitrate supply on growth of, 46, 47
 effect of mycorrhizas on, 271, 272
 effect of sowing date on yield, 25
 effect of temperature on, 72
 eyespot on, 194
 Factors Limiting Yield of Winter Wheat experiment, 19–24
 Flanders, 111
 following oats, barley and potatoes, 255, 256
 foot rot on, 23
 fungal diseases of, 22, 23, 198–200
 fungicides on, 19, 23, 258, 262, 285
 Fusarium spp. on, 22, 23, 258
 gibberellins in, 59
 gliadins of, 56
 grain growth, 72
 grain N concentration of, 54, 55
 grain yield, 19, 25, 26, 72, 178, 255, 258, 262
 growth of, 19–21, 26–28
 Guardian, 112
 herbicides on, 111
 Huntsman, 197
 Hustler, 29, 111
 irrigation of, 25, 26, 177, 178, 257
 leaf area index, 20, 26–28, 177, 178
 light intensity in, 24
 Longbow, 112
 Maris Huntsman, 199
 microflora of developing ears, 23, 199
 mildew on, 258
 mycelial growth on, 194
 nitrate N in stems of, 258, 259
 nitrogen content of, 21
 nitrogen on, 21, 24, 25, 177, 255, 256, 285
 nitrogen uptake by, 28
 Norman, 111, 112, 197
 number of grains per ear, 72
 number of shoots m⁻², 20, 27
 on a sandy and on a clay soil, 256, 257
 on Broadbalk, 67, 110, 116, 117
 on Great Knott, 19, 29
 Wheat (*contd.*)
 pesticide treated, 262
 photosynthesis in, 178
 plant numbers, 258
 prolamins from, 54
 Rapier, 112
 rate of N on, 255
 root growth of, 260
 semi-dwarf, 196
 Septoria on, 22, 258
 sharp eyespot of, 196, 197
 sowing date, 25, 28
 straw yield, 178
 sulphur content of, 54, 55
 take-all on, 23
 tiller survival, 23, 24
 transpiration in, 177
 variability of yields, 287
 water potentials, 194
 water use and growth and yields, 176–178
 winter, effects of different pre-cropping on, 117
 winter, modelling of, 177
 yeasts on, 198
 yields, 72
 See also: Cereals: Take-all
 Wheat bulb fly,
 elemental analysis of, 100
 on barley, 33
 Wheat roots, microbiology of, 214, 215
 Wind gusts, distribution of spores in, 188
 Wind tunnel experiments, 174, 176
 Woburn,
 Market Garden experiment, 254, 267, 268
 oilseed rape at, 114
 potatoes at, 39–41, 113, 114
 take-all in barley at, 197
 weather at, 109, 110
 wheat at, 24–28, 256, 257
 Worm-worked wastes, 104
 Worms, *See Earthworms*
 Xanthine dehydrogenase, 50
 X-ray analysis,
 of hordein protein fractions, 152
 of insects, 100
 for structural studies of pesticides, 152
 Xylem transpiration stream, 137
 Yemen, watermelon disease in the, 207
 Yield variation studies, 254, 255, 262
 Yorkshire, soil survey in, 245
 Yugoslavia, viruses from, 190
 Zanzibar, 187
Zea mays, *See Maize*
 Zimbabwe, 188
 Zinc,
 concentrations of in soil solutions, 268, 269
 in different soil series, 269
 in sewage sludge, 268
 Zoospores, transfer of viruses by, 189