

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Rothamsted Experimental Station Report for 1983

[Full Table of Content](#)



## Subject Index

### Rothamsted Research

Rothamsted Research (1984) *Subject Index* ; Rothamsted Experimental Station Report For 1983, pp 341 - 349 - DOI: <https://doi.org/10.23637/ERADOC-1-23>

## SUBJECT INDEX

The General Report by the Director has not been indexed, nor have the papers in Part 2.

- Abscisic acid, 115  
Acetylcholinesterase, in houseflies, 104  
Acute bee paralysis, 93  
Acyclic ligands, 150, 151  
Aerial photographs, 182  
Aerobiology, 58-60, 127  
Agricultural Genetics Company, 168  
*Agrobacterium* spp., 145  
*Agrobacterium rhizogenes*, 166  
*Agrobacterium tumefaciens*, 146  
Albumins, 147  
Alcohol dehydrogenase, 144  
Aldicarb,  
  as a nematicide, 110, 113, 115  
  on barley, 27, 28  
  on beans, 31, 32, 110  
  on peas, 34, 35  
  on sugar beet, 42  
  on winter wheat, 22, 26, 27  
*Alternaria* spp., 25, 127  
Aluminium, effect on mycorrhizal colonization of oat, 166  
Amazonian soils, 177  
Amino acids,  
  asparagine, 143  
  aspartate family, 144  
  biosynthesis of, 144  
  branched chain in, 144  
  cysteine, 145-147  
  glutamine, 143, 145  
  isoleucine, 144  
  lysine, 144, 146  
  methionine, 144  
  proline, 144  
  threonine, 144  
  valine, 144  
Ammonia,  
  accumulation of, 143  
  inhibition of assimilation of, 143, 144  
  plants grown on, 143  
Anglian Water Authority, 211  
ANOPOR, for analysing soil structure, 204  
ANOSOL, for analysing soil structure, 204  
Anthelmintics, statistical analysis of, 75  
APE 80 sprays, 106, 107  
*Aphanomyces cochlioides*, 43  
Aphid Commentary, 89, 122  
Aphids,  
  alarm pheromone of, 100-102  
  caught in suction traps, 74, 89  
  cereal, 89-91  
  diseases of, 94, 95  
  effect of organic manuring on, 94  
  infectivity for barley yellow dwarf virus, 121, 122  
  on barley, 31, 91  
  on beans, 33  
  on potatoes, 36, 100  
  on sugar beet, 88  
  on wheat, 23, 24  
  predators, 94  
  radar detection of, 88  
  records of, 88, 89  
  resistance of (*Myzus persicae*) to insecticides, 104  
  RISCAMS, 89  
  virus transmission by, 104, 105, 119  
Aphids, scientific names of,  
  *Acyrtosiphon pisum*, 33  
  *Aphis fabae*, 94, 100  
  *Aphis* (*contd.*)  
    *Lipaphis erysimi*, 101  
    *Macrosiphum euphorbiae*, 100, 105  
    *Metopolophium dirhodum*, 24, 89, 122  
    *Metopolophium festucae*, 24, 31  
    *Myzus persicae*, 23, 31, 40, 90, 101, 104, 119  
    *Phorodon humuli*, 101  
    *Rhopalosiphum padi*, 23, 31, 91, 122  
    *Sitobion avenae*, 23, 31, 89, 90, 100, 122  
    *Sitobion fragariae*, 90  
  *Apion vorax*, 33  
  *Asochyta*, on beans, 33  
  Asparagine, 143  
  Aspartate kinase, 144  
  Aspartate pathway, the, 144  
  *Aspergillus* spp., on winter wheat, 25  
  Asthma, 127  
  *Atomaria linearis*, (pygmy beetles), 42, 43  
  *Aureobasidium pullulans*, on winter wheat, 25  
  Auxin levels, in potatoes, 146  
  *Azolla filiculoides*, 168  
  
*Bacillus mycoides*, effect on take-all, 123  
Bacteria, metabolism of propionate by, 124, 125  
Baking quality, of cereal grain, 146, 147  
Barley,  
  aldicarb on, 27  
  aphids on, 31  
  at Rothamsted and Woburn, 55, 56  
  Atem, 55  
  Athene, 121  
  brown foot rot of, 30  
  brown rust on, 30  
  caryopses of, 144, 145  
  chloroplasts of, 143  
  cultivation/weedkiller experiment, 55  
  effect of nematodes on, 116, 117  
  electron microscopical examination of, 143  
  *Erysiphe graminis* on, 29, 59  
  eyespot on, 30  
  factors limiting yield, 27-31, 55  
  Georgie, 55  
  growth and development of, 27, 28  
  growth regulator on, 28, 55  
  hordeins of, 148  
  identification of cultivars, 147  
  Igri, 55  
  loose smut on, 30  
  Maris Otter, 120, 121  
  mutants in, 143-145  
  net blotch on, 30  
  nitrogen on, 29  
  peroxisomes of, 143  
  photorespiratory mutants of, 143  
  *Polymyxa graminis* on, 120, 121  
  prolamin storage proteins of, 146, 147  
  *Rhynchosporium secalis* on, 29  
  salt stress in, 144  
  sharp eyespot on, 126  
  Sonja, 121  
  "Terpal" on, 55  
  triadimenol on, 27, 28, 30, 55, 105, 106  
  Triumph, 55  
  water stress in, 144  
  wind structure within crops, 59, 60  
  yellow dwarf virus of, 24, 31, 51, 119, 121, 122

## INDEX

- Barley (contd.)**  
yellow mosaic virus of, 91, 120, 121  
yields, 28, 29, 52  
*See also:* Cereals; *Erysiphe graminis*; Take-all  
Barley yellow dwarf virus, 24, 31, 51, 119, 121  
Barley yellow mosaic virus, 120, 121  
'Bayol 50', 119  
'Baytan', *See:* Triadimenol  
**Beans (*Vicia faba*)**,  
aldicarb on, 31, 32, 110  
aphids on, 33  
*Asochya* on, 33  
at Rothamsted and Woburn, 56  
benomyl on, 31–33  
carbofuran on, 31, 110  
chocolate spot of, 56, 125  
fosetyl-Al on, 32  
irrigation of, 32  
maneb+mancozeb on, 32  
Minden, 32  
nematodes on, 34, 110  
pests and pathogens of, 31, 32  
phorate on, 31, 32  
pirimicarb on, 31, 32  
propiconazole on, 32  
root fungi of, 33  
rust (*Uromyces fabae*) on, 33, 125  
*Sitona* spp. on, 33  
thiram on, 31  
viruses of, 33, 35, 125  
weevils on, 33  
yields, 34  
*See also:* *Phaseolus vulgaris*  
Bean yellow mosaic virus, 35, 125  
Bedfordshire, soil survey in, 203  
**Bees, *See:* Honeybees**  
Beet mild yellowing virus, 50  
Beet mosaic virus, 119  
Beet necrotic yellow vein virus, 51  
Beet western yellows virus, 118  
Beet yellows, 41, 50  
Beetles, as aphid predators, 94  
*Bembidion* spp., 42  
Bendiocarb, 45  
Benomyl,  
effect on take-all, 123  
on beans, 31–33  
Benzyl esters, side chain of, 99  
Berkshire, soil survey in, 210  
Bicyclic ligands, 152, 153  
Biodeterioration, 124, 125  
Biomass, *See:* Soil biomass  
*Botrytis fabae* (chocolate spot), on beans, 33, 56, 125  
Bowaters, 97  
British Cartographic Society, 194  
British Sugar Corporation, 39, 49, 50, 75  
British Technology Group, 168, 169  
Broad beans,  
nematodes on, 109  
viruses, of, 125  
Broom's Barn Farm, 51–53, 122  
rainfall, 39  
sugar beet on, 39–53, 58  
weather at, 336  
Brown plant hoppers, 91  
Brown rust,  
on barley, 30  
on wheat, 24  
Brussels sprout, pollination by bees, 92  
Buckinghamshire, soil survey in, 210  
Bumblebees, 92  
  
Calcium, uptake of by potatoes, 154  
Calcium peroxide, 45  
Cambridgeshire, soil survey in, 200, 205  
*Candida guilliermondii* var. *guilliermondii*, 125  
Captafol,  
effect on fungal pathogens of nematodes, 114  
Carabid beetles, *See:* Beetles  
Carbendazim, on winter wheat, 22  
  
Carbofuran,  
on beans, 31, 110  
on sugar beet, 45  
Carbon, biomass, 175  
Carbon cost, of nitrogen fixation, 167, 168  
Carbon dioxide fixation, 142, 143  
Carbosulfan, 45  
Carboxylase polypeptide, 142  
Carboxylesterase, in *Myzus persicae*, 104  
 $\beta$ -Caryophyllene, 101  
Caryopses, barley, 144, 145  
Cattle, at Rothamsted, 57  
Cereals,  
at Broom's Barn, 52  
baking quality of, 146  
biodeterioration of, 124, 125  
caryopses of, 144  
diseases of, 120–124  
erosion in, 205  
grain yields, 123  
storage proteins in, 144–148  
take-all on, 122, 123  
*See also:* Barley; *Erysiphe graminis*; Maize; Oats;  
Take-all; Wheat  
Chalky Boulder Clay, weathering in soils on, 182  
'Chemoprints', of insects, 90, 91  
*Chenopodium quinoa*, 51  
China, viruses of faba beans in, 125  
Chloridazon, 52  
Chlormequat, on wheat, 22  
Chocolate spot, of field beans,  
*See:* *Botrytis fabae*  
*Chrysoperla carnea*, 74  
*Cladosporium* spp.,  
on wheat, 25  
spores of, 127  
Clay minerals, in soils, 181  
Clays, structure of, 164  
Clones, cDNA, for cereal storage proteins, 148  
Clover,  
mycorrhiza on, 166  
nematodes on, 109, 111  
Clubroot, *See:* *Plasmodiophora brassicae*  
Cockroach, *See:* *Periplaneta americana*  
*Colletotrichum coccodes* (black dot on potato), 36  
Common scab, *See:* *Streptomyces scabies*  
Complexes, crystalline, 150–153  
Computer programs,  
AREAS, 208  
BAYES, 154  
crystallographic, 154, 155  
for soil mineralogy, 181  
GHOST, 72  
ORTREP, 154  
UNIMOL, 154  
*See also:* Models; Statistical programming  
Computers,  
Apple, 208  
bar-codes, 73  
British Telecom Packet Switch Service, 72  
data preparation, 73  
Epson HX-20 portable, 73, 89  
for storage of soil data, 72  
graphics, 72, 78  
ICL System 4, 72  
Jacquard, J100, 72  
microcomputers, 72, 73, 78, 209  
Midas systems, 208, 209  
modelling, 142, 178  
Prime 550, 154, 208  
PSS gateway, 155  
Rothamsted Computing Unit, 71  
Tektronix terminals, 155  
*Contarinia pisi*, (pea midge), 91  
Coordination chemistry, 150–153  
Copper, in sewage sludge, 177–179  
Coryneform bacterium, a, 123  
*Cotoneaster lacta*,  
naturally-occurring fungicide from, 154  
Crop physiology, 60–66

## INDEX

- Crystal structure, determination of, 150–152  
 Cumbria, soil survey in, 201  
 Cutworms, 91  
*Cylindrocarpon destructans*, 114  
*Para-cyclophane*, 152  
 Cypermethrin,  
   effect on virus transmission by aphids, 105, 106  
   esters of, 99  
 Cysteine, 145–147  
 Cytokinin levels, in potatoes, 146
- Dactylis glomerata*, 90  
*Dasyneura brassicae* (pod midges), 92  
*Datura innoxia*, 144  
 'Delsene M', on winter wheat, 22  
 Deltamethrin,  
   activity in soil, 107  
   effect on dispersal of *Myzus persicae*, 104  
   effect on potato virus Y transmission, 104  
   esters of, 98  
 Deposition gradients, 59, 60  
 Derbyshire, soil survey in, 197, 211  
*Deroceras reticulatum*, 95  
*Didymella exitialis*, 127  
 Dimethoate, field assessment of, 106  
 Dinitrogen complexes, of tungsten, 154  
 Disulphoton, 110  
 DNA,  
   complementary, 148  
   concentration of, 165  
   from mycorrhizal spores, 165  
   recombinant, 146  
 Dorset, soil survey in, 205  
 Drought, effect on winter wheat, 64–66, 171, 172
- Earthworms,  
   *Dendrobaena veneta*, 96  
   *Eisenia foetida*, 96  
   *Eudrilus eugeniae*, 96  
   *Perionyx excavatus*, 96  
   production of, from farm wastes, 97, 98  
   productivity of large scale systems, 96, 97  
   uptake of heavy metals by, 96  
   wastes worked by, 97, 98  
 East Anglia, soil survey in, 200  
 Electrolytic sprayers, 106  
 Electron paramagnetic resonance, 142  
 Electrostatic spraying systems, 100, 104, 106, 108, 110  
 ELISA. *See*: Enzyme-linked immunosorbent assay  
 Embryos, immature, regeneration from, 145  
 Enzyme-linked immunosorbent assay, 50, 119, 122, 125, 146  
 Enzymes,  
   alcohol dehydrogenase, 144  
   aspartate kinase, 144  
   carboxylase polypeptide, 142  
   glutamine synthetase, 143, 148  
   glycollate oxidase, 143  
   nitrate reductase, 144  
   of the aspartate pathway, 144  
   RuBP carboxylase, 142  
*Epicoccum* spp., 25  
 Ergosterol, 106  
*Erynia neoaphidis*, 94  
*Erysiphe graminis* (barley mildew)  
   development of, 59  
   on barley, 29, 30  
   on wheat, 24  
   sensitivity to fungicides, 105  
*Escherichia coli*, 165  
 Eyespot (*Pseudocercospora herpotrichoides*), on wheat,  
   105, 120
- Faba beans, 125  
 Falkland Islands, 78  
 Farmyard manure (FYM),  
   effect on aphid populations, 94  
   on sugar beet, 42, 43  
 Fenamiphos, 110  
 Fenpropimorph, 105
- Fenvalerate, effect on virus transmission by aphids, 104  
 Ferredoxin-dependent barley mutants, 143  
 Field Drainage Experimental Unit, 210  
 Field Experiments,  
   crop yields, 54–56  
   number of plots, 54  
   small plots, 54  
   working party for, 54  
 Flamprop, 103  
 Foliar sprays, against potato scab, 103  
 Foot rot, of wheat, 24, 25  
 Forestry, suitability of soils for, 194, 195  
 Fosetyl-Al, on beans, 32  
 'Friends of Rothamsted', 57  
 Fungal diseases,  
   of potatoes, 36  
   of wheat, 24, 25  
   *See also*: *Erysiphe graminis*; Eyespot; *Fusarium*;  
   Take-all  
 Fungicides,  
   naturally occurring, 154  
   on wheat, 102  
   resistance, 105, 106  
*Fusarium* spp.,  
   on barley, 30  
   on peas, 35  
   on wheat, 124  
*Fusarium avenaceum*,  
   on peas, 35  
   on wheat, 124  
*Fusarium culmorum*, on winter wheat, 124  
*Fusarium equiseti*, on wheat, 124  
*Fusarium nivale*, on wheat, 124  
*Fusarium oxysporum*, on wheat, 124  
*Fusarium poae*, on wheat, 124  
*Fusarium solani*, on peas, 35  
*Fusarium tabacinum*, 35  
 Fusion, of protoplasts, 145  
 FYM. *See*: Farmyard Manure
- Gaeumannomyces graminis* var. *tritici*, 165  
   *See also*: *Phialophora radicola*  
 Galls, from potatoes, 145  
 Gangrene,  
   *See*: *Phoma exigua* var. *foveata*  
 Gene libraries, 165  
 Genes, for the storage proteins, of wheat, barley and rye,  
   148  
 Genetic manipulation programme, 148  
 Genetic studies, with *Rhizobium* and mycorrhizas, 164  
 Genkey, 77  
 Genstat, 78  
 Gleadthorpe Experimental Husbandry Farm, 210  
 Globulins,  
   localization and characterization of, 148  
   of oats, 146  
*Glomus caledonium*, 165, 166  
<sup>14</sup>C-glutamine, metabolism of, 143  
 Glutamine synthetase, 143  
   cloning of, 148  
 Gluten, components of, 146, 147  
 Glycollate oxidase, 143  
 Goethite, determination of, 181  
 Grass, at Rothamsted and Woburn, 56  
 Growth regulators, 142  
   on sugar beet, 49  
   on wheat, 22
- Hampshire, soil survey in, 198, 199, 202, 205, 211  
 Hay, propionate-treated, 124, 125  
 $\gamma$ -HCH, on sugar beet, 42  
 HCl reflux, 177  
*Helminthosporium solani* (silver scurf on potato), 36  
 Hematite, in soil clays, 181, 182  
 Herbicides, potential, 143  
 Herefordshire, soil survey in, 205  
 HMW (high molecular weight) polypeptides, of wheat, 147  
 HMW prolamins, of wheat, 148  
 Honeybees (*Apis mellifera*), acute paralysis virus of, 93  
   foraging pheromones, 92

## INDEX

- Honeybees (*contd.*)  
hazards to from fungal control agents, 92, 93  
pollination of Brussels sprout by, 92  
queen pheromones of, 93  
*Varroa jacobsoni* on, 93
- Hop cones, (*E*)- $\beta$ -farnesene in, 101
- Hordeins, 148
- 'Host races', 109
- Housefly (*Musca domestica*),  
insecticide resistance in, 103, 104  
knock-down resistance in, 104  
neuroanatomy of, 100
- Hyalodendron* spp., 25
- Hydraulic sprays, of nematicides, 110
- Hydrothermal time, 44
- Hymenoptera, as aphid predators, 94
- Hypochlorite, immersion of potato tubers in, 127
- Hyphopichia burtonii*, 125
- ICRISAT (International Crops Research Institute for the Semi Arid Tropics), 168
- Identification, of barley cultivars, 147
- Immature embryos, regeneration from, 145
- Immunological studies, with cereal prolamins, 146, 147
- Immunospecific electron microscopy, 119, 125
- 'Infectivity Index', for barley yellow dwarf virus, 121, 122
- Insect traps,  
aphids caught in, 74, 89  
sex-pheromone traps, 91  
suction traps, 74, 89
- Insecticides,  
aphid resistance to, 103  
biological activity of in soil, 107  
effects on beneficial species, 103  
effects on pests of sugar beet, 42–45  
housefly resistance to, 103, 104  
*See also:* Aphicides; Nematicides; Pesticides; Pyrethroids: names of individual insecticides
- Institute of Hydrology, 211
- Iron oxide, in the soil, 181
- Irrigation,  
of field beans, 32  
of sugar beet, 40  
of wheat, 26, 27
- ISEM, *See:* Immunospecific electron microscopy
- Isoleucine, 144
- 'Jumbo' type sprayers, 106
- Kent, soil survey in, 203, 211
- Leaf Area Index (LAI), 60
- Land and Water Service, 210
- Land drainage, 178
- Leaching, of pesticides in the soil, 107
- Leaf protein, extraction of, 183
- Leaf water potential, in winter wheat, 63, 64
- Lectins, 146, 147
- Leghaemoglobin content, of root nodules, 112
- Legumes,  
grain, diseases of, 125  
nitrogen fixation in, 167, 168  
*See also:* Beans; Clover; Lucerne
- Leicestershire museums, 194
- Letcombe Laboratory, 172, 211
- Lincolnshire, soil survey in, 198
- Linyphiid spiders, effect of insecticides on, 43
- Livestock,  
at Broom's Barn Farm, 53  
at Rothamsted and Woburn, 57  
statistical analysis for, 75
- Long Ashton Research Station, 122, 142, 154
- Lucerne, nematodes on, 110, 111
- Lucerne moth, pheromones of, 101
- Lysine, 144, 146
- Macrobicyclic polyethers, 152
- MAFF Aerial Photography Unit, 205
- Maize,  
carboxylases from, 142, 143  
nematodes on, 110  
nitrogen content, 168
- Maleic hydrazide, 103
- Maneb, on winter wheat, 22
- Maneb+Mancozeb, on beans, 32
- Manganese, effect on mycorrhizal fungi, 166
- Markov chain simulation, 60
- Mathematical models, *See:* Models
- Metal ion concentrations, 178
- Metal toxicity, of soils, 175
- Metalaxyl, 34
- Methiocarb, for slug control, 35
- Methionine, 144
- Methionine sulphoximine, 143, 144
- Microclimatology, 58–60
- Microcomputers, 72, 73, 78, 208, 209
- Microflora, soil, 165
- Micronutrients, in soils and crops, 177–179
- Microprocessors, 66
- Midge,  
pod, 92  
pea, 91
- Milax budapestensis*, 95
- Mildew,  
downy, on peas, 34  
on sugar beet, 41  
*See also:* *Erysiphe graminis* (barley mildew)
- Millet, N<sub>2</sub> fixation in, 168
- Mineral oil, effect on virus infection, 119
- Mixtures, of cultivars, 59
- Mobile shelters, 171, 172
- Models,  
for catches of *Chrysoperla carnea* and aphids, 74  
for yield of Pentland Squire potatoes, 74  
leaching, 107  
of disease development, 58, 59  
of dispersal of fungal spores, 60  
of herbicide movements in soils, 73  
of nitrogen requirement predictions, 174  
of pea moth flight, 74  
of plant and soil samples, 74  
of take-all distribution, 73  
winter wheat crop model, 172
- Mole-drained soils, hydrology of, 179
- Molluscicides, 95
- Monocyclic ligands, 151, 152
- Moths,  
lucerne, 101  
pea, 101
- Montmorillonite, 182
- MSO, *See:* Methionine sulphoximine
- Multilines, use of, 59
- Musca domestica*, *See:* Housefly
- Mutants,  
in barley, 143–145  
of wheat, 145  
photorespiratory, 145
- Mycorrhiza, vesicular arbuscular,  
effect of aluminium on, 166  
effect of manganese on, 166  
effect of phosphate on, 166  
effect on oats, 166  
effect on onions, 166  
effect on white clover, 166, 167  
genetic studies with, 164, 165  
inoculum production, 166
- 'Mycotal', effect on honeybees, 93, 94
- National Institute of Agricultural Engineering, 96, 97, 106
- National Lowland Peat Inventory, 194
- National Peat Inventory, 200, 201
- National Radiological Protection Board, 211
- National Soil Inventory, 210
- National Soil Map, 194, 195, 200, 210, 211
- Nematicides,  
aldicarb, 110  
electrostatic and hydraulic sprays of, 110

## INDEX

- Nematicides (*contd.*)  
 FMC 65201, 113  
 FMC 67825, 113  
 for use on onions, field beans and lucerne, 110  
 in seed furrows, 110  
 oxamyl, 110  
 split-application technique for, 110
- Nematodes,  
 biological control of, 114  
 control of, 109–118  
 cyst nematodes, 111–118  
 effect of crop rotations on, 109  
 effect on barley yield, 116, 117  
 effect on *Rhizobium* nodulation of peas, 109, 111–113  
 host races, 109  
 identification, 118  
 in weeds, 109  
 interaction with *Verticillium dahliae*, 115  
 morphology and function of, 117  
 on barley, 116, 117  
 on beans, 34, 109, 110, 117  
 on clover, 109, 111  
 on lucerne, 110, 111  
 on maize, 110  
 on oats, 109, 110  
 on onions, 110  
 on peas, 35, 110, 111, 117  
 on potatoes, 35, 36, 115–118, 153  
 on soil fungi, 109  
 on soy bean, 113  
 on sugar beet, 40, 51, 109  
 on wheat, 23  
 'pathotypes', 109  
 pea cyst nematodes, 111–113  
 perineal patterns, 117  
 potato cyst nematodes, 35, 36, 115, 116  
 resistance to, 111  
 root knot, 117, 118  
 stem, 109, 110, 112  
 stylet length, 117  
 taxonomy of, 117  
 trichodoriid, 116, 117  
 vulval morphology of, 118
- Nematodes, scientific names of,  
*Ditylenchus*, spp., 34  
*Ditylenchus dipsaci*, 109, 112  
*Globodera pallida*, 113, 116, 118  
*Globodera rostochiensis*, 113, 115, 116, 118, 153  
*Helicotylenchus* spp., 23, 34  
*Heterodera avenae*, 23, 114  
*Heterodera cruciferae*, 114, 115, 117  
*Heterodera glycines*, 111  
*Heterodera goettingiana*, 111–113  
*Heterodera schachtii*, 51, 114  
*Longidorus* spp., 40  
*Meloidogyne* spp., 117  
*Paratrichodorus* spp., 40, 116  
*Pratylenchus* spp., 23, 34, 35  
*Pratylenchus neglectus*, 34  
*Pratylenchus thornei*, 122  
*Rotylenchus* spp., 23  
*Trichodorus* spp., 40  
*Trichodorus cylindricus*, 116  
*Trichodorus primitivus*, 116  
*Tylenchorhynchus* spp., 23, 34  
*Tylenchus* spp., 34
- Nematophthora gynophila*, 114  
 New Plant Products Ltd., 168  
 Nickel, in sewage sludge, 177–179  
 Nickerson RPB Ltd., 145  
*Nicotiana plumbaginifolia*, 144  
*Nicotiana tabacum*, *See*: Tobacco  
 Nitrate, effect on photorespiration, 143  
 Nitrate reductase, 144
- Nitrogen,  
 fixed, transfer to associated crops, 168  
 immobilization of in the autumn, 175, 176  
 in cow slurry, 74  
 in the soil, 26  
 in the soil biomass, 175
- Nitrogen (*contd.*)  
 nitrate, in wheat stems, 173, 174  
 release of from incorporated straw, 176
- Nitrogen fertilizers,  
 losses of <sup>15</sup>N labelled fertilizers applied to winter wheat, 173  
 on sugar beet, 40, 46, 47, 60, 61  
 on winter wheat, 21, 26, 27, 62–64  
 prediction of requirements, 164, 174  
 supply of, 142  
 timing of, 21
- Nitrogen fixation,  
 carbon costs of, 167, 168  
 in sorghum and millet, 168  
 transfer of fixed nitrogen to associated crops, 168
- Nodules, root,  
 formation of, 167
- Norfolk, soil survey in, 205, 210, 211  
 Norfolk Agricultural Station, 211  
 Northumberland, soil survey in, 195  
 Nottingham University, 49  
 Nottinghamshire, soil survey in, 205
- Nuarimol, on swedes, 106  
 Nuclear Overhauser Effect, 153  
 Nuclear magnetic resonance spectra, 151
- Oats,  
 at Broom's Barn, 52  
 at Rothamsted and Woburn, 56  
 breeding for nematode resistance, 110, 111  
 embryos of, 148  
 globulins of, 146, 148  
 mycorrhiza on, 166  
 nematodes on, 110, 111
- Oilseed rape,  
 at Rothamsted and Woburn, 56  
 nematodes on, 114, 115  
 pod midge of, 92  
 regeneration from protoplasts, 145, 146
- Onions,  
 inoculation with mycorrhiza, 166  
 nematodes on, 110
- Organic complexes, 177
- Oxamyl,  
 on potatoes, 35  
 to control nematodes, 110, 113, 116
- Oxfordshire, soil survey in, 211  
 Oxygen evolution, 63, 64
- Paper pulp waste, breakdown of by earthworms, 97  
 Pathogenesis related proteins, 146, 147  
 'Pathotypes', 109  
 Pea moth, *See*: Moths
- Peas,  
 aldicarb on, 34, 35  
 carboxylases from, 142  
 downy mildew of, 34  
 fungal diseases of, 35  
 interaction between nematodes and *Rhizobium* of, 111–113  
 metalaxyl on, 34  
 nematodes on, 35  
 permethrin on, 24  
 pirimicarb on, 34  
*Sitona* spp. on, 34, 35  
 tolclofos methyl on, 34  
 viruses of, 35
- Peat, survey of, 194, 200, 201  
 Pellets, seed, 45, 46  
*Periplaneta americana*, (cockroach) neuroanatomy of, 100
- Permethrin,  
 activity of in soil, 107  
 effect on virus transmission by aphids, 104  
 esters of, 98  
 in electrostatic sprayers, 100, 101  
 on peas, 34
- Peronospora schachtii*, (downy mildew, of peas), 34
- Pesticides,  
 behaviour of in soils, 107, 108

## INDEX

- Pesticides (*contd.*)  
leaching of in the field, 107  
translocation of, 102  
*See also:* Aphicides; Fungicides; Insecticides; Nematocides
- Phaseolus vulgaris* (French bean), transfer of fixed nitrogen from, 168
- Phenmedipham, 52
- Phenoxyacetic acids, 103
- Pheromones,  
aphid alarm pheromone, 100  
foraging pheromones, 92  
hazards to, from fungal control agents, 93, 94  
inhibition of pheromone activity, 101  
in pea midges, 91  
in the lucerne moth, 101  
of *Ephesia kuehniella*, 101, 102  
pea moth, 101  
queen pheromone, 93  
synthesis, 101
- Phialophora graminicola*, 165
- Phoma exigua* var. *foveata* (gangrene on potato), effect of thiabendazole on, 127
- Phorate, on beans, 31, 32
- Phosphate fertilizers, effect on take-all, 124
- Phosphinothricin (PPT), 143, 144
- Phosphorus, in the soil biomass, 174
- Photorespiration,  
effect of nitrogen source on, 143  
in winter wheat, 63, 65
- Photorespiratory metabolism, 143
- Photosynthesis,  
in wheat, 63–66  
light response curves, 49
- Photosynthetic carbon, interaction with nitrogen metabolism, 143
- Pigs, fattening of, 75
- Pirimicarb,  
on beans, 31, 32  
on peas, 34  
on winter wheat, 22
- Plant Breeding Institute, 145
- Plant growth regulators, 142
- Plant nutrition, 164
- Plasma Emission Spectrometer, 183
- Plasmids, host range, in *Rhizobium*, 167
- Plough pan, effect of, 171
- Polyethers,  
macrobicyclic, 152  
synthesis of, 150
- Polymyxa graminis*, 120, 121
- Polypeptides, HMW, of wheat, 147
- Potometers, 66
- Potassium,  
acyclic ligands with, 150, 151  
deficiency of, 176, 177  
for control of water potential, 164  
in soils, 177  
selectivity between sodium and potassium, 151  
soil, 205
- Potato leaf roll virus, 127
- Potato virus Y, 36, 104, 105, 119, 127
- Potatoes,  
aphids on, 36  
Arran Comet, 126  
at Rothamsted and Woburn, 56  
black dot on, 36  
Cara, 56, 116, 126  
common scab on, 36, 103  
Désirée, 35, 56  
Estima, 126  
fungal diseases of, 36  
gangrene on, 127  
imazalil on, 35  
intensive production, 35, 36  
King Edward, 56  
methiocarb on, 35  
monocultures, 114  
nematode resistance in, 116  
nematodes on, 35, 36, 115–117, 153
- Potatoes (*contd.*)  
oxamyl on, 35  
Pentland Crown, 56  
Pentland Squire, 126  
phorate on, 36  
primicarb on, 36  
powdery scab, 36, 103, 126  
regeneration from protoplasts, 145  
silver scurf on, 36  
slugs on, 36  
stem canker (*Rhizoctonia solani*) on, 36, 126  
stomatal aperture in, 153, 154  
tolclofos methyl on, 35  
tolerance to cyst nematodes, 115, 116  
Ulster Sceptre, 126  
virus diseases of, 36, 127  
water stress in, 115  
yields, 56
- Powdery mildew, *See: Erysiphe graminis*
- PPO, 143, 144
- PPT, *See: Phosphinothricin*
- PR (pathogenesis related)-proteins,  
immunological studies with, 146  
in transformed tobacco, 147  
relation of to virus resistance, 146
- Programs, *See: Computer programs: statistical programming*
- Prolamin storage proteins,  
clones for, 148  
identification of barley cultivars by, 147  
immunological studies with, 146, 147  
in barley and wheat, 146
- Proline, 144
- Propionate, metabolism of by yeasts and bacteria, 124, 125
- Propiconazole, 22, 32, 105
- Proteins,  
cereal grain, 144–148  
leaf, extraction of, 183  
pathogenesis related, 146, 147
- Protoplasts, regeneration from, 145
- Pseudocercospora herpotrichoides*, (eyespot), 30, 105, 120
- Puccinia hordei*, (brown rust), on barley, 30
- Pyrenophora teres*, (net blotch) on barley, 30
- Pyrethroids,  
activity of in soil, 107  
insect resistance to, 104  
relationship between structure and insecticidal activity of, 98, 99
- Quantimet 720 image analyser, 204
- Radar, for detection of aphids, 88, 89
- Ramularia beticola*, 41
- Rape, *See: Oilseed rape*
- RCF, *See: Root concentration factor*
- Recombinant DNA, 148
- Rhizobium* spp.,  
effect of nematode infestations on nitrogen fixation by, 109, 111–113  
genes determining host range and N<sub>2</sub> fixation, 167  
in mixed treatments, 167  
on clover, 167  
oxygen diffusion resistance, 168  
on peas, 111  
production of inoculants, 168, 169  
*Rhizobium leguminosarum*, 111, 167
- Rhizoctonia cerealis*, 126
- Rhizoctonia solani* (stem canker on potato), 36, 126
- 'Rhizomania', of sugar beet, 51
- Rhynchosporium secalis*, on barley, 30
- Ribulose biphosphate carboxylase, 142
- Rice, root uptake by, 102
- Ricinus communis*, root uptake from, 102
- Root concentration factor, 102, 103
- Root hairs, growth of, 176
- Root systems, developing, infection spread in, 165, 166
- Roots,  
growth of, 171, 176  
water flow across, 176

## INDEX

- Rothamsted,  
 barley at, 55, 56  
 beans at, 56  
 weather at, 54, 334  
 wheat at, 54, 55  
 Rothamsted Aphid Commentary, 89, 122  
 Rothamsted Insect Survey, 88, 89, 122  
 Royal Aircraft Establishment, Farnborough, 206  
 RuBP carboxylase, 142  
*Rubus fruticosus*, 90  
 Rye, secalins of, 148
- Salt stress, in barley, 144  
 Saturated hydraulic conductivity, of soils, 203  
 Saxmundham,  
 weather at, 337  
 wheat at, 170, 171, 173  
 Secalins, of rye, 148  
 Seed furrow treatment, 110  
 Seed pellets, 45, 46  
*Septoria* spp., in winter wheat, 24  
 Sewage sludge, toxic effects of metals in, 177-179  
 Shardlow, 121, 122, 208, 209  
 Sharp eyespot, on wheat, 24  
 Sheep, experiments with, 78  
 Shropshire, soil survey in, 205  
 Shuttleworth Agricultural College, 209  
*Sitona* spp.,  
 on field beans, 33, 96  
 on peas, 95  
 Slugs,  
 chemical control of, 95, 102  
 on potatoes, 36  
 on wheat, 102  
 SMD (Soil moisture deficit), 126  
 Sodium, and potassium, selectivity between, 151  
 Soil, iron oxide in, 181  
 Soil analysis, 183  
 Soil and Water Management Association, 212  
 Soil biomass,  
 nitrogen and phosphorus in, 174-176  
 Soil erosion, 205  
 Soil maps, 194-200  
 bulletins, 194, 195  
 methodology for, 206, 207  
 units of, 207  
 Soil microflora, 165  
 Soil micromorphology, 210  
 Soil mineralogy, 181, 182  
 Soil moisture deficit, 126  
 Soil-root relationships, 164  
 Soil structure,  
 description of, 180  
 quantification of, 204  
 regeneration of, 180, 181  
 structural development within aggregates, 181  
 Soil Survey Information System, 208  
 Soil surveys,  
 Bedfordshire, 203  
 Berkshire, 210  
 Buckinghamshire, 210  
 Cambridgeshire, 200, 205  
 Cumbria, 201  
 Derbyshire, 197, 211  
 Dorset, 205  
 East Anglia, 200  
 for ADAS, 210  
 Hampshire, 198, 199, 202, 205, 211  
 Herefordshire, 205  
 Kent, 203, 211  
 Lincolnshire, 198  
 Norfolk, 211  
 Northumberland, 195  
 Nottinghamshire, 205  
 Oxfordshire, 211  
 Shropshire, 205  
 Somerset, 199, 201, 202, 205  
 South-West England, 198, 199  
 Staffordshire, 204, 205, 211  
 Suffolk, 200
- Soil surveys (*contd.*)  
 Sussex, 205  
 Wales, 198, 211  
 Worcestershire, 198  
 Yorkshire, 195, 210  
 Soil type, effect on severity of take-all, 124  
 Soil water,  
 regimes, 204, 205, 209  
 retention of, 209  
 Solar radiation, interception of, by sugar beet, 40, 48, 49, 60  
 Somerset, soil survey in, 199, 201, 202, 205  
 Sorghum, associative N<sub>2</sub> fixation with, 168  
 South-east England, soil clays in, 181  
 South-west England, soil survey in, 198, 199  
 Soy beans, nematodes on, 113  
 Spatial variation, 182, 183  
 Spectral ratio meters, 48, 49  
 Spinach, carboxylases from, 142  
 Split-application technique, 110  
*Spongopora subterranea*, 126  
 Spores,  
 airborne counts of, on Rothamsted farm, 127  
 dispersal of, 60  
 mycorrhizal, 165  
 of *Cladosporium* spp., 127  
 of *Pseudocercospora herpotrichoides*, 120  
 'Sportak', on winter barley, 106  
 Staffordshire, soil survey in, 204, 205, 211  
 Staphylinid beetles,  
 effect of insecticides on, 43  
 Statistical analysis,  
 for ADAS, 74  
 for ODA projects, 78  
 in nutrition chemistry, 75  
 of agronomy experiments, 78  
 of anthelmintic treatments, 75  
 of crop experiments, 74  
 of experiments on growth of sheep, 78  
 of livestock experiments, 75  
 of nitrogen in cow slurry, 74  
 of oilseed rape trial, 75  
 routine analysis, 74  
 Rothamsted Insect Survey, 88, 89, 122  
 Statistical models. *See: Models*  
 Statistical programming,  
 Genkey, 77  
 Genstat, 77, 78  
 GLIM 3, 78  
 GLIM 4, 78  
 Maximum Likelihood Program (MLP), 78, 204  
 Statistical theory,  
 biplots, 76  
 confidence limits for parameters in curve fitting, 76  
 intercropping, 79  
 irredundant sets in diagnostic keys, 76  
 quasi-likelihood, 76  
 variance-mean relationships, 77  
 zeros in contingency tables, 76  
 Stem canker. *See: Rhizoctonia solani*  
 Stomatal resistance, 66  
 Storage proteins,  
 cereal, 144-148  
 genes for, 148  
 Straw, incorporation of, 175, 176  
*Streptomyces scabies* (common scab on potato), 36, 126  
 Stress hormones, 115  
 Suffolk, soil survey in, 200  
 Sugar beet,  
 aldicarb on, 42, 43  
*Aphanomyces cochlioides* on, 39, 43, 44  
 aphids on, 40, 52  
*Atomaria linearis* on, 42, 43  
*Bembidion* spp. on, 42, 43  
 bolting, 39, 40, 52  
 crop establishment, 42-44  
 Docking disorder, 40  
 effect of air temperature on, 60  
 effect of insecticides on pests of, 42, 43  
 effect of soil physical factors on, 44  
*Erysiphe betae* (powdery mildew) on, 49, 50



## INDEX

- Sugar beet (*contd.*)  
farmyard manure on, 42, 43  
fibrous root growth, 46  
growth regulators on, 49  
 $\gamma$ -HCH on, 42  
hydrothermal time, 44  
insecticides for, 42, 43  
irrigation of, 40  
leaf area index, 60  
leaf expansion, 60  
leaf growth and development, 60, 61  
nematodes on, 40, 51  
'Nomo', 50  
nitrogen on, 40, 46–48, 60  
pellet structure, 45, 46  
pests of, 42, 43  
*Polymyxa betae* on, 51  
powdery mildew on, 41, 52  
radiation interception, 40, 49, 60  
*Ramularia beticola*, 41  
remote sensing and crop growth, 48, 49  
'rhizomania' of, 51  
rotations, 42, 43  
rust on, 41  
survey of, 75  
thermal time, 44  
weed beet, 39  
yellowing viruses of, 41  
yield prediction, 48, 49  
yields, 48, 53  
Sussex, soil survey in, 205  
Swedes, control of mildew on, 106
- Take-all on cereals,  
control, 122, 123  
difference in between cultivars, 123  
effect of phosphate manuring on, 124  
effect on nitrogen requirements of wheat cultivars, 174  
fungicides for control of, 123  
incidence of, 119  
on wheat after barley, 24  
on winter wheat, 123, 124  
relationship between severity and soil type, 124
- Thermal time, 44, 61  
and root growth, 176  
estimates of in soils, 180
- Thiabendazole,  
effect on stem nematodes, 110  
for control of potato gangrene, 127
- Thiram, for seed treatments, 31
- Threonine, 144
- Tissue culture, of potatoes, 145
- Tobacco,  
carboxylases from, 142, 143  
disease resistance in, 146  
virus diseases of, 119, 147
- Tobacco mosaic virus, 119
- Tolclofos methyl, 34, 35
- Toxic metals, in sewage sludge, 177–179
- Translocation, of pesticides in plants, 100
- Transpiration stream concentration factor (TSCF), 102
- Traps. *See:* Insect traps
- Triadimefon, 105
- Triadimenol, ('Baytan'), 27, 28, 55, 105  
resistance to, 106
- Tridimorph, 24
- Trifolium repens*. *See:* Clover
- Tuber soft rot. *See:* *Erwinia caratovora* var. *caratovora*
- Tungsten, complexes of, 154
- Turbulent dispersal theory, 60
- Unit of Nitrogen Fixation, 154
- Uromyces fabae* (rust on beans), 33, 125
- Valine, 144
- Varroa jacobsoni*, 93
- Vectors, of barley yellow dwarf virus, 122
- 'Vertalec', effect on honeybees, 93, 94
- Verticillium chlamyosporium*, 114
- Verticillium dahliae*, 115
- Verticillium lecanii*, 93
- Viruses,  
aphid infectivity, 121, 122  
aphid transmission, 119  
effect of mineral oil on, 119  
infectivity index for barley yellow dwarf virus, 119  
luteoviruses, 119  
of barley, 24, 31, 52, 119–122  
of beans, 33, 35, 125  
of faba beans, 125  
of honeybees, 93  
of lettuce, 119  
of potatoes, 36, 127  
of sugar beet, 41, 50, 51  
of tobacco, 119, 146, 147  
properties of, 119  
resistance to, 146  
restriction, 146  
transmission by pyrethroid resistant aphids, 104, 105
- Viruses, names of,  
acute bee paralysis, 93  
barley yellow dwarf virus, 24, 31, 52, 119, 121  
barley yellow mosaic virus, 120, 121  
bean yellow mosaic virus, 35, 125  
beet mild yellowing virus, 50  
beet mosaic virus, 119  
beet necrotic yellow vein, 51  
beet western yellows virus, 118  
beet yellows, 41, 50, 51  
broad bean luteo-type viruses, 125  
broad bean spherical, 125  
broad bean stain virus, 125  
broad bean true mosaic, 125  
broad bean vein mottle virus, 125  
broad bean wilt, 125  
potato leaf roll, 127  
potato virus Y, 36, 104, 105, 119, 127  
tobacco mosaic virus, 119
- Visitors, to Rothamsted, 57
- Wales, soil survey in, 198, 211
- Water potential, root, 120
- Water relations, in winter wheat, 62, 64
- Water stress,  
effect on wheat leaf photosynthesis, 64  
in potatoes, 115  
role of proline in, 144
- Weather,  
at Broom's Barn, 336  
at Rothamsted, 54, 334  
at Saxmundham, 337  
at Woburn, 335
- Weathering, in soils on Chalky Boulder Clay, 182
- Weeds, nematodes in, 109
- Weevils. *See:* *Sitona* spp.
- Welsh Plant Breeding Station, 167
- Wheat,  
after barley, 21, 170  
after oats, 21, 170  
after potatoes, 170  
aldicarb on seedbed, 26, 27  
at Broom's Barn, 41, 52, 172  
at Maulden, 170, 171  
at Rothamsted, 54, 55, 170, 171  
at Saxmundham, 170, 171, 173  
at Woburn, 25–27, 54, 55  
Avalon, 24, 26, 41, 55, 61, 124, 170–172  
Avocet, 55  
barley yellow dwarf virus on, 24  
brown rust on, 24  
carboxylases from, 142  
cell elasticity, 63  
*Cladosporium* spp. on, 25  
ear number, 61  
effect of radiation on, 62  
effect of soil conditions on, 171  
effect of sowing data on yield, 21, 170  
effect of straw incorporation on, 175  
effect of temperature on, 61  
eyespot on, 24, 105, 120

## INDEX

### Wheat (*contd.*)

Factors Limiting Yield of Winter Wheat, 21–26, 55, 74, 170  
Fenman, 55  
Flanders, 55, 124  
foot rot on, 24, 25  
fungal diseases of, 24  
fungicides on, 21, 102  
*Fusarium* spp. on, 124  
*Gaeumannomyces graminis* on, 165  
grain yield, 170  
growth of, 21, 22  
HMW polypeptides of, 147  
irrigation of, 26, 27  
leaf appearance, 61  
leaf area index, 26, 27, 65, 66  
leaf growth, 61  
leaf water potential, 63, 64  
light interception in, 63  
Longbow, 55  
loss of nitrogen by, 173  
microflora of developing ears, 24, 25  
mildew on, 24  
mutants of, 145  
nematodes on, 23  
nitrate N in stems of, 173, 174  
nitrogen content of, 22, 23, 171  
nitrogen deficient, 172  
nitrogen on, 21, 26, 27, 63, 170–174  
Norman, 55, 124, 170, 171, 174  
photosynthesis in, 63–66  
prolamins from, 146–148  
rate of oxygen evolution, 63, 64

### Wheat (*contd.*)

rate of senescence, 61, 62  
regeneration from protoplasts, 145  
root growth of, 171, 176  
*Septoria* on, 24  
slugs on, 102  
sowing data, 170  
stem extension in, 62  
take-all on, 24, 26, 102, 123, 124, 174  
tiller survival, 61  
*Triticale*, 145  
water relations in, 62  
winter, modelling of, 172  
yields, 41, 170  
*See also:* Cereals; Take-all  
Wind speed frequency distributions, 59  
Winter rainfall acceptance potential, 211  
Woburn,  
Minimum Cultivation and Deep PK experiment, 55  
weather at, 335  
wheat at, 25–27, 54, 55  
Worcestershire, soil survey in, 198  
Worm-worked wastes, 97, 98  
Worms. *See:* Earthworms  
Wye Double Digger, 171  
  
X-ray diffraction spectrometer, 165, 181  
  
Yeasts, metabolism of propionate by, 124, 125  
Yorkshire, soil survey in, 195, 210  
  
*Zea mays*, *See:* Maize  
Zinc, in sewage sludge, 177–179