

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Experimental Station Report for 1983

[Full Table of Content](#)



Subject Index

Rothamsted Research

Rothamsted Research (1984) *Subject Index* ; Rothamsted Experimental Station Report For 1983, pp 341 - 349 - DOI: <https://doi.org/10.23637/ERADOC-1-23>

SUBJECT INDEX

The General Report by the Director has not been indexed, nor have the papers in Part 2.

- Abscisic acid, 115
Acetylcholinesterase, in houseflies, 104
Acute bee paralysis, 93
Acyclic ligands, 150, 151
Aerial photographs, 182
Aerobiology, 58–60, 127
Agricultural Genetics Company, 168
Agrobacterium spp., 145
Agrobacterium rhizogenes, 166
Agrobacterium tumefaciens, 146
Albumins, 147
Alcohol dehydrogenase, 144
Aldicarb,
 as a nematicide, 110, 113, 115
 on barley, 27, 28
 on beans, 31, 32, 110
 on peas, 34, 35
 on sugar beet, 42
 on winter wheat, 22, 26, 27
Alternaria spp., 25, 127
Aluminium, effect on mycorrhizal colonization of oat, 166
Amazonian soils, 177
Amino acids,
 asparagine, 143
 aspartate family, 144
 biosynthesis of, 144
 branched chain in, 144
 cysteine, 145–147
 glutamine, 143, 145
 isoleucine, 144
 lysine, 144, 146
 methionine, 144
 proline, 144
 threonine, 144
 valine, 144
Ammonia,
 accumulation of, 143
 inhibition of assimilation of, 143, 144
 plants grown on, 143
Anglian Water Authority, 211
ANOPOR, for analysing soil structure, 204
ANOSOL, for analysing soil structure, 204
Anthelmintics, statistical analysis of, 75
APE 80 sprays, 106, 107
Aphanomyces cochlioides, 43
Aphid Commentary, 89, 122
Aphids,
 alarm pheromone of, 100–102
 caught in suction traps, 74, 89
 cereal, 89–91
 diseases of, 94, 95
 effect of organic manuring on, 94
 infectivity for barley yellow dwarf virus, 121, 122
 on barley, 31, 91
 on beans, 33
 on potatoes, 36, 100
 on sugar beet, 88
 on wheat, 23, 24
 predators, 94
 radar detection of, 88
 records of, 88, 89
 resistance of (*Myzus persicae*) to insecticides, 104
 RISCAMS, 89
 virus transmission by, 104, 105, 119
Aphids, scientific names of,
 Acyrtosiphon pisum, 33
 Aphis fabae, 94, 100
 Aphis (*contd.*)
 Lipaphis erysimi, 101
 Macrosiphum euphorbiae, 100, 105
 Metopolophium dirhodum, 24, 89, 122
 Metopolophium festucae, 24, 31
 Myzus persicae, 23, 31, 40, 90, 101, 104, 119
 Phorodon humuli, 101
 Rhopalosiphum padi, 23, 31, 91, 122
 Sitobion avenae, 23, 31, 89, 90, 100, 122
 Sitobion fragariae, 90
 Apion vorax, 33
 Asochyta, on beans, 33
 Asparagine, 143
 Aspartate kinase, 144
 Aspartate pathway, the, 144
 Aspergillus spp., on winter wheat, 25
 Asthma, 127
 Atomaria linearis, (pygmy beetles), 42, 43
 Aureobasidium pullulans, on winter wheat, 25
 Auxin levels, in potatoes, 146
 Azolla filiculoides, 168

Bacillus mycoides, effect on take-all, 123
Bacteria, metabolism of propionate by, 124, 125
Baking quality, of cereal grain, 146, 147
Barley,
 aldicarb on, 27
 aphids on, 31
 at Rothamsted and Woburn, 55, 56
 Atem, 55
 Athene, 121
 brown foot rot of, 30
 brown rust on, 30
 caryopses of, 144, 145
 chloroplasts of, 143
 cultivation/weedkiller experiment, 55
 effect of nematodes on, 116, 117
 electron microscopical examination of, 143
 Erysiphe graminis on, 29, 59
 eyespot on, 30
 factors limiting yield, 27–31, 55
 Georgie, 55
 growth and development of, 27, 28
 growth regulator on, 28, 55
 hordeins of, 148
 identification of cultivars, 147
 Igri, 55
 loose smut on, 30
 Maris Otter, 120, 121
 mutants in, 143–145
 net blotch on, 30
 nitrogen on, 29
 peroxisomes of, 143
 photorespiratory mutants of, 143
 Polymyxa graminis on, 120, 121
 prolamin storage proteins of, 146, 147
 Rhynchosporium secalis on, 29
 salt stress in, 144
 sharp eyespot on, 126
 Sonja, 121
 "Terpal" on, 55
 triadimenol on, 27, 28, 30, 55, 105, 106
 Triumph, 55
 water stress in, 144
 wind structure within crops, 59, 60
 yellow dwarf virus of, 24, 31, 51, 119, 121, 122

INDEX

- Barley (*contd.*)
yellow mosaic virus of, 91, 120, 121
yields, 28, 29, 52
See also: Cereals; *Erysiphe graminis*; Take-all
Barley yellow dwarf virus, 24, 31, 51, 119, 121
Barley yellow mosaic virus, 120, 121
'Bayol 50', 119
'Baytan', *See:* Triadimenol
Beans (*Vicia faba*),
aldicarb on, 31, 32, 110
aphids on, 33
Asochya on, 33
at Rothamsted and Woburn, 56
benomyl on, 31–33
carbofuran on, 31, 110
chocolate spot of, 56, 125
fosetyl-Al on, 32
irrigation of, 32
maneb+mancozeb on, 32
Minden, 32
nematodes on, 34, 110
pests and pathogens of, 31, 32
phorate on, 31, 32
pirimicarb on, 31, 32
propiconazole on, 32
root fungi of, 33
rust (*Uromyces fabae*) on, 33, 125
Sitona spp. on, 33
thiram on, 31
viruses of, 33, 35, 125
weevils on, 33
yields, 34
See also: *Phaseolus vulgaris*
Bean yellow mosaic virus, 35, 125
Bedfordshire, soil survey in, 203
Bees, *See:* Honeybees
Beet mild yellowing virus, 50
Beet mosaic virus, 119
Beet necrotic yellow vein virus, 51
Beet western yellows virus, 118
Beet yellows, 41, 50
Beetles, as aphid predators, 94
Bembidion spp., 42
Bendiocarb, 45
Benomyl,
effect on take-all, 123
on beans, 31–33
Benzyl esters, side chain of, 99
Berkshire, soil survey in, 210
Bicyclic ligands, 152, 153
Biodeterioration, 124, 125
Biomass, *See:* Soil biomass
Botrytis fabae (chocolate spot), on beans, 33, 56, 125
Bowaters, 97
British Cartographic Society, 194
British Sugar Corporation, 39, 49, 50, 75
British Technology Group, 168, 169
Broad beans,
nematodes on, 109
viruses, of, 125
Broom's Barn Farm, 51–53, 122
rainfall, 39
sugar beet on, 39–53, 58
weather at, 336
Brown plant hoppers, 91
Brown rust,
on barley, 30
on wheat, 24
Brussels sprout, pollination by bees, 92
Buckinghamshire, soil survey in, 210
Bumblebees, 92

Calcium, uptake of by potatoes, 154
Calcium peroxide, 45
Cambridgeshire, soil survey in, 200, 205
Candida guilliermondii var. *guilliermondii*, 125
Captafol,
effect on fungal pathogens of nematodes, 114
Carabid beetles, *See:* Beetles
Carbendazim, on winter wheat, 22

Carbofuran,
on beans, 31, 110
on sugar beet, 45
Carbon, biomass, 175
Carbon cost, of nitrogen fixation, 167, 168
Carbon dioxide fixation, 142, 143
Carbosulfan, 45
Carboxylase polypeptide, 142
Carboxylesterase, in *Myzus persicae*, 104
 β -Caryophyllene, 101
Caryopses, barley, 144, 145
Cattle, at Rothamsted, 57
Cereals,
at Broom's Barn, 52
baking quality of, 146
biodeterioration of, 124, 125
caryopses of, 144
diseases of, 120–124
erosion in, 205
grain yields, 123
storage proteins in, 144–148
take-all on, 122, 123
See also: Barley; *Erysiphe graminis*; Maize; Oats;
Take-all; Wheat
Chalky Boulder Clay, weathering in soils on, 182
'Chemoprints', of insects, 90, 91
Chenopodium quinoa, 51
China, viruses of faba beans in, 125
Chloridazon, 52
Chlormequat, on wheat, 22
Chocolate spot, of field beans,
See: *Botrytis fabae*
Chrysoperla carnea, 74
Cladosporium spp.,
on wheat, 25
spores of, 127
Clay minerals, in soils, 181
Clays, structure of, 164
Clones, cDNA, for cereal storage proteins, 148
Clover,
mycorrhiza on, 166
nematodes on, 109, 111
Clubroot, *See:* *Plasmodiophora brassicae*
Cockroach, *See:* *Periplaneta americana*
Colletotrichum coccodes (black dot on potato), 36
Common scab, *See:* *Streptomyces scabies*
Complexes, crystalline, 150–153
Computer programs,
AREAS, 208
BAYES, 154
crystallographic, 154, 155
for soil mineralogy, 181
GHOST, 72
ORTREP, 154
UNIMOL, 154
See also: Models; Statistical programming
Computers,
Apple, 208
bar-codes, 73
British Telecom Packet Switch Service, 72
data preparation, 73
Epson HX-20 portable, 73, 89
for storage of soil data, 72
graphics, 72, 78
ICL System 4, 72
Jacquard, J100, 72
microcomputers, 72, 73, 78, 209
Midas systems, 208, 209
modelling, 142, 178
Prime 550, 154, 208
PSS gateway, 155
Rothamsted Computing Unit, 71
Tektronix terminals, 155
Contarinia pisi, (pea midge), 91
Coordination chemistry, 150–153
Copper, in sewage sludge, 177–179
Coryneform bacterium, a, 123
Cotoneaster lacta,
naturally-occurring fungicide from, 154
Crop physiology, 60–66

INDEX

- Crystal structure, determination of, 150–152
 Cumbria, soil survey in, 201
 Cutworms, 91
Cylindrocarpon destructans, 114
Para-cyclophane, 152
 Cypermethrin,
 effect on virus transmission by aphids, 105, 106
 esters of, 99
 Cysteine, 145–147
 Cytokinin levels, in potatoes, 146
- Dactylis glomerata*, 90
Dasyneura brassicae (pod midges), 92
Datura innoxia, 144
 'Delsene M', on winter wheat, 22
 Deltamethrin,
 activity in soil, 107
 effect on dispersal of *Myzus persicae*, 104
 effect on potato virus Y transmission, 104
 esters of, 98
 Deposition gradients, 59, 60
 Derbyshire, soil survey in, 197, 211
Deroceras reticulatum, 95
Didymella exitialis, 127
 Dimethoate, field assessment of, 106
 Dinitrogen complexes, of tungsten, 154
 Disulphoton, 110
 DNA,
 complementary, 148
 concentration of, 165
 from mycorrhizal spores, 165
 recombinant, 146
 Dorset, soil survey in, 205
 Drought, effect on winter wheat, 64–66, 171, 172
- Earthworms,
 Dendrobaena veneta, 96
 Eisenia foetida, 96
 Eudrilus eugeniae, 96
 Perionyx excavatus, 96
 production of, from farm wastes, 97, 98
 productivity of large scale systems, 96, 97
 uptake of heavy metals by, 96
 wastes worked by, 97, 98
 East Anglia, soil survey in, 200
 Electro-dyn sprayers, 106
 Electron paramagnetic resonance, 142
 Electrostatic spraying systems, 100, 104, 106, 108, 110
 ELISA. *See*: Enzyme-linked immunosorbent assay
 Embryos, immature, regeneration from, 145
 Enzyme-linked immunosorbent assay, 50, 119, 122, 125, 146
 Enzymes,
 alcohol dehydrogenase, 144
 aspartate kinase, 144
 carboxylase polypeptide, 142
 glutamine synthetase, 143, 148
 glycollate oxidase, 143
 nitrate reductase, 144
 of the aspartate pathway, 144
 RuBP carboxylase, 142
Epicoccum spp., 25
 Ergosterol, 106
Erynia neoaphidis, 94
Erysiphe graminis (barley mildew)
 development of, 59
 on barley, 29, 30
 on wheat, 24
 sensitivity to fungicides, 105
Escherichia coli, 165
 Eyespot (*Pseudocercospora herpotrichoides*), on wheat,
 105, 120
- Faba beans, 125
 Falkland Islands, 78
 Farmyard manure (FYM),
 effect on aphid populations, 94
 on sugar beet, 42, 43
 Fenamiphos, 110
 Fenpropimorph, 105
- Fenvalerate, effect on virus transmission by aphids, 104
 Ferredoxin-dependent barley mutants, 143
 Field Drainage Experimental Unit, 210
 Field Experiments,
 crop yields, 54–56
 number of plots, 54
 small plots, 54
 working party for, 54
 Flamprop, 103
 Foliar sprays, against potato scab, 103
 Foot rot, of wheat, 24, 25
 Forestry, suitability of soils for, 194, 195
 Fosetyl-Al, on beans, 32
 'Friends of Rothamsted', 57
 Fungal diseases,
 of potatoes, 36
 of wheat, 24, 25
 See also: *Erysiphe graminis*; Eyespot; *Fusarium*;
 Take-all
 Fungicides,
 naturally occurring, 154
 on wheat, 102
 resistance, 105, 106
Fusarium spp.,
 on barley, 30
 on peas, 35
 on wheat, 124
Fusarium avenaceum,
 on peas, 35
 on wheat, 124
Fusarium culmorum, on winter wheat, 124
Fusarium equiseti, on wheat, 124
Fusarium nivale, on wheat, 124
Fusarium oxysporum, on wheat, 124
Fusarium poae, on wheat, 124
Fusarium solani, on peas, 35
Fusarium tabacinum, 35
 Fusion, of protoplasts, 145
 FYM. *See*: Farmyard Manure
- Gaeumannomyces graminis* var. *tritici*, 165
 See also: *Phialophora radicola*
 Galls, from potatoes, 145
 Gangrene,
 See: *Phoma exigua* var. *foveata*
 Gene libraries, 165
 Genes, for the storage proteins, of wheat, barley and rye,
 148
 Genetic manipulation programme, 148
 Genetic studies, with *Rhizobium* and mycorrhizas, 164
 Genkey, 77
 Genstat, 78
 Gleadthorpe Experimental Husbandry Farm, 210
 Globulins,
 localization and characterization of, 148
 of oats, 146
Glomus caledonium, 165, 166
¹⁴C-glutamine, metabolism of, 143
 Glutamine synthetase, 143
 cloning of, 148
 Gluten, components of, 146, 147
 Glycollate oxidase, 143
 Goethite, determination of, 181
 Grass, at Rothamsted and Woburn, 56
 Growth regulators, 142
 on sugar beet, 49
 on wheat, 22
- Hampshire, soil survey in, 198, 199, 202, 205, 211
 Hay, propionate-treated, 124, 125
 γ -HCH, on sugar beet, 42
 HCl reflux, 177
Helminthosporium solani (silver scurf on potato), 36
 Hematite, in soil clays, 181, 182
 Herbicides, potential, 143
 Herefordshire, soil survey in, 205
 HMW (high molecular weight) polypeptides, of wheat, 147
 HMW prolamins, of wheat, 148
 Honeybees (*Apis mellifera*), acute paralysis virus of, 93
 foraging pheromones, 92

INDEX

- Honeybees (*contd.*)
hazards to from fungal control agents, 92, 93
pollination of Brussels sprout by, 92
queen pheromones of, 93
Varroa jacobsoni on, 93
- Hop cones, (*E*)- β -farnesene in, 101
- Hordeins, 148
- 'Host races', 109
- Housefly (*Musca domestica*),
insecticide resistance in, 103, 104
knock-down resistance in, 104
neuroanatomy of, 100
- Hyalodendron* spp., 25
- Hydraulic sprays, of nematicides, 110
- Hydrothermal time, 44
- Hymenoptera, as aphid predators, 94
- Hypochlorite, immersion of potato tubers in, 127
- Hyphopichia burtonii*, 125
- ICRISAT (International Crops Research Institute for the Semi Arid Tropics), 168
- Identification, of barley cultivars, 147
- Immature embryos, regeneration from, 145
- Immunological studies, with cereal prolamins, 146, 147
- Immunospecific electron microscopy, 119, 125
- 'Infectivity Index', for barley yellow dwarf virus, 121, 122
- Insect traps,
aphids caught in, 74, 89
sex-pheromone traps, 91
suction traps, 74, 89
- Insecticides,
aphid resistance to, 103
biological activity of in soil, 107
effects on beneficial species, 103
effects on pests of sugar beet, 42–45
housefly resistance to, 103, 104
See also: Aphicides; Nematicides; Pesticides; Pyrethroids: names of individual insecticides
- Institute of Hydrology, 211
- Iron oxide, in the soil, 181
- Irrigation,
of field beans, 32
of sugar beet, 40
of wheat, 26, 27
- ISEM, *See:* Immunospecific electron microscopy
- Isoleucine, 144
- 'Jumbo' type sprayers, 106
- Kent, soil survey in, 203, 211
- Leaf Area Index (LAI), 60
- Land and Water Service, 210
- Land drainage, 178
- Leaching, of pesticides in the soil, 107
- Leaf protein, extraction of, 183
- Leaf water potential, in winter wheat, 63, 64
- Lectins, 146, 147
- Leghaemoglobin content, of root nodules, 112
- Legumes,
grain, diseases of, 125
nitrogen fixation in, 167, 168
See also: Beans; Clover; Lucerne
- Leicestershire museums, 194
- Letcombe Laboratory, 172, 211
- Lincolnshire, soil survey in, 198
- Linyphiid spiders, effect of insecticides on, 43
- Livestock,
at Broom's Barn Farm, 53
at Rothamsted and Woburn, 57
statistical analysis for, 75
- Long Ashton Research Station, 122, 142, 154
- Lucerne, nematodes on, 110, 111
- Lucerne moth, pheromones of, 101
- Lysine, 144, 146
- Macrobicyclic polyethers, 152
- MAFF Aerial Photography Unit, 205
- Maize,
carboxylases from, 142, 143
nematodes on, 110
nitrogen content, 168
- Maleic hydrazide, 103
- Maneb, on winter wheat, 22
- Maneb+Mancozeb, on beans, 32
- Manganese, effect on mycorrhizal fungi, 166
- Markov chain simulation, 60
- Mathematical models, *See:* Models
- Metal ion concentrations, 178
- Metal toxicity, of soils, 175
- Metalaxyl, 34
- Methiocarb, for slug control, 35
- Methionine, 144
- Methionine sulphoximine, 143, 144
- Microclimatology, 58–60
- Microcomputers, 72, 73, 78, 208, 209
- Microflora, soil, 165
- Micronutrients, in soils and crops, 177–179
- Microprocessors, 66
- Midge,
pod, 92
pea, 91
- Milax budapestensis*, 95
- Mildew,
downy, on peas, 34
on sugar beet, 41
See also: *Erysiphe graminis* (barley mildew)
- Millet, N₂ fixation in, 168
- Mineral oil, effect on virus infection, 119
- Mixtures, of cultivars, 59
- Mobile shelters, 171, 172
- Models,
for catches of *Chrysoperla carnea* and aphids, 74
for yield of Pentland Squire potatoes, 74
leaching, 107
of disease development, 58, 59
of dispersal of fungal spores, 60
of herbicide movements in soils, 73
of nitrogen requirement predictions, 174
of pea moth flight, 74
of plant and soil samples, 74
of take-all distribution, 73
winter wheat crop model, 172
- Mole-drained soils, hydrology of, 179
- Molluscicides, 95
- Monocyclic ligands, 151, 152
- Moths,
lucerne, 101
pea, 101
- Montmorillonite, 182
- MSO, *See:* Methionine sulphoximine
- Multilines, use of, 59
- Musca domestica*, *See:* Housefly
- Mutants,
in barley, 143–145
of wheat, 145
photorespiratory, 145
- Mycorrhiza, vesicular arbuscular,
effect of aluminium on, 166
effect of manganese on, 166
effect of phosphate on, 166
effect on oats, 166
effect on onions, 166
effect on white clover, 166, 167
genetic studies with, 164, 165
inoculum production, 166
- 'Mycotal', effect on honeybees, 93, 94
- National Institute of Agricultural Engineering, 96, 97, 106
- National Lowland Peat Inventory, 194
- National Peat Inventory, 200, 201
- National Radiological Protection Board, 211
- National Soil Inventory, 210
- National Soil Map, 194, 195, 200, 210, 211
- Nematicides,
aldicarb, 110
electrostatic and hydraulic sprays of, 110

INDEX

- Nematicides (*contd.*)
 FMC 65201, 113
 FMC 67825, 113
 for use on onions, field beans and lucerne, 110
 in seed furrows, 110
 oxamyl, 110
 split-application technique for, 110
- Nematodes,
 biological control of, 114
 control of, 109–118
 cyst nematodes, 111–118
 effect of crop rotations on, 109
 effect on barley yield, 116, 117
 effect on *Rhizobium* nodulation of peas, 109, 111–113
 host races, 109
 identification, 118
 in weeds, 109
 interaction with *Verticillium dahliae*, 115
 morphology and function of, 117
 on barley, 116, 117
 on beans, 34, 109, 110, 117
 on clover, 109, 111
 on lucerne, 110, 111
 on maize, 110
 on oats, 109, 110
 on onions, 110
 on peas, 35, 110, 111, 117
 on potatoes, 35, 36, 115–118, 153
 on soil fungi, 109
 on soy bean, 113
 on sugar beet, 40, 51, 109
 on wheat, 23
 'pathotypes', 109
 pea cyst nematodes, 111–113
 perineal patterns, 117
 potato cyst nematodes, 35, 36, 115, 116
 resistance to, 111
 root knot, 117, 118
 stem, 109, 110, 112
 stylet length, 117
 taxonomy of, 117
 trichodoriid, 116, 117
 vulval morphology of, 118
- Nematodes, scientific names of,
Ditylenchus, spp., 34
Ditylenchus dipsaci, 109, 112
Globodera pallida, 113, 116, 118
Globodera rostochiensis, 113, 115, 116, 118, 153
Helicotylenchus spp., 23, 34
Heterodera avenae, 23, 114
Heterodera cruciferae, 114, 115, 117
Heterodera glycines, 111
Heterodera goettingiana, 111–113
Heterodera schachtii, 51, 114
Longidorus spp., 40
Meloidogyne spp., 117
Paratrichodorus spp., 40, 116
Pratylenchus spp., 23, 34, 35
Pratylenchus neglectus, 34
Pratylenchus thornei, 122
Rotylenchus spp., 23
Trichodorus spp., 40
Trichodorus cylindricus, 116
Trichodorus primitivus, 116
Tylenchorhynchus spp., 23, 34
Tylenchus spp., 34
- Nematophthora gynophila*, 114
 New Plant Products Ltd., 168
 Nickel, in sewage sludge, 177–179
 Nickerson RPB Ltd., 145
Nicotiana plumbaginifolia, 144
Nicotiana tabacum, *See*: Tobacco
 Nitrate, effect on photorespiration, 143
 Nitrate reductase, 144
- Nitrogen,
 fixed, transfer to associated crops, 168
 immobilization of in the autumn, 175, 176
 in cow slurry, 74
 in the soil, 26
 in the soil biomass, 175
- Nitrogen (*contd.*)
 nitrate, in wheat stems, 173, 174
 release of from incorporated straw, 176
- Nitrogen fertilizers,
 losses of ¹⁵N labelled fertilizers applied to winter wheat, 173
 on sugar beet, 40, 46, 47, 60, 61
 on winter wheat, 21, 26, 27, 62–64
 prediction of requirements, 164, 174
 supply of, 142
 timing of, 21
- Nitrogen fixation,
 carbon costs of, 167, 168
 in sorghum and millet, 168
 transfer of fixed nitrogen to associated crops, 168
- Nodules, root,
 formation of, 167
- Norfolk, soil survey in, 205, 210, 211
 Norfolk Agricultural Station, 211
 Northumberland, soil survey in, 195
 Nottingham University, 49
 Nottinghamshire, soil survey in, 205
 Nuarimol, on swedes, 106
 Nuclear Overhauser Effect, 153
 Nuclear magnetic resonance spectra, 151
- Oats,
 at Broom's Barn, 52
 at Rothamsted and Woburn, 56
 breeding for nematode resistance, 110, 111
 embryos of, 148
 globulins of, 146, 148
 mycorrhiza on, 166
 nematodes on, 110, 111
- Oilseed rape,
 at Rothamsted and Woburn, 56
 nematodes on, 114, 115
 pod midge of, 92
 regeneration from protoplasts, 145, 146
- Onions,
 inoculation with mycorrhiza, 166
 nematodes on, 110
- Organic complexes, 177
- Oxamyl,
 on potatoes, 35
 to control nematodes, 110, 113, 116
- Oxfordshire, soil survey in, 211
- Oxygen evolution, 63, 64
- Paper pulp waste, breakdown of by earthworms, 97
- Pathogenesis related proteins, 146, 147
- 'Pathotypes', 109
- Pea moth, *See*: Moths
- Peas,
 aldicarb on, 34, 35
 carboxylases from, 142
 downy mildew of, 34
 fungal diseases of, 35
 interaction between nematodes and *Rhizobium* of, 111–113
 metalaxyl on, 34
 nematodes on, 35
 permethrin on, 24
 pirimicarb on, 34
Sitona spp. on, 34, 35
 tolclofos methyl on, 34
 viruses of, 35
- Peat, survey of, 194, 200, 201
- Pellets, seed, 45, 46
- Periplaneta americana*, (cockroach) neuroanatomy of, 100
- Permethrin,
 activity of in soil, 107
 effect on virus transmission by aphids, 104
 esters of, 98
 in electrostatic sprayers, 100, 101
 on peas, 34
- Peronospora schachtii*, (downy mildew, of peas), 34
- Pesticides,
 behaviour of in soils, 107, 108

INDEX

- Pesticides (*contd.*)
leaching of in the field, 107
translocation of, 102
See also: Aphicides; Fungicides; Insecticides; Nematocides
- Phaseolus vulgaris* (French bean), transfer of fixed nitrogen from, 168
- Phenmedipham, 52
- Phenoxyacetic acids, 103
- Pheromones,
aphid alarm pheromone, 100
foraging pheromones, 92
hazards to, from fungal control agents, 93, 94
inhibition of pheromone activity, 101
in pea midges, 91
in the lucerne moth, 101
of *Ephesia kuehniella*, 101, 102
pea moth, 101
queen pheromone, 93
synthesis, 101
- Phialophora graminicola*, 165
- Phoma exigua* var. *foveata* (gangrene on potato), effect of thiabendazole on, 127
- Phorate, on beans, 31, 32
- Phosphate fertilizers, effect on take-all, 124
- Phosphinothricin (PPT), 143, 144
- Phosphorus, in the soil biomass, 174
- Photorespiration,
effect of nitrogen source on, 143
in winter wheat, 63, 65
- Photorespiratory metabolism, 143
- Photosynthesis,
in wheat, 63–66
light response curves, 49
- Photosynthetic carbon, interaction with nitrogen metabolism, 143
- Pigs, fattening of, 75
- Pirimicarb,
on beans, 31, 32
on peas, 34
on winter wheat, 22
- Plant Breeding Institute, 145
- Plant growth regulators, 142
- Plant nutrition, 164
- Plasma Emission Spectrometer, 183
- Plasmids, host range, in *Rhizobium*, 167
- Plough pan, effect of, 171
- Polyethers,
macrobicyclic, 152
synthesis of, 150
- Polymyxa graminis*, 120, 121
- Polypeptides, HMW, of wheat, 147
- Potometers, 66
- Potassium,
acyclic ligands with, 150, 151
deficiency of, 176, 177
for control of water potential, 164
in soils, 177
selectivity between sodium and potassium, 151
soil, 205
- Potato leaf roll virus, 127
- Potato virus Y, 36, 104, 105, 119, 127
- Potatoes,
aphids on, 36
Arran Comet, 126
at Rothamsted and Woburn, 56
black dot on, 36
Cara, 56, 116, 126
common scab on, 36, 103
Désirée, 35, 56
Estima, 126
fungal diseases of, 36
gangrene on, 127
imazalil on, 35
intensive production, 35, 36
King Edward, 56
methiocarb on, 35
monocultures, 114
nematode resistance in, 116
nematodes on, 35, 36, 115–117, 153
- Potatoes (*contd.*)
oxamyl on, 35
Pentland Crown, 56
Pentland Squire, 126
phorate on, 36
primicarb on, 36
powdery scab, 36, 103, 126
regeneration from protoplasts, 145
silver scurf on, 36
slugs on, 36
stem canker (*Rhizoctonia solani*) on, 36, 126
stomatal aperture in, 153, 154
tolclofos methyl on, 35
tolerance to cyst nematodes, 115, 116
Ulster Sceptre, 126
virus diseases of, 36, 127
water stress in, 115
yields, 56
- Powdery mildew, *See: Erysiphe graminis*
- PPO, 143, 144
- PPT, *See: Phosphinothricin*
- PR (pathogenesis related)-proteins,
immunological studies with, 146
in transformed tobacco, 147
relation of to virus resistance, 146
- Programs, *See: Computer programs: statistical programming*
- Prolamin storage proteins,
clones for, 148
identification of barley cultivars by, 147
immunological studies with, 146, 147
in barley and wheat, 146
- Proline, 144
- Propionate, metabolism of by yeasts and bacteria, 124, 125
- Propiconazole, 22, 32, 105
- Proteins,
cereal grain, 144–148
leaf, extraction of, 183
pathogenesis related, 146, 147
- Protoplasts, regeneration from, 145
- Pseudocercospora herpotrichoides*, (eyespot), 30, 105, 120
- Puccinia hordei*, (brown rust), on barley, 30
- Pyrenophora teres*, (net blotch) on barley, 30
- Pyrethroids,
activity of in soil, 107
insect resistance to, 104
relationship between structure and insecticidal activity of, 98, 99
- Quantimet 720 image analyser, 204
- Radar, for detection of aphids, 88, 89
- Ramularia beticola*, 41
- Rape, *See: Oilseed rape*
- RCF, *See: Root concentration factor*
- Recombinant DNA, 148
- Rhizobium* spp.,
effect of nematode infestations on nitrogen fixation by, 109, 111–113
genes determining host range and N₂ fixation, 167
in mixed treatments, 167
on clover, 167
oxygen diffusion resistance, 168
on peas, 111
production of inoculants, 168, 169
Rhizobium leguminosarum, 111, 167
- Rhizoctonia cerealis*, 126
- Rhizoctonia solani* (stem canker on potato), 36, 126
- 'Rhizomania', of sugar beet, 51
- Rhynchosporium secalis*, on barley, 30
- Ribulose biphosphate carboxylase, 142
- Rice, root uptake by, 102
- Ricinus communis*, root uptake from, 102
- Root concentration factor, 102, 103
- Root hairs, growth of, 176
- Root systems, developing, infection spread in, 165, 166
- Roots,
growth of, 171, 176
water flow across, 176

INDEX

- Rothamsted,
 barley at, 55, 56
 beans at, 56
 weather at, 54, 334
 wheat at, 54, 55
 Rothamsted Aphid Commentary, 89, 122
 Rothamsted Insect Survey, 88, 89, 122
 Royal Aircraft Establishment, Farnborough, 206
 RuBP carboxylase, 142
Rubus fruticosus, 90
 Rye, secalins of, 148
- Salt stress, in barley, 144
 Saturated hydraulic conductivity, of soils, 203
 Saxmundham,
 weather at, 337
 wheat at, 170, 171, 173
 Secalins, of rye, 148
 Seed furrow treatment, 110
 Seed pellets, 45, 46
Septoria spp., in winter wheat, 24
 Sewage sludge, toxic effects of metals in, 177-179
 Shardlow, 121, 122, 208, 209
 Sharp eyespot, on wheat, 24
 Sheep, experiments with, 78
 Shropshire, soil survey in, 205
 Shuttleworth Agricultural College, 209
Sitona spp.,
 on field beans, 33, 96
 on peas, 95
 Slugs,
 chemical control of, 95, 102
 on potatoes, 36
 on wheat, 102
 SMD (Soil moisture deficit), 126
 Sodium, and potassium, selectivity between, 151
 Soil, iron oxide in, 181
 Soil analysis, 183
 Soil and Water Management Association, 212
 Soil biomass,
 nitrogen and phosphorus in, 174-176
 Soil erosion, 205
 Soil maps, 194-200
 bulletins, 194, 195
 methodology for, 206, 207
 units of, 207
 Soil microflora, 165
 Soil micromorphology, 210
 Soil mineralogy, 181, 182
 Soil moisture deficit, 126
 Soil-root relationships, 164
 Soil structure,
 description of, 180
 quantification of, 204
 regeneration of, 180, 181
 structural development within aggregates, 181
 Soil Survey Information System, 208
 Soil surveys,
 Bedfordshire, 203
 Berkshire, 210
 Buckinghamshire, 210
 Cambridgeshire, 200, 205
 Cumbria, 201
 Derbyshire, 197, 211
 Dorset, 205
 East Anglia, 200
 for ADAS, 210
 Hampshire, 198, 199, 202, 205, 211
 Herefordshire, 205
 Kent, 203, 211
 Lincolnshire, 198
 Norfolk, 211
 Northumberland, 195
 Nottinghamshire, 205
 Oxfordshire, 211
 Shropshire, 205
 Somerset, 199, 201, 202, 205
 South-West England, 198, 199
 Staffordshire, 204, 205, 211
 Suffolk, 200
- Soil surveys (*contd.*)
 Sussex, 205
 Wales, 198, 211
 Worcestershire, 198
 Yorkshire, 195, 210
 Soil type, effect on severity of take-all, 124
 Soil water,
 regimes, 204, 205, 209
 retention of, 209
 Solar radiation, interception of, by sugar beet, 40, 48, 49, 60
 Somerset, soil survey in, 199, 201, 202, 205
 Sorghum, associative N₂ fixation with, 168
 South-east England, soil clays in, 181
 South-west England, soil survey in, 198, 199
 Soy beans, nematodes on, 113
 Spatial variation, 182, 183
 Spectral ratio meters, 48, 49
 Spinach, carboxylases from, 142
 Split-application technique, 110
Spongopora subterranea, 126
 Spores,
 airborne counts of, on Rothamsted farm, 127
 dispersal of, 60
 mycorrhizal, 165
 of *Cladosporium* spp., 127
 of *Pseudocercospora herpotrichoides*, 120
 'Sportak', on winter barley, 106
 Staffordshire, soil survey in, 204, 205, 211
 Staphylinid beetles,
 effect of insecticides on, 43
 Statistical analysis,
 for ADAS, 74
 for ODA projects, 78
 in nutrition chemistry, 75
 of agronomy experiments, 78
 of anthelmintic treatments, 75
 of crop experiments, 74
 of experiments on growth of sheep, 78
 of livestock experiments, 75
 of nitrogen in cow slurry, 74
 of oilseed rape trial, 75
 routine analysis, 74
 Rothamsted Insect Survey, 88, 89, 122
 Statistical models. *See: Models*
 Statistical programming,
 Genkey, 77
 Genstat, 77, 78
 GLIM 3, 78
 GLIM 4, 78
 Maximum Likelihood Program (MLP), 78, 204
 Statistical theory,
 biplots, 76
 confidence limits for parameters in curve fitting, 76
 intercropping, 79
 irredundant sets in diagnostic keys, 76
 quasi-likelihood, 76
 variance-mean relationships, 77
 zeros in contingency tables, 76
 Stem canker. *See: Rhizoctonia solani*
 Stomatal resistance, 66
 Storage proteins,
 cereal, 144-148
 genes for, 148
 Straw, incorporation of, 175, 176
Streptomyces scabies (common scab on potato), 36, 126
 Stress hormones, 115
 Suffolk, soil survey in, 200
 Sugar beet,
 aldicarb on, 42, 43
Aphanomyces cochlioides on, 39, 43, 44
 aphids on, 40, 52
Atomaria linearis on, 42, 43
Bembidion spp. on, 42, 43
 bolting, 39, 40, 52
 crop establishment, 42-44
 Docking disorder, 40
 effect of air temperature on, 60
 effect of insecticides on pests of, 42, 43
 effect of soil physical factors on, 44
Erysiphe betae (powdery mildew) on, 49, 50

INDEX

- Sugar beet (*contd.*)
farmyard manure on, 42, 43
fibrous root growth, 46
growth regulators on, 49
 γ -HCH on, 42
hydrothermal time, 44
insecticides for, 42, 43
irrigation of, 40
leaf area index, 60
leaf expansion, 60
leaf growth and development, 60, 61
nematodes on, 40, 51
'Nomo', 50
nitrogen on, 40, 46–48, 60
pellet structure, 45, 46
pests of, 42, 43
Polymyxa betae on, 51
powdery mildew on, 41, 52
radiation interception, 40, 49, 60
Ramularia beticola, 41
remote sensing and crop growth, 48, 49
'rhizomania' of, 51
rotations, 42, 43
rust on, 41
survey of, 75
thermal time, 44
weed beet, 39
yellowing viruses of, 41
yield prediction, 48, 49
yields, 48, 53
Sussex, soil survey in, 205
Swedes, control of mildew on, 106
- Take-all on cereals,
control, 122, 123
difference in between cultivars, 123
effect of phosphate manuring on, 124
effect on nitrogen requirements of wheat cultivars, 174
fungicides for control of, 123
incidence of, 119
on wheat after barley, 24
on winter wheat, 123, 124
relationship between severity and soil type, 124
Thermal time, 44, 61
and root growth, 176
estimates of in soils, 180
- Thiabendazole,
effect on stem nematodes, 110
for control of potato gangrene, 127
- Thiram, for seed treatments, 31
- Threonine, 144
- Tissue culture, of potatoes, 145
- Tobacco,
carboxylases from, 142, 143
disease resistance in, 146
virus diseases of, 119, 147
- Tobacco mosaic virus, 119
- Tolclofos methyl, 34, 35
- Toxic metals, in sewage sludge, 177–179
- Translocation, of pesticides in plants, 100
- Transpiration stream concentration factor (TSCF), 102
- Traps. *See:* Insect traps
- Triadimefon, 105
- Triadimenol, ('Baytan'), 27, 28, 55, 105
resistance to, 106
- Tridemorph, 24
- Trifolium repens*. *See:* Clover
- Tuber soft rot. *See:* *Erwinia caratovora* var. *caratovora*
- Tungsten, complexes of, 154
- Turbulent dispersal theory, 60
- Unit of Nitrogen Fixation, 154
- Uromyces fabae* (rust on beans), 33, 125
- Valine, 144
- Varroa jacobsoni*, 93
- Vectors, of barley yellow dwarf virus, 122
- 'Vertalec', effect on honeybees, 93, 94
- Verticillium chlamyosporium*, 114
- Verticillium dahliae*, 115
- Verticillium lecanii*, 93
- Viruses,
aphid infectivity, 121, 122
aphid transmission, 119
effect of mineral oil on, 119
infectivity index for barley yellow dwarf virus, 119
luteoviruses, 119
of barley, 24, 31, 52, 119–122
of beans, 33, 35, 125
of faba beans, 125
of honeybees, 93
of lettuce, 119
of potatoes, 36, 127
of sugar beet, 41, 50, 51
of tobacco, 119, 146, 147
properties of, 119
resistance to, 146
restriction, 146
transmission by pyrethroid resistant aphids, 104, 105
- Viruses, names of,
acute bee paralysis, 93
barley yellow dwarf virus, 24, 31, 52, 119, 121
barley yellow mosaic virus, 120, 121
bean yellow mosaic virus, 35, 125
beet mild yellowing virus, 50
beet mosaic virus, 119
beet necrotic yellow vein, 51
beet western yellows virus, 118
beet yellows, 41, 50, 51
broad bean luteo-type viruses, 125
broad bean spherical, 125
broad bean stain virus, 125
broad bean true mosaic, 125
broad bean vein mottle virus, 125
broad bean wilt, 125
potato leaf roll, 127
potato virus Y, 36, 104, 105, 119, 127
tobacco mosaic virus, 119
- Visitors, to Rothamsted, 57
- Wales, soil survey in, 198, 211
- Water potential, root, 120
- Water relations, in winter wheat, 62, 64
- Water stress,
effect on wheat leaf photosynthesis, 64
in potatoes, 115
role of proline in, 144
- Weather,
at Broom's Barn, 336
at Rothamsted, 54, 334
at Saxmundham, 337
at Woburn, 335
- Weathering, in soils on Chalky Boulder Clay, 182
- Weeds, nematodes in, 109
- Weevils. *See:* *Sitona* spp.
- Welsh Plant Breeding Station, 167
- Wheat,
after barley, 21, 170
after oats, 21, 170
after potatoes, 170
aldicarb on seedbed, 26, 27
at Broom's Barn, 41, 52, 172
at Maulden, 170, 171
at Rothamsted, 54, 55, 170, 171
at Saxmundham, 170, 171, 173
at Woburn, 25–27, 54, 55
Avalon, 24, 26, 41, 55, 61, 124, 170–172
Avocet, 55
barley yellow dwarf virus on, 24
brown rust on, 24
carboxylases from, 142
cell elasticity, 63
Cladosporium spp. on, 25
ear number, 61
effect of radiation on, 62
effect of soil conditions on, 171
effect of sowing data on yield, 21, 170
effect of straw incorporation on, 175
effect of temperature on, 61
eyespot on, 24, 105, 120

INDEX

Wheat (*contd.*)

Factors Limiting Yield of Winter Wheat, 21–26, 55, 74, 170
Fenman, 55
Flanders, 55, 124
foot rot on, 24, 25
fungal diseases of, 24
fungicides on, 21, 102
Fusarium spp. on, 124
Gaeumannomyces graminis on, 165
grain yield, 170
growth of, 21, 22
HMW polypeptides of, 147
irrigation of, 26, 27
leaf appearance, 61
leaf area index, 26, 27, 65, 66
leaf growth, 61
leaf water potential 63, 64
light interception in, 63
Longbow, 55
loss of nitrogen by, 173
microflora of developing ears, 24, 25
mildew on, 24
mutants of, 145
nematodes on, 23
nitrate N in stems of, 173, 174
nitrogen content of, 22, 23, 171
nitrogen deficient, 172
nitrogen on, 21, 26, 27, 63, 170–174
Norman, 55, 124, 170, 171, 174
photosynthesis in, 63–66
prolamins from, 146–148
rate of oxygen evolution, 63, 64

Wheat (*contd.*)

rate of senescence, 61, 62
regeneration from protoplasts, 145
root growth of, 171, 176
Septoria on, 24
slugs on, 102
sowing data, 170
stem extension in, 62
take-all on, 24, 26, 102, 123, 124, 174
tiller survival, 61
Triticale, 145
water relations in, 62
winter, modelling of, 172
yields, 41, 170
See also: Cereals; Take-all
Wind speed frequency distributions, 59
Winter rainfall acceptance potential, 211
Woburn,
Minimum Cultivation and Deep PK experiment, 55
weather at, 335
wheat at, 25–27, 54, 55
Worcestershire, soil survey in, 198
Worm-worked wastes, 97, 98
Worms. *See:* Earthworms
Wye Double Digger, 171

X-ray diffraction spectrometer, 165, 181

Yeasts, metabolism of propionate by, 124, 125
Yorkshire, soil survey in, 195, 210

Zea mays, *See:* Maize
Zinc, in sewage sludge, 177–179