


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Experimental Station Report for 1983

[Full Table of Content](#)



Rothamsted Experimental Station Plan

Rothamsted Research


Rothamsted Research (1984) *Rothamsted Experimental Station Plan* ; Rothamsted Experimental Station Report For 1983, pp 355 - 355 - DOI: <https://doi.org/10.23637/ERADOC-1-23>

ROTHAMSTED EXPERIMENTAL STATION

FIELD EXPERIMENTS

- | | | |
|-------------------------|-----------------------------|--|
| Classical | Wheat since 1843 | } Ley-arable Rotation
Cultivation Weedkiller Rotation
Subsoiling and Deep PK
Roman Temple
Mobile Rain Shelters |
| Broadbalk | Barley since 1852 | |
| Hoosfield | Hay since 1856 | |
| Park Grass | Mangolds 1876-1959 | |
| Barnfield | 4-course Rotation 1848-1951 | |
| Agdell | Garden Clover, started 1854 | |
| X | Wheat and Fallow since 1851 | |
| Y | Exhaustion Land | |
| Z | | |
| Modern Long-term | | |
| Highfield | | |
| Fosters | | |
| Gt. Harpenden I | | |
| Great Field I | | |
| Miscellaneous | | |
| RT | | |
| MS | | |

Area: 330ha (813acres)
 Elevation: 95-134m (310-440ft.) above sea level
 Rainfall: 1970-79 mean 704mm (28in.) per annum
 Extremes: (1973) 540mm (21in.)
 (1979) 909mm (32in.)
 Soil: Well drained or moderately well drained flinty loams on clay-with-flints and/or chalk



11/80