

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Experimental Station Report for 1984

[Full Table of Content](#)



Subject Index

Rothamsted Research

Rothamsted Research (1985) *Subject Index* ; Rothamsted Experimental Station Report For 1984, pp 323 - 330 - DOI: <https://doi.org/10.23637/ERADOC-1-25>

SUBJECT INDEX

The General Report by the Director (pp. 11–21) has not been indexed, nor have the papers in Part 2.

- Abscisic acid, 118
Acetylcholinesterase, in houseflies, 106
Acid, deposition of, 186
ADAS, 198, 206, 213–215
Aerobiology, 68–70, 133–134
AFRC wheat model, 61–62
'AG 58', 134
Agricultural Development and Advisory Service, *See*:
 ADAS
Agricultural Genetics Company, 175
Agrobacterium spp., 151–152
Agroclimatic databank, 210
Airborne microorganisms, 133–134
Aldicarb,
 aphid resistance to, 107
 as a nematicide, 122
 degradation of in anaerobic soils, 112
 effect on severity of take-all, 27
 on beans, 34
 on peas, 36, 37
Alnwick and Rothbury, soil survey of, 198
Alternaria, spp., 27, 28
Amides, insecticidal, 103
Amino acids,
 aspartate family, 150
 glycine, 149
 in cereal mutants, 150
 serine, 149
 threonine, 150
Anglian Water Authority, 216
Anthracnose, of bean, 109
APE 80 sprays, 110, 125
Aphids,
 alarm pheromone of, 104
 antifeedants, 105
 biological control of, 94–95
 bulletins, 92
 cereal, 93
 enemies of, 92
 forecasts, 92
 fungal pathogens, 95
 infectivity for barley yellow dwarf virus, 26, 129
 on beans, 35
 on potatoes, 59
 on wheat, 26
 resistance to insecticides, 103–107
 surveys, 92–93
 vectors of potato virus Y, 132
Aphids, scientific names of,
 Acyrtosiphon pisum, 35
 Aphis fabae, 43, 77, 92
 Macrosiphum euphorbiae, 43, 104, 132
 Metopolophium dirhodum, 93, 129
 Metopolophium festucae, 26, 32, 129
 Myzus persicae, 42, 43, 51, 103–107, 132
 Phorodon humuli, 132
 Rhopalosiphum padi, 129, 132
 Sitobion avenae, 26, 32, 92, 129
Apion vorax, 35
Arthrobotrys, 99
Arthur Rickwood Experimental Farm, 171, 174
Aspartate kinase, 150
Aspartate pathway, 150
Aureobasidium pullulans, on winter wheat, 27

Bacillus cereus, 128
Bacillus pumilis, 128
Baking quality, of cereal grain, 153–154

Barley,
 aphids on, 32
 at Broom's Barn, 54
 caryopses of, 151
 comparison with wheat, 32–33
 diseases development in, 69
 Erysiphe graminis on, 31, 58, 127
 eyespot on, 32, 33
 factors limiting yield, 28–32
 growth regulator on, 30
 Igri, 28, 29, 31
 K deficiency in, 184
 loose smut on, 32
 mutants in, 149–151
 nitrogen concentration on, 184
 nitrogen on, 28, 29
 Panda, 28–31
 pests of, 32
 photorespiratory mutants of, 150
 Pirate, 28, 29, 31
 prolamin storage proteins of, 153–154
 Rhynchosporium secalis on, 31
 take-all on, 32–33
 triadimenol on, 29–31, 33
 yellow dwarf virus of, 26, 32–33, 58, 129
 See also: Cereals; *Erysiphe graminis*; take-all
Barley yellow dwarf virus,
 See: Barley
Barley yellow mosaic virus, 130
Barnby Broad, peat at, 206
'Baytan', *See*: Triadimenol
Beans (*Vicia faba*),
 aldicarb on, 34
 anthracnose of, 109
 benomyl on, 34
 chocolate spot of, 35, 126
 fosetyl-Al on, 34
 irrigation of, 59
 maneb+mancozeb on, 34
 nematodes on, 35, 119
 phorate on, 34
 pirimicarb on, 34
 root fungi of, 35
 rust (*Uromyces fabae*) on, 35
 seed borne nematode infestations on, 119
 seed rate, 58
 sowing date, 58–59
 viruses of, 35, 126
 weevils on, 34, 35
 yields, 34
 See also: *Phaseolus vulgaris*
Beccles Marshes, peat in, 206
Bedfordshire, soil survey in, 198, 208
Bees, *See*: Honeybees
Beet mild yellowing virus, 42, 49, 133
Beet mosaic virus, 133
Beet necrotic yellow vein virus, 51–52
Beet western yellow virus, 42, 50–51
Beet yellows, 43, 49–50
Bendiocarb, 44
Benfuracarb, 44
Benomyl,
 effect on take-all, 128
 on beans, 34
 on oilseed rape, 125
 on winter wheat, 23
Bicyclic ligands, 160–161
Biggleswade and St. Neots, soil survey in, 205

INDEX

- Biodeterioration, 134
Biomass. *See*: Soil biomass
Bioresmethrin, 104
Black dot, 38, 131
Blackfly, counts of, in Volta River Basin, 77
Bodmin Moor, soil survey in, 203, 204
Boston and Spalding, soil survey of, 201
Botrytis fabae (chocolate spot), on beans, 35, 126
Brassica napus, 155
British Society of Soil Science, 213
British Sugar Corporation, 51–52, 54
British Technology Group, 172
Broadbalk, wheat on, 57
Broom's Barn,
 sugar beet on, 40–55
 weather at, 320
Broom's Barn Farm, 54–55
Buckinghamshire, soil survey in, 206, 208, 214
Bulk density measurements, 211
Buxton, soil survey at, 200
¹³C nuclear magnetic resonance, 157
CALF model, 112
Calf-rearing, survey of, 80
Cambridgeshire, soil survey of, 206, 208
Carbendazim, on winter wheat, 57
Carbon, organic turnover of in soil, 178–179
Carbosulfan, 44, 47
Carboxylase RuBP, 148–149
(–)- β -caryophyllene, 104
Caryopses, cereal, 151
Catch crops, effect on hatching of *Heterodera schachtii*, 52–53
Cattle, at Rothamsted, 59
Cereals,
 at Broom's Barn, 54–55
 baking quality of grain, 153–154
 biodeterioration of, 134
 caryopses of, 151
 cultivar mixtures, 127
 somaclonal variation in, 151
 storage proteins in, 153–155
 take-all on, 26, 27, 32–33, 128–129, 178
 See also: Barley; *Erysiphe graminis*; Maize; Oats; take-all and Wheat
Chalk aquifers, microflora of, 171
Cheltenham, soil survey in, 202–203
'Chemoprints', of insects, 92
Chenopodium quinoa, 52
Cheviot Hills, soil mapping in, 198
China, virus of faba beans in, 130
Chlormequat, on wheat, 23
Chlorophyll *a/b* ratios, 67
Chocolate spot, of field beans. *See*: *Botrytis fabae*
Chrysanthemum, 122
Chrysoperla carnea, 103–104
Chymotrypsin inhibitors, 155
CIAT (Centro Internacional de Agricultura Tropical), 174
Cladosporium spp., on wheat, 27, 28
Cladosporium herbarum, 99
Clay minerals, interstratified, 187–188, 208
Clones, cDNA, for cereal storage proteins, 154
Clover, inoculation of mycorrhiza with, 175
 nematodes on, 119
 Rhizobium on, 174–175
Cloves, virus disease of, 133
Cockle Park Experimental Farm, 215
Colletotrichum coccodes (black dot on potato), 38, 131
Common scab. *See*: *Streptomyces scabies*
Computer programs,
 AREAS, 210
 Datatrieve, 209–210
 databases, 77
 SURFACE II, 76, 92
 See also: Models; Statistical programming
Computers,
 AGRENET, 76
 British Telecom Packet Switch Stream, 76
 graphics, 76
 ICL System 4, 76, 210
Computers (*contd.*)
 Jacquard, 76, 78
 laboratory automation, 76–77
 microcomputers, 76–77
 Rothamsted Computing Unit, 75
 VAX systems, 76, 78, 189, 209
Contarinia pisi, (pea midge), 93
Coordination chemistry, 157–161
Copper, in sewage sludge, 185–186
'Corbel', on winter barley, 33
Cornwall, soil survey in, 203–204
Cotswolds, soil survey in, 202–203
Crown ethers, 158–159
Cultivar mixtures, for control of foliar diseases, 70
Cumbria, soil survey in, 213, 214
Cut grass, chemicals to inhibit respiration of, 134
Cypermethrin, 29, 32, 104
Dames and Moore International, 215
Dartmoor, soil survey in, 204
Dasyneura brassicae (pod midges), 93, 94
Data management, for soil surveys, 209
Delia coarctata. *See*: Wheat Bulb fly
Deltamethrin,
 resistance to, 107
 toxicity to *Myzus persicae*, 104
Denitrification, nitrogen losses caused by, 180
Deposition, of acid and nutrients, 186
Derbyshire, soil survey in, 200
Derbyshire County Museum Service, 216
Deroceras reticulatum, 95
Devon, soil survey in 198, 203, 204, 209
Dicyandiamide, effects on recovery of fertiliser N, 180
Dipwells, 213
Disease resistance, 152–153
Disease simulation model, 70
DNA,
 complementary, 155
 from mycorrhizal spores, 171–172
Domestic refuse disposal, airborne microorganisms
 associated with, 133–134
Dorset, soil survey in, 208–209
Drayton EHF, 213
Earthworms,
 Allolobophora caliginosa, 98
 Allolobophora chlorotica, 98
 Allolobophora longa, 98
 Eisenia foetida, 97–99
 Eudrilus eugeniae, 97
 growth of in spent mushroom compost, 98
 interaction with microorganisms, 99
 Lumbricus terrestris, 98
 Octolasion cyaneum, 98
 production of from farm wastes, 97
 uptake of heavy metals by, 98
 wastes worked by, 97–98
East Anglia, soil survey in, 214
Efford EHS, 98
Electrostatic spraying systems, 109–111
 air assistance for, 110
 effect of design of, 111
 for applying pesticides to potatoes, 111
 timing of, 110
ELISA technique, 51, 126
 BYV identification by, 107
Entomophorales, 95
Environmental change, 92
Enzyme-linked immunosorbant assay,
 See: ELISA technique
Enzymes,
 aspartate kinase, 150
 glutamate synthase, 149
 glutamine synthetase, 155–156
 nitrate reductase, 150
Erwinia carotovora, 130
Erwinia carotovora sp. *atroseptica*, 131
Erysiphe graminis (barley mildew), 31, 58, 69–70, 127
 resistance to fungicides, 108–109

INDEX

- Evolution of storage protein genes, 155
 Eyespot, *See: Pseudocercospora herpotrichoides*
- Faba beans, 126
 Falkland Islands, 82–83
 Farm wastes, exploitation of, 97–99
 Farming systems, effect on soil organic matter, 181
 (*E*)- β -farnesene, formulation of, 104
 Fenland, soil survey of, 206
 Fentin hydroxide, 59
 Field beans, *See: Beans*
 Field Drainage Experimental Unit, 170
 Field Experiments,
 ‘Barley 84’, 33
 crop yields, 57–59
 working party for, 57
 Flea beetle, on sugar beet, 44
 Fluorescence studies, of photosynthesis, 66–68
 Food Research Institute, 157
 Formic acid, 134
 Fosetyl-Al, on beans, 34
 French bean (*Phaseolus vulgaris*), 174
 ‘Friends of Rothamsted’, 60
 Fungal diseases,
 of potatoes, 38, 130–131
 of wheat, 26–28
 See also: Erysiphe graminis; Eyespot; Fusarium; take-
 all
 Fungicides,
 MBC, 108
 on oilseed rape, 124–125
 on wheat, 23, 24, 27
 resistance to, 108–109
 Furathiocarb, 44
Fusarium, spp.,
 on barley, 32
 on wheat, 27, 134
Fusarium avenaceum, on wheat, 28, 134
Fusarium culmorum, 28, 134
Fusarium poae, on wheat, 27, 134
Fusarium solani, on peas, 36, 122
Fusarium tabacinum, 36
Fusarium tricinctum, 27
 Fusion, of protoplasts, 151–152
- Gaeumannomyces graminis* var. *tritici*, 32, 128
 See also: Phialophora radicola; take-all
 Gangrene, *See: Phoma exigua* var. *foveata*
 Genes, for the storage proteins, of wheat, barley and rye,
 155
 Genetic manipulation, 151
 Genetic studies, with *Rhizobium* and mycorrhiza, 171–173
 Genkey, 81
 Genstat, 79, 81–83
 Glasshouse Crops Research Institute, 97
 Glasshouse services, 156
 Gleadthorpe Experimental Husbandry Farm, 214
 Gliadins, of wheat, 154
Glomus mossae, 172, 174
 Glucosinolates, 124
 Glutamate synthase, 149
 Glutamine synthetase, 155–156
 Glutathione metabolism, 149–150
 Gluten, components of, 154
 Glycollate oxidase, 150
 Goethite, determination of, 187
 Grass, at Rothamsted and Woburn, 59
 Grassland, poaching of, 209
 Grassland Research Institute, 119, 215–216
 Grassland Suitability Model, 209
 Growth regulators, 24
 Gwent, soil survey in, 208
- Hampshire, soil survey in, 203, 206, 213
 Harwood Forest, soil mapping in, 198
 Hatfield Moors, peat in, 205
 Heavy metals, effects of on soil biomass, 180–181
 Hematite, in soil clays, 187–188
 Herefordshire, soil survey in, 208
 HMW (high molecular weight) secalins, 154
- Holme Fen, peat in, 206
 Honeybees (*Apis mellifera*),
 acute paralysis virus of, 99
 brood disease, 99
 pollination of oilseed rape by, 100
 queen pheromones of, 99–100
 Varroa jacobsoni on, 99
 Hordeins, 154
 Housefly (*Musca domestica*),
 acetylcholinesterase in, 106
 insecticide resistance in, 106
 knock-down resistance in, 106
Hyalodendron spp., 27
 Hydraulic sprays, of nematicides, 119
 Hyphal growth, of *Glomus caledonium*, 172
- ICI, 213
 ICRISAT (International Crops Research Institute for the
 Semi Arid Tropics), 174
 Imazalil, 37
 ‘Infectivity Index’, for barley yellow dwarf virus, 26
 Insect traps,
 light traps, 96
 sex-pheromone traps, 93
 suction traps, 96
 water and sticky traps, 94
 Insecticides
 aphid resistance to, 103–107
 housefly resistance to, 106
 selectivity of, 103
 soil, availability of, 112
 systemic uptake of, in sugar beet, 44
 to control pests of sugar beet, 44–45
 See also: Nematicides; Pesticides; Pyrethroids; names
 of individual insecticides
 Insects, elemental analysis of, 93
 Interferon, 152–153
 Ion-selective cellulose membranes, 157
 Iron oxides, in soil clays, 187
 Irrigation,
 of sugar beet, 43, 48
 of wheat, 64
 Isobutylamides, 103
 Isothiocyanates, 125
 Isotope dilution, 174
- Kent, soil survey in, 204
 Kirton Experimental Horticulture Station, 214
- Laboratory germination tests, 45–46
 Laboratory of the Government Chemist, 95–96
 Lancashire, soil survey in, 205–206
 Land evaluation, 210
 Landfill, assessment of materials for, 98
 Leaching,
 model of, 112, 182
 nitrogen losses from, 180
 Lead, in sludge-treated soils, 186
 Leaf blotch, 133
 Leaf boundary layer resistance,
 measurement of, 68
 Leaf protein, extraction of, 184
 Leicestershire, soil survey in, 213
 Lepidocrite, 187
 Letcombe Laboratory, 60, 170, 216
 Light traps, *See: Insect traps*
 Lincolnshire, soil survey in, 201
 Liverpool, soil survey in, 200
 Livestock,
 at Broom’s Barn, 55
 at Rothamsted, 59
 Llysfasi College of Agriculture, 215
 Long Ashton Research Station, 60, 61, 216
 Lucerne, nematodes on, 119
- MAFF, soil surveys for, 204, 210, 213
 Maize, 58
 virus diseases of, 132
 Malverns, soil survey in, 201

INDEX

- Maneb on winter barley, 29
Maneb+mancozeb, on beans, 34
Manganese,
 deficiency of in sugar beet, 42
Market Weighton, soil survey at, 199–200
Marshland soils, structural instability of, 213
Mathematical models, *See*: Models
MBC fungicides, 108
Melons, virus disease of, 132
Membranes, cellulose, 157
Metal concentration, in soils, 77, 180, 181
Metaldehyde, 95
Metals, in sewage sludge treated soils, 185–186
Methiocarb,
 for slug control, 95
 on potatoes, 37
Microcomputers, 76–77
Microflora,
 of chalk aquifers, 171
 of developing ears, 27
Micronutrients, in soils and crops, 185–186
Microorganisms, interactions with earthworms, 99
Midges, 93–94
Mildew,
 on oilseed rape, 125
 on sugar beet, 43
 See also: *Erysiphe graminis*
Mobile shelters, 170, 178
Models,
 for aphid forecasts, 92
 for movement of soil, 77
 for turnover of nitrogen in soil, 179
 mathematical, to predict virus dispersal rates, 50
 non-linear, 78, 80, 81
 of incidence of sugar beet virus yellows, 77
 of life of Colorado beetle, 79
 of solute flow, 187
Mole drains, water movement to, 186
Molluscicides, 95
Monocyclid ligands, 157–159
Mosquitoes, pheromones of, 105
Moths,
 light trap survey of, 96
 pea, 78
Musca domestica, *See*: Housefly
Mushrooms, growth of worms in spent compost from, 98
Mustard oils, production of, 124
Mutagenesis, of RuBP carboxylase, 148–149
Mutants,
 catalase deficient, 150–151
 chlorophyll *b*, 151
 in barley, 149–151
 in nitrogen metabolism, 150–151
Mycorrhiza, vesicular arbuscular,
 DNA extraction from, 171
 effect of nitrogen and phosphorous on, 172
 genetics of, 171
 identification of, 172
 inoculation of onions with, 174
 inoculation of white clover with, 174
Myzus persicae, *See*: Aphids

National catalogue of soils, 213
National Coal Board, 216
National Institute of Agricultural Botany, 131
National Institute of Agricultural Engineering, 97
National Lime Producers Council, 215
National Nature Reserves, 199
National Peat Inventory, 198, 205–207
National Soil Inventory, 189, 198, 216
National Soil Map, 209, 214–215
Nature Conservancy Council, 215
Nematicides, 119
Nematodes,
 cold tolerance in, 121
 cyst nematodes, 119, 120, 123
 functional morphology of sense organs, 121
 infectivity of *Globodera*, 120–121
 interactions with other organisms, 122
 on oilseed rape, 120

Nematodes (*contd.*)
 on sugar beet, 52, 53, 120
 on wheat, 25, 26
 potato cyst nematodes, 114–118
 resistance to, 114–115
 root knot, 123
 stem, 118
 taxonomy of, 114, 122–123
 tolerance to, 116
Nematodes, scientific names of,
 Aphelenchoides spp., 122
 Aphelenchoides ritzemabosi, 122
 Ditylenchus dipsaci, 118
 Globodera achilleae, 123
 Globodera pallida, 114–118, 123
 Globodera rostochiensis, 114–116, 121
 Helicotylenchus spp., 25, 38
 Heterodera avenae, 119
 Heterodera cruciferae, 120
 Heterodera schachtii, 52, 120
 Hexatylus viviparus, 122–123
 Longidorus spp., 53
 Paratrichodorus spp., 53, 120
 Pratylenchus spp., 25–26, 35, 37, 121, 122
 Pratylenchus neglectus, 35–36
 Pratylenchus pinguicaudatus, 35
 Trichodorus spp., 53, 120
 Tylenchorhynchus spp., 25
 Tylenchus spp., 25, 26
Nene washes, peat in, 206
Neutron moisture meters, 189
New Forest soils and vegetation, 212
New Plant Products Ltd., 175
Newtown, soil survey of, 201
Nickel, in sewage sludge, 185–186
Nicotiana plumbaginifolia, 150
Nicotiana tabacum, *See*: Tobacco
Nitrate reductase, 150
Nitrate supply, 67
Nitrogen,
 amino-N, in sugar beet, 64–65
 concentrations in spring barley, 183–184
 effect of dicyandiamide on recovery of, 180
 fertilizer, 179
 leaching of, 180
 loss of spring-applied N, 179
 mineralization rates, 182
 model for turnover of in soil, 179
 on winter barley, 30
 transformations in acid tea soils, 180
Nitrogen fertilizers
 on sugar beet, 64
 on winter wheat, 23
 rate of, 23
 timing of, 23
Nitrogen fixation, 173
 carbon costs of, 173
 measurement of by isotope dilution, 174
Nitrogen prediction method, 170, 181–182
Nodulation, on peas, 37
Nodules, root, formation of, 173–174
Non-ester pyrethroids, 102
Norfolk, soil survey in, 206
North Kent marshes, soil survey of, 204
Northern Ireland Plant Breeding Station, 151
Northumberland, soil survey in, 213
Nottinghamshire, soil survey in, 205
Nuarimol, to control take-all, 108, 128

Oats,
 aphids on BYDV infected plants, 93
 at Broom's Barn, 54
Overseas Development Administration, 82
Oilseed rape,
 Agrobacterium on, 152
 at Rothamsted, 59
 beet western yellows in, 50–51
 diseases of, 124–125
 downy mildew of, 125
 pod midge of, 93–94

INDEX

- Oilseed rape (*contd.*)
 pollination of, 100
 root growth of, 183
 take-all on, 128
 virus from, 133
Opidium brassicae, 52
 Omethoate, 58
 Onions,
 inoculation of with mycorrhiza, 174
 pseudomonads in rhizosphere of, 171
 Opencast sites, 216
Opomyza florum, 32
 Ouse washes, peat in, 206
 Oxamyl, on potatoes, 37
 Oxfordshire, soil survey in, 203
 Oximecarbamates, degradation of in anaerobic subsoils,
 112
 Oxygenase activity, of mutant carboxylase, 149

 Paleo-argillic horizons, 188
 Paper waste, reproduction of worms in, 97
 Parasites, of aphids, 94–95
 Particle-size analysis, for soil survey, 211
 Pathogenesis related proteins, 152–153
 Pathotypes, 114
 Pea moth, *See*: Moths
 Peas,
 aldicarb on, 36–37, 122
 effect of pests and pathogens on, 36–37
 fungal diseases of, 36
 nitrogen fixation in, 173
 nodulation of, 37, 174
 permethrin on, 36–37
 Sitona spp., on, 36
 tolclofos-methyl on, 36
 Peat, *See*: National Peat Inventory
 Permethrin, 104
 on peas, 36
Peronospora parasitica (downy mildew),
 on oilseed rape, 125
 Pesticides,
 distribution of in plant and soil, 111–112
 leaching of in the field, 112
 minimizing usage of, 92–97
 See also: Fungicides; Insecticides and Nematicides
Phaseolus vulgaris (French bean)
 nitrogen fixation of, 174
 Pheromones,
 aggregation, in weevils, 105–106
 aphid alarm pheromone, 104
 foraging pheromones, 100
 in aphid parasites, 95
 in midges, 94
 oviposition, in mosquitoes, 105
 queen pheromone, 99–100
Phialophora graminicola, 171
 Phloem, translocation of, 111–112
Phoma betae, control of, 44
Phoma exigua var. *foveata* (gangrene on potato),
 effect of thiabendazole on, 131
 Phorate, on beans, 34
 Phosphate, inorganic, activation of RuBP carboxylase
 with, 148–149
 Phosphorus, effect on mycorrhizal infection, 172
 Photorespiration, 66–67
 Photorespiratory metabolism, 149
 Photosynthesis, in wheat and sugar beet, 67–68
 net, 173
 Piezometers, 212–213
 Pirimicarb,
 on beans, 34
 on oilseed rape, 51
 on potatoes, 59
 on winter wheat, 57
 Plant Breeding Institute, 60
 Plasmids, host range, in *Rhizobium*, 173
 Plymouth and Launceston, soil survey of, 203–204
 Podzolization, 208
 Pollution, 97
 Polyethers, macrobicyclic, 159

 Polygodial, 105
 Polymeric ligands, 161
Polymyxa betae, on sugar beet, 160
Polymyxa graminis, 130
Polyscytalum pustulans, 38, 130
 Potassium,
 deficiency of, 184
 in soils, 184–185
 Potato virus Y, 38, 132
 Potatoes,
 Agrobacterium on, 152
 aphids on, 38
 at Rothamsted and Woburn, 109
 black dot on, 38, 131
 black scurf on, 131
 blackleg on, 131
 Désirée, 37–38, 131
 fungal diseases of, 38, 130–131
 gangrene on, 131
 imazalil on, 37
 methiocarb on, 37
 nematodes on, 37–38, 114–118
 oxamyl on, 37
 Pentland Crown, 130–131
 regeneration from protoplasts, 151–152
 root system of, 118
 sample sizes for disease assessments, 130
 skin spot on, 130
 slugs on, 38
 sprayers for, 111
 storage diseases of, 131
 tolclofos-methyl on, 37
 tuber diseases of, 130–131
 virus diseases of, 38, 131–132
 yields, 37
 Powdery mildew, *See*: *Erysiphe graminis*
 Pr (pathogenesis related)-proteins,
 immunological studies with, 153
 in tobacco, 153
 relation of to virus resistance, 152
 Prochloraz, 57
 Programs, *See*: Computer programs; Statistical pro-
 gramming
 Prolamin storage proteins,
 clones for, 155
 in barley, wheat and rye, 153–154
 structural genes for, 154
 Proline, in water stressed plants, 118
 Propiconazole, 23
 Proteins,
 cereal grain, 153–155, 184
 leaf, extraction of, 184
 pathogenesis related, 152, 153
 Proton NMR studies, 148
 Protoplasts,
 fusion of, 151–152
 regeneration from, 151
Pseudocercospora herpotrichoides,
 (eyespot), 27, 32, 108, 127
 electrostatic sprayers for, 110
 Pseudomonads, in the rhizosphere of onions, 171
Pyrenopeziza brassicae, on oilseed rape, 124, 125
 Pyrethroids,
 non-ester, 102
 relationship between structure and insecticidal activity
 of, 102–104

 Rabbit population, monitoring of, 214
 Rape, *See*: Oilseed rape
Raphanus sativus, 52
 Redesdale EHF, 214
 Resistance, to insecticides, 103–107
Rhizobium spp.,
 genetics of, 173
 on clover, 174–175
 production of inoculants, 175
 Rhizobium leguminosarum, 173
Rhizoctonia solani (stem canker on potato), 122
 'Rhizomania', of sugar beet, 51
Rhynchosporium secalis, on barley, 54, 69, 133

INDEX

- Ribulose biphosphate carboxylase, 68, 148–149
Ricinus communis, root uptake from, 111–112
 seed storage proteins of, 155
Root hairs, growth of in nutrient solutions, 182–183
Root systems, developing,
 infection spread in, 172
Roots,
 nutrient flow to, 183
 studies of, 182–183
Rothamsted,
 barley at, 58
 beans at, 58–59
 weather at, 57, 318
 wheat at, 57–58
Rothamsted Insect Survey, 78, 92, 96
RuBP carboxylase, 148–149
Rye, secalins of, 154
- Sampford Peverell, soil survey of, 204
Saxmundham,
 weather at, 321
 wheat at, 176–177
Scottish Institute for Agricultural Engineering, 211
SDS-PAGE, 78
Secalins, of rye, 154
Septoria spp., on winter wheat, 54
Sewage sludge,
 toxic effects of metals in, 180–181, 185–186
Sex attractants, *See*: Pheromones
Shardlow laboratory, 213
Sharp eyespot, on wheat, 27
Sinapis alba, 52
Sites of Special Scientific Interest, 199, 215
Sitona spp.,
 aggregation pheromone of, 105
 on field beans, 34
 on peas, 36
Slugs,
 antifeedants for, 106
 chemical control of, 95–96
 on potatoes, 38
Soil analysis, 189
Soil biomass,
 effect of farming systems on, 181
 effect of heavy metals on, 180
 nitrogen and phosphorus in, 180–181
Soil classification, 207–208
Soil engineering, 212
Soil erosion, 208–209
Soil-gas transport, 187
Soil Information System, 209
Soil mapping, 198–205
Soil micromorphology, 213
Soil mineralogy, 187, 188, 208
Soil sampling, 80
Soil shrinkage, measurement of, 212
Soil structure,
 research on interparticle forces, 187
 seasonal changes in, 211
Soil suppressiveness, assessment of, 128–129
Soil Survey Field Handbook, 208
Soil Survey of England and Wales, 184–185
Soil surveys,
 Bedfordshire, 198, 208
 Bodmin Moor, 203–204
 Boston and Spalding, 201
 Cambridgeshire, 206, 208, 214
 Cheviot Hills, 198
 Cornwall, 203, 204
 Cotswolds, 202–203
 Cumbria, 213–214
 Dartmoor, 204
 Derbyshire, 200
 Devon, 198, 203, 209
 Dorset, 208, 209
 East Anglia, 214
 England and Wales, 207
 Fenland, 206
 for MAFF, 204, 210, 213
 Gloucestershire, 202
- Soil Surveys (*contd.*)
 Gwent, 208
 Hampshire, 203, 206, 213
 Harwood Forest, 198
 Hatfield Moors, 205
 Herefordshire, 208
 Kent, 204
 Lancashire, 205–206
 Lincolnshire, 201
 Liverpool, 200
 Malverns, 201
 Market Weighton, 199–200
 Newtown, 201
 Norfolk, 206
 North Kent marshes, 204
 Oxfordshire, 203
 St. David's, 215
 Sampford Peverell, 204
 Somerset, 198, 204, 205, 209
 Suffolk, 206
 Sussex, 208
 Thorne Waste, 206
 Wales, 214, 216
 Wensleydale and Wharfedale, 198–199
 Yeovil, 204–205
 Yorkshire, 204–205
Soil thin sections, international descriptions of, 211–212
Soil water,
 regimes, 212–213
 retention of, 213
 sub model, 178
Soils, transport processes in, 186
Solute flow, modelling of, 187
Somerset, soil survey in, 198, 204, 205, 209
Soya bean (*Glycine max*), 174, 175
Spatial variation, 188
Spectroscopy, proton NMR, 148
Splash dispersal, of fungal spores, 69
Spores,
 deposition of on barley crops, 68–69
 of *Botrytis fabae*, 126
 'Sportak', on winter barley, 33
Sprays, penetration of into crop canopies, 110
Staffordshire College of Agriculture, 216
Statistical analysis,
 for ADAS, 78–79
 multivariate, 77, 81
 of crop experiments, 79
 of livestock experiments, 79
 sugar beet survey, 79–80
 survey of fertilizer practice, 80
Statistical computing, 81
Statistical models, *See*: Models
Statistical programming,
 Genkey, 81
 Genstat, 79, 81–83
 GLIM, 82–83
 Maximum Likelihood Program (MLP), 82, 188
Statistical theory,
 diagnostic keys, 81
 quasi-likelihood, 80
 restricted randomization, 81
 variance-mean relationships, 80
Stem canker, *See*: *Rhizoctonia solani*
Sterol biosynthesis, inhibition of, 108–109
Storage proteins, cereal, 153–155
Streptomyces scabies (common scab on potato), 38
Suction traps, 92
Suffolk, soil survey in, 206
Sugar beet,
 aldicarb on, 53
 amino-nitrogen content of, 64
 aphids on, 42–43
 bolting of, 41
 crop growth, 40
 cultivation techniques, 46–47
 Docking disorder, 41, 53
 effect of birds on seed establishment, 46
 emergence, 41
 establishment, 41

INDEX

- Sugar beet (*contd.*)
fibrous root growth, 47
flea beetle on, 44
growth-yield prediction, 41
herbicides for, 42
insecticides for, 44–45
irrigation of, 43, 48
light interception, 41, 49
manganese deficiency, 42
nitrogen on, 65
Phoma betae on, 44
plant density, 49
plant establishment, 44–47
Polymyxa betae on, 52
problem samples, 54
Ramularia beticola, 43
'Rhizomania' of, 51
rust on, 43
seed pelleting, 41
seed quality studies, 45
soil moisture deficits, 43, 47–48
sulphur on, 47
water use, 48
weed beet, 41
viruses of, 42–43, 49–51
yields, 55
Sulphur, 125
Surveys, statistical, 79–80
See also: Aphids
Sussex, soil survey in, 208
- Take-all on cereals,
control of, 108
decline, 128
on barley, 32
on wheat, 26–27, 33, 128–129
relationships between severity and soil type, 178
- Tea soils, acid, N transformations in, 180
Thames Water Authority, 216
Thermoluminescence dating, of buried soils, 188
Thiram steep, for sugar beet seed, 152–153
Thorne Waste, peat in, 205
Tobacco,
disease resistance in, 152–153
virus diseases of, 123, 153
Tobacco mosaic virus, 152–153
Tolclofos methyl, 37
Tomato colour, 3-dimensional assessment of, 78
Toxic metals, in sewage sludge, 185–186
Transport processes in soils, 186
Traps, *See:* Insect traps
Triadimenol, ('Baytan'), 29–31, 58, 108
Triazophos, 51
Tridemorph, 29–30
Trifolium repens, *See:* Clover
Triticum vulgare, infection of by take-all fungi, 171
Tropical crops, diseases of, 132–133
Tuber soft rot, *See:* *Erwinia caratovora*
- Unit of Nitrogen Fixation, 161–162
Urea, use of in tea plantations, 180
Uromyces fabae (rust on beans), 35
- Vale of York, soil survey in, 199
Vectors, of barley yellow dwarf virus, 26, 129
Verticillium chlamydosporium, 119–120
Verticillium dahliae, 118
Vesicular arbuscular mycorrhiza,
See: Mycorrhiza
'Vigour tests', for sugar beet, 45
Viruses,
aphid transmission, 107, 132, 133
model to predict dispersal rates, 50
of barley, 26, 32–33, 58, 129
of beans, 35, 126
of faba beans, 126
of grasses, 129–130
of honeybees, 99
of potatoes, 131–132
Viruses (*contd.*)
of sugar beet, 42–43, 49–51
of tobacco, 123, 153
Viruses, names of,
barley yellow dwarf virus, 26, 32–33, 58, 129
barley yellow mosaic virus, 130
bean leaf roll virus, 35
bean yellow mosaic virus, 35–36
beet mild yellowing virus, 42, 49, 133
beet mosaic virus, 133
beet necrotic yellow vein, 51–52
beet western yellows virus, 42, 50–51
beet yellows, 43, 49–50, 57
broad bean stain virus, 126
broad bean true mosaic, 35, 126
broad bean wilt, 126
brome mosaic virus, 129–130
nasturtium ringspot virus, 126
pea enation mosaic, 36
soya bean mosaic virus, 126
sugar beet virus yellows, 42–43, 77
tobacco mosaic virus, 152–153
turnip mosaic virus, 126
Visitors, to Rothamsted, 60
- Wales,
grassland map of, 214
soil acidity in, 216
Waterways Experiment Station, USA, 98
Waveney valley, peat in, 206
Weather,
at Broom's Barn, 320
at Rothamsted, 57, 318
at Saxmundham, 321
at Woburn, 319
Weevils, *See:* *Sitona* spp.
Wellesbourne laboratory, 213
Welsh National Folk Museum, 215
Welsh Plant Breeding Station, 206
Wensleydale and Wharfedale,
soil survey of, 198–199
West Essex Farmers Agronomy Ltd, 214
Wheat,
after barley, 23–24, 26, 176–177
after oats, 24, 26
aldicarb on seedbed, 23–24
aphids on, 26, 94
at Broom's Barn, 54–55
at Rothamsted, 57–58
at Woburn, 57, 177
Avalon, 23–24, 177
baking property of, 153–154
barley yellow dwarf virus on, 26
causes of yield variation, 154
comparison with barley, 32–33
deep cultivation, 63
development of, 63
droughting, 177–178
effect of nutrition on development, 63
effect of soil conditions on, 177–178
effects of a compact subsoil layer on, 63
eyespot on, 27, 108, 127
Factors Limiting Yield of Winter Wheat, 23–28, 57
fungicides on, 57
Fusarium spp. on, 27
grain yield, 23
growth of, 23–24
growth regulator on, 23–24
leaf area index, 24, 30
leaf size, 67
microflora of developing ears, 27
nematodes on, 25
nitrate N in shoots, 25
nitrogen content of, 25
nitrogen on, 24, 63
Norman, 177
omethoate on, 23
pesticides on, 24
pirimicarb on, 23

INDEX

- Wheat (*contd.*)
 prolamins from, 153–154
 root growth of, 63
 sowing data, 62
 take-all on, 26–27, 33, 128–129, 178
 tiller production, 61–63
 water use, 28
 See also: cereals; take-all
- Wheat bulb fly, 32
- Winchester and Basingstoke soil survey in, 203
- Woburn,
 weather at, 319
 wheat at, 57, 177
- Worcestershire, soil survey in, 201
- Worm-worked wastes, 98
- Worms, *See*: Earthworms
- X-ray diffraction, 187–188
- X-ray equipment, 189
- Xylem, translocation of, 111
- Yarner Wood National Nature Reserve, 208
- Yeasts, on ripening ears, of wheat, 27
- Yeovil, soil survey of, 204–205
- Yorkshire, soil survey in, 198–200
- Yorkshire Dales National Park, 198
- Zea mays*, *See*: Maize
- Zinc, in sewage sludge, 185–186