


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Rothamsted Experimental Station Report for 1985

[Full Table of Content](#)



## Rothamsted Insect Survey, Seventeenth Annual Summary

**I. P. Woiwod, G. M. Tatchell, M. J. Dupuch, E. D. M. Macaulay, S. J. Parker and M. S. Taylor**

I. P. Woiwod, G. M. Tatchell, M. J. Dupuch, E. D. M. Macaulay, S. J. Parker and M. S. Taylor (1986) *Rothamsted Insect Survey, Seventeenth Annual Summary*; Rothamsted Experimental Station Report For 1985, pp 253 - 283 - DOI: <https://doi.org/10.23637/ERADOC-1-34077>

## Rothamsted Insect Survey

### Seventeenth annual summary

I. P. WOIWOD, G. M. TATCHELL, MAUREEN J. DUPUCH,  
E. D. M. MACAULAY, SUSAN J. PARKER and M. S. TAYLOR

#### Suction traps 1985

Samples were collected daily from 8 April to 10 November 1985, and weekly for the remainder of the year. These data were included in the *Aphid Bulletin*, which was issued weekly from 22 April (Bulletin No. 1) to 17 November (Bulletin No. 30). The 33 aphid taxa listed in Table 1 (a-h) are those in the *Aphid Bulletin*. The *Aphid Commentary* was issued with the *Aphid Bulletin* on 18 occasions during 1985. This provided regional interpretation of current trap samples for ten of the aphid pests of cereals, potatoes, sugar beet, field beans, carrots, peas and apples.

The *Aphid Bulletin* and *Commentary*, despatched each Friday, provide information on aphids sampled between five and 12 days earlier. This timing is dictated by the postal services.

The *Aphid Bulletin* and *Aphid Commentary* cover the working week Monday to Sunday. Table 1 is for standard four-week periods constant from year to year (see *Rothamsted Report for 1972*, Part 2, 211, Table 4). *Aphid Bulletin* and standard weeks do not correspond in 1985.

The suction traps in Scotland at (916) Elgin, (907) Dundee, (912) East Craigs, (931) Pathhead, (923) Auchincruive, Ayr and also at (925) Stirling were operated by Mrs L. A. D. Turl and colleagues at the Department of Agriculture and Fisheries for Scotland (DAFS), East Craigs.

The trap at (927) Belfast was operated and insect samples sorted by Dr A. C. Bell and colleagues of the Department of Agriculture for Northern Ireland.

The trap at (911) Aberystwyth is now operated by kind permission of the Welsh Plant Breeding Station, by Mr K. Vincent.

The trap at (914) Long Ashton I was moved to an adjacent site (936) Long Ashton II on 16 April 1985. The data in the *Aphid Bulletin* and Table 1 are for the new Long Ashton site (936).

The trap at Rainham no longer operates.

A new trap at (937) Headley Hall, Tadcaster began operation on 5 August 1985. The results from this trap do not appear in Table 1 nor did they appear in the *Aphid Bulletin* during 1985.

Suction traps sampling at 5 ft (1.5 m) were operating at (954) East Craigs, (956) Ingraston and (951) Rothamsted Tower in 1985. Records for these do not appear in Table 1 nor did they appear in the *Aphid Bulletins*.

Sample volumes were halved at various sites as follows: (922) Preston, (919) Shardlow, (917) Hereford, (924) Writtle, (936) Long Ashton and (908) Silwood Park from 11 July to 10 November, (901) Rothamsted Tower from 15 July to 27 August, (903) Wye from 17 July to 4 September, (904) Broom's Barn from 25 to 29 July, from 28 to 30 September and from 18 to 22 October, (933) Littlehampton and (913) Starcross from 1 August to 4 September and (934) Kirton from 1 August to 5 September. In addition when numbers were high, catches were sub-sampled in the laboratory to reduce the pressure of work. The weekly *Bulletins* and Table 1 (a-h) are corrected to full volume sample.

In Table 1 (a-h) there are no missing values, a blank records a zero catch.

Aphid samples were identified at Rothamsted by Maureen Dupuch, Mark Taylor, Susan Parker, Debbie Riley, Veronica French and Caroline Mitchell; at East Craigs by Mrs

## ROTHAMSTED REPORT FOR 1985, PART 2

L. A. D. Turl, Dr K. F. A. Walters and Mr F. G. Doyle of DAES; and at Broom's Barn by Dr A. M. Dewar and Mr W. A. Thornhill. We appreciate their cooperation in providing information for the weekly *Aphid Bulletin* and *Aphid Commentary* and for Table 1.

During 1985 aphid migration began later than in 1984, especially for cereal aphids. Numbers of migrant willow-carrot aphids (*Cavariella aegopodii*) were large during late June and early July, as were those of the pea aphid (*Acyrtosiphon pisum*) during the latter part of July. ADAS reports indicate that the pea aphid caused measurable yield losses on peas in 1985.

In the warm dry autumn, following a wet summer, alate bird-cherry aphids (*Rhopalosiphum padi*) and apple-grass aphids (*R. insertum*) were recorded in exceptionally large numbers. The consequences of the large *R. padi* numbers for the infection of autumn-sown cereals with barley yellow dwarf virus cannot be assessed fully until the spring of 1986.

The numbers of migrant cabbage aphid (*Brevicoryne brassicae*) remained low throughout 1985, in contrast to 1984.

### Light traps

Table 2 (a-f) gives the annual catches during 1983 and 1984 of the same pest, or migratory Lepidoptera as in previous years. For the first time the current Kloet & Hincks (1972) scientific names are used rather than those of South (1964). Sixty-two sites completed the 364-day sample for 1984.

The sites in Table 2 are arranged in sequence from north to south, and the species in the same order as in previous years. Zero catches are recorded 0; dashes indicate no record.

Records of migrant Lepidoptera were sent to Bretherton and Chalmers-Hunt who reported 1984 to be a poor year for migrants, particularly in comparison with 1983 which was exceptional for some species (Bretherton & Chalmers-Hunt, 1985). This paucity of migrant species is reflected in the totals of the known migrant species in Table 2; *Agrotis ipsilon*, *Autographa gamma*, *Orthonama obstipata*, *Nomophila noctuella*, *Plutella xylostella* and *Udea ferrugalis*.

The other notable species in Table 2 is *Agrotis exclamationis* where there was a marked increase between 1983 and 1984 throughout nearly all of Great Britain. A general increase on such a scale is unusual except for migrant species. *Agrotis exclamationis* is not usually considered as migrant although it might be under certain circumstances. It will be interesting to see if these increased populations are maintained in 1985.

Other records of interest from the light trap survey continue to be published regularly. Three mentioned in last year's report, an unusual form of *Diaphora mendica*, the second British record for the Oak Processionary moth, *Thaumetopoea processionea*, and new county records for Peeblesshire, *Eupithecia distinctaria* and *Deileptenia ribeata* have now been published (Riley 1985a, 1985b and 1985c). Four new records of an interesting Neuroptera, *Drepanepteryx phalaenoides* found in light traps from Berkshire, Hertfordshire and Huntingdonshire have been published in Riley (1985d).

As always we are indebted to the many people who voluntarily run and identify many of the light trap samples. The identification at Rothamsted has been carried out by Joan Nicklen and Adrian Riley.

### REFERENCES

- BRETHERTON, R. F. & CHALMERS-HUNT, J. M. (1985) The immigration of Lepidoptera into the British Isles in 1984. *Entomologist's Record* **97**, 140-145.  
KLOET, G. S. & HINCKS, W. D. (1972) A check list of British insects (2nd Edition) Part 2. *Lepidoptera* (Handbook for the identification of British insects XI, 2). London: Royal Entomological Society.  
RILEY, A. M. (1985a) An unusual aberration of *Diaphora mendica* Clerck in Hertfordshire. *Entomologist's Record* **97**, 36.

ROTHAMSTED INSECT SURVEY

- RILEY, A. M. (1985b) *Thaumetopoea processionea* L. (the Oak Processionary Moth) on Guernsey. *Entomologist's Record* **97**, 110–111.
- RILEY, A. M. (1985c) *Eupithecia distinctaria* H.-S. and *Deileptenia ribeata* Clerck at Glentress, Peeblesshire. *Entomologist's Record* **97**, 111.
- RILEY, A. M. (1985d) Some recent records of *Drepanepteryx phalaenoides* (L.) (Neuroptera: Hemerobiidae) from Rothamsted Insect Survey light traps. *Entomologist's Gazette* **36**, 236.

TABLES 1(a)–1(h)  
AND  
TABLES 2(a)–2(f)

ROTHAMSTED REPORT FOR 1985, PART 2

TABLE  
*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
 Week Nos 17 to 20—*

Sites		Elgin (916)	Dundee (907)	Edinburgh (912)	Pathhead (931)	Auchincruive (923)	Newcastle (906)	Belfast (927)	High Mowthorpe (905)	Preston (922)	Kirton (934)	Shardlow (919)
Species												
<i>Acyrthosiphon pisum</i>												
<i>Amphorophora rubi</i>												
<i>Aphis fabae</i> grp.												
<i>Aphis</i> spp.												
<i>Aulacorthum solani</i>												
<i>Brachycaudus helichrysi</i>												
<i>Brevicoryne brassicae</i>												
<i>Cavariella aegopodii</i>												
<i>Cinara</i> spp.												
<i>Drepanosiphum platanoidis</i>		16	17		2	1	74	7	13	7	233	
<i>Dysaphis plantaginea</i>		2	2	2	3		13	1	5			1
<i>Elatobium abietinum</i>												
<i>Eriosoma ulmi</i>												
<i>Hyalopterus pruni</i>												
<i>Hyperomyzus lactucae</i>				1								1
<i>Macrosiphum euphorbiae</i>												
<i>Megoura viciae</i>												
<i>Metopolophium dirhodum</i>								1			2	
<i>Metopolophium festucae</i> s.l.								4				
<i>Myzus ascalonicus</i>				1			20			1	2	
<i>Myzus certus</i>								1				
<i>Myzus ornatus</i>	1											
<i>Myzus persicae</i> grp.												
<i>Nasonovia ribisnigri</i>												
<i>Pemphigus</i> spp.												
<i>Pentatrichopus fragaefolii</i>												
<i>Phorodon humuli</i>												
<i>Phyllaphis fagi</i>												
<i>Rhopalosiphum insertum</i>												
<i>Rhopalosiphum maidis</i>												
<i>Rhopalosiphum padi</i>												
<i>Sitobion avenae</i>								2		1		
<i>Sitobion fragariae</i>												
First aphid caught		May 13	May 16	May 6	May 16	May 17	May 16	May 8	May 15	April 10	May 5	May 10

Wye 4–10 February, 1 *Rhopalosiphum maidis*  
 Preston 10 April, 1 *Myzus persicae*  
 Wye 15 April, 1 *Rhopalosiphum insertum*  
 Long Ashton II 16 April, 1 *Myzus ascalonicus*  
 Starcross 22 April, 1 *Myzus ascalonicus*

ROTHAMSTED INSECT SURVEY

1(a)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1985  
23 April to 20 May 1985

	Aberystwyth (911)	Broom's Barn (904)	Hereford (917)	Rothamsted Tower (901)	Writtle (924)	Long Ashton II (936)	Silwood Park (908)	Wye, Kent (903)	Littlehampton (933)	Starcross (913)	Rosewarne (910)	Sites	Species
	1	1	1	1	1	2	2			2			
	1		2	1	2	1	2			1			<i>Acythosiphon pisum</i>
			2	1		7	1			15			<i>Amphorophora rufi</i>
			1			1	28			1			<i>Aphis fabae</i> grp.
				2	1		1			6			<i>Aphis</i> spp.
					26	396	844	322	114				<i>Aulacorthum solani</i>
	5	1050	180	1447									<i>Brachycaudus helichrysi</i>
									2				<i>Brevicoryne brassicae</i>
										2			<i>Cavariella aegopodii</i>
										6			<i>Cinara</i> spp.
											1		<i>Drepanosiphum platanoidis</i>
	289	7	32	39	8	23	176	3	2	40	84		<i>Dysaphis plantaginea</i>
													<i>Elatobium abietinum</i>
													<i>Eriosoma ulmi</i>
													<i>Hyalopterus pruni</i>
													<i>Hyperomyzus lactucae</i>
													<i>Macrosiphum euphorbiae</i>
													<i>Megoura viciae</i>
	1				1		1			5			<i>Metopolophium dirhodum</i>
										3			<i>Metopolophium festucae</i> s.l.
										5			<i>Myzus ascalonicus</i>
		1	1	5		7	12	1	1	1			<i>Myzus certus</i>
											1		<i>Myzus ornatus</i>
													<i>Myzus persicae</i> grp.
													<i>Nasonovia ribisnigri</i>
													<i>Pemphigus</i> spp.
													<i>Penatrichopus fragaefolii</i>
													<i>Phorodon humuli</i>
													<i>Phyllaphis fagi</i>
													<i>Rhopalosiphum insertum</i>
													<i>Rhopalosiphum maidis</i>
													<i>Rhopalosiphum padi</i>
	2	1			1	3	1			1	2		<i>Sitobion avenae</i>
	1				1		2	6					<i>Sitobion fragariae</i>
						1							First aphid caught
April	24	May	15	May	15	May	4	May	13	April	16	April	30
													Feb 4-10
													May 15
													April 22
													May 4

ROTHAMSTED REPORT FOR 1985, PART 2

**TABLE**  
*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
 Week Nos 21 to 24—*

Species	Sites									
	Elgin (916)	Dundee (907)	Edinburgh (912)	Pathhead (931)	Auchincruive (923)	Newcastle (906)	Belfast (927)	High Mowthorpe (905)	Preston (922)	Kirton (934)
<i>Acyrthosiphon pisum</i>						3				
<i>Amphorophora rubi</i>						2				
<i>Aphis fabae</i> grp.						1	1	2	1	18
<i>Aphis</i> spp.									2	3
<i>Aulacorthum solani</i>	11	10	17	14	16	246		75	21	361
<i>Brachycaudus helichrysi</i>										
<i>Brevicoryne brassicae</i>					1	61	62	194	88	510
<i>Cavariella aegopodii</i>	10	4	5							
<i>Cinara</i> spp.										
<i>Drepanosiphum platanoidis</i>	279	657	1361	1155	243	1113	202	2624	297	222
<i>Dysaphis plantaginis</i>										
<i>Elatobium abietinum</i>	111	72	46	42	62	49	129	39	54	2
<i>Eriosoma ulmi</i>										14
<i>Hyalopterus pruni</i>							3			1
<i>Hyperomyzus lactucae</i>	2	2	2	1	1	2	7	1	3	8
<i>Macrosiphum euphorbiae</i>							15		5	1
<i>Megoura viciae</i>										12
<i>Metopolophium dirhodum</i>							6	1		3
<i>Metopolophium festucae</i> s.l.	1	1	3		1	4	38	3	2	4
<i>Myzus ascalonicus</i>	2		14	3	1	5	29	3	12	3
<i>Myzus certus</i>			1				1			1
<i>Myzus ornatus</i>			1	1	1		3			2
<i>Myzus persicae</i> grp.			1	2			1		2	
<i>Nasonovia ribisnigri</i>							2		2	12
<i>Pemphigus</i> spp.										
<i>Pentatrichopus fragaefolii</i>										
<i>Phorodon humuli</i>										
<i>Phyllaphis fagi</i>	8	11	6	7	2	3	2	1	4	1
<i>Rhopalosiphum insertum</i>						3	30		12	19
<i>Rhopalosiphum maidis</i>			1			1				33
<i>Rhopalosiphum padi</i>	2	5	19	5	15	2	3	2	14	7
<i>Sitobion avenae</i>				1	1		14		1	3
<i>Sitobion fragariae</i>							17		5	2
										30

ROTHAMSTED INSECT SURVEY

1(b)

of aphids of economic, or other, interest reported in the Weekly Bulletin, 1985  
21 May to 17 June 1985

												Sites
	Aberystwyth (911)	Broom's Barn (904)	Hereford (917)	Rothamsted Tower (901)	Writtle (924)	Long Ashton II (936)	Silwood Park (908)	Wye, Kent (903)	Littlehampton (933)	Starcross (913)	Rosewarne (910)	Species
5	7	1	2	3	4	6	15	3	1	1	1	<i>Acyrthosiphon pisum</i>
	4	6	4	1	15	24	44	2	5	8	1	<i>Amphorophora rubi</i>
159	25	439	559	519	376	267	37	89	325	28	1	<i>Aphis fabae</i> grp.
						2	1	1		2	1	<i>Aphis</i> spp.
23	544	447	357	446	569	875	154	167	269	23	1	<i>Aulacorthum solani</i>
	2			2	2	1	1					<i>Brachycaudus helichrysi</i>
170	762	185	1547	209	265	882	130	147	37	8	8	<i>Brevicoryne brassicae</i>
				1	2			4	1			<i>Cavariella aegopodii</i>
602	21	101	128	33	25	167	27	5	38	18	18	<i>Cinara</i> spp.
		36	1		9	21	9	4	1			<i>Drepanosiphum platanoidis</i>
6	1			2	1			2	3			<i>Dysaphis plantaginea</i>
1	2	13	10	4	7			2	2	3	3	<i>Elatobium abietinum</i>
	2	5	7	7	3			2	2			<i>Eriosoma ulmi</i>
1	2	6	1	13	23	4	14	6	41	10		<i>Hyalopterus pruni</i>
6	1	11	3	5	14	2	4	8	19	6		<i>Hyperomyzus lactucae</i>
2	11	2	13	15	3	8	2	1	4	3		<i>Macrosiphum euphorbiae</i>
		1			1							<i>Megoura viciae</i>
2	1		2	1	4	1		1	2	2	1	<i>Metopolophium dirhodum</i>
			1	4	2	4						<i>Metopolophium festucae</i> s.l.
5	7	283	45	160	96	103	75	6	54			<i>Myzus ascalonicus</i>
2	1	3	4	5	3	18	2	1	6			<i>Myzus certus</i>
12	27	9	44	39	14	19	7	6	15	2		<i>Myzus ornatus</i>
1		1	1	5	6		1	8	11	1		<i>Myzus persicae</i> grp.
1	4	2	23	8	25	11	5	5	11	10		<i>Nasonovia ribisnigri</i>
8	9	7	14	29	31	22	18	14	48	12		<i>Pemphigus</i> spp.
2	9	13	10	17	17	26	6	5	32	10		<i>Pentatrichopus fragaefolii</i>
												<i>Phorodon humuli</i>
												<i>Phyllaphis fagi</i>
												<i>Rhopalosiphum insertum</i>
												<i>Rhopalosiphum maidis</i>
												<i>Rhopalosiphum padi</i>
												<i>Sitobion avenae</i>
												<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1985, PART 2

TABLE  
*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
 Week Nos 25 to 28—*

Species	Sites										
	Elgin (916)	Dundee (907)	Edinburgh (912)	Pathhead (931)	Auchincruive (923)	Newcastle (906)	Belfast (927)	High Mowthorpe (905)	Preston (922)	Kirton (934)	Shardlow (919)
<i>Acyrthosiphon pisum</i>											
<i>Amphorophora rubi</i>	1	10	2	4		5	10	58	27	176	117
<i>Aphis fabae</i> grp.	1					2	4	2	3	18	7
<i>Aphis</i> spp.			8	1	3	1	17	4	32	38	30
<i>Aulacorthum solani</i>			1				3		2		5
<i>Brachycaudus helichrysi</i>	11	11	17	38	41	39	195	105	126	70	515
<i>Brevicoryne brassicae</i>			2				1				
<i>Cavariella aegopodii</i>	73	13	17	7	17	50	98	189	529	317	1492
<i>Cinara</i> spp.		3	1	4	9	7	3	3	6	3	14
<i>Drepanosiphum platanoidis</i>	87	207	158	165	140	309	35	94	595	14	214
<i>Dysaphis plantaginis</i>								4	5		1
<i>Elatobium abietinum</i>	39	22	18	29	33	23	7	6	26		
<i>Eriosoma ulmi</i>		49	5	3	9	18	11	4	34	2	41
<i>Hyalopterus pruni</i>		22	5	9	18	8	20	104	194	158	494
<i>Hyperomyzus lactucae</i>	1						10	1	6	6	17
<i>Macrosiphum euphorbiae</i>	3	1	15	3	8	3	12	1	8	11	17
<i>Megoura viciae</i>								2			
<i>Metopolophium dirhodum</i>	3	2	9	4	6	13	28	90	157	480	1051
<i>Metopolophium festucae</i> s.l.	12		22	28	10	59	23	109	34	32	13
<i>Myzus ascalonicus</i>			3	1	2		4	2	2	1	1
<i>Myzus certus</i>			2	1	1		3		3		5
<i>Myzus ornatus</i>					2	1	4				3
<i>Myzus persicae</i> grp.						1	3	1	4	10	12
<i>Nasonovia ribisnigri</i>							5	1			3
<i>Pemphigus</i> spp.				2			1	8	11	25	39
<i>Pentatrichopus fragaefolii</i>											
<i>Phorodon humuli</i>						4		24	13	117	387
<i>Phylloxeridae</i>											
<i>Phyllaphis fagi</i>	20	25	37	54	7	23	7	6	49	1	30
<i>Rhopalosiphum insertum</i>					1	2	5	12	3	7	8
<i>Rhopalosiphum maidis</i>	1	1	2			1	2	4	6	6	2
<i>Rhopalosiphum padi</i>	3	10	9	2	8	6	3	44	1	295	86
<i>Sitobion avenae</i>	7	1	12	4	20	9	75	166	154	1673	885
<i>Sitobion fragariae</i>	2		4	2	2	16	34	14	24	17	72

ROTHAMSTED INSECT SURVEY

1(c)

of aphids of economic, or other, interest reported in the Weekly Bulletin, 1985  
18 June to 15 July 1985

												Sites
	Aberystwyth (911)	Broom's Barn (904)	Hereford (917)	Rothamsted Tower (901)	Writtle (924)	Long Ashton II (936)	Silwood Park (908)	Wye, Kent (903)	Littlehampton (933)	Starcross (913)	Rosewarne (910)	Species
10	244	27	78	191	47	42	410	107	344	20	1	<i>Acyrthosiphon pisum</i>
	2	6	5	3	2	1	4	1	5	5	1	<i>Amphorophora rubi</i>
2	37	4	16	26	14	5	24	33	6			<i>Aphis fabae</i> grp.
14	12	21	65	65	161	126	120	66	37	11		<i>Aphis</i> spp.
	3	1	2			2			3	3		<i>Aulacorthum solani</i>
45	96	141	253	137	149	67	68	48	112	16		<i>Brachycaudus helichrysi</i>
	3	1	1	5	1	2			52	1		<i>Brevicoryne brassicae</i>
45	566	360	371	368	194	330	310	80	177	14		<i>Cavariella aegopodii</i>
7	4		7	7	3	5		2	3			<i>Cinara</i> spp.
48	64	21	97	28	32	134	17	17	5	16		<i>Drepanosiphum platanoidis</i>
2	5	1	6	9	3	8	10	2	1			<i>Dysaphis plantaginea</i>
18	2	4	3	2		1	2					<i>Elatobium abietinum</i>
7	8	47	8	11	7	7	23		1	1		<i>Eriosoma ulmi</i>
8	228	84	365	738	142	305	373	36	52	3		<i>Hyalopterus pruni</i>
5	10	12	11	16	20	3	43	8	11	1		<i>Hyperomyzus lactucae</i>
2	8	4	11	24	15	2	28	13	38	12		<i>Macrosiphum euphorbiae</i>
				4								<i>Megoura viciae</i>
36	1099	115	472	391	298	208	760	477	445	67		<i>Metopolophium dirhodum</i>
4	25	15	7	9	19	3	17	16	13	7		<i>Metopolophium festucae</i> s.l.
		1			1					1		<i>Myzus ascalonicus</i>
			2	1	3	2	1		5			<i>Myzus certus</i>
				1		2	1	2				<i>Myzus ornatus</i>
	20	4	4	38	13	3	17	76	36	1		<i>Myzus persicae</i> grp.
2	1		2	1		3	2	3	6	2		<i>Nasonovia ribisnigri</i>
1	6	13	3	23	4	12	8	2	7			<i>Pemphigus</i> spp.
												<i>Pentatrichopus fragaefolii</i>
32	274	280	210	546	461	123	624	12	106			<i>Phorodon humuli</i>
2	3	3	26	6	17	31	1		7			<i>Phyllaphis fagi</i>
4	52	9	45	61	12	51	31	11	8	1		<i>Rhopalosiphum insertum</i>
4	4		6	6	18	6	17	15	6			<i>Rhopalosiphum maidis</i>
16	141	6	48	48	10	53	82	138	95	5		<i>Rhopalosiphum padi</i>
157	974	128	706	1041	691	787	763	648	1253	138		<i>Sitobion avenae</i>
9	37	30	54	91	32	42	26	23	112	8		<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1985, PART 2

TABLE  
*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
 Week Nos 29 to 32—*

Species	Sites										
	Elgin (916)	Dundee (907)	Edinburgh (912)	Pathhead (931)	Auchincruive (923)	Newcastle (906)	Belfast (927)	High Mowthorpe (905)	Preston (922)	Kirton (934)	Shardlow (919)
<i>Acyrtosiphon pisum</i>	41	237	59	344	8	118	11	97	132	646	370
<i>Amphorophora rubi</i>		3				1					
<i>Aphis fabae</i> grp.	8			1	3	4	10	28	68	236	220
<i>Aphis</i> spp.	4	8	8	2	4	7	23	25	50	217	332
<i>Aulacorthum solani</i>		1				2	2		2	10	2
<i>Brachycaudus helichrysi</i>	6	13	9	10	1	11	8	28	30	87	132
<i>Brevicoryne brassicae</i>				1							2
<i>Cavariella aegopodii</i>	20	11	3	4	3	6	19	32	28	68	126
<i>Cinara</i> spp.		4	26	9	30	3				2	6
<i>Drepanosiphum platanoidis</i>	23	79	49	32	11	269	7	12	158	1	148
<i>Dysaphis plantaginea</i>							1		4		
<i>Elatobium abietinum</i>							1		2		2
<i>Eriosoma ulmi</i>		4	2	1	3						
<i>Hyalopterus pruni</i>	19	28	6	3	10	6	33	58	120	262	808
<i>Hyperomyzus lactucae</i>		1	2	1	1	2	2	11	2	14	48
<i>Macrosiphum euphorbiae</i>	7	17	12	4	4	4	17	1	26	59	30
<i>Megoura viciae</i>											
<i>Metopolophium dirhodum</i>	62	231	156	91	28	341	29	643	120	1099	2710
<i>Metopolophium festucae</i> s.l.	49	25	16	93	32	12		33	20	21	8
<i>Myzus ascalonicus</i>											
<i>Myzus certus</i>							2	1			
<i>Myzus ornatus</i>		2									
<i>Myzus persicae</i> grp.	4	9	1	1	2	2	2	6	18	125	116
<i>Nasonovia ribisnigri</i>	2	1				1	2	1	2		2
<i>Pemphigus</i> spp.	1	3			1	4	2	2	4	13	48
<i>Pentatrichopus fragaefolii</i>				1			2				
<i>Phorodon humuli</i>		1				1	1	20	10	145	176
<i>Phyllaphis fagi</i>		1	3	1		1					
<i>Rhopalosiphum insertum</i>	8	6	2	7	17	3	33	26	44	246	264
<i>Rhopalosiphum maidis</i>			1		3	7	29	11	4	16	2
<i>Rhopalosiphum padi</i>	89	99	151	122	33	148	202	439	38	541	208
<i>Sitobion avenae</i>	103	188	211	264	97	344	661	1185	1324	7802	4414
<i>Sitobion fragariae</i>	1		1	1	2	19	40	38	50	86	202

ROTHAMSTED INSECT SURVEY

1(d)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1985  
16 July to 12 August 1985

Aberystwyth (911)	Broom's Barn (904)	Hereford (917)	Rothamsted Tower (901)	Writtle (924)	Long Ashton II (936)	Silwood Park (908)	Wye, Kent (903)	Littlehampton (933)	Starcross (913)	Rosewarne (910)	Sites		Species
12	692	26	84	166	14	16	76	73	59	14			<i>Acythosiphon pisum</i>
	1	4	2				2						<i>Amphorophora rubi</i>
3	1103	110	100	136	6	14	197	196	6				<i>Aphis fabae</i> grp.
12	311	86	148	292	18	96	198	566	38	9			<i>Aphis</i> spp.
	2	2		2			2		3	1			<i>Aulacorthum solani</i>
6	103	34	24	50	10	24	31	14	6	17			<i>Brachycaudus helichrysi</i>
	8	2	4	8		2	6	10	40				<i>Brevicoryne brassicae</i>
2	77	12	26	16	2	18	27	5	14	3			<i>Cavariella aegopodii</i>
		4						1	1				<i>Cinara</i> spp.
13	11	6	14	2	14	22	8	8	10	3			<i>Drepanosiphum platanoidis</i>
	2		2			4	2	3					<i>Dysaphis plantaginea</i>
		2		4									<i>Elatobium abietinum</i>
8	642	152	340	1026	86	214	719	102	38	10			<i>Eriosoma ulmi</i>
9	42	8	20	2	4	2	16	6	5				<i>Hyalopterus pruni</i>
13	54	12	14	52	2	4	59	20	25	3			<i>Hyperomyzus lacucae</i>
			4										<i>Macrosiphum euphorbiae</i>
63	4224	152	574	476	48	82	660	195	181	3			<i>Megoura viciae</i>
7	17	8	4	2	8		2		6	4			<i>Metopolophium dirhodum</i>
													<i>Metopolophium festucae</i> s.l.
													<i>Myzus ascalonicus</i>
5	186	18	50	288	18	4	86	136	14	3			<i>Myzus certus</i>
			4				2	3	5	1			<i>Myzus ornatus</i>
	1	2	2		2			1	3				<i>Myzus persicae</i> grp.
													<i>Nasonovia ribisnigri</i>
6	457	66	104	404	64	26	325	2	17				<i>Pemphigus</i> spp.
									1				<i>Pentatrichopus fragaefolii</i>
5	169	44	240	354	46	114	46	61	57	5			<i>Phorodon humuli</i>
4		4	4		8		4			4			<i>Phyllaphis fagi</i>
69	748	112	158	790	40	30	298	279	1958	47			<i>Rhopalosiphum insertum</i>
564	5596	766	1812	3232	790	782	2460	1073	916	631			<i>Rhopalosiphum maidis</i>
11	94	142	90	98	22	62	67	8	53	17			<i>Rhopalosiphum padi</i>
													<i>Sitobion avenae</i>
													<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1985, PART 2

**TABLE**  
*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
 Week Nos 33 to 36*

Species	Sites										
	Elgin (916)	Dundee (907)	Edinburgh (912)	Pathhead (931)	Auchincruive (923)	Newcastle (906)	Belfast (927)	High Mowthorpe (905)	Preston (922)	Kirton (934)	Shardlow (919)
<i>Acyrtosiphon pisum</i>	12	171	35	56		29	5				4
<i>Amphorophora rubi</i>											
<i>Aphis fabae</i> grp.	87	6	7	3	24	47	44	11	34	28	16
<i>Aphis</i> spp.	4	3	4	4	1	24	6	11	34	13	42
<i>Aulacorthum solani</i>							1				2
<i>Brachycaudus helichrysi</i>	11	48	14	24	14	63	15	2	30	11	38
<i>Brevicoryne brassicae</i>											2
<i>Cavariella aegopodii</i>	11	17	1	2	3	3		1		2	
<i>Cinara</i> spp.	2		1		3						4
<i>Drepanosiphum platanoidis</i>	21	69	11	29	6	34	7	9	40	3	130
<i>Dysaphis plantaginea</i>								2			
<i>Elatobium abietinum</i>											
<i>Eriosoma ulmi</i>	6	2	3	1							4
<i>Hyalopterus pruni</i>	5	61	3	2	2	8	6	3	18	21	116
<i>Hyperomyzus lactucae</i>			1					1			
<i>Macrosiphum euphorbiae</i>	31	103	6	43	9	1	1				6
<i>Megoura viciae</i>	1										
<i>Metopolophium dirhodum</i>	14	155	64	72	4	33	1	25		2	10
<i>Metopolophium festucae</i> s.l.	4	8	6	20		1	2				
<i>Myzus ascalonicus</i>									2		
<i>Myzus certus</i>											
<i>Myzus ornatus</i>		1									
<i>Myzus persicae</i> grp.	2	10	7	5	1	2	3		4	4	
<i>Nasonovia ribisnigri</i>	2										
<i>Pemphigus</i> spp.	12	1	1	1	12	5	3	2	12	6	22
<i>Pentatrichopus fragaefolii</i>											
<i>Phorodon humuli</i>									2	2	4
<i>Phyllaphis fagi</i>	1									2	
<i>Rhopalosiphum insertum</i>	25	19	5	12	11	23	23	18	74	75	256
<i>Rhopalosiphum maidis</i>		1				1	1		2		
<i>Rhopalosiphum padi</i>	950	1526	771	574	971	729	1825	345	2422	287	1240
<i>Sitobion avenae</i>	126	88	150	231	18	62	12	67	4	42	82
<i>Sitobion fragariae</i>	3		2	7	1	13	1	1			6

ROTHAMSTED INSECT SURVEY

1(e)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1985  
13 August to 9 September 1985

Aberystwyth (911)	Broom's Barn (904)	Hereford (917)	Rothamsted Tower (901)	Writtle (924)	Long Ashton II (936)	Silwood Park (908)	Wye, Kent (903)	Littlehampton (933)	Starcross (913)	Rosewarne (910)	Sites	Species
7		2		4	8					1		<i>Acyrthosiphon pisum</i>
20	26	12	1	4	10					6		<i>Amphorophora rubi</i>
17	13	2	4	14	4	12	15	3	1	4		<i>Aphis fabae</i> grp.
												<i>Aphis</i> spp.
34	16	30	108	2	8	2	60	30	17	4		<i>Aulacorthum solani</i>
			2						3	1		<i>Brachycaudus helichrysi</i>
2	1			2	2				1	1		<i>Brevicoryne brassicae</i>
	1							2				<i>Cavariella aegopodii</i>
12	6	2	13	4	14	66	9					<i>Cinara</i> spp.
	2					2						<i>Drepanosiphum platanoidis</i>
4	87	6	20	72	12	14	34	18	14	4		<i>Dysaphis plantaginea</i>
4												<i>Elatobium abietinum</i>
2												<i>Eriosoma ulmi</i>
8	3					2	2	1				<i>Hyalopterus pruni</i>
4						2						<i>Hyperomyzus lacutcae</i>
1												<i>Macrosiphum euphorbiae</i>
3	3	20	2	10	2		12	1				<i>Megoura viciae</i>
1								1				<i>Metopolophium dirhodum</i>
86	8	8	10	14	10	6	6	7	4	3		<i>Metopolophium festucae</i> s.l.
												<i>Myzus ascalonicus</i>
2	4	4	4	2			91		2			<i>Myzus certus</i>
14	138	54	113	142	42	94	47	34	24	16		<i>Myzus ornatus</i>
			2			2			2	1		<i>Myzus persicae</i> grp.
469	346	358	101	120	382	136	289	100	145	104		<i>Nasonovia ribisnigri</i>
19	15	38	10	16	22	12	9	3	16	6		<i>Pemphigus</i> spp.
2	1	6	2		6	2				2		<i>Pentatrichopus fragaefolii</i>
												<i>Phorodon humuli</i>
												<i>Phyllaphis fagi</i>
												<i>Rhopalosiphum insertum</i>
												<i>Rhopalosiphum maidis</i>
												<i>Rhopalosiphum padi</i>
												<i>Sitobion avenae</i>
												<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1985, PART 2

TABLE  
The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
Week Nos 37 to 40—

Species	Sites										
	Elgin (916)	Dundee (907)	Edinburgh (912)	Pathhead (931)	Auchincruive (923)	Newcastle (906)	Belfast (927)	High Mowthorpe (905)	Preston (922)	Kirton (934)	Shardlow (919)
<i>Acyrthosiphon pisum</i>	4					1		1			2
<i>Amphorophora rubi</i>	1										
<i>Aphis fabae</i> grp.	9	8	4	20	8	111	23	11	30	40	66
<i>Aphis</i> spp.		3		5		61	8	23	66	58	68
<i>Aulacorthum solani</i>	1						1		4		
<i>Brachycaudus helichrysi</i>	56	90	21	45	9	265	29	33	54	64	64
<i>Brevicoryne brassicae</i>									4	2	10
<i>Cavariella aegopodii</i>	20	20		24		3		6	4	3	
<i>Cinara</i> spp.	1	2									
<i>Drepanosiphum platanoidis</i>	47	110	24	38	8	59	72	24	202	3	12
<i>Dysaphis plantaginea</i>								3		1	16
<i>Elatobium abietinum</i>											
<i>Eriosoma ulmi</i>	5	15		1		5	6	1	2	10	28
<i>Hyalopterus pruni</i>	10	21	2		1	5		1		15	6
<i>Hyperomyzus lactucae</i>	1	1		5				3	8	4	22
<i>Macrosiphum euphorbiae</i>	2	13	2	1							18
<i>Megoura viciae</i>											
<i>Metopolophium dirhodum</i>	47	120	24	61	19	38	12	2	22		12
<i>Metopolophium festucae</i> s.l.	4	17		6	1					3	
<i>Myzus ascalonicus</i>											
<i>Myzus certus</i>											
<i>Myzus ornatus</i>	1	5									
<i>Myzus persicae</i> grp.	1	20	4	3	1			1	12	20	22
<i>Nasonovia ribisnigri</i>	4		2	1				4	6	3	2
<i>Pemphigus</i> spp.	416	114	94	141	225	153	31	47	84	157	258
<i>Pentatrichopus fragaefolii</i>											
<i>Phorodon humuli</i>											
<i>Phyllaphis fagi</i>	2	3	1	1	1			1			
<i>Rhopalosiphum insertum</i>	626	495	198	451	263	813	1299	1408	3884	2195	10640
<i>Rhopalosiphum maidis</i>		2					6	1			
<i>Rhopalosiphum padi</i>	14758	52230	14108	14462	10778	20336	29889	4163	26194	3527	32434
<i>Sitobion avenae</i>	39	43	17	44	5	11	5	3	6	10	6
<i>Sitobion fragariae</i>	38	6	3	5	5	5	4	2	14	2	12

ROTHAMSTED INSECT SURVEY

1(f)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1985  
10 September to 7 October 1985

Aberystwyth (911)	Broom's Barn (904)	Hereford (917)	Rothamsted Tower (901)	Writtle (924)	Long Ashton II (936)	Silwood Park (908)	Wye, Kent (903)	Littlehampton (933)	Starcross (913)	Rosewarne (910)	Sites	Species
4	3	4	4	4	8		1	6				<i>Acythosiphon pisum</i>
1												<i>Amphorophora rubi</i>
128	8	26		4	16		20	20	3	6		<i>Aphis fabae</i> grp.
129	5	20	5	30	46	18	29	17	10	12		<i>Aphis</i> spp.
		2		2	2			1				<i>Aulacorthum solani</i>
73	225	46	360	48	32	68	312	120	51	17		<i>Brachycaudus helichrysi</i>
	2	16	7	18			9	2	2	1		<i>Brevicoryne brassicae</i>
9	1	2	1	2	4	6	9	8	1	2		<i>Cavariella aegopodii</i>
			1		4			1		1		<i>Cinara</i> spp.
6	2	8	3	8	6	4	2	46	5	122		<i>Drepanosiphum platanoidis</i>
1	7		4			4			2			<i>Dysaphis plantaginea</i>
			8		4	4	9	2				<i>Elatobium abietinum</i>
2	5	12	2	2	8	54	15	18	4	2		<i>Eriosoma ulmi</i>
15	2	2	5	2	20	2	5	5	3	1		<i>Hyalopterus pruni</i>
5		8	7	12	4	2	2	3				<i>Hyperomyzus lactucae</i>
33	1	2	1	6	10	2	14	32	2	2		<i>Macrosiphum euphorbiae</i>
1									3			<i>Megoura viciae</i>
								1				<i>Metopolophium dirhodum</i>
								1				<i>Metopolophium festucae s.l.</i>
												<i>Myzus ascalonicus</i>
1		2										<i>Myzus certus</i>
												<i>Myzus ornatus</i>
9	8	4	4	30	42	2	75	41	12	3		<i>Myzus persicae</i> grp.
9	2	4	3	2	6	6	8	1	3	1		<i>Nasonovia ribisnigri</i>
2757	110	110	48	88	204	74	77	59	46	11		<i>Pemphigus</i> spp.
												<i>Pentatrichopus fragaefolii</i>
												<i>Phorodon humuli</i>
												<i>Phyllaphis fagi</i>
9069	2268	2656	2725	2810	3500	1322	3111	773	574	156		<i>Rhopalosiphum insertum</i>
8	2	2			2	4	9	9	6	1		<i>Rhopalosiphum maidis</i>
18171	3366	9172	2446	4364	13224	3478	10579	3244	3421	937		<i>Rhopalosiphum padi</i>
7	7	12	8	14	24	6	27	26	13	3		<i>Sitobion avenae</i>
8		16	1		2		7	10	3			<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1985, PART 2

**TABLE**  
*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
 Week Nos 41 to 44*

Species	Sites									
	Elgin (916)	Dundee (907)	Edinburgh (912)	Pathhead (931)	Auchincruive (923)	Newcastle (906)	Belfast (927)	High Mowthorpe (905)	Preston (922)	Kirton (934)
<i>Acyrthosiphon pisum</i>										
<i>Amphorophora rubi</i>										
<i>Aphis fabae</i> grp.		1		1		3		6		128
<i>Aphis</i> spp.						2		45	12	374
<i>Aulacorthum solani</i>										4
<i>Brachycaudus helichrysi</i>	7	5	1	12	1	5		6		8
<i>Brevicoryne brassicae</i>										16
<i>Cavariella aegopodii</i>	2	3		1	1	10	1	1	4	6
<i>Cinara</i> spp.	1						4			2
<i>Drepanosiphum platanoidis</i>	9	14	6	12	7	21	9	14	120	1
<i>Dysaphis plantaginea</i>										34
<i>Elatobium abietinum</i>										
<i>Eriosoma ulmi</i>	2	84	2		1		1			25
<i>Hyalopterus pruni</i>		2						2		1
<i>Hyperomyzus lactucae</i>		3		2	1	1		9	2	10
<i>Macrosiphum euphorbiae</i>	1	2	2		1		2		4	8
<i>Megoura viciae</i>										
<i>Metopolophium dirhodum</i>	6	39	12	33	12	22	5	3	40	1
<i>Metopolophium festucae</i> s.l.	16	43	13	18	15	8				10
<i>Myzus ascalonicus</i>		1	1	1	1		1		4	4
<i>Myzus certus</i>	1		1				1			2
<i>Myzus ornatus</i>							1			4
<i>Myzus persicae</i> grp.	3	8	3	3	2	1	1	9	4	31
<i>Nasonovia ribisnigri</i>		12						1		2
<i>Pemphigus</i> spp.	111	112	139	119	60	62	14	17	156	194
<i>Pentatrichopus fragaefolii</i>										186
<i>Phorodon humuli</i>										
<i>Phyllaphis fagi</i>	1	3		2	1			1	4	2
<i>Rhopalosiphum insertum</i>	314	295	41	53	94	622	309	458	2420	1734
<i>Rhopalosiphum maidis</i>										3812
<i>Rhopalosiphum padi</i>	2005	8694	4245	4964	2065	3005	7582	921	11350	2356
<i>Sitobion avenae</i>	3	8	3	1	4	2	6	2	16	14
<i>Sitobion fragariae</i>	12	16	23	13	8	6	3		10	2

ROTHAMSTED INSECT SURVEY

1(g)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1985  
8 October to 4 November 1985

	Aberystwyth (911)	Broom's Barn (904)	Hereford (917)	Rothamsted Tower (901)	Writtle (924)	Long Ashton II (936)	Silwood Park (908)	Wye, Kent (903)	Littlehampton (933)	Starcross (913)	Rosewarne (910)	Sites	Species
8	69	4			2	2	6	1					<i>Acythosiphon pisum</i>
12	145	12		3	34	12	10	16	1	8	6		<i>Amphorophora rubi</i>
	1			1		4	2		4	15	12		<i>Aphis fabae</i> grp.
1	5	2	10		10	2	4	11	7	2	1		<i>Aphis</i> spp.
	4	8	6		22			2					<i>Aulacorthum solani</i>
13	10	4	2		6	10	4	7	2	1	5		<i>Brachycaudus helichrysi</i>
					2				1				<i>Brevicoryne brassicae</i>
									14	2	12		<i>Cavariella aegopodii</i>
5	8	2	2		10	16	10		2				<i>Cinara</i> spp.
					2		2		2				<i>Drepanosiphum platanoidis</i>
													<i>Dysaphis plantaginea</i>
2	18		9		6	2		6	5				<i>Elatobium abietinum</i>
	8		2		2		6	1					<i>Eriosoma ulmi</i>
2	4	10	5		26		6	9	14	7	1		<i>Hyalopterus pruni</i>
4		2	2			4	4		2	2			<i>Hyperomyzus lactucae</i>
8	2				3	4	6	4	9	1	1		<i>Macrosiphum euphorbiae</i>
8						2		1	1	1			<i>Megoura viciae</i>
1	2												<i>Metopolophium dirhodum</i>
6	72	2	11		78	10	14	56	27	32	11		<i>Metopolophium festucae</i> s.l.
7	16	8			4	2		4	3				<i>Myzus ascalonicus</i>
444	221	68	55		118	72	56	48	108	63	6		<i>Myzus certus</i>
								1	1	1			<i>Myzus ornatus</i>
													<i>Myzus persicae</i> grp.
													<i>Nasonovia ribisnigri</i>
1													<i>Pemphigus</i> spp.
1													<i>Pentatrichopus fragaefolii</i>
1590	2745	4592	1781		2328	1434	2098	4950	3058	1283	419		<i>Phorodon humuli</i>
1								2	1	1	2		<i>Phyllaphis fagi</i>
4208	3028	6468	2442		2948	2708	1364	2158	5359	3229	544		<i>Rhopalosiphum insertum</i>
	4	12	4		6	8		11	7	10	6		<i>Rhopalosiphum maidis</i>
	17	14	44		9	6	14	38	14	56	4		<i>Rhopalosiphum padi</i>
													<i>Sitobion avenae</i>
													<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1985, PART 2

TABLE  
The Rothamsted Insect Survey—Suction Traps: four-weekly total catches  
Week Nos 45 to 48—

Species	Sites										
	Elgin (916)	Dundee (907)	Edinburgh (912)	Pathhead (931)	Auchincruive (923)	Newcastle (906)	Belfast (927)	High Mowthorpe (905)	Preston (922)	Kirton (934)	Shardlow (919)
<i>Acyrthosiphon pisum</i>											
<i>Amphorophora rubi</i>											
<i>Aphis fabae</i> grp.											
<i>Aphis</i> spp.											
<i>Aulacorthum solani</i>											
<i>Brachycaudus helichrysi</i>											
<i>Brevicoryne brassicae</i>											
<i>Cavariella aegopodii</i>											
<i>Cinara</i> spp.											
<i>Drepanosiphum platanoidis</i>											
<i>Dysaphis plantaginea</i>											
<i>Elatobium abietinum</i>											
<i>Eriosoma ulmi</i>											
<i>Hyalopterus pruni</i>											
<i>Hyperomyzus lactucae</i>											
<i>Macrosiphum euphorbiae</i>											
<i>Megoura viciae</i>											
<i>Metopolophium dirhodum</i>											
<i>Metopolophium festucae</i> s.l.											
<i>Myzus ascalonicus</i>											
<i>Myzus certus</i>											
<i>Myzus ornatus</i>											
<i>Myzus persicae</i> grp.											
<i>Nasonovia ribisnigri</i>											
<i>Pemphigus</i> spp.											
<i>Pentatrichopus fragaefolii</i>											
<i>Phorodon humuli</i>											
<i>Phyllaphis fagi</i>											
<i>Rhopalosiphum insertum</i>											
<i>Rhopalosiphum maidis</i>											
<i>Rhopalosiphum padi</i>	24	5	3	4	35	22	7	59	25	82	
<i>Sitobion avenae</i>	1	2			1	1		3	1		5
<i>Sitobion fragariae</i>											

ROTHAMSTED INSECT SURVEY

1(h)

*of aphids of economic, or other, interest reported in the Weekly Bulletin 1985  
5 November to 2 December 1985*

ROTHAMSTED REPORT FOR 1985, PART 2

TABLE  
The Rothamsted Insect Survey—Light Traps: annual records

Pest Species	Year	421	Morvich	58	Newton, Elgin	350	Beinn Eighe	49	Fort Augustus	48	Kindrogan	11	97	Rowardennan	6	261	East Craigs	446	Brodick	10	293	Auchincruive	31	264	Culzean Castle
<i>Hydraecia micacea</i> Rosy Rustic	1983	54	75	58				26	—	104	—	1	11	6				42	—	33	31	33	65		
<i>Bupalus piniaria</i> Bordered White	1983	0	0	6	0			0	—	0	5	1	0	0	0	0	0	0	0	0	0	0	0		
<i>Panolis flammea</i> Pine Beauty	1983	0	0	2	18	—		—	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
<i>Cerapteryx graminis</i> Antler Moth	1983	67	10	54	23	—		—	—	—	—	9	0	0	0	0	0	—	99	36	13	36	17		
<i>Agriopsis aurantiaria</i> Scarce Umber	1983	43	115	0	23	—		—	—	—	—	10	0	0	0	0	0	—	3	0	0	0	2		
<i>Operophtera fagata</i> Northern Winter Moth	1983	20	6	0	5	—		—	—	—	—	55	0	0	0	0	0	—	5	1	0	9	2		
<i>Apamea sordens</i> Rustic Shoulder-knot	1983	0	2	0	0	—		—	—	—	—	0	10	0	0	0	0	—	1	0	0	0	0		
<i>Gortyna flavago</i> Frosted Orange	1983	0	5	0	0	—		—	—	—	—	0	0	0	0	0	0	—	0	1	0	1	0		
<i>Mamestra brassicae</i> Cabbage Moth	1983	0	1	0	0	—		—	—	—	—	0	2	0	0	0	0	—	0	0	0	0	0		
<i>Noctua pronuba</i> Large Yellow Underwing	1983	10	15	2	2	—		—	—	—	—	4	2	—	—	—	—	—	7	12	20	14	12		
<i>Lacanobia oleracea</i> Bright-line Brown-eye	1983	1	24	0	2	—		—	—	—	—	0	4	—	—	—	—	—	18	1	12	0	3		
<i>Euxoa nigricans</i> Garden Dart	1983	1	0	0	0	—		—	—	—	—	0	0	0	0	0	0	—	0	0	0	0	0		
<i>Mesapamea secalis</i> Common Rustic	1983	3	63	10	9	—		—	—	—	—	2	27	—	—	—	—	—	53	15	38	10	15		
<i>Melanchnra persicariae</i> Dot Moth	1983	0	1	0	0	—		—	—	—	—	0	0	0	0	0	0	—	0	0	0	0	0		
<i>Operophtera brumata</i> Winter Moth	1983	23	12	6	17	—		—	—	192	0	0	0	0	0	0	0	—	0	0	0	0	6		
	1984	—	3	9	15	123	—	1	419	0	0	14	0	0	0	0	0	—	0	0	0	0	4		

ROTHAMSTED INSECT SURVEY

2(a)

of moths of economic, or other importance for 1983 and 1984

	296	Kielder	362	Stocksfield	39	Chester-le-Street	416	Forest-in-Teesdale	323	Windermere	315	Baldersby	410	Harrogate	131	Spurn Head	35	Bangor	Year	Pest Species
170	51	8	12	22	2	34	24	8	0	0	0	0	0	0	0	0	0	1983	<i>Hydraecia micacea</i>	
129	28	11	22	1	34	13	29	0	0	0	0	0	0	0	0	0	0	1984	Rosy Rustic	
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1983	<i>Bupalus piniaria</i>	
2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1984	Bordered White	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1983	<i>Panolis flammea</i>	
0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1984	Pine Beauty	
50	38	8	898	94	35	15	20	1	1983	<i>Cerapteryx graminis</i>										
61	12	0	429	79	5	5	10	5	1984	Antler Moth										
81	3	0	1	0	10	12	0	0	1983	<i>Agriopsis aurantiaria</i>										
21	2	0	0	0	0	11	0	0	1984	Scarce Umber										
13	3	0	3	0	0	14	0	0	1983	<i>Operophtera fagata</i>										
19	0	1	0	1	0	13	0	0	1984	Northern Winter Moth										
0	0	1	0	0	1	0	7	1	1983	<i>Apamea sordens</i>										
0	0	1	0	1	8	0	13	0	1984	Rustic Shoulder-knot										
0	2	1	0	0	5	9	0	0	1983	<i>Gortyna flavago</i>										
0	2	0	0	0	2	14	1	0	1984	Frosted Orange										
1	0	3	0	2	8	0	0	4	1983	<i>Mamestra brassicae</i>										
1	0	8	0	2	10	0	1	2	1984	Cabbage Moth										
5	22	39	4	25	10	6	38	2	1983	<i>Noctua pronuba</i>										
5	50	5	5	69	15	15	117	18	1984	Large Yellow Underwing										
0	0	0	0	0	5	0	13	0	1983	<i>Lacanobia oleracea</i>										
0	0	6	3	1	8	0	111	0	1984	Bright-line Brown-eye										
0	0	1	0	0	0	0	0	0	1983	<i>Euxoa nigricans</i>										
0	45	3	0	0	0	0	2	0	1984	Garden Dart										
11	14	61	1	21	96	31	25	13	1983	<i>Mesapamea secalis</i>										
23	10	38	7	48	139	21	54	41	1984	Common Rustic										
0	0	0	0	51	2	0	0	0	1983	<i>Melanchra persicariae</i>										
0	0	0	0	9	1	0	1	0	1984	Dot Moth										
115	6	2	0	3	0	90	6	0	1983	<i>Operophtera brumata</i>										
40	2	0	1	17	6	68	2	0	1984	Winter Moth										

ROTHAMSTED REPORT FOR 1985, PART 2

**TABLE**  
*The Rothamsted Insect Survey—Light Traps: annual records*

Pest Species	Year	279	Matlock	Wells-next-the-Sea	378	Shardlow	168	Sutton Bonington	381	Terrington	382	Preston Montford	280	Empingham	424	Compton Park	267	Wolverhampton	259	Santon Downham	340	Aberystwyth
<i>Hydreaea micacea</i>	1983	5	—	5	5	14	23	3	10	0	13	25	0	0	0	0	0	0	0	0	0	0
Rosy Rustic	1984	3	0	9	19	18	7	7	30	0	32	25	0	0	0	0	0	0	0	0	0	0
<i>Bupalus piniaria</i>	1983	3	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Bordered White	1984	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Panolis flammea</i>	1983	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	25	0	0
Pine Beauty	1984	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68	3	0
<i>Cerapteryx graminis</i>	1983	0	—	0	1	0	57	0	5	0	0	8	0	0	0	0	0	0	0	8	223	98
Antler Moth	1984	0	0	1	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0	18	0	0
<i>Agriopis aurantiaria</i>	1983	3	—	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Scarce Umber	1984	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	—	0
<i>Operophtera fagata</i>	1983	0	—	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Northern Winter Moth	1984	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	—	0
<i>Apamea sordens</i>	1983	7	—	4	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	5	0	0
Rustic Shoulder-knot	1984	3	0	3	5	0	1	0	0	1	0	0	1	0	0	0	1	0	0	6	0	0
<i>Gortyna flavago</i>	1983	1	—	0	2	3	5	0	0	0	0	0	0	0	0	0	0	0	0	8	0	0
Frosted Orange	1984	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	4	2	0
<i>Mamestra brassicae</i>	1983	14	—	3	1	6	2	11	0	0	0	0	0	0	0	0	0	0	0	2	0	0
Cabbage Moth	1984	11	2	1	1	1	0	11	0	0	0	0	0	0	0	0	0	0	0	1	0	0
<i>Noctua pronuba</i>	1983	79	—	5	9	1	5	27	8	2	0	0	0	0	0	0	0	0	0	0	2	0
Large Yellow Underwing	1984	18	3	12	24	3	0	22	15	0	0	0	0	0	0	0	0	0	0	3	0	18
<i>Lacanobia oleracea</i>	1983	11	—	19	9	7	3	4	5	1	0	3	0	0	0	0	1	0	0	3	4	0
Bright-line Brown-eye	1984	6	0	25	30	10	3	7	1	0	0	0	0	0	0	0	0	0	0	8	1	0
<i>Euxoa nigricans</i>	1983	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
Garden Dart	1984	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Mesapamea secalis</i>	1983	134	—	56	153	17	90	42	18	0	0	0	0	0	0	0	0	0	0	11	63	0
Common Rustic	1984	19	3	138	100	39	173	55	11	0	0	0	0	0	0	0	0	0	0	19	149	0
<i>Melanchra persicariae</i>	1983	7	—	13	8	3	4	28	3	0	0	0	0	0	0	0	0	0	0	6	2	0
Dot Moth	1984	0	2	3	0	5	0	20	2	0	0	0	0	0	0	0	1	0	0	13	5	0
<i>Operophtera brumata</i>	1983	2	—	1	7	0	14	5	2	0	0	0	0	0	0	0	0	0	0	34	2	0
Winter Moth	1984	1	3	1	21	0	—	14	0	0	0	0	0	0	0	0	0	0	0	44	—	0

## ROTHAMSTED INSECT SURVEY

2(b)

*of moths of economic, or other importance for 1983 and 1984*

ROTHAMSTED REPORT FOR 1985, PART 2

TABLE  
The Rothamsted Insect Survey—Light Traps: annual records

Pest Species	Year	436	Halstead	1 Rothamsted (Barnfield)	34 Rothamsted (Allotments)	22 Rothamsted (Geescroft)	87 Writtle	292 Westonbirt	180 Hurley	347 Cardiff	370 Shepperton	16 Stratfield Mortimer	289 Wisley
<i>Hydriomena micacea</i> Rosy Rustic	1983	2	8	31	2	0	—	0	—	1	3	2	1
	1984	1	19	8	1	3	—	1	0	0	1	0	1
<i>Bupalus piniaria</i> Bordered White	1983	0	0	0	0	0	—	0	—	0	0	0	1
	1984	0	0	0	0	0	0	0	0	0	0	0	1
<i>Panolis flammea</i> Pine Beauty	1983	0	0	0	0	—	2	—	0	0	0	0	3
	1984	0	0	0	0	0	1	0	0	0	0	0	0
<i>Cerapteryx graminis</i> Antler Moth	1983	0	0	0	0	—	0	0	—	0	0	0	0
	1984	0	0	0	0	0	0	0	0	1	0	0	0
<i>Agriopis aurantiaria</i> Scarce Umber	1983	0	0	0	37	—	11	—	0	0	0	4	2
	1984	0	0	0	19	0	2	0	0	0	0	2	1
<i>Operophtera fagata</i> Northern Winter Moth	1983	0	0	0	0	—	6	—	0	0	0	0	0
	1984	0	0	0	0	0	2	0	0	0	0	0	6
<i>Apamea sordens</i> Rustic Shoulder-knot	1983	0	5	2	2	—	0	—	1	0	0	0	0
	1984	0	4	1	1	2	0	0	1	0	0	0	0
<i>Gortyna flavago</i> Frosted Orange	1983	2	2	0	0	—	0	0	—	0	0	1	0
	1984	0	0	0	0	0	0	0	0	0	0	1	1
<i>Mamestra brassicae</i> Cabbage Moth	1983	1	0	0	4	—	1	—	2	2	3	11	11
	1984	0	0	1	3	1	0	0	0	0	0	0	9
<i>Noctua pronuba</i> Large Yellow Underwing	1983	4	15	6	93	—	16	—	3	4	11	5	5
	1984	8	13	4	415	9	27	3	18	10	24	11	11
<i>Lacanobia oleracea</i> Bright-line Brown-eye	1983	2	20	2	6	—	0	—	3	10	5	5	0
	1984	5	18	0	5	19	0	0	5	10	1	1	1
<i>Euxoa nigricans</i> Garden Dart	1983	0	0	0	0	—	0	—	0	0	0	0	0
	1984	0	0	0	1	3	0	0	0	0	0	0	0
<i>Mesapamea secalis</i> Common Rustic	1983	22	658	113	190	—	71	—	81	44	31	27	27
	1984	12	322	35	110	57	41	186	69	43	77	54	54
<i>Melananchra persicariae</i> Dot Moth	1983	1	9	0	4	—	1	—	1	11	1	5	5
	1984	0	0	0	3	10	1	0	0	0	0	3	1
<i>Operophtera brumata</i> Winter Moth	1983	2	3	2	120	—	13	—	3	0	149	14	14
	1984	0	5	0	123	5	16	5	4	1	82	10	10

ROTHAMSTED INSECT SURVEY

2(c)

of moths of economic, or other importance for 1983 and 1984

													Pest Species
46	Alice Holt	219	Haslemere	379	Winchester	366	Lydd	368	Denny Lodge	149	Starcross	266	Yarner Wood
4	9	2	2	0	0	5	9	3	0	1	1	1	1983
4	2	3	2	1	11	5	3	1	0	7	1984	7	<i>Hydraecia micacea</i> Rosy Rustic
1	1	0	0	0	0	0	0	0	0	0	1983	0	<i>Bupalus piniaria</i>
1	0	0	0	0	0	0	0	0	0	0	1984	0	Bordered White
2	0	0	0	0	0	3	0	0	0	1	1983	1	<i>Panolis flammea</i>
4	1	0	0	3	0	1	1	1	0	0	1984	0	Pine Beauty
7	0	0	2	0	0	1	0	0	0	0	1983	0	<i>Cerapteryx graminis</i>
5	0	0	3	0	0	2	0	0	0	0	1984	0	Antler Moth
3	1	0	0	21	0	6	0	0	0	0	1983	0	<i>Agriopsis aurantiaria</i>
5	1	0	0	13	0	6	0	0	0	0	1984	0	Scarce Umber
5	0	3	0	11	0	5	0	0	0	0	1983	0	<i>Operophtera fagata</i>
3	0	0	0	10	0	5	0	0	0	0	1984	0	Northern Winter Moth
0	0	0	0	0	0	0	0	0	0	0	1983	0	<i>Apamea sordens</i>
1	0	1	0	0	0	0	0	0	0	0	1984	0	Rustic Shoulder-knot
0	2	1	0	0	0	6	0	0	0	0	1983	0	<i>Gortyna flavago</i>
1	1	0	0	0	0	5	0	0	0	0	1984	0	Frosted Orange
0	2	4	0	23	3	0	8	10	10	10	1983	10	<i>Mamestra brassicae</i>
1	2	3	0	11	1	0	5	7	55	1984	10	10	Cabbage Moth
6	11	23	0	3	0	18	2	6	0	1	1983	0	<i>Noctua pronuba</i>
23	11	63	0	3	5	35	10	13	1	1984	1	1984	Large Yellow Underwing
2	1	10	0	0	0	29	10	6	3	1983	3	1983	<i>Lacanobia oleracea</i>
0	5	19	0	7	2	128	7	21	4	1984	4	1984	Bright-line Brown-eye
0	0	0	0	0	0	1	2	0	0	1983	0	1983	<i>Euxoa nigricans</i>
0	0	0	0	0	0	0	0	0	0	1984	0	1984	Garden Dart
26	10	118	62	3	8	60	20	29	2	1983	2	1983	<i>Mesapamea secalis</i>
17	29	130	56	20	9	98	69	24	13	1984	13	1984	Common Rustic
1	1	6	0	0	0	1	4	0	3	1983	3	1983	<i>Melanchnra persicariae</i>
0	3	1	0	0	0	1	6	0	1	1984	1	1984	Dot Moth
5	3	0	0	16	0	16	6	1	0	1983	0	1983	<i>Operophtera brumata</i>
8	7	4	0	14	0	29	0	1	1	1984	1	1984	Winter Moth

ROTHAMSTED REPORT FOR 1985, PART 2

**TABLE**  
*The Rothamsted Insect Survey—Light Traps: annual records*

Pest Species	Year	421	Morvich	58	Newton, Elgin	350	Beinn Eighe	49	Fort Augustus	—	48	Kindrogan	—	97	Rowardennan	261	East Craigs	—	446	Brodick	—	293	Auchincruive	—	264	Culzean Castle	
<i>Abraxas grossulariata</i>	1983	0	0	16	0						0			0	1	0			0	0		0	0	0	0	0	
Magpie Moth	1984	0	1	39	0			0		1	0		0	0	0	0	0	0	0	0		0	0	0	0	0	
<i>Agrotis segetum</i>	1983	0	4	0	0														0	0		0	0	0	0	0	
Turnip Moth	1984	0	1	0	0			0		0	0		0	0	0	0	0	0	0	0		0	0	0	0	0	
<i>Erannis defoliaria</i>	1983	12	9	5	2						38	—			108	0						14	0	0	0	0	4
Mottled Umber	1984	—	2	2	5			38	—	6	109	0		0	0	0	0	0	0	0	0	0	0	0	0		
<i>Phlogophora meticulosa</i>	1983	0	0	2	1						0			0	0	0	0	0	0	0	0	0	0	0	0	0	
Angle Shades	1984	0	0	0	0			0		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Alsophila aescularia</i>	1983	5	1	0	1						12	0		12	0	0	0	0	0	0	0	0	0	0	0	21	
March Moth	1984	3	15	0	12			0		3	42	0		42	0	0	0	0	0	0	0	0	0	0	0	18	
<i>Hepialus humuli</i>	1983	2	0	0	0						0			0	0	0	0	0	0	0	0	0	0	0	0	0	
Ghost Swift	1984	0	1	0	1			0		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Hepialus lupulinus</i>	1983	0	0	0	0						0			0	0	0	0	0	0	0	0	0	0	0	0	0	
Common Swift	1984	0	0	0	0			0		0	0		0	1	3	0	0	0	0	0	0	0	0	0	0	0	
<i>Agrotis ipsilon</i>	1983	0	0	0	1						0			1	0	0	0	0	0	0	0	0	0	0	0	0	
Dark Sword-grass	1984	2	0	0	0			0		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Euproctis chrysorrhoea</i>	1983	0	0	0	0						0			0	0	0	0	0	0	0	0	0	0	0	0	0	
Brown-tail	1984	0	0	0	0			0		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Agrotis exclamationis</i>	1983	0	8	0	2						6	—		0	50	—	0	7	7	7	7	7	7	7	20		
Heart and Dart	1984	7	22	0	5			21	0	0	182	0		182	37	43	43	20									
<i>Autographa gamma</i>	1983	4	0	1	0						3	—		4	0	0	0	0	0	0	0	0	0	0	0	4	
Silver Y	1984	0	1	1	0			0		1	1		1	1	4	0	0	0	0	0	0	0	0	0	0	3	
<i>Spodoptera exigua</i>	1983	0	0	0	0						0			0	0	0	0	0	0	0	0	0	0	0	0	0	
Small Mottled Willow	1984	0	0	0	0			0		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Orthonama obstipata</i>	1983	0	0	0	0						0			0	0	0	0	0	0	0	0	0	0	0	0	0	
The Gem	1984	0	0	0	0			0		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Nomophila noctuella</i>	1983	0	0	0	0						0			2	0	0	0	0	0	0	0	0	0	0	0	3	
Rush Veneer Pearl	1984	0	0	0	0			0		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Plutella xylostella</i>	1983	3	53	11	0						0			0	6	—	516	—	4	—	10	—	516	—	4	1	
Diamond-back Moth	1984	0	12	0	0			0		0	0		0	0	0	23	0	0	0	0	0	0	0	0	0	0	
<i>Udea ferrugalis</i>	1983	0	0	0	0						0			0	0	0	0	0	0	0	0	0	0	0	0	0	
Rusty-dot Pearl	1984	0	0	0	0			0		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	

ROTHAMSTED INSECT SURVEY

2(d)

*of moths of economic, or other importance for 1983 and 1984*

															Pest Species
296	Kielder														
0	0	362	Stocksfeld	39	Chester-le-Street										
0	0	0	0	416	Forest-in-Teesdale										
				323	Windermere										
				315	Baldersby										
				410	Harrogate										
				131	Spurn Head										
				35	Bangor										
				Year											
0	0	3	0	0	9	3	1	1	0	1983	<i>Abraxas grossulariata</i>				
0	0	3	0	2	8	1	1	0	1984	<i>Magpie Moth</i>					
0	0	1	0	2	3	0	4	1	1983	<i>Agrotis segetum</i>					
0	0	0	0	0	1	0	6	0	1984	<i>Turnip Moth</i>					
21	2	1	0	3	11	24	0	0	1983	<i>Erannis defoliaria</i>					
11	7	0	0	2	2	28	0	0	1984	<i>Mottled Umber</i>					
2	8	4	1	14	11	1	10	1	1983	<i>Phlogophora meticulosa</i>					
1	0	0	0	10	3	0	25	1	1984	<i>Angle Shades</i>					
0	5	3	0	5	22	10	0	0	1983	<i>Alsophilinae</i>					
1	4	0	0	7	13	16	0	0	1984	<i>March Moth</i>					
0	1	1	7	0	0	1	0	0	1983	<i>Hepialus humuli</i>					
0	1	4	0	0	0	0	0	0	1984	<i>Ghost Swift</i>					
0	0	1	0	0	3	103	13	0	1983	<i>Hepialus lupulinus</i>					
0	0	0	0	0	2	152	32	0	1984	<i>Common Swift</i>					
0	0	0	0	3	0	2	1	0	1983	<i>Agrotis ipsilon</i>					
1	0	0	0	2	0	0	0	0	1984	<i>Dark Sword-grass</i>					
0	0	0	0	0	0	0	1	0	1983	<i>Euproctis chrysorrhoea</i>					
0	0	0	0	0	0	0	0	0	1984	<i>Brown-tail</i>					
1	12	37	0	25	7	13	33	1	1983	<i>Agrotis exclamationis</i>					
2	223	33	0	408	130	97	189	5	1984	<i>Heart and Dart</i>					
6	3	59	3	4	82	15	33	5	1983	<i>Autographa gamma</i>					
0	6	59	2	4	40	7	52	0	1984	<i>Silver Y</i>					
0	0	0	0	0	0	0	0	0	1983	<i>Spodoptera exigua</i>					
0	0	0	0	0	0	0	0	0	1984	<i>Small Mottled Willow</i>					
0	0	0	0	0	0	0	0	0	1983	<i>Orthonama obstipata</i>					
0	0	0	0	0	0	0	0	0	1984	<i>The Gem</i>					
2	—	0	0	1	0	—	3	0	1983	<i>Nomophila noctuella</i>					
—	—	0	0	0	0	—	0	0	1984	<i>Rush Veneer Pearl</i>					
1	—	7	0	0	2	—	67	8	1983	<i>Plutella xylostella</i>					
—	—	0	0	0	12	—	0	2	1984	<i>Diamond-back Moth</i>					
0	—	0	0	0	0	—	0	0	1983	<i>Udea ferrugalis</i>					
—	—	0	0	2	0	—	1	0	1984	<i>Rusty-dot Pearl</i>					

## ROTHAMSTED REPORT FOR 1985, PART 2

**TABLE**  
*The Rothamsted Insect Survey—Light Traps: annual records*

Pest Species	Year	279	Matlock	Wells-next-the-Sea	378	Shardlow	168	Sutton Bonington	381	Terrington	382	Preston Montford	280	Empingham	424	Compton Park	267	Wolverhampton	259	Santon Downham	340	Aberystwyth
<i>Abraxas grossulariata</i>	1983	41	—	3	5	1	1	21	0	0	0	0	0	0	0	0	0	0	0	14	—	
Magpie Moth	1984	12	18	2	0	1	0	20	0	0	0	0	0	0	0	0	0	0	1	35	—	
<i>Agrotis segetum</i>	1983	0	—	2	2	2	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	
Turnip Moth	1984	1	0	2	14	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	0	
<i>Erannis defoliaria</i>	1983	0	—	1	3	0	10	2	0	0	0	0	0	0	0	0	0	0	5	2	—	
Mottled Umber	1984	0	0	1	1	0	—	2	1	0	0	0	0	0	0	0	0	0	7	—	—	
<i>Phlogophora meticulosa</i>	1983	7	—	3	5	12	3	15	1	0	0	0	4	0	0	0	0	0	4	3	—	
Angle Shades	1984	2	5	4	7	16	0	12	3	0	0	0	5	0	0	0	0	0	5	1	—	
<i>Alsophila aescularia</i>	1983	5	—	7	5	0	32	1	2	0	0	0	11	0	0	0	0	0	11	6	—	
March Moth	1984	4	0	11	4	0	30	7	3	0	0	0	18	0	0	0	0	0	18	10	—	
<i>Hepialus humuli</i>	1983	0	—	0	0	0	3	2	0	0	0	0	0	0	0	0	0	0	0	3	5	—
Ghost Swift	1984	0	0	0	3	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—
<i>Hepialus lupulinus</i>	1983	1	—	6	51	18	8	31	1	0	0	0	0	0	0	0	0	0	2	0	0	
Common Swift	1984	5	15	22	40	48	6	107	0	0	0	0	0	0	0	0	0	0	5	0	0	
<i>Agrotis ipsilon</i>	1983	1	—	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Dark Sword-grass	1984	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Euproctis chrysorrhoea</i>	1983	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brown-tail	1984	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Agrotis exclamationis</i>	1983	30	—	155	154	15	33	52	156	8	13	2	—	—	—	—	—	—	—	—	—	
Heart and Dart	1984	119	9	476	810	24	225	150	169	5	25	58	0	0	0	0	0	0	0	0	0	0
<i>Autographa gamma</i>	1983	15	—	20	4	14	19	47	10	2	20	42	—	—	—	—	—	—	—	—	—	
Silver Y	1984	11	2	31	12	4	6	53	16	0	30	6	0	0	0	0	0	0	0	0	0	0
<i>Spodoptera exigua</i>	1983	0	—	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Small Mottled Willow	1984	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Orthonama obstipata</i>	1983	0	—	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
The Gem	1984	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Nomophila noctuella</i>	1983	0	—	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	—
Rush Veneer Pearl	1984	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	—
<i>Plutella xylostella</i>	1983	22	—	343	0	412	26	73	0	0	0	0	0	0	0	0	0	0	0	3	—	
Diamond-back Moth	1984	5	0	37	0	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	—
<i>Udea ferrugalis</i>	1983	0	—	0	0	0	0	22	0	0	0	0	0	0	0	0	0	0	1	—	—	
Rusty-dot Pearl	1984	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	—	—	

ROTHAMSTED INSECT SURVEY

2(e)

of moths of economic, or other importance for 1983 and 1984

														Pest Species
														Year
103	0	91	4	1	22	5	8	0	14	1983	<i>Abraxas grossulariata</i>			
124	0	48	2	1	11	12	3	4	4	1984	<i>Magpie Moth</i>			
5	1	0	0	1	0	6	0	2	0	1983	<i>Agrotis segetum</i>			
2	3	0	0	1	0	6	0	1	0	1984	<i>Turnip Moth</i>			
—	0	122	35	0	0	1	2	0	157	1983	<i>Erannis defoliaria</i>			
71	0	—	17	2	0	2	3	0	58	1984	<i>Mottled Umber</i>			
18	0	12	5	1	4	0	1	0	13	1983	<i>Phlogophora meticulosa</i>			
10	3	5	3	4	2	2	0	0	7	1984	<i>Angle Shades</i>			
31	1	92	—	3	2	2	10	3	13	1983	<i>Alsophilia aescularia</i>			
41	0	112	22	6	2	7	17	1	8	1984	<i>March Moth</i>			
0	0	1	2	1	7	1	0	16	0	1983	<i>Hepialus humuli</i>			
0	0	0	0	0	4	2	0	0	0	1984	<i>Ghost Swift</i>			
27	1	0	0	0	17	1	1	1	0	1983	<i>Hepialus lupulinus</i>			
50	9	0	0	3	4	0	0	3	0	1984	<i>Common Swift</i>			
0	0	23	4	0	2	0	0	0	3	1983	<i>Agrotis epsilon</i>			
0	0	6	0	0	3	0	0	0	1	1984	<i>Dark Sword-grass</i>			
0	0	0	0	0	0	0	0	0	0	1983	<i>Euproctis chrysorrhoea</i>			
0	0	0	0	0	0	0	0	0	0	1984	<i>Brown-tail</i>			
6	12	11	8	35	23	13	27	112	5	1983	<i>Agrotis exclamationis</i>			
11	25	425	496	128	269	35	210	76	144	1984	<i>Heart and Dart</i>			
10	2	63	32	7	42	17	5	2	41	1983	<i>Autographa gamma</i>			
18	5	11	9	4	8	15	2	3	25	1984	<i>Silver Y</i>			
0	0	0	0	0	0	0	0	0	0	1983	<i>Spodoptera exigua</i>			
0	0	0	0	0	0	0	0	0	0	1984	<i>Small Mottled Willow</i>			
0	0	0	0	1	0	0	0	0	0	1983	<i>Orthonama obstipata</i>			
0	0	0	0	0	0	0	0	0	0	1984	<i>The Gem</i>			
0	1	—	—	0	—	3	5	2	14	1983	<i>Nomophila noctuella</i>			
0	1	—	—	0	—	0	0	0	0	1984	<i>Rush Veneer Pearl</i>			
4	0	—	—	66	—	873	140	59	0	1983	<i>Plutella xylostella</i>			
1	1	—	—	7	—	23	2	4	0	1984	<i>Diamond-back Moth</i>			
2	0	—	—	0	—	0	7	2	7	1983	<i>Udea ferrugalis</i>			
0	2	—	—	0	—	1	0	0	4	1984	<i>Rusty-dot Pearl</i>			

## ROTHAMSTED REPORT FOR 1985, PART 2

**TABLE**  
*The Rothamsted Insect Survey—Light Traps: annual records*

Pest Species	Year	436	Halstead	1 Rothamsted (Barnfield)	34 Rothamsted (Allotments)	22 Rothamsted (Geescroft)	292 Westonbirt	180 Hurley	347 Cardiff	370 Sheppay	16 Stratfield Mortimer	289 Wisley
<i>Abraxas grossulariata</i>	1983	49	7	1	15	—	1	—	0	2	10	0
Magpie Moth	1984	47	5	0	43	9	8	0	0	5	19	0
<i>Agrotis segetum</i>	1983	3	0	0	2	—	3	—	0	0	0	4
Turnip Moth	1984	0	2	0	2	3	1	0	0	1	0	1
<i>Erannis defoliaria</i>	1983	1	0	1	75	—	55	—	0	1	35	12
Mottled Umber	1984	0	0	0	76	4	56	0	0	0	21	16
<i>Phlogophora meticulosa</i>	1983	5	0	0	11	—	18	—	5	7	3	1
Angle Shades	1984	3	2	2	17	3	4	3	3	3	3	3
<i>Alsophila aescularia</i>	1983	1	2	0	21	—	15	—	0	2	21	14
March Moth	1984	0	0	1	19	12	16	19	0	1	5	14
<i>Hepialus humuli</i>	1983	3	2	9	4	—	2	—	0	0	3	0
Ghost Swift	1984	0	2	4	12	0	1	0	0	0	0	0
<i>Hepialus lupulinus</i>	1983	22	34	10	5	—	5	—	19	2	3	3
Common Swift	1984	79	36	6	16	20	9	28	31	11	17	4
<i>Agrotis ipsilon</i>	1983	1	0	0	0	—	12	—	0	0	0	0
Dark Sword-grass	1984	0	0	0	1	0	1	0	0	0	0	0
<i>Euproctis chrysorrhoea</i>	1983	0	0	0	0	—	0	—	0	3	0	1
Brown-tail	1984	0	0	0	0	2	0	1	0	7	0	1
<i>Agrotis exclamationis</i>	1983	8	30	10	28	—	8	—	12	46	14	15
Heart and Dart	1984	10	168	35	142	147	104	82	40	63	50	59
<i>Autographa gamma</i>	1983	3	20	5	7	—	17	—	34	39	4	17
Silver Y	1984	3	11	1	10	16	17	1	24	42	4	7
<i>Spodoptera exigua</i>	1983	0	0	0	0	—	0	—	0	0	0	0
Small Mottled Willow	1984	0	0	0	0	0	0	0	0	0	0	0
<i>Orthonoma obstipata</i>	1983	0	0	0	0	—	0	—	0	0	0	0
The Gem	1984	0	0	0	0	0	0	0	0	0	0	0
<i>Nomophila noctuella</i>	1983	2	4	0	2	—	8	—	0	0	5	29
Rush Veneer Pearl	1984	1	0	0	0	0	0	0	0	0	0	0
<i>Plutella xylostella</i>	1983	4	513	301	1	—	0	—	49	340	4	484
Diamond-back Moth	1984	2	24	11	0	0	0	5	11	20	0	41
<i>Udea ferrugalis</i>	1983	0	1	1	0	—	2	—	0	0	1	34
Rusty-dot Pearl	1984	1	0	1	1	0	0	1	1	0	2	14

ROTHAMSTED INSECT SURVEY

2(f)

of moths of economic, or other importance for 1983 and 1984

46	Alice Holt	219	Haslemere	379	Winchester	366	Lydd	368	Denny Lodge	146	Starcross	266	Yarner Wood	114	Rosewarne	252	Guernsey	146	Jersey	Year	Pest Species
0	0	46	0	37	0	0	0	0	0	5	5	0	2	8	4	13	23	3	1983	<i>Abraxas grossularia</i>	
0	0																	0	1984	Magpie Moth	
0	0	0	0	0	0	0	0	0	0	0	0	11	0	2	0	4	1	1983	<i>Agrotis segetum</i>		
0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1984	Turnip Moth		
40	4	0	0	0	35	0	0	1	31	13	31	0	0	0	0	0	1	1983	<i>Erannis defoliaria</i>		
14	4	0	0	48	0	48	0	0	0	0	0	0	0	0	0	0	1	1984	Mottled Umber		
2	3	2	1	0	1	2	1	0	10	3	0	0	3	1	2	0	2	1983	<i>Phlogophora meticulosa</i>		
1	0	0	0	0	1	1	0	0	Angle Shades	0	0	0	0	0	0	0	0	1984			
30	4	1	0	5	0	5	0	3	56	34	34	5	2	0	0	10	6	1983	<i>Alsophila aescularia</i>		
15	7	3	0	0	15	3	0	0	March Moth	3	0	0	0	0	0	0	6	1984			
2	0	3	1	0	0	10	0	3	1	10	0	5	0	0	0	0	0	1983	<i>Hepialus humuli</i>		
2	0	0	1	0	0	3	0	0	Ghost Swift	3	0	1	0	0	0	0	0	1984			
1	0	11	58	0	2	0	2	1	0	0	2	0	0	0	0	0	0	1983	<i>Hepialus lupulinus</i>		
7	5	27	71	2	2	1	2	1	Common Swift	2	3	0	0	0	0	0	0	1984			
0	0	1	0	2	0	1	0	0	0	9	2	2	0	0	0	0	0	1983	<i>Agrotis epsilon</i>		
0	0	0	0	0	0	0	0	0	Dark Sword-grass	2	0	1	0	1	0	0	1	1984			
0	0	0	218	13	0	0	0	0	0	56	34	5	2	0	0	5	3	1983	<i>Euproctis chrysorrhoea</i>		
0	0	2	248	13	0	0	0	0	Brown-tail	0	0	0	0	0	0	3	3	1984			
19	14	54	16	4	18	26	55	18	0	26	651	18	18	11	18	11	33	1983	<i>Agrotis exclamationis</i>		
56	48	83	27	41	98	242	651	30	Heart and Dart	242	30	30	30	33	1984	33	1984				
28	16	38	4	3	20	73	47	9	0	73	43	47	9	10	1983	47	19	1984	<i>Autographa gamma</i>		
22	8	21	24	3	15	43	37	17	Silver Y	43	37	37	17	19	1983	37	19	1984			
0	0	0	0	1	0	0	0	0	Spodoptera exigua	0	0	0	0	0	0	0	0	1983			
0	0	0	0	1	0	0	0	0	Small Mottled Willow	0	0	0	0	0	0	0	0	1984			
0	0	0	0	2	0	9	0	1	0	0	1	0	1	0	0	0	0	1983	<i>Orthonama obstipata</i>		
0	0	0	0	0	0	1	1	0	The Gem	1	0	0	0	0	0	0	0	1984			
35	3	2	0	—	51	—	145	73	0	145	73	73	48	48	1983	73	3	1984	<i>Nomophila noctuella</i>		
0	0	0	0	—	1	—	3	—	Rush Veneer Pearl	3	3	7	48	48	1983	7	3	1984			
69	44	3	0	—	145	—	2208	494	0	2208	232	74	589	589	1983	74	74	1984	<i>Plutella xylostella</i>		
6	0	0	0	—	11	—	232	74	Diamond-back Moth	232	74	74	74	74	1983	74	74	1984			
15	3	3	0	—	48	—	73	300	0	73	20	46	80	80	1983	46	4	1984	<i>Udea ferrugalis</i>		
3	0	0	0	—	1	—	73	300	Rusty-dot Pearl	20	46	46	80	80	1983	46	4	1984			