

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Rothamsted Experimental Station Report for 1985

[Full Table of Content](#)



---

## Subject Index

### Rothamsted Research

Rothamsted Research (1986) *Subject Index* ; Rothamsted Experimental Station Report For 1985, pp 291 - 300 - DOI: <https://doi.org/10.23637/ERADOC-1-26>

## SUBJECT INDEX

The papers in Part 2 have not been indexed.

- Abbeycwmhir, 191  
Acetohydroxyacid synthase, 145  
Acetylene blocking technique, 165  
Acid rain debate, the, 194  
*Acremonium*, 30  
Acute paralysis virus, of honeybees, 98–99  
*Acyrtosiphon pisum*, 94, 96, 123–124  
ADAS, 77, 79–82, 172  
AERE, Harwell, 197  
Aerobiology, 69–70, 129–130  
AFRC, 93, 103, 142, 158, 174, 193  
    Straw Operations Group, 172  
    Winter wheat model, 93  
AGRENET, 75  
Agricultural Development and Advisory Service, *See*:  
    ADAS  
Agricultural Genetics Company, the, 141  
Agricultural land,  
    classification of, 199  
    management and sales of, 193  
*Agrobacterium* spp., 146  
Agroclimate, 198  
Agroforestry, statistical methods in, 86  
Agviser, 14, 55, 94  
Air photos,  
    of eroded fields, 200  
    to estimate fodder biomass, 178  
Airborne microorganisms, 129–130  
Alarm pheromone, in aphids, 20  
Aldicarb,  
    alternatives to, 112  
    as a nematicide, 112, 117, 121  
Algae, blue-green, soil N<sub>2</sub> fixation by, 168  
N-alkylamides, 21, 105  
Alnwick and Rothbury, soil survey of, 188  
*Alternaria*, spp., 29, 30  
Alternative crops, 15–16  
Amides, insecticidal, 21, 105, 108  
Amino acids,  
    biosynthesis of, 144  
    sequences of in barley, rye and wheat, 148, 150–151  
    sulphur in, 149  
    synthesis of, in wheat leaves, 65  
    *See also*: Names of individual amino acids  
Amino-N, in sugar beet storage roots, 66–67  
Ammonia, assimilation of, 149  
    volatilization losses from, 167  
Animal and Grassland Research Institute, 194  
Anisotropic soils, 175  
Antifeedants, 100, 106  
APE 80 sprayer, 123  
*Aphanomyces*, 41  
Aphicides,  
    on sugar beet, 50–51  
    on wheat, 59  
    resistance to, 109–110  
Aphid alarm pheromone, 20, 98, 105–107  
*Aphid bulletin*, 93  
*Aphid commentary*, 93  
Aphid repellents, 48  
*Aphidius ervi*, 96  
Aphids,  
    compounds affecting behaviour of, 105–107  
    control of on potatoes, 128  
    effect of plant age on, 46–47  
    electrophoretic variation in, 95  
    fungal pathogens of, 97–98  
    infectivity with beet yellowing viruses, 32  
    insecticide resistance in, 109–110  
    kairomones from, 96  
    migrations of, 41  
    on barley, 26  
    on beans, 94, 97–98  
    on carrots, 94  
    on hops, 94  
    on potatoes, 94, 128  
    on sugar beet, 41–42, 46–48, 94  
    on wheat, 59  
    overwintering, 41, 47  
    parasitoids of, 96–97  
    populations, 94–95  
    radar taxonomy of, 19–20  
    repellents for, 48  
    surveys of, 93–94  
    vectors of potato virus Y, 20  
*Aphis fabae*, 41, 46, 48  
*Aphis gossypii*, 106, 110  
‘Aphox’, 59  
‘Apron T69 SD’, 163  
Archaeological investigations, 194  
AREAS computer program, 76  
*Ascaris suum*, 115  
Aspartate kinase, 94  
Aspartate pathway, the, 144  
*Aureobasidium pullulans*, on oilseed rape, 30  
Automatic data recording, of soil samples, 178  
  
Barley,  
    aphids on, 26  
    at Broom’s Barn, 55, 56  
    calcium in, 169  
    carboxylases from, 143  
    comparison of cultivars, 60  
    crop sequence experiments for, 23, 25  
    cultivation/weedkiller experiment, 60  
    deposition of *Erysiphe graminis* in, 69  
    ear number, 24  
    factors limiting yield, 23–27  
    fungicide on, 24  
    grain yield, 24–25  
    growth regulator on, 24  
    high lysine mutants of, 149  
    hordeins of, 146, 148  
    Igri, 60  
    Klaxon, 60  
    mildew control on, 60  
    on Hoos, 60  
    nitrogen concentration in, 25  
    Panda, 23–26, 60  
    photorespiratory mutants of, 142–143  
    Pirate, 26, 60  
    potassium deficiency in, 18, 169  
    prolamin storage proteins of, 148–149  
    seed treatment, 24  
    shoot number, 24–25  
    Triumph, 60  
    viruses of, 20, 27, 60, 105, 122, 125–126  
    winter nitrogen on, 24–25  
    yields, 60  
    *See also*: Barley yellow dwarf virus; barley yellow  
    mosaic virus; cereals; *Erysiphe graminis*; Take-all  
Barley yellow dwarf virus, 27, 105, 125  
Barley yellow mosaic virus, 20, 122, 125–126  
Barney Patch, in sugar beet, 52–53  
‘Bavistin FL’, 123  
‘Baytan’, *See*: Triadimenol  
BBC Doomsday Project, 199



## INDEX

- Bean leaf roll virus, 31  
Beans (*Vicia faba*),  
  aldicarb on, 30  
  aphids on, 94, 97–98  
  benomyl on, 30  
  carbendazim on, 30  
  chocolate spot of, 31  
  chlorothalonil on, 30  
  deltamethrin on, 31  
  fosetyl-Al on, 30  
  Minden, 60  
  nematodes on, 31–32  
  pests and pathogens of, 30–31  
  rust on, 31–32  
  seed rate, 31–32  
  viruses of, 31–32  
  yields, 27  
  *See also*: Bean leaf roll virus; *Phaseolus vulgaris*  
Bees, *See*: Honeybees  
Beet cryptic virus, 128  
Beet leaf miner, 40  
Beet mild yellowing virus, 41, 46–50  
Beet necrotic yellow vein virus, 51  
Beet western yellows virus, 30  
Beet yellows, 41, 46–50  
  control of by aphicides, 51  
  effect on aphid performance, 46–47  
  *See also*: Virus yellows  
Behaviour-controlling chemicals, 20, 105–107  
Biggleswade, soil survey in, 190  
Bioassay, novel, to study nematode hatching sequences, 115–116  
Biochemical characterization, of nematodes, 114  
Biodeterioration, of stored rape seed, 130  
Biological agents, to control nematodes, 113  
Biomass, *See*: Soil biomass  
Biometric Unit, 85  
Bioresmethrin, 108  
Biosynthesis, of amino acids, 144  
Birds, in sugar beet fields, 39  
Black dot,  
  *See*: *Colletotrichum coccodes*,  
Black scurf, of potatoes, 128  
Blue-green algae, *See*: Algae  
Bodmin Moor, soil survey in, 197  
Bolters, control of, 39, 53–54  
Boston and Spalding, soil survey of, 189  
*Botrytis cinerea*, 29, 30, 123  
*Botrytis fabae* (chocolate spot), on beans, 31–32  
Botswana, estimation of fodder  
  biomass in, 178  
*Brachycaudus helichrysi*, 95  
Bracken, in relation to soil type, 202–203  
Branched chain amino acid synthesis, 144–145  
Brassica crops, fungal diseases of, 20  
Brimstone experiment, the, 158, 174  
British Earthworm Technology Limited, 100–101  
British Sugar, 41, 48, 51, 54–55, 82  
British Sugar Specific Field Survey, 39, 42  
British Technology Group, 93  
Broadbalk, wheat on, 59–60  
Broom's Barn,  
  studies with pesticides at, 112  
  sugar beet at, 38–55, 66, 82  
  weather at, 38–40  
Broom's Barn Farm, 17, 55–57  
Brown foot rot, *See*: *Fusarium* spp.  
Burning of straw, 172–173  
Buxton, Matlock and Dovedale, soil survey in, 189  
  
Cadmium, concentrations of in plants, 171  
Calcium,  
  in barley leaves, 169  
  in wheat grain, 172  
Cambridgeshire, soil survey of, 192  
Canker, *See*: *Leptosphaeria maculans*  
Captafol, 24  
Carbendazim,  
  on barley, 24  
  Carbendazim (*contd.*)  
    on beans, 30  
    on cereals, 124  
  Carbendazim plus maneb, 58  
  Carbendazim+vinclozolin, 123  
  Carbofuran, 112  
  Carbon cost, of nitrogenase activity, 161  
  Carbon metabolism,  
    in wheat leaves, 65–66  
    studies of, 142–144  
  Carboxin, toxicity to rhizobia, 163  
  Carboxylase activity,  
    regulation of by anionic effectors, 143  
    *See also*: RuBP carboxylase  
  Carboxylation efficiency,  
    effect of nitrogen shortage on, 64–65  
  Carrots, aphids on, 94  
  Cattle, at Rothamsted, 57, 65  
    *See also*: Livestock  
  *Cavariella* spp., 46  
  *Cavariella aegopodii*, 94  
  Cell vacuoles, accumulation of nitrate in, 159  
  Cellulolytic fungi, in straw decay, 160  
  Cereal seed proteins,  
    *See*: Proteins  
Cereals,  
  alternatives to, 16  
  aphids on, 94  
  at Broom's Barn, 55–56  
  at Rothamsted, 58  
  at Woburn, 58  
  developing endosperms of, 149–150  
  diseases of, 124–126  
  fungicides on, 124–125  
  rhizospheres of, 161  
  yields, 15, 56  
  *See also*: Barley; *Erysiphe graminis*; Maize; Oats;  
  Take-all; Wheat  
*Ceutorhynchus assimilis*, 29  
*Chenopodium quinoa*, 51–52  
Cheshire, soil survey in, 192, 195  
Cheviot Hills, soil mapping in, 188  
Chickpea, nitrogen fixation by, 161  
Chiral HPLC, for analysis of insecticides, 104  
Chloride,  
  as a marker for nitrate, 165  
  concentrations of in plants, 161  
Chlormequat, on barley, 24  
2-chloroethylphosphonic acid ('Cerone'), 28  
Chlorophyll, in wheat leaves, 65  
Chloroplasts, barley, 169  
Chlorothalonil, 30  
Chlorsulfuron plus metsulfuronmethyl, 110  
Chocolate spot, of field beans,  
  *See*: *Botrytis fabae*  
Chronic paralysis virus, of honeybees, 98  
Chymotrypsin inhibitors, 149  
CIAT (Centro Internacional de Agricultura Tropical), 162  
*Cladosporium* spp., on oilseed rape, 30  
Clay soils,  
  cracking of, 175  
  straw disposal on, 16  
Clover,  
  mycorrhiza on, 160  
  *Rhizobium* on, 158, 162  
CO<sub>2</sub> concentration, in wheat, 64–65  
CO<sub>2</sub> fixation cycle, enzymes of the, 65  
*Colletotrichum coccodes* (black dot on potato), 122, 127  
Colluvial soils, dating of, 200–201  
Compaction, of soil under traffic, 176  
Compartmentation, sub-cellular,  
  of plant nutrients, 98  
Computer models, *See*: Models  
Computer programs, 76  
  for soil survey, 199  
  *See also*: Models; Statistical programming; names of  
  individual programs  
Computers,  
  graphics, 76–77  
  Jacquard, 77–79



## INDEX

- Rothamsted Computing Unit, 75–78  
 VAX systems, 75–77, 79, 199  
 See also: Microcomputers  
 Conference Hall, the, 12  
 Consultancy work, by Soil Survey, 193  
 Controlled traffic system, effect on soil, 176  
 Copper, from sewage sludge, 171, 172  
 Coulter counter, for counting and sizing of plant cells, 67–68  
 Cow-slurry, response of cut grass to N content of, 80  
 Cracking, of clay soils, 175  
 Crop experiments, statistical programs for, 80  
 Crop residues, oxygen demand by, 173  
 Crop sequences, effect on barley yields, 25  
 Crop suitability, advice on, 193  
 Crop yields, 15  
 See also: under individual crops  
 Crops, alternative, 15–16  
 Cryofracture-fixation technique,  
 to study nematode eggs, 114–115  
*Cryptococcus* spp., 30  
 Cultivation, methods of in Northfield experiment, 172–173  
 Cultivation/Weedkiller experiment, 60  
 Cumbria,  
 soil survey in, 194  
 soil erosion in, 200  
 Curve-fitting program, for ADAS, 80  
 Cypermethrin, 60  
 Cyst nematodes, See: Nematodes  
 Cysteine, sulphur in, 149  
 Cytoplasm, potassium in the, 169
- Dactylis glomerata*, 95  
 'Dark earth', 177  
 Dark field microscopic technique, 161  
 Dark leaf spot, 29  
*Dasyneura brassicae* (pod midges), 29  
 Data-entry program, 85  
 Data-logging, 77  
 Datatrieve, 197, 199  
*Datura innoxia*, 144  
 Deltamethrin, 108, 123  
 on beans, 30  
 on oilseed rape, 28  
 Deltamethrin+heptenophos, on sugar beet, 50, 51  
 Demeton-S-methyl, as an aphicide on sugar beet, 50  
 Denitrification, nitrogen losses caused by, 17  
*Deroceras reticulatum*, 100  
 Diffraction, X-ray, of soil clays, 176–177  
 Diffusion,  
 of ions, in soil, 168  
 oxygen, resistance to, 161  
 Diquat, 61  
 Direct drilling, 173, 176  
 Dispersal, of fungal spores, 20, 69–70  
 Dispersion ratio, of soils, 204  
 'Dithane', 61  
*Ditylenchus*, 21, 114  
 DNA,  
 recombinant technology, 149  
 sequencing, 142  
 cDNA clones, isolation of, 147–148  
 Docking disorder, 17, 40–41  
 Dodecanoic acid, as an aphid repellent, 48  
 Domestic waste disposal, airborne microorganisms associ-  
 ated with, 129–130  
 Dorset, soil erosion in, 200  
 Drainage, land, 173–174  
 Drazoxolon, 163  
 Drought, response of winter wheat to, 63–65, 165  
 Durham, soil survey in, 194  
 'Du-ter', 61
- Ear diseases, of wheat, 124–125  
*Earias insulana*, 107  
 Earthworms, 93, 100–102  
 and microbial interactions, 101  
 Eastern England, peat in, 192  
 EDTA-extractable metal concentrations, in soils, 171  
 Egg membranes, of nematodes, 114  
 Egg production, model of, 81
- Eggshell lipid layer, of nematodes, 115  
*Eisenia foetida*, 101  
 Electrical conductivity, of soils, 204  
 Electrophoresis, polyacrylamide gel, 160  
 Electrostatic spraying systems, 110, 127  
 ELISA technique, the, 99, 147  
 BYV identification by, 41, 51, 123  
 Endophytes mycorrhizal, identification of, 160  
 England and Wales, soil map of, 198  
 Enol ether side chains, 104  
 Entomogenous fungi, for aphid control, 97  
 Entomophthora, 42  
 Enzyme banding patterns, in mycorrhiza, 160  
 Enzyme-linked immunosorbant assay,  
 See: ELISA technique  
 Enzymes, 142–144  
 activity of in wheat leaves, 65  
 barley mutants deficient in, 142–144  
 in aphids, 110  
 of the CO<sub>2</sub> fixation cycle, 65  
 See also: Aspartate kinase; Carboxylase; Esterases;  
 Glutamine synthetase; Nitrogenase; Peroxidases;  
 and RuBP carboxylase  
*Epicoccum purpurascens*, on wheat, 124–125  
 Epping Forest, soil survey in, 206  
*Erynia neoaphidis*, 97  
*Erysiphe graminis*, (barley mildew), 26  
 control of, 60  
 deposition of spores, 69  
*Escherichia coli*, transformation of, 19  
 Essex, soil survey in, 202  
 Esterases, 110  
 Estimation, of variance, 83–84  
*Eudrilus eugeniae*, 101  
 Experiment sites, 194  
 Eyespot,  
 See: *Pseudocercospora herpotrichoides*
- Factors Limiting Yield experiment, 60  
 Farm Research Ltd., 82  
 Farm wastes, exploitation of, 100  
 Farmer's lung, 130  
*Farmers' Weekly* demonstration farm, 195  
 Farmlink, See: Prestel Farmlink  
 (*E*)- $\beta$ -farnesene, 98, 105–107  
 Fenpropimorph, 28  
 Fentin hydroxide, 61  
 Fertiliser Manufacturers' Association, 82  
 Fertilizers,  
<sup>15</sup>N-labelled, 30  
 nitrophosphate, 172  
 P, K, Na and Mg, timing of, on sugar beet, 44–45  
 sulphur content of, 149  
 survey of fertilizer practice, 81–82  
 See also: Nitrogen fertilizers; Phosphate fertilizers  
 Fibrous root system, of sugar beet, 45  
 Field beans, See: Beans  
 Field Drainage Experimental Unit, 17  
 Field Experiments, 15–16  
 straw disposal on heavy clay soils, 16  
 to study rates of nitrophosphate fertilizers, 172  
 to study the effects of simplified tillage, 176  
 Field mice, in sugar beet fields, 39  
 Financing, of research, 12–13  
 Flea beetle, 39, 61  
 Fluorescence microscopy, to study nematode hatching  
 activity, 115–116  
 Fodder beet, 39, 41  
 Fodder biomass, estimation of, 178  
 Foraging, in honeybees, 99–100  
 Forest Projects Community Programme Agency, 206  
 Forward Policy, 13  
 Fosetyl-Al, on beans, 30  
 Friends of Rothamsted, 14, 172  
 Fuberidazole, 23  
 'Fubol' 58 WP, 127  
 Fungal diseases,  
 of brassica crops, 20  
 See also: *Erysiphe graminis*; Eyespot; *Fusarium*; Take-  
 all



## INDEX

- Fungal spores, dispersal of, 20, 69–70
- Fungi,  
cellulolytic, 160  
mycorrhizal, 160–161
- Fungicide seed treatments, for sugar beet, 42–43
- Fungicides,  
at Rothamsted, 59  
effect on wheat grain quality, 170  
for seed treatment of potatoes, 128  
for seed treatment of sugar beet, 42–43  
on cereals, 124–125  
on sunflowers, 123  
volatile, 112  
*See also*: Names of individual chemicals used as fungicides
- Fusarium* spp.,  
on barley, 26  
on wheat, 34
- Fusion, of potato protoplasts, 146
- Gaeumannomyces graminis* var. *tritici*,  
effect of chloride concentration on, 161  
on barley, 26  
on wheat, 34  
*See also*: Take-all
- gamma-HCH ('Gammasan 30'), 163
- Gene transfer, 145
- Genes, isolation and expression of, 149–151
- Genkey, 84
- Genstat, 80, 82–84, 86
- Germany, virus incidence in honeybees from, 98–99
- GHOST computer program, 76
- Glasshouse Crops Research Institute, 172
- Glasshouses, 12, 151
- Gley morphology, 201
- Gliadins, of wheat, 145–146, 148
- Glim, 85
- Globodera pallida*, 116–120
- Globodera rostochiensis*, 115–120
- Glomus caledonium*, 160
- Glomus fasciculatum*, 160
- Glomus mossae*, 160, 161
- Glutamine synthetase, 142, 143, 150
- Gluten, structure and dynamics of, 148
- Glutenins, 148
- Glyphosate, to control sugar beet bolters, 53–54
- Grain legumes. *See*: Legumes
- Grain quality, of wheat, 170
- Grass,  
at Rothamsted and Woburn, 61  
cut, response of to N content of cow slurry, 80
- Grasses, prolamins in, 148
- Grey mould. *See*: *Botrytis cinerea*
- Groundwater,  
movement in, 173–174  
nitrate leaching into, 168, 202
- Growth regulators,  
on barley, 24  
on oilseed rape, 28, 123, 148
- Halcrow Water, soil survey for, 196
- Hampshire, soil survey in, 202
- Harrow, vertical band applicator fixed to a, 117–118
- Hatching mechanisms, of nematodes, 114–117
- Heavy metals,  
in sewage sludge, 159, 168, 171–172  
residues of, 101–102
- HEN (model of egg production), 81
- Herbicides,  
for cereals at Broom's Barn, 55–56  
new, 144
- Heterodera cruciferae*, 117, 119, 121
- Heterodera glycines*, 114
- Heterodera schachtii* (beet cyst nematode), 17, 42, 114–115, 118
- Hill grasslands, crop inoculation in, 162
- Hilleshog Sugar Beet Breeding Company, 49
- Home-Grown Cereals Authority, 149
- Honeybees (*Apis mellifera*),  
German, acute paralysis virus in, 98–99  
queen pheromones of, 99–100  
*Varroa Jacobsoni* on, 98–99  
viruses of, 98–99
- Hoos Barley, 60
- Hops, aphids on, 94
- Hordeins, 146, 148, 150
- Host-endophyte relationships, in mycorrhiza, 160–161
- Host-parasitoid interaction,  
models of, 78
- Housefly (*Musca domestica*),  
knock-down resistance in, 21, 105, 107–109  
sex-determining mechanisms in, 108–109
- HPLC, chiral, analysis of isomers by, 104
- Humber warplands, soil survey of, 204
- Humberside, soil survey in, 195
- Hydraulic sprayers, 127
- Hydrographs, drain, 173–174
- Hydroquinone, 166–167
- ICRISAT (International Crops Research Institute for the Semi Arid Tropics), 162
- Identification, of VA mycorrhizal fungi, 160
- Image analysis techniques, 76–77
- Immunospecific electron microscopy, 123
- Impedance factors, ionic, 168
- Imperial College, 41
- Inductively Coupled Plasma Emission Spectrometer, 178
- 'Infectivity Index', for barley yellow dwarf virus, 125
- Inference, 83
- Inflows, nutrient, in winter wheat, 169
- Inheritance, of hatching behaviour in nematodes, 116–117
- Inoculation, dual, 158
- INRA, Science du Sol, 201
- Insect data system, 39
- Insect traps, 20, 93–95
- Insecticidal amides, 105
- Insecticides,  
aphid resistance to, 107, 109–110  
chiral analysis of, 104  
housefly resistance to, 21, 105, 107–109  
relationship between molecular structure and insecticidal activity, 103  
selectivity of, 104  
transplant of, in phloem, 21  
*See also*: Nematicides; Pesticides; Pyrethroids; names of individual insecticides
- Insects, airborne, radar detection of, 19
- Intercropping, 86
- International Livestock Centre for Africa, 17, 178
- International Society of Soil Science, 206
- Interparticle bonding, in soil aggregates, 175
- Invertebrates, compounds influencing behaviour of, 105–110
- Ion trap effect. *See*: Translocation
- Ions, diffusion of in soil, 168
- Iprodione, 28
- Iron, in wheat grain, 172
- Irrigation,  
design of systems of, 193  
of sugar-beet, 45–46, 55  
of winter wheat, 165
- ISEM, 123
- Isoproturon, 110–111
- Isotope dilution, 161
- Jacquard computer systems, 77–79
- Jumbo electrostatic sprayer, 127
- Kairomones, from aphids, 96
- Kaolinite, 177
- kdr*. *See*: Knock down resistance
- Kent, soil survey in, 204, 206
- Knock down resistance, in houseflies, 21, 105, 107–109
- Kriging, 17, 178



## INDEX

- Laboratory Information Management System, 199  
 Lancashire, peat in, 191  
 Land management, soil survey for, 193  
 Land restoration, 194  
 Landscape planning, advice on, 194  
 Lawes Agricultural Trust Committee, 11  
 LAWS, advice given to, 194, 195  
 Leaching,  
   effect on sodium nutrition of sugar beet, 44  
   model of, 66, 165, 167  
   nitrogen losses from, 167–168  
 Leaf area index,  
   in sugar beet, 66  
   in wheat, 64  
 Leaf canopy expansion, in oilseed rape, 67  
 Leaf disc transformation method,  
   for tomato plants, 150  
 Leaf water potential, in wheat, 64  
 Leatherjackets, 39  
 Leeks, mycorrhiza on, 160  
 Legumes,  
   diseases of, 123–124  
   nitrogen fixation in, 18, 158–159, 161–162  
 Lepidoptera, control of, 107  
*Leptosphaeria maculans*, 30  
 Less Favoured Areas, 193  
 Letcombe Laboratory, closure of, 12, 16, 158, 174  
 Ley-arable rotations, 159, 166  
 Light leafspot, *See: Pyrenopeziza brassicae*  
 Light response curves, 64–65  
 Liming, response of rhizobia to, 162  
 Lincolnshire, soil survey in, 191–192, 196  
 Linseed, 193  
*Lipaphis erysimi*, 106  
 Liverpool, soil survey in, 189  
 Livestock,  
   at Broom's Barn, 57  
   at Rothamsted, 62  
   statistical analysis for, 41  
 Lodging, of winter wheat, 148  
 Long Ashton Research Station, 14, 172  
*Longidorus* spp., 40  
 Lupins, 16, 61, 124  
   inoculation with rhizobia, 163  
 Lysine, 149
- Maceration techniques, enzymic, 68  
*Macrosiphum euphorbiae*, 46  
 MAFF (Ministry of Agriculture, Fisheries and Food), 13,  
   17, 51, 81, 93, 100, 174, 187, 193, 194, 199–200, 204  
 Magnesium, in wheat grain, 172  
 Maize, mycorrhiza in roots of, 161  
 Malverns, soil survey in, 189–190  
 Management practices, effect on nitrate losses in winter  
   wheat, 167–168  
 Mancozeb, 61  
 Manganese,  
   deficiency of, 40, 176  
   in wheat grain, 172  
 Maps, *See: Soil maps*  
 Markov-chain simulation model, 70  
 Martin Down National Nature Reserve, 206–207  
 Mass spectrometer, 103  
 Mathematical models, *See: Models*  
 Maximum Likelihood Program (MLP), 84–85  
 MBC resistant isolates, in wheat, 124  
 Mean-variance relationships, 83  
 Mechanized methods of bolter control in sugar beet, 53–54  
 Medata Blowaway system, 81  
*Meligethes aeneus* (pollen beetle), 29  
 Melon rugose mosaic virus, 129  
 Mepiquat chloride + 2-chloroethylphosphonic acid, 123  
 Mesophyll cells, potassium in, 169  
 Metal contents in soil, model of, 78  
 Metalaxyl, 127  
 Metals, heavy,  
   in sewage sludge, 159, 168, 171–172  
   uptake of by earthworms, 101–102  
 Meteorological Office, the, 199
- Methionine,  
   biosynthesis of, 145  
   sulphur in, 149  
*Metopolophium dirhodum*, 78, 94, 96  
 Metribuzin, 61  
 Microbial interactions, with earthworms, 101  
 Microcomputers, 76–77, 79, 86, 199  
 Microflora, of stored rape seed, 130  
*Microlophium carnosum*, 96  
 Micronutrients,  
   concentrations of in wheat, 159  
   in soils and crops, 171  
   in wheat grain, 172  
 Micronutrients, in soils, 172–173  
 Microorganisms, airborne, 129–130  
*Microspolyspora faeni*, 130  
 Microscopy, fluorescence, 115–116  
 Microwave scattering, by various insect species, 95  
 Midas computer system, 199  
 Midland and Western England, 192  
 'Mil-col 30', 163  
 Mildew, 26, 60, 69  
   *See also: Erysiphe graminis*  
 Mineral extraction, 194  
 Mineral oil plus cypermethrin, 128  
 Mineralogy, of soil clays, 176–177  
 Minirhizotrons, 169  
 Mobile crop shelters,  
   dismountable, for winter wheat, 149  
   on sugar beet, 45  
 Models, mathematical,  
   AFRC winter wheat model, 62–63  
   discrimination between, 83  
   for early dry matter growth of sugar beet, 69  
   for leaf area expansion of sugar beet, 68  
   for tiller production in winter wheat, 68  
   for soil survey, 197, 199  
   HEN, for egg production, 81  
   of host-parasitoid interactions, 78  
   of metal contents in soil, 78  
   of nitrate leaching, 66, 165, 167–168  
   of particle dispersion, 70  
   of population development in aphids, 94  
   to predict N min, 44, 167  
 Moisture stress, in sugar beet, 46  
 Molecular structure, of insecticides, 103, 105  
 Mosquitoes, pheromones of, 107  
 Mouldboard ploughing, for winter wheat, 176  
 Multiple-comparison tests, 83  
 Multiple-range tests, 83  
 Multi-seeded inoculum pellets, 162  
 Multivariate analysis, 84  
*Musca domestica*, *See: Housefly*  
 Mutants, in barley, 142–143, 149  
 Mycorrhiza, vesicular arbuscular,  
   host-endophyte relationships, 160–161  
   influence of soil pH on, 160  
   inoculation of white clover with, 162  
   on strawberries, 160  
   sucrose in plants, 160  
   symbioses of, 18  
*Myzus ascalonicus*, 46  
*Myzus cerasi*, 95  
*Myzus persicae*, 20, 41, 46, 49, 95, 128  
   insecticide resistance in, 109–110  
   population dynamics of, 46  
   spreading of beet yellowing viruses by, 50–51
- <sup>15</sup>N, enriched atmospheres, 162  
 National Coal Board, the, 202  
 National Institute of Agricultural Engineering, 100, 172  
 National Peat Inventory, 187, 191–192  
 National Soil Inventory, 178, 194, 198  
   for Wales, 202–203  
 National Soil Map, 203  
 National Vegetable Research Station, 77  
 Nature Conservancy Council, 93, 197, 206–207  
 Nematicides,  
   new, 117  
   oxime carbamate, 117, 121



## INDEX

- Nematicides (*contd.*)  
trial of, 119  
*See also:* Aldicarb; Oxamyl
- Nematodes,  
beet cyst, 21, 42, 114, 118–119  
biochemical characterization of, 114  
biological agents for control of, 113  
brassica cyst, 21  
control of, 113–114, 117–118  
cyst, 114  
effect of temperature on, 116  
egg membranes of, 114  
eggshell lipid layer of, 115  
growth of cultivars resistant to, 113, 118–120  
hatching of, 114–117  
interaction with *Verticillium dahliae*, 120  
interference with behaviour of, 113  
metabolic activity of, 116  
novel bioassay for, 115–116  
on beans, 31–32  
on oilseed rape, 29, 121  
on potatoes, 113, 117–121  
physiology of, 114–117  
root knot, 114  
serological methods for study of, 114  
Newtown, soil survey of, 191  
Nicholas Pearson Associates, soil survey for, 197  
Nickel, in sewage sludge, 171  
*Nicotiana plumbaginifolia*, 144  
*Nicotiana tabacum*, *See:* Tobacco  
Nitrate, and nitrous oxide content,  
of drainage water, 174  
Nitrate leaching, 166  
model, 66, 165, 167–168  
pollution due to, 168, 202  
Nitrate reductase, in wheat leaves, 65  
Nitrate status, model for, 197  
'Nitro-Chalk',  
on oilseed rape, 166–167  
on wheat, 125
- Nitrogen,  
amino N in sugar beet, 66–67  
in cow slurry, 80  
in oilseed rape plants, 28–29  
in the soil, 23, 30  
model to predict requirements for, 44, 167  
uptake of by sugar beet, 67  
*See also:* Nitrate; Nitrate Leaching
- Nitrogen fertilizers,  
efficiency of use, 17  
in crop residues, 166  
<sup>15</sup>N-labelled, 165–166  
on oilseed rape, 164, 166–167  
on sugar beet, 43–44, 55  
on winter wheat, 56, 63–64, 125, 148–150  
slow release, 161  
*See also:* Fertilizers
- Nitrogen fixation,  
carbon costs of, 18, 158, 159, 161–162  
measurement of by isotope dilution, 161–162  
soil, by blue-green algae, 168  
Nitrogen metabolism, in wheat leaves, 65–66  
Nitrogen shortage, in wheat, 64  
Nitrogen uptake, 66–67
- Nitrogenase,  
carbon cost of activity of, 161  
location of in the root nodule, 18
- NMR machine, 103  
NMR spectroscopy, 103, 148
- Nodulation, on peas, 161
- Nodules, root, 161
- Norfolk, soil survey in, 192
- Norsk Hydro Fertilizers Ltd., 172
- North Kent marshes, soil survey of, 204, 206
- Northern England, peat in, 191
- Northfield experiment, for straw disposal, 172–173
- Northumberland, soil survey in, 204–205
- Northumbria Water, soil survey for, 195
- Nuarimol, on wheat, 125
- Nuclear Magnetic Resonance, *See:* NMR
- Nutrient uptake, 159, 168–169
- Nutritional chemistry, 81
- Oats,  
at Broom's Barn, 55  
at Rothamsted, 60  
before barley, 25  
before wheat, 35, 36, 63  
tonoplast from, 169–170  
*See also:* Cereals
- ODA, the  
*See:* Overseas Development Administration
- Oilseed rape,  
at Rothamsted, 16, 61  
before wheat, 34, 36  
biodegradation of seed, 130  
brassica cyst nematode on, 21  
deep PK experiment on, 61  
diseases of, 29–30  
dry matter growth, 67  
effect of drainage on, 174  
effect of urea on, 166  
factors limiting yield, 27  
fungicides on, 28  
growth regulator on, 28, 123, 148  
insect pests on, 29  
insecticide on, 27, 28  
leaf canopy expansion, 67  
leaf production, 67  
light interception, 67  
light leaf spot, 20  
nematodes on, 97, 121  
nitrogen uptake, 148  
*Pyrenopeziza brassicae* on, 20, 69–70  
quality of crop, 159  
recovery of labelled fertilizer from, 30  
sowing date, 148  
superficial microflora of, 30  
viruses of, 29–30, 123  
yeasts on, 30  
yields, 148–149
- Oilseed rape root diffusate, 15, 28  
hatching of nematodes on, 117
- Oilseeds research programme, 79
- Olpidium brassicae*, 51–52
- Onions, establishment of, 176
- Opomyza* spp., 33, 34
- Organophosphate nematicides, 117
- Overland flow, transport of soil in, 177
- Overseas Development Administration (ODA), 85, 93, 158
- Oviposition, in mosquito, 107
- Oxamyl, on potatoes, 117–118
- Oxime carbamate nematicides, 117, 121
- Oxygen demand, by crop residues, 173
- Oxygen diffusion, into the legume nodule, 161
- Paraquat plus linuron, 61
- Parasitoids, of aphids, 96–97
- Paratrichodorus* spp., 40
- Particle dispersion modelling, 70
- Particle-size distribution, in soil, 175, 177
- Patatin, 150
- Pathogenesis related proteins,  
*See:* PR proteins
- Pea enation mosaic virus, 31
- Pea moth, tracks of, 78
- Pea seed-borne mosaic virus, 124
- Peas,  
aphids on, 94  
nitrogen fixation in, 161  
viruses of, 123–124
- Peat, *See:* National Peat Inventory
- Penicillium janthinellum*, 160
- Perionyx excavatus*, 101
- Permeability of nematode eggshells, 115
- Peronospora parasitica* (downy mildew),  
on oilseed rape, 29, 30
- Peroxidases, virus-induced, 147



## INDEX

- Pesticides,  
 developments in chemistry of, 21  
 distribution of, in plant and soil, 111–112  
*See also:* Aphicides; Fungicides; Herbicides; Insecticides; Nematicides
- Pests, soil, of sugar beet, 39
- pH, soil, effect on mycorrhiza, 160  
 relationship with metal concentration in crops, 171  
*See also:* Soil acidity
- Phaseolus vulgaris* (French bean),  
 amino acid sequences of, 150–151  
 nitrogen fixation in, 162
- Pheromones,  
 alarm, 20, 98, 99, 105–106  
 in lepidoptera, 106  
 oviposition, in mosquitoes, 106  
 queen, 99–100
- Phloem, transport of pesticides in, 21, 111–112
- Phoma betae*, control of, 42–43, 52
- Phoma* leaf spot, on oilseed rape, 30
- Phorate,  
 on beans, 30  
 on potatoes, 128
- Phorodon humuli*, 46, 95, 110
- Phosphate fertilizers,  
 water-soluble phosphate in, 172
- Phosphofructokinase, 150
- Phosphoglycollate phosphatase, 142–143
- Phosphorus,  
 concentrations of in soil, 160  
 deficiency of in sugar beet, 41  
 effect of mycorrhizal infection, 144  
 in wheat grain, 172
- Photorespiration, 19
- Photorespiratory mutants, of barley, 142–143
- Photosynthesis, 19, 142–143  
 efficiency of, in wheat, 64–65
- Photosynthetically active radiation, 67
- Piglet mortality, 81
- Pipeline routes, advice on, 194
- Pirimicarb,  
 on potatoes, 128  
 on sugar beet, 50
- Plant Breeding Institute, the, 14
- Plant cell biology, 145–146
- Plant cells, counting and sizing of, 67
- Plant nutrients, sub-cellular compartmentation of, 18
- Plant Science Institute, 14
- Ploughing, mouldboard, for winter wheat, 176
- Pod midge. *See: Dasineura brassicae*
- Pollen beetle. *See: Meligethes aeneus*
- Pollution, nitrate, risk classification of soils for, 167, 202
- Polygonum hydropiper*, 106
- Polymyxa betae*, on sugar beet, 17, 51–52
- Polymyxa graminis*, 20, 126
- Polyscytalum pustulans*, 128
- Population dynamics,  
 of earthworms, 101  
 of *Myzus persicae*, 46–47
- Potassium,  
 deficiency of, in barley, 19, 169  
 deficiency of, in wheat, 170  
 in wheat grain, 172
- Potato leafroll virus, 128
- Potato root diffusate,  
 hatching of nematode eggs in, 115–117
- Potato virus Y, 128  
 aphid vectors of, 20, 95
- Potatoes,  
 aphids on, 94, 128  
 at Rothamsted and Woburn, 61  
 diseases of, 126–128  
 fungicides on, 128  
 nematode resistance in, 113, 118  
 nematodes on, 117–121  
 oxamyl on, 117–118  
 pre-emergence weedkiller on, 61  
 regeneration from protoplasts, 146, 150  
 yields, 15
- Powdery mildew. *See: Erysiphe graminis*
- PR (pathogenesis related) proteins, 147–148  
 distribution of in local lesions, 128–129
- Pratylenchus* spp., 29, 31
- Pratylenchus neglectus*, 29, 31
- Pratylenchus penetrans*, 120
- Pratylenchus pinguicaudatus*, 31
- Pratylenchus thornei*, 29, 31
- Prestel Farmlink, 14, 55, 93, 94
- Previous cropping, effect on wheat yields, 148–150
- Prochloraz, 28  
 and carbendazim, 58  
 on cereals, 124  
 on oilseed rape, 122, 123
- Prolamin storage proteins. *See: Proteins*
- Propiconazole, 31, 58, 123
- Programs. *See: Computer programs; Statistical programming*
- Proteins,  
 cereal grain, 142, 145–146, 148  
 from potato, 150  
 pathogenesis related, 128–129, 147–148
- Proton pumping pyrophosphatase, 159, 169–170
- Protoplasts, regeneration from, 146
- Pseudocercospora herpotrichoides* (eyespot),  
 on barley, 26  
 on wheat, 34, 124
- Pseudomonads, in the rhizosphere, 159
- Psylliodes chrysocephala*, on oilseed rape, 29
- Pyrenopeziza brassicae*, on oilseed rape, 20, 29–30, 122  
 dispersal of spores, 69–70
- Pyrethroids, synthetic,  
 insect resistance to, 78, 107–109  
 non-ester, 103–104
- Pyrophosphate-driven proton pump, 159, 169–170
- Queen honeybees, pheromones of, 99–100
- 'Radar', for winter wheat, 58
- 'Radar Taxonomy' to detect airborne insects, 19–20, 94–95
- Radiation interception, in sugar beet, 67
- Radiocarbon dating, of colluvial soils, 200–201
- Rangeland, estimating fodder biomass on, 178
- Rape. *See: Oilseed rape*
- Regeneration of barley plants from culture, 146
- 'Reglone', 61
- Remobilization of nitrogen, 66
- Remote sensing,  
 in soil research, 177–178  
 to detect aphids, 94
- Rent reviews, agricultural, 193
- Resistance, to insecticides, 21, 105, 107–110
- Restricted randomization, 83
- Rhizobium* spp.,  
 genetics of, 158  
 nodulation on lupins, 163  
 numbers of, 162  
 on clover, 162  
 response to liming, 162
- Rhizobium leguminosarum*, 161
- Rhizobium trifolii*, 162
- Rhizoctonia* spp.,  
 in potato stems, 128  
 in sugar beet, 52–53
- Rhizoctonia cerealis*,  
 on barley, 26  
 on wheat, 34
- Rhizoctonia solani*,  
 on potatoes, 126–127  
 on sugar beet, 52–53
- Rhizomania, of sugar beet, 17, 51–52
- Rhizosphere,  
 of sorghum and millet, 162  
 pseudomonads of, 162
- Rhopalosiphum padi*, 26, 96
- Rhynchosporium secalis*, 26  
 dispersal of spores, 129
- Ribulose biphosphate carboxylase, 19
- Ricinus communis*,  
 pesticide movement in phloem of, 21, 111–112



## INDEX

- River catchment studies, 194  
'Ronilan', 123  
Root observation tubes, 169  
Root systems, in wheat, 165  
Rothamsted Insect Survey, 54, 94  
'Rotorod' spore traps, 70  
'Roundup', *See*: Glyphosate  
RuBP carboxylase, 142–144  
    in wheat leaves, 65  
*Rubus fruticosus*, 95  
Rye, secalins of, 148
- Sales of agricultural land, 193  
Salicylic acid treatment, effect on TMV and PR protein accumulation, 129  
Saxmundham, weather at, 289  
    wheat at, 148  
Scientex systems, 77–78  
Scientific interchange, 14–15  
*Sclerotinia sclerotiorum*, 30, 123  
Seasonal differences, effect on nitrate losses in winter wheat, 167–168  
Secalins, of rye, 148  
Seed advancement studies, for sugar beet, 42–43  
Seedbeds, cultivation of, 176  
Seed rates, for beans, 60  
Seed treatment, of potatoes, 128  
    of sugar beet, 42–43  
Seed weevil, *See*: *Ceutorhynchus assimilis*  
Selectivity, of insecticides, 104  
'Sencorex', 61  
'Septal', 58  
*Septoria* spp., on winter wheat, 33, 36  
Serological technique, for identification of resistant *Myzus persicae*, 109–110  
Sewage sludge, acceptance of by soils, 202  
    toxic effects of metals in, 159, 168, 171–172  
Sex attractants, *See*: Pheromones  
Sharp eyespot, *See*: *Rhizoctonia cerealis*  
Shear modulus, of soil aggregates, 175  
Shelters, *See*: Mobile crop shelters  
Shropshire, soil survey in, 192, 194–195  
Silver scurf, of potatoes, 128  
Sites of Special Scientific Interest, 193  
*Sitobion avenae*, 26, 94, 96  
*Sitobion fragariae*, 95  
*Sitona* spp., on field beans, 31  
    on peas, 123  
SL 291A, 127  
Slugs, 100  
Slurry, acceptance of by soils, 202  
Sodium nutrition, of sugar beet crop, 44–45  
Soil, pesticides in, 111  
    phosphorus in, 160  
Soil acidity, 194, 203–204  
    *See also*: pH  
Soil analysis, 178  
Soil and clay structure, 159  
Soil biomass, effect of heavy metals on, 159, 168  
    fodder, 178  
Soil classification, 199  
Soil erosion, 177, 200  
Soil Information System, the, 197–199  
Soil Isotope Section, 178  
Soil mapping, 188–191, 198, 202–204, 206  
Soil micromorphology, 205–206  
Soil mineralogy, 176–177  
Soil moisture, 198  
Soil organisms, nitrogen fixation by, 159  
Soil salinity, 204  
Soil sampling, representative, 82  
Soil structure, 174–176  
Soil Survey Handbook, 205  
Soil Survey, of England and Wales, 13, 202, 205  
Soil Survey, of Scotland, 205  
Soil Survey Regional Bulletins, 198  
Soil surveys, Abbeycwmhir, 191  
    Alnwick and Rothbury, 188  
    Biggleswade, 190  
    Bodmin Moor, 197  
    Boston and Spalding, 189  
    Buxton, Matlock and Dovedale, 189  
    Cheshire, 192  
    Cumbria, 194  
    Durham, 194  
    Eastern England, 192  
    Epping Forest, 206  
    Hampshire, 202  
    Humberside, 195, 204  
    Lincolnshire, 191–192, 196  
    Liverpool, 189  
    Market Weighton, 188–189  
    Midland and Western England, 192  
    Norfolk, 192  
    North Kent marshes, 204, 206  
    Northern England, 191–192  
    Northumberland, 194, 204–205  
    Shropshire, 192, 194, 195  
    South West England, 192  
    Staffordshire, 192  
    Suffolk, 192  
    Wales, 192, 203–204  
    Wensleydale and Wharfedale, 188  
    Worcester and the Malverns, 189–190  
    Yeovil, 190  
    Yorkshire, 194  
Soil water, regimes, 201–202  
    retention of, 205  
    suction, 175  
    use of by direct drilled crops, 176  
Soils, anisotropic, 175  
    colluvial, 200–201  
    compaction of, 176  
    man-made, 177  
    micronutrients in, 171–172  
    mineralogy of, 176–177  
    nitrate pollution of, 202  
    pH values for, 203–204  
    slurry and sewage sludge acceptance of, 202  
    spatial analysis of, 17  
    stripping of, 202  
    structural stability of, 204  
    water movement in, 197, 173–174  
    woodland, 202  
Somerset, soil erosion in, 200  
South West England, peat in, 192  
Spatial analysis of soils, 17  
Spatial models, 79  
Specific absorption rates, for nutrients in winter wheat, 169  
Specific Field Survey, 44  
Spectral responses, of cereals, 178  
Splash dispersal, of fungal spores, 70  
Splash erosion, 177  
Spores, dispersal of, 20, 69–70  
    traps for, 70  
*Sporobdomyces* spp., 30  
'Sportak', on oilseed rape, 122–123  
    on winter wheat, 59  
Stability, soil, 204  
Staffordshire, soil survey in, 192  
Statistical analysis, 79–81  
Statistical models, *See*: Models  
Statistical programming, 84–85  
    *See also*: Genkey; Genstat; GLIM; Maximum Likelihood Program (MLP)  
Statistical theory, 82–84  
    analysis and design, 82

## INDEX

- Stem canker, *See: Rhizoctonia solani*  
 Stem flea beetle, *See: Psylliodes chrysocephala*  
 Stokes-Napier equations, 174  
 Storage proteins, *See: Proteins*  
 Straw,  
   disposal of, 158, 160, 172-173  
   incorporation experiments with, 32-34, 39, 43-44, 59, 82, 170  
 Strawberry, mycorrhiza on, 160  
 Strength, of soil fractions, 174-176  
 Sucrose, concentrations of,  
   in mycorrhizal plants, 160  
 Suction traps, 20, 93-95  
 Suffolk,  
   soil erosion in, 200  
   soil survey in, 192  
 Sugar beet,  
   aphids on, 41-42, 46-48, 94  
   at Broom's Barn Farm, 56-57  
   bolting of, 39, 53-55  
   cyst nematode on, 17  
   diseases of, 17, 39, 51-53  
   Docking disorder of, 17, 40-41  
   downy mildew on, 42  
   early dry matter growth, 69  
   establishment, 176  
   fibrous root growth, 45  
   fodder, 39, 41  
   fungicide seed treatment, 42-43  
   growth of, 38-42  
   irrigation of, 45-46, 55  
   leaf area expansion of, 68  
   leaf area index, 66  
   MAFF survey of, 42  
   manganese deficiency in, 40  
   moisture stress in, 46  
   nematodes on, 17, 40, 42  
   nitrogen uptake, 66  
   pesticides on, 40  
   pests of, 39-42, 112  
   plant clinic for, 41  
   prediction of N fertilizer requirements, 43-44  
   productivity of, 40  
   remobilization of N from shoot, 66  
   seed advancement studies, 42  
   soil N supply, 66  
   straw incorporation, 39, 43-44  
   stunt disorders of, 52-53  
   surveys, 82  
   tolerance to yellowing viruses, 50  
   viruses of, 30, 41, 46-51, 128  
   water balance sheet in, 45  
   yield forecasts, 55  
   yields, 17, 42, 44, 48-50, 66  
   *See also: Beet cryptic virus; Beet mild yellowing virus; Beet necrotic yellow vein virus; Beet western yellows virus; Beet yellows; Docking disorder*  
 Sugar Beet Research and Education Committee, 51  
 Sulphur,  
   atmospheric deposition of, 159  
   content of in British wheat, 149, 159, 172  
 Sunflowers,  
   diseases and yield, 123  
   fungicides for, 123  
 Super-*kdr*, 108  
 SURFACE II computer program, 76, 199  
 Surveys of fertilizer practice, 81-82  
 Sym plasmids, 161  
*Synecoccus*, RuBP carboxylase genes for, 144  
 Synomones, 97  
 Synthetic pyrethroids, *See: Pyrethroids*  
  
 Take-all on cereals, 161  
   on barley, 26  
   on wheat, 34, 124  
 Temperature,  
   effect of on metabolic activity of nematodes, 116-117  
   effect on development of barley yellow mosaic virus, 126  
 Tensile strength, of clay soils, 175  
 Tensile stresses, in clay soils, 175  
  
 'Terpal', 123  
 Thin ironpan formation, 204-205  
 Thiram,  
   for seed treatment of sugar beet, 42-43  
   toxicity to rhizobia, 163  
 Tillage, simplified, long-term effects of, 176  
 Tiller production, in wheat, 34-36, 170  
 'Tilt', 123  
 Tobacco,  
   carboxylases from, 143, 144  
   virus diseases of, 128-129, 146-148  
 Tobacco mosaic virus, 128-129, 146-147  
 Tolerance trials, with potatoes and potato cyst nematodes, 119-120  
 Tomatoes, transformation of, 150  
 Tonoplast  
   oat, pyrophosphate-driven proton pump on, 159, 169-170  
   role of in maintaining ionic composition of cytoplasm, 18  
 Town and Country Planning Acts, 194  
 Toxic metals, *See: Heavy metals*  
 Toxin production, by crop residues, 173  
 Tracks, of pea moth, 82  
 Traffic, compaction of soil under, 176  
 Tramlines, for control of traffic on soil, 176  
 Translocation, of pesticides in plants, 111-112  
 Traps, *See: Insect traps*  
 Triadimefon, 24  
 Triadimenol ('Baytan'), 23, 24, 26, 125  
 Triapenthenol, as a growth regulator, 123  
 Triazole growth regulator, 123  
 Triazophos, 28  
*Trichoderma harzianum*, 160  
*Trichodoros* spp., 40  
 Tridemorph, 24  
*Trifolium repens*, *See: Clover*  
 Tropical crops, diseases of, 129  
 Turbulent particle slip, 70  
 Turnip, aphids on, 106-107  
  
 University of Lancaster, 145  
 Urban soils, man-made, 177  
 Urea, on oilseed rape, 166-167  
 Urease inhibitor, a, 166-167  
*Uromyces fabae* (rust on beans), 31-32  
 US Army, 93  
  
 VA mycorrhiza, *See: Mycorrhiza*  
 Vacuole, barley, K concentrations in, 18  
 Vacuoles, of mesophyll cells, potassium in, 169  
*Varroa jacobsoni* mites, infestation of honeybees with, 98-99  
 Vectors, aphid, 20, 95  
 Vertical band technique, for incorporating nematicides into soil, 117-119  
*Verticillium dahliae*, 120  
 Vesicular arbuscular mycorrhiza,  
   *See: Mycorrhiza*  
*Vicia faba*, *See: Beans*  
 Viewdata systems, 14, 55, 93  
 Virus yellows, 39, 41  
   field survey for, 41  
   warning scheme, 54  
 Viruses,  
   aphid transmission of, 20, 32, 95, 123  
   of barley, 20, 27, 60, 105, 122, 125-136  
   of beans, 31-32  
   of honeybees, 98-99  
   of oilseed rape, 97-98, 123  
   of peas, 123-124  
   of potatoes, 95, 128  
   of sugar beet, 30, 41, 46-51, 128  
   of tobacco, 128-129  
   of tropical crops, 129  
  
 Wales,  
   peat in, 192  
   soil acidity in, 203-204  
 Waste, domestic, airborne microorganisms associated with, 129-130



## INDEX

- Water Research Centre, the, 101  
Water-soluble phosphate, importance in phosphate fertilizers, 172  
Water use, efficiency of, 176  
    *See also*: Soil water; Irrigation  
Waterlogging, of soil, 201  
Waterways Experiment Station, USA, 101  
Weather,  
    at Broom's Barn, 288  
    at Rothamsted, 58  
    at Saxmundham, 289  
    at Woburn, 58  
    effect on nitrogen requirements of winter wheat, 167  
Weed beet, 17, 39, 53–54  
    bulletins, 55  
Weed control, *See*: Herbicides  
Weevils, *See*: *Sitona* spp.  
Wensleydale and Wharfedale, soil survey of, 188  
Wetness classes, for soils, definitions of, 201  
Whaddon, straw incorporation at, 62  
Wheat,  
    after arable crops, 165–166  
    after beans, 148  
    after ley, 166  
    after oilseed rape, 63, 148  
    aphicides on, 58  
    apical development, 63  
    at Broom's Barn, 56  
    at Rothamsted, 58–60, 148  
    at Woburn, 58  
    Avalon, 32, 63–64  
    bread-making cultivars, 148  
    carbon and nitrogen metabolism in, 65  
    causes of yield variation, 148–149  
    comparison of cultivars, 59  
    development of winter wheat, 63  
    diseases of, 26, 124–125  
    droughting response in, 63–64  
    effect of nitrogen shortage on, 64  
    effect of simplified tillage on, 176  
    effect of straw treatment on, 32  
    feeding, 148  
    fungicides on, 58, 125, 170  
    gliadins of, 146, 148  
    grain quality, 170  
    growth of, 35  
    leaf water potential, 64  
    light response curves, 64–65  
Wheat (*contd.*)  
    lodging of, 148  
    Longbow, 59  
    micronutrients, 172  
    nitrate-N in shoots, 35–36  
    nitrogen content of, 36, 149  
    nitrogen on, 34, 35, 63, 125, 148–150  
    nutrient uptake by, 168–169  
    on Broadbalk, 59–60  
    photosynthesis in, 64  
    predicting N requirement of, 167  
    response to nitrogen, 80  
    sulphur content of, 149, 159  
    tiller production, 64  
    yields, 32  
    *See also*: Cereals; Straw; Take-all  
Wheelings, control of, on soil, 176  
White clover mosaic virus, 123  
Wick machines, for killing sugar-beet bolters, 54  
Witch hazel, land suitable for, 193  
Woburn, weather at, 287  
    wheat at, 58  
Woburn Market Garden experiment, 78  
Woodland soils, 202  
Worcester and the Malverns, soil survey in, 189–190  
Worcestershire College of Agriculture Farm, 195  
Word processing systems, 77–78  
Worm-worked wastes, 101  
Worms, *See*: Earthworms  
  
X-ray diffraction, 176–177  
X-ray microanalysis,  
    of barley leaf tissue, 18, 169  
    of nematode eggshells, 115  
  
Yeasts,  
    identification of, 79  
    on oilseed rape, 30  
Yeovil, soil survey of, 190  
Yield variation, in wheat, causes of, 148–149  
Yorkshire, soil survey in, 194  
  
*Zea mays*, *See*: Maize  
Zinc,  
    from sewage sludge, 171  
    in wheat grain, 172