

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Rothamsted Experimental Station Report for 1986

[Full Table of Content](#)



### Subject Index

#### Rothamsted Research

Rothamsted Research (1987) *Subject Index* ; Rothamsted Experimental Station Report For 1986, pp 327 - 336 - DOI: <https://doi.org/10.23637/ERADOC-1-27>

## SUBJECT INDEX

The papers in Part 2 have not been indexed.

- Abscisic acid, effect of on wheat roots, 153  
*Acaulospora laevis*, 141  
Acetohydroxyacid synthase, 128  
Acetohydroxybutyrate, 128  
Acetolactate, 128  
Acetylcholinesterase, 98–99  
Acid rain, 156, 205  
Acid soils,  
  biomass C in, 150–151  
  nutrient reserves in, 155  
  on Park Grass and Geescroft, 156  
Acid sulphate soils, 198, 201  
Acridine orange, 153  
Actinomycetes, soil, 140  
Acute paralysis virus, of honeybees, 19, 92  
*Acyrtosiphon pisum*, 89–90, 116  
ADAS, 73–76, 80, 86, 102, 196, 199  
Adenylate energy charge measurements in soil, 150  
Adès distributions, 73  
Aerobiology, 51–52, 122–123  
AFRC, 11–12, 78, 85, 122, 126, 211  
  Institute for Engineering Research, 162  
  Winter Wheat Model, 50–51  
AGRENET, 70, 80, 203  
Agricultural Development and Advisory Service,  
  *See*: ADAS  
Agricultural Genetics Company, the, 126, 145  
Agricultural land classification, 211  
*Agrobacterium* spp., 129–130, 133  
*Agrobacterium rhizogenes*, 130, 141  
*Agrobacterium tumefaciens*, 132  
Agropine, 141  
Agviser, 86–87  
Airborne allergens, 123  
Airborne microorganisms, 122–123  
*Ajuga chamaepitys*, 99–100  
Aldicarb,  
  as a nematocide, 104, 108, 109  
  on sugar beet, 55, 56, 61–62, 64–66  
N-alkylamides, 96–97  
Allergens, airborne, 123  
*Allium porrum*, *See*: Leek  
*Allolobophora caliginosa*, 93  
*Allolobophora chlorotica*, 93  
*Allolobophora longa*, 93  
Alnwick and Rothbury, soil survey of, 194–195  
*Alternaria*, spp., 30, 115–116  
Alternative crops, 15  
Amides, insecticidal, 96–97  
Amino acids,  
  biosynthesis of, 126, 128–129  
  in barley hordeins, 131  
  N-terminal, 127  
  *See also*: Lysine  
Ammonia, assimilation of, 126  
 $\beta$ -amylase, 131–132  
Anisotropic shrinkage, 161  
Antibiotic resistance, in rhizobia, 143  
Antibodies, 127, 129, 134  
  monoclonal, 119–120, 122  
Antifeedants, 99–101  
  *See also*: Polygodial  
*Aphanomyces cochlioides*, 56, 58–59  
*Aphelenchoides*, 112–113  
Aphicides,  
  on sugar beet, 64–66  
  on wheat, 41, 154  
  resistance to, 19–20  
Aphid bulletin, 86  
Aphid commentary, 86  
Aphid warnings, 86  
*Aphidius ervi*, 89–90  
*Aphidius rhopalosiphi*, 89  
Aphids,  
  alarm pheromone of, 101  
  black, 56  
  database for, 86  
  in suction traps, 86  
  infectivity with BYDV, 86–87, 89, 99  
  insecticide resistance in, 19, 29, 98–99  
  migrations of, 55, 85  
  on barley, 26  
  on peas, 115  
  on sugar beet, 55–56, 62, 64–66  
  parasitoids of, 89–90  
  population genetics, 88  
  predators of, 86, 90  
  sex pheromone of, 19, 100  
  surveys, 72  
  virus vectors, 64–66, 86–87, 89, 116, 120–121  
*Aphis*, spp., 91  
*Aphis craccivora*, 91  
*Aphis fabae*, 56, 64, 87, 91  
*Aphis sambuci*, 87  
Apical development, in winter wheat,  
  model for, 50–51  
*Apis mellifera*, *See*: Honeybees  
*Apodemus sylvaticus*, *See*: Fieldmice  
Archaeological investigations, 164, 207  
Argillic horizons, in Northumberland, 208  
ARRS, 78  
Artesian head, 159  
*Arthrobotrys irregularis*, 106  
Ascospores, 51  
Aspartate kinase, 129  
*Aspergillus*, spp., 123  
Asthma, outbreak of in a sugar beet factory, 123  
Atmospheric deposition, 156  
*Atomaria linearis*, *See*: Pygmy beetle  
ATP content, of soils, 150  
*Aureobasidium pullulans*, on oilseed rape, 30  
Automatic data recording, of soil samples, 165  
Avadex, *See*: Di-allate  
Azamethiphos, resistance to, 99  
*Bacillus* spp., 123  
Badgers, density of, 210  
Bakery, airborne allergens in, 123  
Barley,  
  at Rothamsted, 42–43  
  development and tillering in, 23–24  
  disease control, 147  
  dispersal of fungal spores from, 122  
  effects of previous cropping, 25  
  factors limiting yield, 23–26, 146–147  
  fungal diseases of, 26, 116  
  growth and yield in, 24–25, 128–129  
  high lysine genes, 132, 133  
  hordeins of, 131–132  
  Igri, 42  
  Klaxon, 43  
  leaf area index, 24  
  leaf blotch on, 26  
  nitrogen in soil, 23  
  on Hoos, 42

## INDEX

- Barley (*contd*)  
Panda, 23–25, 42  
phosphate on, 154–155  
Pirate, 25, 42  
regeneration from immature embryos, 131  
*Rhizoctonia solani* from, 120–121  
take-all on, 26, 118  
triadimenol+fuberidazole on, 25  
viruses of, 14, 15, 26, 42, 86–87, 89, 99, 119–120  
volunteers, 42, 146  
*See also*: Barley yellow dwarf virus: Barley yellow mosaic virus; cereals; *Erysiphe graminis*; Take-all  
Barley yellow dwarf virus, 14, 15, 19, 26, 42, 119–120  
aphid vectors of, 86–87, 89, 99  
Barley yellow mosaic virus, 119  
Basidiomycetes, 140  
Bayesian estimation, 76  
'Baytan', *See*: Triadimenol  
BBC Domesday Project, 76  
Beans (*Vicia faba*),  
benomyl on, 43  
chlorothalonil on, 43  
chocolate spot of, 43  
Minden, 43  
nematodes on, 104  
rust on, 43  
seed rate, 43  
yields, 43  
*See also*: *Phaseolus vulgaris*  
Beddgelert forest, 155  
Bees, *See*: Honeybees  
Beet cryptic virus, 121–122  
Beet mild yellowing virus, 55–56, 65–66  
Beet necrotic yellow vein virus, 56  
Beet western yellows virus, 115  
Beet yellows, 65–66, *See also*: Virus yellows  
Beetles, as aphid predators, 90  
Beetroot, 176  
Behaviour-controlling chemicals, 99–100  
*Bemisia tabaci*, insecticide resistance in, 96  
Bendiocarb, 61–62  
Benfuracarb, 61  
Benomyl, 43, 115  
Benzyltriazoles, substituted, 102  
Biochemical characterization, of nematodes, 112  
Biochemistry, of insecticide resistance, 98–99  
Biocontrol agents, 140  
Biological agents, to control nematodes, 105–107  
to control take-all, 118–119  
Biomass, *See*: Soil biomass  
Biomass carbon, in acid soils, 150–151  
Biosynthesis, of amino acids, 126, 128–129  
Birds, in sugar beet fields, 54  
Bolting, control of, 53–54, 57  
Boron uptake, 72  
Boston and Spalding, soil survey of, 196–197  
*Botrytis* spp., 116  
*Botrytis cinerea*, 30, 115  
*Botrytis fabae* (chocolate spot), on beans, 43  
Br tracer, to estimate nitrate leaching, 148  
*Brachycaudatus helichrysi*, 87, 91  
Brassica cyst nematodes, 106–108  
Brimstone Experiment, the, 72, 159–160  
British Geological Survey, the, 205  
British Sugar, 49, 55, 56, 62, 75, 102  
British Sugar Specific Field Survey, 53–54  
Broadbalk, wheat on, 148, 153–154  
Broom's Barn, 11, 14, 49, 56  
cereals at, 50, 66–67  
farm, 66–67  
long-term soil fertility experiment at, 60  
studies with pesticides at, 98–99  
sugar beet at, 48, 53–67  
weather at, 54–55, 63, 326  
wheat at, 50  
Brown foot rot, *See*: *Fusarium* spp.  
Brussels sprouts, 202  
Bulb onions, *See*: Onions  
Burning, of straw, 157  
*Bursaphelenchus xylophilus*, 112  
Cadmium, concentrations of in soil, 93  
Canker, *See*: *Leptosphaeria maculans*  
Carbendazim, 106, 117–118  
on barley, 42  
on beans, 104, 105  
on cereals, 41  
Carbendazim plus maneb, 41  
Carbendazim+vinclozolin, 115  
Carbofuran, 61, 104  
Carbon dioxide responses, in wheat, 47  
Carbon metabolism, in potatoes, 126  
Carbosulfan, 55, 61–62  
2-carboxy-D-arabinitol-1-phosphate, 20–21, 127  
Carboxylation efficiency, in wheat, 49–50  
Carboxylesterase, 98  
Carrots, 176  
acetohydroxyacid synthase from, 128–129  
Catalase mutant, of barley, 128  
Catmint, 100  
Cattle, at Rothamsted, 45  
*See also*: Livestock  
Cell Biology Programme, 21  
Cell division and expansion, in winter wheat leaves, 49  
Cell separation, enzymic techniques of, 49  
Cell Signalling and Recognition Programme, 133  
Cementstone lowlands, soil survey in, 194–195  
Centro Internacional de Agricultura Tropical, 143  
Cereal seed proteins, *See*: Proteins  
Cereals,  
aphids on, 26  
at Broom's barn, 50, 66–67  
at Rothamsted, 16, 41–43  
at Woburn, 41–43  
diseases of, 116–120  
fungicides on, 101–102, 117–118  
yields, 164–165  
*See also*: Barley; *Erysiphe graminis*; Maize; Oats; 'Cereals 86', 40  
*Ceutorhynchus assimilis*, 29  
*Chaetomium*, spp., 140  
Charcoal, effect on nematode hatching, 110–111  
Cheviot Hills, the, 194–195  
Chiltern dry valley soils, 163–164  
Chloramphenicol acetyl transferase, 131–132  
Chloridazon, 111  
Chlorophyll, in wheat leaves, 49  
Chlorothalonil, 43, 115  
Chlorsulfuron, damage to sugar beet caused by, 18, 54, 102–103  
Chocolate spot, of field beans, *See*: *Botrytis fabae*  
Chromosome stability, of regenerated potato plants, 130  
Chymotrypsin inhibitors, 131  
CIAT (Centro Internacional de Agricultura Tropical), 143  
Circular dichroism spectroscopy, 133  
*Cladosporium* spp., 123  
on oilseed rape, 30  
Clay mineralogy, of Kenyan soils, 155  
Clay soils, cracking of, 161  
Cloning, of viruses, 121–122  
Clover,  
mycorrhiza on, 141, 144  
nitrogen fixation by, 154  
Cloves, Sumatra disease of, 122  
Coffee, nematodes on, 112  
Cold-induced sweetening, in potato, 126, 129  
Colombia, soil microbiology projects in, 143–144  
Commonwealth Mycological Institute, 51  
Computer models, *See*: Models  
Computer programs, for soil survey, 203–204  
*See also*: Models; names of individual programs  
Computers,  
for soil survey, 195, 200, 203–205, 210  
graphics, 205  
instrumentation, 71  
logging system for glasshouses, 135  
simulation of leaching with, 149–150  
*See also*: Microcomputers; Statistical computing  
Conference Hall, the, 13  
Connectivity density, soil, 162

## INDEX

- CONSERVB, 160  
 Consultancy services, offered by Soil Survey, 205–207  
 Copper, in soils, 93, 154  
 Cornish-Bowden's formula, 73  
 Coulter counter, the, 49  
 Cracking, in clay soils, 161–162  
 Cranfield Institute of Technology, 14  
 CRIES geographical information system, 203–204  
 Crop experiments, statistical programs for, 73  
 Crop residues, oxygen demand by, 158  
 Crop rotation, for nematode control, 105  
 Crop sequences, effect on barley yields, 25  
 Crop suitability studies, 201–203  
 Crops, alternative, 15  
 Cross-resistance, 97  
 Cushman-Barber model, 152  
 Cycloate, 111  
*Cylindrocarpon destructans*, 107  
 Cyst nematodes, *See*: Nematodes  
 Cytokinin gene, the, 133
- 'Dark earth', 164  
 Dark regulation, of ribulose biphosphate carboxylation, 127  
*Dasineura brassicae* (pod midges), 29, 90–91  
 Databases, 14, 71, 86, 204, 210  
 Datatrieve, 71  
 Degradation, of triazoles in soil 102  
 Deltamethrin, housefly resistance to, 97  
 Demeton-S-methyl, as an aphicide on sugar beet, 64–65  
 Denitrification, nitrogen losses caused by, 148–149  
 Department of Trade and Industry, 156  
 Designs, statistical, 76  
 Devernalizing, of sugar beet seed, 58  
 Di-allate, effect on cyst nematode hatch, 111  
 Diethyl mercuric phosphate (EMP), 58–59  
 Diffraction, X-ray, of soils, 163  
 Diffractometer alignment, instabilities in, 163  
 Dimethoate, 104–105  
 Diquat, 37  
 Direct drilling,  
     compared with ploughing, 159–160  
     into stubble, 157  
 Dispersal, of fungal spores, 20, 51–52  
*Ditylenchus*, 19, 112  
*Ditylenchus dipsaci*, 104, 113  
 DNA,  
     aphid, 99  
     extraction from cyst nematodes, 112–113  
     from beet cryptic virus, 121–122  
     homology, 122  
     sequences of genes, 127  
     sequencing, 77  
     transfer of, 130–132  
 DNA probes,  
     for nematodes, 19  
     for Sym plasmids, 143  
 Docking disorder, 54–56, 61–62  
 Domestic waste disposal, airborne microorganisms associated with, 122–123  
 Double ridges phase, in wheat, 51  
 Drainage,  
     effect on nitrogen use, 148–149  
     in the Brimstone Experiment, 159–160  
     land, 170  
     to solve groundwater flow problem, 159  
*Drepanosiphum platanoides*, 88  
 Drought, response of winter wheat to, 152  
 DSM, on sugar beet, 64–65  
 Durum wheat, 133
- 'Earthquake' deep-tine cultivar, 37  
 Earthworms, 93  
     as indicators of heavy metal bioavailability, 92  
 EEC Biomolecular Engineering Programme, 126  
 'Eelworm wool', 113  
 Efford Experimental Horticulture Station, 199  
 Egg-yolk colouring, 74–75
- Eisenia foetida*, 93  
 Elastin, 133  
 Electrofusion,  
     of potato protoplasts, 130  
     production of somatic hybrids of potato by, 21  
 Electrophoretic techniques, for nematode identification, 19  
 Electroporation techniques, 130  
 Electrostatic spraying systems, 104, 115  
     *See also*: Spraying systems  
 ELISA technique, the, 122  
     BYV identification by, 30, 65–66, 119–120  
     study of take-all with, 119  
     to monitor acute paralysis virus in honeybees, 92  
*Elytrigia elongata*, 132  
*Elytrigia pontica*, 132  
 EMP seed treatment, 58–59  
 England and Wales, soil map of, 193  
 Entomogenous fungi, for aphid control, 88–89  
 Entomophthora, 56, 64  
*Entrophospora colombiana*, 144  
 Enzyme-linked immunosorbant assay.  
     *See*: ELISA technique  
 Enzymes,  
     activity of in wheat leaves, 127  
     in barley mutants, 126, 128  
     in potato leaves, 127  
     of amino acid biosynthesis, 128–129  
     of ammonia assimilation, 129  
 Epton systems, 71, 74  
 Ergosterol biosynthesis-inhibiting fungicides, 118  
 Erosion,  
     soil, 201, 208  
     wind, 197  
*Erynia neoaphidis*, 88–89  
*Erysiphe betae*, 62–64  
*Erysiphe graminis* (barley mildew), 26, 35, 36, 42  
     on wheat, 36, 41  
*Escherichia coli*, 123, 127  
 Estimation, of variance, 76  
 Ethernet, 72  
 Exeter University, 209–210  
 Exmoor, soil survey in, 209  
 Expert system 'shell' for MLP, 79  
 Eyespot, *See*: *Pseudocercospora herpotrichoides*
- Factors Limiting Yield experiments, 23–26, 42  
 Farm Research Ltd., 75  
 Farmers, consultancy services for, 15, 205–207  
 Farmlink, *See*: Prestel Farmlink  
 Farmyard manure, compared with sewage sludge, 17–18  
 Fastidious prokaryotes, 122  
 Feed Evaluation Unit Digestibility Program, 80  
 Fenland, soils of, 198  
 Fenpropimorph, 136  
 Fenvalerate, 95  
 Ferredoxin-glutamate synthase, 128  
 Fertiliser Manufacturers' Association, 75  
 Fertilizers,  
     <sup>15</sup>N-labelled, 148  
     P and K, 151–152  
     survey of fertilizer practice, 75  
     water-soluble phosphate in, 154–155  
     *See also*: Nitrogen fertilizers; Phosphate; Potassium  
 Fibrous root system, of sugar beet, 60  
 Field beans, *See*: Beans  
 FIELD data entry program, 74, 80  
 Field Drainage Experimental Unit, 199  
 Field Experiments, 15, 23–37  
 Field mice, in sugar beet fields, 54  
 Financing, of research, 11–12  
 'Finger prints', of potato cyst nematodes, 112–113  
 Forecasting,  
     of BYDV, 120  
     of eyespot, 117  
 Forestry, 155–156  
 Forestry Commission, the, 155  
 'Friends of Rothamsted', 15  
 Friskney, soil survey in, 175  
 Fungal carbohydrates, 142  
 Fungal competition, 141

## INDEX

- Fungal diseases,  
of cereals, 116–120  
of lupins, 116  
of sunflower, 115  
*See also: Erysiphe graminis: Eyespot; Fusarium: Take-all*
- Fungal spores, dispersal of, 20, 51–52
- Fungi,  
mycorrhizal, 140–144  
nematophagous, 105–107  
spore dispersal, 122  
wilt, 108–109
- Fungicides, 35, 106  
degradation of, in soil, 102  
effects on take-all, 101–102, 117–118  
on cereals, 117–118  
on wheat, 154  
resistance to, 117, 121  
*See also: Names of individual chemicals used as fungicides*
- Furathiocarb, 61–62
- Fusarium* spp., 118  
in straw decomposition, 140
- Fusarium avenaceum*, 115–116
- Fusarium oxysporum*, 107
- 'Future with Rothamsted', 14
- Gaeumannomyces graminis* var. *tritici*,  
biological control of, 119  
effects of various fungicides on, 101–102  
*See also: Take-all*
- Gangrene, on potato, 120
- Gas chromatography/mass spectrography, 127
- Geescroft, 156
- Generalized linear models, 76–77
- Genes,  
CAT reporter genes, 131–132  
manipulation of, 126  
symbiotic, in *Rhizobium*, 142–143  
transfer of, 129–130  
*See also: Mutants*
- Genetic Manipulation, Advisory Committee on, 143
- Genstat, 21, 71, 77–79, 203–204
- GHOST computer program, 71
- Glasshouses, 13, 94, 135
- Gliadins, of wheat, 132–133
- Globodera pallida*, 105, 108–109, 112–113
- Globodera rostochiensis*, 36–37, 105, 108–111, 113–114
- Glomus* spp., 142
- Glomus caledonium*, 141
- Glomus clarum*, 141
- Glomus fasciculatum*, 141
- Glomus manihotis*, 141, 144
- Glomus mossae*, 141
- Glomus tenuis*, 141
- $\beta$ -Glucuronidase, 133
- Glutamate oxaloacetate transaminase, 88
- Glutamate synthase, 128, 129
- Glutamine synthetase, 128, 129
- Gluten, structure of, 132–133
- Glutenins, 132–133
- Glycollate oxidase, 128
- Goethite, 163
- Grain growth, mathematical model of, 50
- Grain legumes, *See: Legumes*
- Granular inoculants, 145
- Grass,  
plastic, 92  
productivity of, 45
- Grasslands, mycorrhizal inoculation of clover in, 144
- Great Yarmouth, soil survey in, 197
- Grey mould, *See: Botrytis cinerea*
- Ground pine, 99–100
- Groundwater flow, 158–159
- Gwent, soil survey in, 207
- Hamamelose bisphosphate, 20–21
- Harpalus rufipes*, 90
- Hatching, of cyst nematodes,  
effect of charcoal on, 110–111  
effect of herbicides on, 111
- Haynaldia villosa*, 132
- Headlands, in beet fields, 59
- Heavy metals,  
earthworms as indicators of bioavailability of, 93  
in sewage sludge, 17
- Helminthosporium solani*, 121
- Hematite, 163
- Herbicides,  
effect of residues on sugar beet, 17–18  
effect on hatching of cyst nematodes, 111  
for sugar beet, 54, 94  
new, 21  
sulphonylurea and imidazolinone, 129
- Heterodera avenae*, 106–107
- Heterodera cruciferae*, 106–108, 110
- Heterodera goettingiana*, 106
- Heterodera schachtii* (beet cyst nematode), 56, 107, 110–111
- High molecular weight subunits, of glutenin, 132–133
- High-resolution isoelectric focusing of nematode proteins, 19
- High-speed photography, 52
- Home Grown Cereals Authority, the, 140
- Honeybees (*Apis mellifera*),  
acute paralysis virus in, 92  
pheromones of, 92–93  
queen recognition in, 92–93  
*Varroa jacobsoni* on, 19, 92
- Hordeins, of barley, 131–132
- Hordeum spontaneum*, plants regenerated from, 131
- Hormone composition, of regenerated potato plants, 130
- Horticultural crops, suitability of soils for, 170
- Host-endophyte relationships, in mycorrhiza, 140–141
- Housefly (*Musca domestica*),  
knock-down resistance in, 96–99
- Humber warplands, soil survey in, 208
- Hydraulic conductivity, of soil, 158–160, 161, 208, 210
- Hymexazol, on sugar beet, 58–59
- ICI Agviser, 14
- ICRISAT (International Crops Research Institute for the Semi Arid Tropics), 143
- IEF, 112
- Imidazolinone herbicides, 129
- Immunoassay, for resistance-conferring enzyme in *Myzus persicae*, 19  
monitoring of insecticide resistance by, 98–99
- Immunospecific electron microscopy, 30, 120
- 'Infectivity Index', for barley yellow dwarf virus, 120
- Inhibitor of CO<sub>2</sub> assimilation, 20
- Inoculants, granular, 145
- Inoculation, crop, 143–144
- Insect database, 71
- Insect traps, 85–88
- Insecticidal amides, 96–97
- Insecticides,  
aphid resistance to, 19, 96, 98–99, 116, 121  
combination with pheromones, 101  
database, 71  
effect on BYDV, 42  
housefly resistance to, 96–97  
molecular structure of, 94–96  
relationship between molecular structure and insecticidal activity, 94–95
- Institut National de la Recherche Agronomique, 87
- Institute of Arable Crops Research (IACR), 11, 12
- Institute of Horticultural Research, 211
- Institute of Hydrology, 205
- Institute of Terrestrial Ecology, 155, 199
- Integrated management programmes, for nematode-infested soils, 105
- Intercropping research, 80
- Interparticle bonding, 160–161
- Invertase, in mycorrhizal roots, 142
- Ion trap effect, *See: Translocation*
- Iprodione, 115
- IPSS, 70
- Iron oxides, removal of from soil, 163
- Iron rich soils, 163

## INDEX

- Irrigation,  
of sugar-beet, 55  
of winter wheat, 47  
ISEM, 30, 120  
Iso-electric focusing, 112  
Isoleucine, 128
- JANET, 70
- Kdr*, *See*: Knock down resistance  
KDS solution, 49  
Kent, soil survey in, 198  
Kenyan soils, potassium in, 155  
*Klebsiella/Enterobacter* spp., 123  
Knock down resistance, in houseflies, 96–98  
Knowsley Hall Moss, 196
- Lancashire, soil survey in, 198  
Land drainage, 196  
Land evaluation, 200–203  
Land Information System, 193, 203–205, 207  
Land IS, *See*: Land Information System  
Land management, soil survey for, 196  
Land restoration, 199  
Landfill sites, airborne microorganisms at, 123  
Lawes Agricultural Trust Committee, 12  
Leaching,  
model of, 149–150  
nitrogen losses from, 16–17, 148–149, 151, 196, 199, 201  
Lead, in soils, 93  
Leaf blotch (*Rhynchosporium secalis*),  
on barley, 52, 117  
on wheat, 36  
Leatherjackets, 54  
Leeks, mycorrhiza on, 141–142  
Legumes,  
diseases of, 115–116  
nematodes on, 105  
nitrogen fixation in, 142–143  
Lenacil, 111  
Lepidoptera, pheromones in, 99–100  
*Leptosphaeria maculans*, 30  
Lettuce, 202  
Leucine, 128  
Leverhulme Trust, the, 15  
Library, database management in, 14, 15  
Light leafspot, *See*: *Pyrenopeziza brassicae*  
Light response curves, for wheat, 47  
Liming, long term, 43  
Lincolnshire, soil survey in, 201  
Lipophilicity, of fungicides, 101–102  
Liverpool, soil survey in, 196, 202  
Livestock,  
at Broom's Barn, 67  
at Rothamsted, 45  
statistical analysis for, 74–75  
Loess-like sediments, 164  
Long Ashton Research Station, 11, 18, 20  
Long Term Liming experiments, 43  
*Longidorus* spp., 54, 61  
Low molecular weight subunits, of glutenin, 133  
Lucerne, nematodes on, 104–105  
Lucerne vein-yellowing virus, 116  
*Lumbricus terrestris*, 93  
Lupins, 40, 44  
fungal invasion of, 116  
inoculation with rhizobia, 144, 145  
pests of, 91  
*Lycopodium* spp., spores of, 51
- Macrosiphum albifrons*, 91  
*Macrosiphum avenae*, 120  
*Macrosiphum euphorbiae*, 91  
MAFF, 14, 20, 119, 193, 197–200, 203, 205, 211  
Harpenden Laboratory, 56, 119  
Maize, supply of N, P and K to roots, 151  
Management practices, effect on organic matter in soil, 150  
Mancozeb plus maneb, 43  
Mangold fly, in sugar beet, 54  
Mannitol, 49  
Mannopine, 141  
Maps, *See*: Soil maps  
Market Weighton, 195  
Markov-chain turbulent dispersion, 51–52  
Martin Down National Nature Reserve, 207  
Mathematical models, *See*: Models  
Maximum Likelihood Program (MLP), 76, 79  
*Megoura viciae*, sex pheromone of, 20, 100  
*Meligethes aeneus* (pollen beetle), 29, 91  
*Meloidogyne* spp., 112  
*Meloidogyne incognita*, 106, 112  
Metabolic inhibitors, effect of on nematodes, 113–114  
Metals, heavy, 93  
effect on establishment and nitrogen fixation by white clover, 154  
*Metopolophium dirhodum*, 34, 35, 72, 86, 88–90  
Metribuzin, 111  
Microcomputers, 71–72, 80, 203–204  
*Microlophium carnosum*, 90  
Micronutrients, in soils, 154  
Microorganisms, airborne, 122–123  
Microscope-slide collection, of nematodes, 112  
Mildew, *See*: *Erysiphe graminis*  
Millet, nitrogen fixation in, 143  
Mineralogy, of soil clays, 163  
Minster Agriculture Ltd., 207  
Mobile crop shelters, 47, 152  
Models, mathematical, 45  
for herbicide movement in soil, 18  
for transport of water and heat in soil, 160  
for turnover of organic matter in soils, 150–151  
of DNA sequences, 77  
of grain growth, 50  
of nitrate leaching, 149–150  
of P and K uptake, 151–152  
of photosynthesis, 50  
of resistance development in houseflies, 97–98  
of spread of mycorrhizal infection, 142  
splash droplet dispersal modelling, 51–52  
statistical, 77  
to predict badger density, 210  
winter wheat model, 20, 50–51  
Moisture, measurement of by NMR spectrometry, 165  
Mole and pipe drain system, 159  
Molecular structure, of insecticides, 94–96  
Molluscicide, 36  
Monoclonal antibodies, 119–120, 122  
Morphometric techniques, for identifying nematodes, 112  
Mummy formation, by aphid parasitoids, 89–90  
*Musca domestica*, *See*: Housefly  
Mutants, in barley, 128–129  
Mycorrhiza, vesicular arbuscular,  
comparison of strains, 141  
for tropical legumes, 143–144  
host-endophyte relationships, 142  
isozyme variation in, 141  
on leeks, 141  
susceptibility of roots to infection, 141  
transfer of opines to, 140–141  
*Myzus persicae*, 55, 62, 64–65, 87, 91, 96  
insecticide resistance in, 19–20, 96, 98–99, 116, 121
- <sup>15</sup>N, labelled fertilizer, 148  
National Farmers' Union, 76  
National Institute of Agricultural Botany, 58  
National Peat Inventory, 198–199  
National Soil Inventory, 204–211  
National Soil Map, 210–211  
National Vegetable Research Station, 18  
Nature Conservancy Council, 207  
*Nebria brevicollis*, 90  
Nematicides, 104–105, 108–109  
for use on oilseed rape, 107–108  
*See also*: Aldicarb; Oxamyl  
Nematodes,  
beet cyst, 54–55  
biochemical characterization of, 19, 112–113  
biological agents for control of, 105–107  
brassica cyst, 106–108  
control of, 104–108

## INDEX

- Nematodes (*contd*)  
culturing of, 113  
cyst, 105–111  
effect of metabolic inhibitors on, 113–114  
egg parasitic fungus of, 105–106  
hatching of, 110–111  
identification of, 19  
microscopic slide collection of, 112  
morphological studies, 112  
on beans, 104  
on legumes, 105  
on lucerne, 104–105  
on oilseed rape, 107–108, 110  
on red clover, 105  
permeability of, 113  
potato cyst, 36–37, 105, 108–113  
root knot, 105–106, 112  
scanning electron microscope studies of, 112  
stem, 104–105, 113  
taxonomy of, 18–19, 111–113  
wilt fungi of, 108–109
- Nematophagous fungi, 105–107  
*Nematophthora gynophila*, 107  
*Nepeta cataria*, 100  
Nepetalactone, 100  
NERC Radiocarbon Laboratory, 150  
Net blotch, (*Pyrenophora teres*), on barley, 117  
New Plant Products Laboratories, 145  
Nickel, in soil, 154  
*Nicotiana tabacum*, *See*: Tobacco
- Nitrate,  
effect of supply of on thylakoid composition in wheat,  
49–50  
leaching of, 16–17, 148–149, 151, 196, 199, 201  
uptake of, 126, 129
- Nitrification, 156
- Nitrogen,  
balance of, 148  
deep, recovery of by wheat, 146  
effect of drainage on use of, 148–149  
foliar, 148  
immobilization of, 149  
in oilseed rape plants, 148  
mineral, in soil, 149  
on winter wheat, 32–33  
uptake of, 152  
*See also*: Nitrate
- Nitrogen fertilizers,  
comparative efficiency of, 73  
on sugar beet, 55  
on winter wheat, 150  
prediction of requirements, 48–49  
*See also*: Fertilizers
- Nitrogen fixation, 17–18, 129, 140, 142–143, 154  
Nitrogen uptake, 126  
Nitrosomethylurea, 128  
NMR spectroscopy, 165  
Nodules, root, 17, 129  
Non-ester central group, 95  
Non-linear models, 76–77  
Norfolk, soil survey in, 198  
Norsk Hydro Fertilizers Ltd., 154–155  
North Kent marshes, soil survey of, 198  
Northumberland, soil survey in, 194, 208  
NPPL, 145  
Nuarmol, 101–102, 117–118  
Nuclear Magnetic Resonance, *See*: NMR  
Numerical Algorithms Group, 77–78  
Numerical density, soil, 162  
Nutrient fluxes,  
in acid upland soils, 155  
into wheat roots, 152  
Nutrient reserves, in acid upland soils, 155  
Nutritional chemistry, 74
- 'Oat-onion' race, of stem nematode, 104, 112
- Oats,  
at Woburn, 43  
tonoplast from, 153  
*See also*: Cereals
- ODA, *See*: Overseas Development Administration  
Oil, measurement of by NMR spectrometry, 165  
Oilseed rape,  
aphids on, 29  
at Rothamsted, 16, 43  
diseases of, 30  
DNA studies with, 131  
dry matter growth, 27–28  
factors limiting yield, 26–31  
foliar nutrients for, 29  
fungicides on, 27, 30  
growth and development, 26–27  
herbicide on, 26  
insect pests on, 29  
microflora of leaves and pods, 30  
nematicide trials with, 107–108  
nematodes on, 29  
nitrogen in plant sap, 28–29  
nitrogen in plants, 28  
nitrogen in soil, 28  
oil content of seed and oil yield, 147, 158  
seed and oil yield, 27–28  
spore dispersal in, 20  
straw disposal before drilling of, 44, 157–158  
viruses of, 115  
yeasts on, 30  
yields, 47–48, 147
- Onions,  
cultivation of seedbed for, 161  
pseudomonads in rhizosphere of, 140  
soil suitability map for, 201–202  
Opines, transfer of, 140–141  
*Opomyza* spp., 34, 35  
Organic matter, turnover of in soil, 150  
Orientation behaviour, of pea moths, 92  
Overseas Development Administration, 80, 143  
Oxamyl,  
on oilseed rape, 107–108  
on potatoes, 36–37, 105  
on sugar beet, 61–62  
Oxybutyrate, 128  
Oxygen demand, for straw, 158
- Paecilomyces lilacinus*, 107  
Parasitoids, of aphids, 89–90  
*Paratrichodoros* spp., 54, 61  
Park Grass, 156  
Particle size analyser, the, 208  
Patatin, 131, 133  
Patent application, for *Rhizobium inoculum*, 145  
*Pathogenesis related proteins*, *See*: PR proteins  
Pea moth,  
monitoring of, 91–92  
orientation behaviour of males, 92  
Pea seed-borne mosaic virus, 115–116  
Peas,  
aphids on, 115  
nitrogen fixation in, 142–143  
viruses of, 115–116  
vining, moth monitoring in, 91–92  
Peat, *See*: National Peat Inventory  
Peat,  
analysis of, 210–211  
wastage rate of, 198  
Pebulate, 111  
*Pegomya betae*, *See*: Mangold fly  
Penconazole, 101–102, 118  
*Penicillium* spp., 123  
Permeability characteristics, of stem nematodes, 113  
Permethrin, 98  
*Peronospora parasitica* (downy mildew), on oilseed rape, 30  
Pesticides,  
aphid resistance to, 19, 96, 98–99, 116, 121  
distribution of, in plants and soil, 101–103  
to control Docking disorder, 55  
*See also*: Aphicides; Fungicides; Herbicides; Insecticides and Nematicides  
Pests, of sugar beet, 54–55, 62  
pH gradient formation, in oat tonoplast, 153

## INDEX

- pH, soil, 150–151, 153, 156  
 changes in, 16–17  
 effect on lupins, 144  
 See also: Soil acidity
- Phaseolus vulgaris* (French bean),  
 granular inoculants for, 145  
 nitrogen fixation in, 129, 143
- Pheromones, 94  
 alarm, 101  
 from *Dasineura brassicae*, 90  
 in insecticide sprays, 101  
 in lepidoptera, 99–100  
 queen, 92–93  
 sex, in aphids, 19, 100
- Phialophora* sp., 118–119  
*Phialophora graminicola*, 118–119
- Phloem, transport of pesticides in, 101
- Phoma betae*, control of, 58
- Phoma* leaf spot, on oilseed rape, 30
- Phorodon humuli*, 88
- Phosphate,  
 rock, 143–144  
 water-soluble, in fertilizers, 154–155
- Phosphofructokinase, 126, 129
- Phosphoglycollate phosphatase, 128
- Phosphorus,  
 concentrations of in crops, 152–153  
 uptake of, 151–152
- Photorespiration, 126
- Photorespiratory mutants, of barley, 128–129
- Photosynthesis,  
 efficiency of, in wheat, 46–47  
 model of, 50–51
- Pigs, space allowances for, 75
- Pine wilt nematode, 112
- Plant Breeding Institute, the, 20, 121
- Plant cells, counting and sizing of, 49
- Plant clinic, for sugar beet, 56
- Plastic grass, for pea moth experiments, 92
- Ploughing, compared with direct drilling, 159–160
- Pod midge, See: *Dasineura brassicae*
- Pollen beetle, See: *Meligethes aeneus*
- Pollution, of aquifers, 206–207
- Polygodial, 19, 99, 101
- Polymyxa graminis*, 119
- Population genetics, of aphids, 88
- Potassium,  
 balance of, in long-term experiments, 155–156  
 in Kenyan soils, 155  
 uptake of, 151–152
- Potassium dextran sulphate, 49
- Potato cyst nematodes, 105, 108–111
- Potato leafroll virus, 21, 121
- Potato root diffusate, hatching of nematode eggs in, 110–111
- Potato virus Y, 121  
 aphid vectors of, 87
- Potatoes,  
 at Rothamsted and Woburn, 44  
 carbon dioxide assimilation in, 20–21  
 carbon metabolism in, 126–127  
 cold-induced sweetening in, 126, 129  
 comparison of cultivars, 44  
 Désirée, 44  
 diseases of, 120–121  
 eelworm-resistant, 44, 105  
 gangrene on, 120  
 intensive production, 36–37  
 nematodes on, 105, 108–111  
 patatin genes of, 133  
 phosphate on, 154–155  
 production of somatic hybrids, 21, 130  
 regeneration from protoplasts, 130  
 seed, 121  
 storage proteins of, 131  
 tuber diseases of, 37  
 viruses of, 87, 121
- Powdery mildew, See: *Erysiphe graminis* or *Erysiphe betae*
- PP 969, 101, 118
- PR (pathogenesis related)-proteins, 18, 133–134
- Pratylenchus* spp., 29
- Precipitation Composition Monitoring Network, 16, 156
- Predators, of aphids, 86, 90
- Prestel Farmlink, 14, 86–87
- Prochloraz, 115, 117–118  
 on barley, 42  
 on cereals, 41  
 on potatoes, 36
- Programs, See: Computer programs; Statistical programming
- Prokaryotes, fastidious, 122
- Prolamin storage proteins, See: Proteins
- Propiconazole, 41, 115
- Proteins,  
 cereal grain, 131  
 from potato, 131  
 PR, 18, 133–134
- Proton transport in oat tonoplasts, 153
- Protoplasts, regeneration from, 129–130
- Pseudocercospora herpotrichoides*, (eyespot), 26, 35  
 on barley, 42  
 on wheat, 33, 41, 116–117
- Pseudomonads, in the rhizosphere, 140
- Pseudomonas* spp., 123
- Pseudomonas solanacearum*, 122
- Psylliodes chrysocephala*, on oilseed rape, 29
- Pterostichus* spp., 90
- Purdue Agronomy Farm, 151–152
- Pwllpeiran EHF, 199
- Pygmy beetle, in sugar beet, 54
- Pyrenopeziza brassicae*, on oilseed rape, dispersal of spores,  
 19–20, 51
- Pyrenophora teres* (net blotch on barley), 117
- Pyrethroids, synthetic, 94–95  
 insect resistance, 96–98  
 non-ester, 95  
 PP321, 115–116  
 structure-activity relationships, 94
- Queen honeybees, recognition of, 92–93
- Quinacrine, 153
- Rabbits, survey of, 199
- 'Radar Taxonomy' to detect airborne insects, 87–88
- Radiocarbon dating, of soils, 150
- Raindrops, penetration of in crop canopies, 52
- Rainfall, 156, 185  
 See also: Weather
- Rape, See: Oilseed rape
- Red clover, nematodes on, 105
- Regeneration, of arable crop plants from culture, 129–130
- Remote sensing, for soil studies, 164–165
- Representative soil sampling, 75
- RESCU, 69–72
- Research support, 13
- Residues, pyrethroid, housefly resistance to, 97
- Resistance, to insecticides, 96–98  
 genetic basis of, 99  
 monitoring of by immunoassay, 98–99
- Respiratory diseases, 123
- Rhizobium* spp.,  
 genetics of, 142  
 in Colombian project, 143–144  
 inoculation methods, 144–145  
 nodulation on lupins, 144  
 on clover, 144
- Rhizobium leguminosarum*, 142–143
- Rhizobium meliloti*, 142–143
- Rhizoctonia cerealis*, 26
- Rhizoctonia solani*, (steam canker), on potatoes, 120–121
- 'Rhizomania', of sugar beet, 56
- Rhizosphere, pseudomonads, of, 140
- Rhopalosiphum padi*, 26, 86–89, 120
- Rhynchosporium secalis*, (leaf blotch), 26  
 dispersal of spores, 52, 122
- $\beta$ -ribbon, 134
- Ribulose biphosphate carboxylase, 20, 50, 126–128
- Rice, nematodes on, 112
- Ricinus communis*, pesticide movement in phloem of, 101
- Ring infiltrometers, 159
- RNA, messenger, 128



## INDEX

- Rock phosphate, 143–144  
Root growth,  
  in sugar beet, 60–61  
  of potatoes, effect of nematodes on, 108–109  
Root knot nematodes, *See*: Nematodes  
Roots,  
  maize, supply of N, P and K to, 151  
  observation tubes, 47, 152  
  susceptibility of to infection, 141  
  wheat, growth of, 151–152  
Rotary atomiser, 101  
Rothamsted,  
  barley at, 42, 43  
  cattle at, 45  
  farm report, 41–45  
  future of, 11–12  
  triticale and rye at, 43  
  weather at, 41, 324  
  wheat at, 41–42  
Rothamsted archive, 15  
Rothamsted Farming Service, 14  
Rothamsted General Survey Program, 79–80  
Rothamsted Insect Survey, 14, 72, 85  
  Cereal Aphid Monitoring Scheme, 86–88  
'Roundup', *See*: Glyphosate  
Routine analysis, 73  
'Royal 350', 106  
RuBP carboxylase, 20  
Rye, 42, 43, 118, 132  
  
Saline soils, survey of, 200  
Salt affected soils, 197  
Saltmarsh creek systems, 197  
Saxmundham,  
  potassium experiment at, 155  
  wheat at, 154  
SBREC, *See*: Sugar Beet Research and Education Committee  
Scanning electron microscope, 112, 182  
Scientex systems, 70  
*Sclerotinia sclerotiorum*, 30, 115  
Scottish Crops Research Institute, 21  
Screening methods, for selection of barley mutants, 129  
SDS-PAGE, 99  
*Secale*, 132  
Secalins, of rye, 132  
Seed advancement studies, for sugar-beet, 57–58  
Seedbeds, cultivation and physical properties of, 161  
Seed Rates and Sowing Methods experiments, 43  
Seed treatment, of sugar beet, 57–58  
Seed weevil, *See*: *Ceutorhynchus assimilis*  
Seedling emergence, effect of temperature on, 161–162  
*Septoria* spp., on winter wheat, 33, 35, 41  
*Septoria nodorum*, 35  
*Septoria tritici*, 35  
*Serratia* spp., 123  
Sewage sludge, compared with farmyard manure, 17–18  
Sex attractants, *See*: Pheromones  
Sharp eyespot, *See*: *Rhizoctonia cerealis*  
Shear modulus, of soil, 160–161  
 $\beta$ -sheets, 134  
Shelters, *See*: Mobile crop shelters  
Shrinkage forces, in clay soils, 161  
Silver scurf, of potatoes, 121  
Simulation models, *See*: Models  
*Sitobion avenae*, 26, 34, 35, 72, 86, 89–90, 120  
  virus from, 89  
*Sitobion fragariae*, 88  
*Sitodiplosis mosellana*, 34  
*Sitona* spp.,  
  on lupins, 91  
  on lucerne, 105  
Sleaford, soil survey in, 202  
Slugs, 37  
Slurry inoculation techniques, 144–145  
Software, appraisal of, 204  
Soil acidity, 16–17, 198–199  
  *See also*: pH  
Soil analysis, 165  
Soil biomass, 150–151  
Soil contamination, 16–17  
Soil erosion, 201, 208  
Soil mapping, 194–198, 210  
  for land evaluation, 200–203  
Soil mineralogy, 163  
Soil moisture,  
  deficits, 204–205  
  in upland soils, 209–210  
Soil plasticity and shrinkage, 210  
Soil salinity, 201  
Soil sampling, 165  
Soil structure, 159–163  
Soil suitability,  
  for badger setts, 210  
  for various crops, 201–202  
Soil Survey and Land Resource Centre, 14  
Soil Survey Information System, 203  
Soil Survey, of England and Wales, 14, 193–198  
Soil Survey, of Scotland, 203, 205  
Soil surveys,  
  Alnwick and Rothbury, 194–195  
  Boston and Spalding, 196–197  
  Cementstone lowlands, 194–195  
  Cheviot Hill, 194–195  
  Exmoor, 209  
  Fenland, 197  
  Friskney, 201  
  Great Yarmouth, 197  
  Gwent, 207  
  Humber warlands, 208, 209  
  Kent, 163, 198  
  Lancashire, 198  
  Lincolnshire, 201  
  Liverpool, 196, 202  
  Market Weighton, 195  
  Norfolk, 198  
  North Kent, 197, 200  
  Northamptonshire, 163  
  Northumberland, 194, 208  
  Sleaford, 202  
  Somerset, 199  
  Stamford Bridge, 195  
  Suffolk, 198  
  Sussex, 164  
Soil water, 207–208, 210  
Soils,  
  acidification of, 156  
  actinomycetes in, 140  
  adenylate energy charge measurements in, 150  
  analysis of, 164  
  biomass carbon in, 150–151  
  copper and nickel in, 154  
  hydraulic conductivity, 158–160, 208, 210  
  hydrological classification of, 211  
  iron-rich, 164  
  man-made, 164  
  pH of, 150–151, 153, 156  
  plasticity of, 210  
  potassium in, 155  
  saline, 200  
  radiocarbon dating of, 150  
  salt affected, 197  
  stability of, 160–161  
  suitability of for horticultural crops, 196  
  tilled, modelling transport of water and heat in, 160  
  transport in, 158–159  
  turnover of organic matter in, 150  
  waterlogging of, 208  
  Wisbech, 196–197  
  X-ray analysis of, 208  
*Solanum brevidens*, 130  
Somaclonal variation, in cereals; 131  
Somatic hybrids, of potato, 21, 130  
Somerset, soil survey in, 199  
Sorbitol dehydrogenase, 88  
Sorghum, nitrogen fixation in, 143  
Specific Field Survey, at Broom's Barn, 53–54, 56, 62–64  
Spectroscopy equipment, 94  
Spinach chloroplasts, 20–21

## INDEX

- $\beta$ -Spiral, 133  
 Splash dispersal, of fungal spores, 51–52  
 Spores, dispersal of, 19–20, 51–52, 122–123  
*Sporobolomyces* spp., 30–31  
 Spraying systems, 101  
 Stability, soil, 160–161  
 Stamford Bridge, soil survey in, 195  
 Statistical analysis, 73  
 Statistical computing, 77–80  
 Statistical models, *See*: Models  
 Statistical research, 21  
 Statistical theory, 76–80  
     analysis and design, 76  
     routine analysis, 73  
 Stem canker, *See*: *Rhizoctonia solani*  
 Stem flea beetle, *See*: *Psylliodes chrysocephala*  
 Stem nematodes, control of, 104–105  
     culturing of, 113  
 Storage proteins, *See*: Proteins  
 Strangles, in sugar beet, 56  
 Straw,  
     burning of, 157  
     disposal of, 157–158  
     incorporation of, 15, 18, 33–36, 42, 44, 66, 156–158, 196, 201–202  
     toxin production and oxygen demand, 158  
*Streptomyces*, 140  
 Strontium isotope ratios, in loess, 164  
 Stubble, incorporation of, 157  
 Suction traps, 85–88  
 Suffolk, soil survey in, 198  
 Sugar beet,  
     aldicarb on, 55–56, 61–62, 64–66  
     aphids on, 55  
     at Broom's Barn, 53–67  
     bird grazing in, 54, 62  
     'bolting' of, 53–54, 57  
     chlorsulphuron damage to, 102–103  
     cultivation techniques, 57  
     database, 71  
     devernalising of seed, 58  
     Docking disorder, 54–56, 61–62  
     effect of herbicide residues on, 18  
     fibrous root growth, 60–61  
     field mice in, 54  
     growth of, 53–56  
     headland zones in, 59  
     herbicides for, 17–18, 54–56  
     hymexazol on, 58–59  
     irrigation of, 55  
     mangold fly in, 54  
     nematodes on, 54–56, 61–62  
     nitrogen on, 55  
     nitrogen uptake by, 48  
     Nomo, 63  
     pesticides on, 55, 61–62  
     pests of, 54–55, 62  
     plant clinic for, 56  
     powdery mildew in, 62–64  
     prediction of N fertilizer requirements, 48–49  
     protoplast studies with, 130  
     seed advancement studies, 57–58  
     seed treatments, 58–59  
     SKM, 63  
     soil N supply, 48  
     soil pesticides for, 62  
     strangles in, 56  
     surveys, 75  
     variability of seedling growth, 59–60  
     viruses of, 55–56, 64–66, 121–122  
     weed beet, 54  
     weed control in, 54  
     wild beet, 63  
     yields, 48, 56  
     *See also*: Beet cryptic virus; beet mild yellowing virus;  
         Beet necrotic yellow vein virus; Beet western yellows  
         virus; Beet yellows; Virus yellows  
 Sugar beet factory, outbreak of asthma in, 123  
 Sugar Beet Research and Education Committee, 11  
 Sulphonylurea herbicides, 129  
 Sulphur,  
     on oilseed rape, 29  
 Sumatra disease, of cloves, 122  
 Sunflowers, 44, 91  
     diseases of, 115  
*Super-kdr*, 97  
 SURFACE II computer program, 71, 203–204  
 Survey of fertilizer practice, 75  
 Surveys, statistical, 75–76  
 Sym plasmids, 142–143  
 Symbiotic plasmid, in rhizobia, 142–143  
*Synecoccus*, 127  
 Synthetic pyrethroids, *See*: Pyrethroids  
 Syrphids, 86  
 Take-all on cereals, 101–102, 117–119  
     ELISA studies of, 119  
     on barley, 34  
     on wheat, 33, 34, 36, 140  
     on wheat, barley, rye and triticale, 118, 140  
 Taxonomy, of nematodes, 18–19, 111–113  
 Temperature, effect on seedling emergence, 161–162  
 Tensile stresses, in clay soils, 161  
 Terminal spikelet phase, in wheat, 50–51  
 Thaumatin, 134  
*Thaumatococcus danielli*, 134  
 Thiobendazole, 104–105, 121  
 Thiodicarb, 104–105  
 Thiofanox, 61–62  
 Thiram,  
     for seed treatment of sugar beet, 58  
 Threonine, 131  
 Thylakoid composition, in wheat, 49–50  
 Tillage, 160–163  
 Tissue cultures, wheat, 130–131  
 Tissue water, for expressing phosphorus concentrations in  
     crops, 152–153  
 Tobacco, 49  
     hordein genes from, 132  
     PR proteins from, 18, 133–134  
     virus diseases of, 134  
 Tobacco mosaic virus, 134  
 Tonoplast, oat, onion transport across the, 153  
 Topology of soil structure, 162  
 Toxic metals, *See*: Heavy metals  
 Toxin production, by straw, 158  
 Traps, insect, 85–88  
 Trehalose, in spores of *Glomus*, spp., 142  
 Triadimenol, ('Baytan'), 25, 26, 42, 117–118, 147  
 Tri-allate, 111  
 Triazoles, degradation of in soil, 102  
*Trichoderma* spp., 140  
*Trichodorus* spp., 61  
 Trifluoromethyl compounds, 95  
*Trifolium repens*, *See*: Clover  
 Trimethylsilyl derivatives, 127  
 Triticale, 43, 118  
*Triticum-Aegilops* group, 132  
 Tropical legumes, nitrogen fixation in, 143  
 Tuber diseases, of potatoes, 37, 131–132  
 Turbulence, effect on spore deposition, 51  
 $\beta$ -turns, 133  
 Ultrathin polacrylamide gels, 112  
 UNIP, 11  
 Unit of Insect Neurophysiology and Pharmacology (UINP),  
     11  
 University of Birmingham, 97  
 University of Lancaster, 129  
 Urea,  
     on oilseed rape, 148  
     on winter wheat, 41, 147–148  
 VA mycorrhiza, *See*: Mycorrhiza  
 Valine, 128  
 Variance, estimation of, 76  
 Variance multiplier, the, 76  
*Varroa jacobsoni* mites, infestation of honeybees with, 19,  
     92

## INDEX

- Vectors, aphid, 19–20, 64–66, 86–87, 89, 116, 120–121  
Vegetables, soil suitability for, 176  
Vernolate, 111  
*Verticillium* spp., interaction with nematodes, 108  
*Verticillium chlamydosporium*, 105–107  
Vesicular arbuscular mycorrhiza, *See*: Mycorrhiza  
*Vicia faba*, *See*: Beans  
Viewdata systems, 14, 149  
Virus yellows, 55, 64–66  
Viruses,  
  aphid transmission of, 64–66, 86–87, 89, 116, 120–121  
  cloning of, 121–122  
  of barley, 14, 15, 26, 42, 86–87, 89, 99, 119–120  
  of grain legumes, 115–116  
  of honeybees, 92  
  of oilseed rape, 115  
  of potatoes, 87, 121  
  of sugar beet, 55–56, 64–66, 121–122  
  of sunflower, 115  
  of tobacco, 134  
Viscometric analysis, 133  
Visitors, to Rothamsted, 45  
  
Warren Spring Laboratory, 156  
Waste, domestic, airborne microorganisms associated with,  
  122–123  
Waterlogging, of soils, 208  
Water-table, rise in, 159  
Weather, 16  
  at Broom's Barn, 54–55, 63, 326  
  at Rothamsted, 41, 324  
  at Woburn, 41, 325  
Weed beet, 54  
Weed control, *See*: Herbicides  
Weed Research Unit, 18  
Weevils, *See*: *Sitona* spp.  
Welsh Plant Breeding Station, 140  
West Germany, studies of CO<sub>2</sub> assimilation inhibitors in,  
  20–21  
Western blotting, 133–134  
Wheat,  
  after beans, 146  
  after oilseed rape or oats, 146  
  apical development, 50  
  at Rothamsted, 41–42, 153  
  at Saxmundham, 154  
  at Woburn, 41–42  
  Avalon, 33, 34, 41–42, 50, 147  
  comparison of cultivars, 41–42  
  development of winter wheat, 47  
  diseases of, 33, 35, 41, 116–119  
  droughting response in, 47  
  Durum, 133  
  effect of straw treatment on, 33–36  
  factors affecting take-all on, 117–118  
  foliar urea on, 147  
  
Wheat (*contd*)  
  for breadmaking, 131  
  fungicides on, 117  
  grain quality, 153  
  grain yield, 33, 35  
  growth and development, 31–32  
  Hustler, 31  
  leaf area index, 46  
  leaf expansion and senescence, 46, 49  
  light interception and growth, 46  
  Longbow, 41  
  mathematical models for, 50–51  
  Mission, 33–34  
  nitrate N in shoots, 32, 49–50  
  nitrogen content of, 32  
  nitrogen on, 32–33, 46, 115, 146  
  nutrient uptake by, 42, 151–152  
  on Broadbalk, 148, 153–154  
  pests of, 34–35  
  photosynthesis in, 20, 46–47  
  recovery of deep N from, 147, 149  
  regeneration from embryos, 131  
  root growth of, 151  
  RuBP carboxylase in, 20  
  sowing date, 31, 47, 117–118, 146  
  take-all on, 140  
  thylakoid composition, 49–50  
  tissue culture with, 130–131  
  turgor of, 153  
  uptake of P and K by, 151–152  
  volunteers in, 34–36  
  winter, simulation model for, 20  
  yield variations, 146–147  
White clover, *See*: Clover  
Whitefly, insecticide-resistance in, 96  
Wilt fungi, on nematodes, 108–109  
Wind erosion, 197  
Wind tunnel experiments, with fungal spores, 51  
Winter Rain Acceptance Potential map, 211  
Wisbech soils, 196–197  
Woburn,  
  barley at, 42  
  oats at, 43  
  triticale and rye at, 43  
  weather at, 41, 325  
Woburn Ley Arable Experiment, 43  
Word processing systems, 72  
Worms, *See*: Earthworms  
Wound-hormones, from tobacco, 134  
  
X-ray diffraction, 163  
  
Yields, of cereal crops, variations in, 164–165  
  
*Zea mays*, *See*: Maize  
Zinc, in soils, 93