

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Rothamsted Experimental Station Report for 1987

[Full Table of Content](#)



---

## Subject Index

### Rothamsted Research

Rothamsted Research (1988) *Subject Index* ; Rothamsted Experimental Station Report For 1987, pp 235 - 244 - DOI: <https://doi.org/10.23637/ERADOC-1-28>

## SUBJECT INDEX

The papers in Part 2 have not been indexed

- Acetohydroxyacid synthase, 84-85  
Acetohydroxybutyrate, 85  
Acid soils,  
  biomass C in, 101  
  nutrient reserves in, 108  
Acridine orange, 125  
Actinomycetes, soil, 96  
Acute paralysis virus, of honeybees, 49-50  
*Acyrtosiphon pisum*, 45,55,64  
ADAS, 34-36,163  
Adenylate energy charge measurements, in soil, 101  
Advisory Committee for Genetic Manipulation, 14  
*Aegilops umbellulata*, 88  
Aerobiology, 77-79  
AFRC, 16,31,36,45,88  
  Genetic Manipulation Programme, 86  
  Winter Wheat Model, 118  
Aggregation, 38-39  
AGRENET, 30-31  
Agricultural Development and Advisory Service,  
  *See*: ADAS  
Agricultural Genetics Company, the, 15,68,95  
*Agrobacterium spp.*, 85  
*Agrobacterium rhizogenes*, 85  
Agroforestry project, 33-34  
Agviser, 11,105  
Airborne allergens, 78-79  
Airborne microorganisms, 78  
Alarm pheromones, 15,65  
Aldicarb,  
  as a nematicide, 47-49  
  on sugar beet, 164  
N-alkylamides, 60  
Allergens, airborne, 78-79  
*Alternaria spp.*, 23-24,71  
*Alternaria alternata*, 24,70  
*Alternaria brassicae*, 24,69  
*Alternaria brassicicola*, 24  
Aluminium goethites, 109-110  
Amides, insecticidal, 60  
 $\alpha$ -Amino N, 101  
Amino acids,  
  biosynthesis of, 84-85  
  N-terminal, 89  
  replacement of, 82-83  
  *See also*: Lysine  
 $\alpha$ -amylase, 88,90  
 $\beta$ -amylase, 88  
Antibiotic resistance, 87,98  
Antibodies, monoclonal, 13,72,74,89  
Antifeedants, 15,57-58,63-64,81-82  
  *See also*: Polygodial  
Aphicides,  
  on cereals, 51  
  on sugar beet, 164  
  *See also*: Insecticides  
Aphid bulletin, 51  
Aphid commentary, 51  
Aphid honeydew, as a stimulant for parasitoids, 45  
*Aphidius ervi*, 45  
Aphids,  
  alarm pheromone of, 15,65  
  biological control of, 55  
  cereal, 51  
  infectivity with BYDV, 20,51  
  insecticide resistance in, 61-63  
  monitoring of, 51  
  on barley, 20  
  on sugar beet, 170-171  
  parasitoids of, 45-46  
  population genetics, 33, 82  
  predators of, 55  
  sex pheromone of, 64  
Apical development, in winter wheat, 34  
  model for, 118  
*Apis mellifera*, *See*: Honeybees  
*Apthona euphorbiae*, 46  
*Arabidopsis thaliana*, 83  
Arable land, leaching of nitrate from, 102-103  
*Arion fasciatus*, 46  
*Arion silvaticus*, 46  
Aristotle University, 49  
Arthur Rickwood Experimental Husbandry Farm, 166  
*Aspergillus spp.* 77  
*Aspergillus fumigatus*, 78  
ATP content, of soils, 83,100  
Automatic data recording, of soil samples, 113  
Automatic selection, of houseflies, for  
  insecticide resistance, 62  
Barley,  
  after oats, 17  
  aphids on, 20  
  development and tillering in, 17-18  
  factors limiting yield, 17-25,120,129  
  fungal diseases of, 19-20  
  genome map, 86  
  hordeins of, 87-88  
  leaf blotch on, 19,73,77-78  
  Magie, 17,120,129  
  mildew on, 19  
  mutants of, 84-85  
  nitrogen in soil, 18  
  nitrogen uptake by, 105  
  Panda, 129  
  resistant cultivars of, 74-75  
  viruses of, 13,20,73-75  
  *See also*: Barley yellow dwarf virus; Barley yellow  
  mosaic virus; cereals; *Erysiphe graminis*; Take-all  
Barley yellow dwarf virus, 13,20,74-75  
  aphid vectors of, 20,51  
Barley yellow mosaic virus, 73  
Barnfield, light trap at, 52  
Basidiomycetes, 96  
Battery cage system, alternatives to, 36  
'Baytan'. *See*: Triadimenol  
Beans (*Vicia faba*)  
  aphids on, 55  
  seed rate and yields, 130  
  *See also*: *Phaseolus vulgaris*

## INDEX

- Bees, *See*: Honeybees  
Beet cryptic virus, 76  
Beet cyst nematode, 54  
Beet mild yellowing virus, 164,170-171  
Beet necrotic yellow vein virus, 169  
Beet yellows, 170-171  
    *See also*: Virus yellows  
Beetles, as aphid predators, 46  
Behaviour-controlling chemicals, 63-64  
*Bemisia tabaci*, insecticide resistance in, 62  
Biochemistry, of insecticide resistance, 61  
Biodeterioration, 77  
Biological agents, to control nematodes, 54-55  
Biomass, *See*: Soil biomass  
Biomass carbon, in acid soils, 101  
Biomathematics, 29  
Biosynthesis, of amino acids, 84-85  
Biotechnology, 13-14  
Biplots, non-linear, 38  
Birds, damage caused by, 47  
Black dot, 75  
Black queen-cell virus, 50  
Bolting, control of, 163  
Boron uptake, by white clover, 107  
*Botrytis* spp., 24,71  
*Botrytis cinerea*, 23,70  
*Brachycaus helichrysi*, 46  
Brassica cyst nematodes, 47  
Brassica pod midge, 46  
Breadmaking, 88,89  
Bremsstrahlung sources, 111  
Brewhing Research Foundation, 17  
Brimstone Experiment, the, 33,103,109  
British Council, 107  
British Sugar, 162-163,165,167  
British Technology Group, 96  
Broadbalk, wheat on, 102,112-113  
Broom's Barn, 9,95  
    cereals at, 173  
    database package for, 31  
    farm, 172-174  
    sugar beet at, 161-175  
    weather at, 163-164  
    wheat at, 112  
Brown foot rot, *See*: *Fusarium* spp.  
Brown rust, on barley, *See*: *Puccinia hordei*  
  
Cadmium, concentrations of in soil, 13  
Cambridge Crystallography Subroutine Library, 110  
Cambridge University, 68  
Canker, *See*: *Leptosphaeria maculans*  
Canopy measurement, with a laser scanner, 124  
Capping, in sugar beet, 162  
Carbamate, 166  
Carbendazim,  
    on cereals, 127  
Carbendazim + prochloraz, 18,73  
Carbendazim + vinclozolin, 70  
Carbofuran, 170  
Carbon, organic, in soil, 100-101  
Carboxylation, rate of, 82  
Carboxylation efficiency, in sunflowers, 123  
CAT reporter gene, 86-87  
Catalase mutant, of barley, 84  
Cattle, at Rothamsted, 131  
    *See also*: Livestock  
Cellulose-decomposing fungi, 96  
Cereal Aphid Monitoring scheme, 51  
Cereal aphids, 45,51-52  
Cereal nematodes, 55  
Cereal seed proteins, *See*: Proteins  
Cereals,  
    aphids on, 20  
    at Broom's Barn, 172-173  
    at Rothamsted, 128-129  
    at Woburn, 128-129  
    biodeterioration of grains, 77  
    diseases of, 71-75  
    fungicides on, 129  
    protease inhibitors in, 88-89  
    tissue culture with, 87  
    yields, 116  
    *See also*: Barley; *Erysiphe graminis*; Maize; Oats;  
        Take-all; Wheat  
*Ceutorhynchus assimilis*, 23  
China, links with, 11  
*Chlamydomonas reinhardtii*, 84  
Chloramphenicol acetyl transferase, 86-87  
Chloridazon, 174  
Chlorophyll, in wheat leaves, 118  
Chloroplasts, barley, 84-85  
Chlorsulfuron, on sugar beet, 66,174  
Chlortoluron, 173  
Chromosome numbers, in potatoes, 33  
Chromosome stability, of regenerated potato plants, 86  
Chronic paralysis virus, of honeybees, 50  
Chymotrypsin inhibitors, 87-88  
*Cladosporium* spp., 24  
CLASP, 41  
Classical Experiments, 13  
Classification, geostatistically constrained, 112  
Clay minerals, randomly interstratified, 109-110  
Clay soils, structure of, 108  
Cloud cover records, monitoring of, 168  
Cloudy wing virus, of honeybees, 50  
Clover, nitrogen fixation by, 107  
Cloves, Sumatra disease of, 13,76-77  
*Cnephasia interjectana*, 46  
Coefficient of variation of root dry weight, 166  
Cold-induced sweetening, in potato, 82-84  
Collagen, 90  
*Colletotrichum coccodes*, 75  
Commonwealth Universities, 68  
Computer modelling, 89  
    *See also*: Models  
Computer programs, to calculate leaching losses, 102  
Computers, 29-32  
    for Insect Survey, 53-54  
    *See also*: Statistical computing  
Conference Hall, the, 10  
Copper, in soils, 22  
Coulter counter, the, 124  
Countryside Commission, 52  
Coversands, in Lincolnshire, 111  
Cracking, in clay soils, 108  
Cranfield Institute of Technology, 9  
Crop experiments, statistical programs for, 35  
Crop monitoring, with satellite systems, 168-169  
Crop plants, improvement of, 14  
    photosynthesis in, 83  
Crop rotations, 54  
Crop Survey, 163  
Cultivation treatments, 103,109,126-127  
*Cyanobacterium*, manipulation of genes from a, 82-83  
*Cylindrocarpon destructans*, 55  
Cypermethrin, on barley, 20,173  
Cyst nematodes, *See*: Nematodes  
Cytokinin gene, the, 86

## INDEX

- Dark pod spot, of oilseed rape, 69  
*Dasineura brassicae* (pod midges), 23,46-47  
Databases, 11,31  
De Dankse Suikerfabriker, 82  
Decomposition, of wheat residues, 104  
*Delia coarctata*, 20  
Deltamethrin,  
  aphid resistance to, 62,171-172  
  on cereals, 46  
*Dennettia* extracts, insecticidal activity of, 60  
Demeton-S-methyl, as an aphicide on sugar beet, 170  
Denitrification, nitrogen losses caused by, 103  
Diagnostic methods, for plant pathogens and pests, 13  
Dicyandiamide, 118  
Diffraction, X-ray, of soils, 109-110  
Diffractometer alignment, instabilities in, 110  
Direct drilling,  
  into stubble, 126  
Dispersal,  
  of pathogens, 124  
  of sprays, 124  
Disposal, of straw, 125  
Dithiothreitol, 97  
DNA,  
  extraction, from VAM fungi, 98  
  hybridization, 85  
  sequences of genes, 85-86  
  sequencing, 56  
  transfer of, 87  
DNA probes,  
  for nematodes, 14  
  for Sym plasmids, 98  
DNA restriction length polymorphisms, 86  
Docking disorder, 163  
Domestic waste disposal, airborne microorganisms  
  associated with, 78  
Downy mildew, 23  
Drain gauges, 103  
Drainage,  
  in clay soils, 109  
  in the Brimstone Experiment, 102-103  
Drainage waters, nutrients and pollutants in, 104-105  
Drought, response of winter wheat to, 106-107  
Dry matter partitioning, in sugar beet, 122-123  
Dual inoculation, 100  
  
E4 immunoassay, the, 62-63  
Earthworms, as indicators of heavy metal bioavailability, 50  
East of Scotland College of Agriculture, 35  
Eclosion, in nematodes, 56  
Ecology, mathematical, 38-39  
Egypt bee virus, 50  
*Eisemia foetida*, 50  
Electromagnetic scattering properties, 53  
Electrophysiological bioassays, 53  
Electroporation techniques, 87  
ELISA technique, the, 13,70-71,170-171  
  BYV identification by, 74  
  study of take-all with, 73  
Elson system, the, 36  
Entomogenous fungi, for aphid control, 55  
Entomophthora, 55  
*Entomophthora neoaphidis*, 55  
Enzyme-linked immunosorbent assay  
  See: ELISA technique  
Enzymes,  
  activity of in photorespiration, 84  
  in barley mutants, 84-85  
  in mould fungi, 77  
  in potato tubers, 83-84  
  of amino acid biosynthesis, 84-85  
Epson systems, 34  
Ergosterol biosynthesis-inhibiting fungicides, 66  
Erucic acid, in oilseed rape cultivars,47  
*Erynia neoaphidis*, 55  
*Erysiphe graminis* (barley mildew), 19  
*Escherichia coli*, 82  
Esters, pyrethroid, 59  
Ethernet, 30-32  
Eyespot, See: *Pseudocercospora herpotrichoides*  
  
Factors Limiting Yield experiments, 17-25, 120,129  
Famine, 12  
Farm Management System, at Long Ashton, 30  
Farm Research Ltd., 36  
Farmlink, See: Prestel Farmlink  
(E)- $\beta$ -Farnesene, 65  
Fastidious prokaryotes, 76-77  
Fertiliser Manufacturers' Association, 36  
Fertility, soil, 12-13  
Fertilizer Building, crop samples handled by, 113  
Fertilizers,  
  borate, 107  
  <sup>15</sup>N-labelled, 102  
  Survey of Fertilizer Practice, 36  
  See also: Nitrogen fertilizers; Potassium  
Field beans, See: Beans  
FIELD data entry program, 35,41  
Field Drainage Experimental Unit, 103  
Field Experiments, 30,35,86,95  
Field mice, in sugar beet fields, 162  
Filter samples from working environments, 78  
Financing, of research, 10  
Flag leaves, urea uptake by, 116  
Flax tortrix moth, the, 46  
Fluorescence characteristics, of barley mutants, 84  
Fodder beet, 164,171  
Foliar nutrients, 22  
Foliar sprays, for slug control, 57  
Forecasting,  
  of BYDV, 51  
  of cereal aphid populations, 51  
  of virus yellows in sugar beet, 52  
Forestry, 108  
Forestry Commission, the, 95,108  
'Friends of Rothamsted', 11  
Fuberidazole, 18  
Fumigation-extraction and incubation techniques  
  for measuring soil biomass, 100-101  
Fungal diseases,  
  of cereals, 71-73  
  of lupins, 71  
  of oilseed rape, 69-70  
  of sunflower, 70  
  See also: *Erysiphe graminis*; Eyespot; *Fusarium*;  
  Take-all  
Fungal spores, dispersal of, 69-70  
Fungi,  
  for aphid control, 55  
  for nematode control, 54-55  
  mycorrhizal, 98-100  
  nematophagous, 54-55  
Fungicides, 66  
  effect on aphid populations, 51  
  effects on take-all, 66  
  for sunflowers, 70

## INDEX

- Fungicides (*contd*)  
on cereals, 129  
on oilseed rape, 69  
on sugar beet, 162,172  
resistance to, 72  
synthesis of, 66  
*See also*: Names of individual chemicals used as fungicides
- Furathiocarb, 166
- Fusarium* spp., 20,55,71
- Gaeumannomyces graminis* var. *tritici*  
effects of various fungicides on, 66  
on barley, 19,73  
on wheat, 27  
*See also*: Take-all
- Gamma HCH, 166
- Gas chromatography-electrophysiology, 53
- Gel electrophoresis, 97
- Geminivirus, 76
- Genes,  
amplification of, 63  
CAT reporter genes, 87  
glutamine synthetase, 85  
manipulation of, 82-83,86-87,97-98  
regulation of expression of, 84,87-88  
symbiotic, in *Rhizobium*, 97  
transfer of, 86-87, 98  
*See also*: Mutants
- Genetic Manipulation, Advisory Committee on, 98
- 'Genetically engineered' organisms, 33
- Genkey, 41
- Genstat, 32-33,39-40
- Genstat 5, 15-16,30,32,39-40
- GHOST computer program, 32
- Glacial sequences, in North Humberside, 110
- Glasshouses, 90
- Gleadthorpe Experimental Husbandry Farm, 36
- Gladians, of wheat, 88
- Globodera pallida*, 13-14,28,48-49,56
- Globodera rostochiensis*, 13-14,28,47-49,55-56
- Globulins, 88
- Glomus caledonium*, 97
- Glomus mossae*, 96
- Glucosinolates, oilseed rape plants low in, 47
- Glutamine synthetase, 85
- Gluten, structure of, 88-89
- Glutenins, 88
- Glycollate oxidase, 84
- Glycolysis, 82-84
- Glyphosate, 164
- Goethite  
*See*: Aluminium goethites
- Grain legumes,  
*See*: Proteins
- Granular inoculants, 15,99
- Grey mould,  
*See*: *Botrytis cinerea*
- Growth regulator, on oilseed rape, 21
- Hamamelose bisphosphate, 20-21
- Hatch stimulation, 55
- Health and Safety Executive, 14
- Health problems, due to airborne microorganisms, 78-79
- Heavy metals,  
*Rhizobium* in presence of, 95,107  
uptake of by invertebrates, 50
- Heptenophos, 172
- Herbicides,  
effect on sugar beet, 66  
for sugar beet, 17-18
- Heterodera avenae*, 20
- Heterodera cruciferae*, 47
- Hindola fulva*, 76
- Hindola striata*, 76
- Home Grown Cereals Authority, 95
- Home Office, 50
- Honeybees (*Apis mellifera*),  
pollination by, 45,47  
*Varroa jacobsoni* on, 49-50  
viruses of, 49-50
- Honeywell, 39
- Hordeins, of barley, 87-88
- Housefly (*Musca domestica*),  
knock-down resistance in, 61-62  
sex determination in, 62
- Hybrids:  
cereal, 87  
potato, 86  
sugar beet, 86-87
- Hydraulic conductivity, 125-126
- Hymexazol, on sugar beet, 161
- Hyperparasitoids, of cereal aphids, 45
- Image analysis system, 31
- Immunoassay,  
for virus detection in potatoes, 76  
monitoring of insecticide resistance by, 63
- Imperial College, Geology Department at, 110
- 'Infectivity Index', for barley yellow dwarf virus, 75
- Infrared reflectance, 112
- Inoculants, granular, 15,99
- Inoculation, crop, 15,98-99
- Insect traps, 51-52
- Insecticidal amides, 60
- Insecticides,  
aphid resistance to, 33,52,59,61-62,171-172  
combination with pheromones, 65  
housefly resistance to, 61-62  
molecular structure of, 59  
on cereals, 51  
on sugar beet, 166  
whitefly resistance to, 62
- Insects,  
fire alarms caused by, 50  
in light traps, 52
- Institut für Kleintierzucht, 36
- Institut National de la Recherche Agronomique, 35
- Institute of Arable Crops Research (IACR), 9,44
- Institute of Food Research, 88
- Institute of Plant Science Research, 88
- Institute of Terrestrial Ecology, 52,95,108
- Intensive Cereals experiment, 101
- Invertebrates, soil, uptake of heavy metals by, 50
- IPSS, 31
- Iron, 22
- Iron oxide mineralogy, 108-109
- Irrigation,  
of sugar beet, 163  
variations caused by, 112
- ISEM, 71, 74
- Iso-electric focusing, 56,97
- Isoleucine, 128
- JANET, 31

## INDEX

- Kanamycin resistance, 87  
*Kdr*, *See*: Knock down resistance  
 Knock down resistance, in houseflies, 61-62
- Landsat Multispectral Scanner, 168  
 Laser Scanner, 124  
 Lawes Agricultural Trust Committee, 9-10  
 Leaching,  
     model of, 105  
     nitrogen losses from, 13,103  
 Leaf blotch (*Rhynchosporium secalis*),  
     on barley, 73  
 Leaves, spatial and temporal patterns of growth in, 124  
 Legumes,  
     diseases of, 70-71  
     inoculation of, 15  
*Leptosphaeria maculans*, 23  
 Light intensity, effect on Rubisco activity, 83  
 Light leafspot, *See*: *Pyrenopeziza brassicae*  
 Light traps, 51-52  
*Limothrips cerealium*, 50  
 Lincolnshire, coversands in, 111  
 Linseed,  
     insects on, 46  
     pollination on, 47  
 Linuron, 129  
 Livestock,  
     at Broom's Barn, 174  
     feed for, 87  
     statistical analysis for, 35-36  
 Long Ashton Research Station, 9,11,30,44,95,161  
 Long-term cropping history, effects of, 102  
*Longidorus* spp., 163  
*Lotus corniculatus*, 85  
 Lucerne, nematodes on, 49  
 Lupin aphid, the, 46  
 Lupins, 46  
     fungal invasion of, 71  
 Lysine, 87-88
- Macrosiphum euphorbiae*, 52  
 MAFF, 52  
     Harpenden Laboratory, 164-165  
 Magiscan, the, 34  
 Magnesium, 22  
 Maize, prolamins in, 89,90  
 Man-made urban soils, 111  
 Manganese, on sugar beet, 161  
 Manganese toxicity, effect of mycorrhiza on, 97  
 Manuring, organic, 102  
 Market Garden Experiment, at Woburn, 33  
 Mathematical ecology, 38-39  
 Mathematical models, *See*: Models  
*Medicago*, nematode resistance in, 49  
*Megoura viciae*, sex pheromone of, 64  
*Meligethes aeneus* (pollen beetle), 23  
*Meloidogyne* spp., 54,56  
*Meloidogyne incognita*, 56  
 Membrane breakdown, in sugar beet, 87  
 Metals, heavy, 95,107  
 Methiocarb, 161,166  
*Metopolophium dirhodum*, 51  
 Mice, in sugar beet, 162  
 Microflora of oilseed rape leaves and pods, 23-24  
*Microlophium carnosum*, 45  
 Micronutrients, in soils, 107-108  
 Microorganisms, airborne, 78  
 Mildew, *See* *Erysiphe graminis*  
 Mineralization, of soil organic matter, 102  
 Mineralogy, of soil clays, 109-110  
 Mitotic indices, 122  
 MLP, 40  
 MMG Agriseed, 82  
 Mobile crop shelters, 166-167  
 Models, mathematical,  
     for agroforestry project, 33-34  
     for conversion of energy to sugar, 165  
     neighbour,37  
     non-linear, 37  
     of dry matter partitioning in sugar beet, 122  
     of nutrient supply, 105  
     of resistance development in houseflies, 61  
     parallel, 37-38  
     splash droplet dispersal modelling, 77-78  
     to predict fertilizer requirements for sugar beet, 122  
     to predict sugar beet yields, 168  
     winter wheat model, 95,112-113,116  
 Molecular and biochemical methods, of nematode  
     identification, 56  
 Molecular biology techniques, for identifying pests, 13  
 Molecular structure, of insecticides, 59  
 Molybdenum, 22  
 Monoclonal antibodies, 13,72,74,89  
 Morphometric techniques, for identifying nematodes, 56  
 Mosquito, pheromones of, 64-65  
 Moths, monitoring of, 51  
 Multivariate analysis, 38  
 Mung bean, manganese toxicity in, 97  
*Musca domestica*, *See*: Housefly  
 Mutants, in barley, 84-85  
 Mycorrhiza, vesicular arbuscular,  
     biochemical characterization of, 97  
     effect on manganese toxicity, 97  
     for tropical legumes, 99-100  
     inoculants, 98  
     quantification of, 97  
     stimulation of growth of, 97  
     susceptibility of roots to infection, 96  
*Myzus persicae*, 53,52,61,171  
     and risk of potato virus Y, 51  
     insecticide resistance in, 59,62  
     on sugar beet, 164,170-172
- <sup>15</sup>N<sub>2</sub> labelled fertilizer, 102  
 National Farmers' Union, 36,163  
 National Soils Inventory, 95  
 Nature Conservancy Council, 52  
 Neighbour effects, 33-34,37  
 Neighbour models, 37  
 Nematicides,  
     for potatoes, 28,47-49,54  
     for use on oilseed rape, 47  
     *See also*: Aldicarb; Oxamyl  
 Nematodes,  
     biological agents for control of, 54-55  
     brassica cyst, 47  
     control of, 54-55  
     cyst, 47,54-55  
     egg parasitic fungus of, 54  
     hatching of, 56  
     identification of, 56  
     on lucerne, 49  
     on oilseed rape, 23  
     oxamyl on, 23  
     potato cyst, 47-49  
     root knot, 56-57  
     stem, 49

## INDEX

- Nematophagous fungi, 54-55  
Nettle aphids, 45  
*Nicotiana tabacum*, *See*: Tobacco  
Ninhydrin-reactive N, 100  
Nitrate,  
    in oilseed rape residues, 103  
    leaching of, 13, 103  
    uptake of, 85  
Nitrate/proton symport at the tonoplast, 125  
Nitrate reductase, 117  
Nitrification inhibitor, 119  
Nitro-Chalk, 119  
Nitrogen,  
    biomass, 100-101  
    effect on aphid populations, 51  
    immobilization of, 104  
    in plant sap, 22  
    inorganic, 104  
    metabolism of, 84  
    mineral, in soil, 17,22  
    on sugar beet, 167  
    on winter wheat, 107  
    soil, 101,105  
    supply of, 117  
    uptake of, 35,116-117  
    *See also*: Nitrate  
Nitrogen fertilizers,  
    effect on reserves of organic N in soil, 101  
    immobilization of, 104  
    losses of, 103  
    on sugar beet, 122  
    on wheat, 118  
    prediction of requirements, 122  
    *See also*: Fertilizers  
Nitrogen fixation, 84,97  
Nitrogen uptake,  
    by wheat, 116-117  
    by winter barley, 105  
NMR spectroscopy, 84,89  
Nodules, root, 85  
Non-linear models, 37,40  
North Humberstone, glacial sequences in, 111  
Novel Crop Protection Agents Group, 63  
Nuclear Magnetic Resonance, *See*: NMR  
Numerical Algorithms Group, 15,32,39  
Nutrient fluxes,  
    into roots, 106  
Nutrient reserves, in acid upland soils, 108  
Nutrient uptake, in relation to take-all rating, 128  
Nutrients, in rain, drainage and borehole waters, 104-105  
Nutritional chemistry, 35  
  
Oat golden stripe virus, 73-74  
Oats, 130  
    tonoplast from, 125  
    *See also*: Cereals  
ODA, *See*: Overseas Development Administration  
*Oedothorax*, 46  
Oesophageal glands, of nematodes, 55-56  
Oilseed rape,  
    Ariana, 21,69,121,128  
    at Rothamsted, 128-129  
    Bienvenu, 21-22, 69,121,128  
    biomass production, 123  
    bird damage to, 47  
    diseases of, 23,69-70,95  
    effect of insect pollination on, 47  
    factors limiting yield, 20-25,120-122  
    foliar nutrients for, 22  
    forms and timing of nitrogen on, 120  
    fungicides on, 21,69  
    growth and development, 21  
    insect pests on, 23  
    microflora of leaves and pods, 23-24  
    Mikado, 121  
    nematicide trials with, 47  
    nematodes on, 23  
    nitrogen in plant sap, 22  
    nitrogen in plants, 22  
    nitrogen in residues from, 103-104  
    nitrogen in soil, 22  
    nutrients in roots of, 106  
    oil content of seed and oil yield, 120-121, 127  
    photosynthetic efficiencies in, 121-122  
    pod midge on, 46-47  
    root growth, 22  
    seed and oil yield, 21-22  
    spore dispersal in, 69-70  
    spray timing, 69  
    straw disposal before drilling of, 127  
    sulphur on, 22  
On-farm methods, of inoculation with *Rhizobium*, 99  
*Opomyza florum*, 26  
Organic manuring, 102  
Organic matter, turnover of in soil, 100,102,105  
Orthophosphate, effects of, 83  
Overseas Development Administration, 30-31,41  
Oviposition pheromone, 64-65  
Oxamyl,  
    on potatoes, 47-48  
Oxygen demand, for straw, 127  
  
PAH's *See*: Polyaromatic hydrocarbons  
Parallel model analysis, 37-38  
Parasites, fungal, of the potato cyst nematode, 54  
Parasitoids, of aphids, 45-56  
*Paratrachodorus* spp., 163  
*Pasteuria penetrans*, 54  
Patatin, 14  
Patent application, for *Rhizobium* inoculum, 99  
Pathogenesis related proteins, *See*: PR proteins  
Pea aphids, 45  
Pea midge, pheromone studies on, 53  
Pea seed-borne mosaic virus, 13,70-71  
Peas  
    aphids on, 70-71  
    viruses of, 70-71  
Penconazole, 66  
*Penicillium* spp., 77  
Peptides, synthetic, structural studies of, 89  
Permethrin, 61  
*Peronospora parasitica* (downy mildew), on oilseed rape, 23  
Peroxidase, 84  
Pesticides,  
    aphid resistance to, 61-63  
    distribution of, in plants and soil, 65-67  
    on sugar beet, 162-163, 167, 172  
    physico-chemical properties of, 66  
    to control Docking disorder, 163  
    *See also*: Aphicides; Fungicides; Herbicides; Insecticides  
    and Nematicides  
Pests, of sugar beet, 162  
pH gradient formation, in oat tonoplasts, 125  
pH, soil,  
    changes in, 107  
    *See also*: Soil acidity

INDEX

- Phaseolus vulgaris* (French bean),  
granular inoculants for, 99  
nitrogen fixation in, 84-85
- Phenylacetic acid, 67
- Pheromones,  
alarm, 15,65  
in insecticide sprays, 65  
in monitoring system for pea-midges, 53  
in mosquitoes, 64,65  
sex, in aphids, 64
- Phialophora* sp., 73
- Phloem, transport of pesticides in, 66-67
- Phoma* leaf spot, on oilseed rape, 23-24
- Phosphofructokinase, 83
- Phosphoglycollate phosphatase, 84
- Phosphorus, uptake of, 106
- Photophosphorylation, 84
- Photorespiration, 82,84
- Photorespiratory mutants, of barley, 84-85
- Photosynthesis, 82-84  
efficiency of, in oilseed rape, 121-122  
in sunflowers, 123
- Physiological responses, in wheat, 115
- Pig houses, airborne organisms in, 78
- Pigs, compound feedstuff for, 35
- Pirimicarb, 164,171-172  
aphid resistance to, 62  
on cereals, 51-52
- Plant clinic, for sugar beet, 165
- Plasmid vectors, in cyst nematodes, 56
- Pleospora infectoria*, 24
- Ploughing, compared with direct drilling, 126
- Pod midge, *See: Dasineura brassicae*
- Pollen beetle, *See: Meligethes aeneus*
- Pollination, studies of, 45,47
- Pollution, of aquifers, 104
- Polyaromatic hydrocarbons, 12-13
- Polygodial, 63-64,81-82,89
- Polygonum hydropiper*, 58,81-82
- Polymyxa betae*, 169
- Polymyxa graminis*, 73
- Portugal, winter wheat yields in, 106-107
- Potassium, reserves of, 108
- Potato cyst nematodes, 13-14,28,47-49,54-55
- Potato leafroll virus, 76,86
- Potato root diffusate, hatching of nematode eggs in, 56
- Potato virus Y, 13,51-52,75-76,86  
aphid vectors of, 76
- Potatoes,  
ageing of tubers, 49  
cold-induced sweetening in, 82-84  
Désirée, 28  
diseases of, 75-76  
eelworm-resistant, 47-48  
field experiment using somatic hybrids, 84  
intensive production, 28  
nematodes on, 28,47-48  
patatin genes of, 14  
production of somatic hybrids, 14,86  
Record, 83-84  
regeneration from protoplasts, 86  
shoot production in, 33  
tuber diseases of, 28  
tuber size, 34  
virus detection in, 76
- Powdery mildew, *See: Erysiphe graminis*  
PP 969, 66
- PR (pathogenesis related)-proteins, 89-90
- Pratylenchus* spp., 23
- Predators, of aphids, 55
- Prediction, of wheat yields, 112-113,116
- Pre-inoculated seed, 99
- Pressure probe, to measure hydraulic conductivities, 125
- Prestel Farmlink, 11,105
- Prochloraz,  
on cereals, 73,127
- Programs, *See: Computer programs*
- Prokaryotes, fastidious, 76-77
- Prolamin storage proteins, *See: Proteins*
- Propiconazole, 71,129
- Protease inhibitors, 88-89
- Protein engineering, 82-83
- Protein stains, for nematode identification, 56
- Proteins,  
cereal grain, 14,87-89  
from potato, 14  
PR, 89-90
- Proton/nitrate symports, 125
- Protoplasts, regeneration from, 86-87
- Prunus padus*, (bird cherry), 51
- Pseudocercospora anguioides*, 72
- Pseudocercospora herpotrichoides* (eyespot), 71-72  
on wheat, 19-20,27
- Pseudomonas* spp., 96,99
- Pseudomonas solanacearum*, 13,77
- PSS, 31
- Psylliodes chrysocephala*, on oilseed rape, 23,69
- Puccinia hordei*, 19
- Pyrenopeziza brassicae*, on oilseed rape, 23,69  
dispersal of spores, 69-70,95
- Pyrethroids, synthetic, 59-60  
insect resistance, 61-62  
non-ester, 59  
on sugar beet, 172  
structure-activity relationships, 59-60
- Quasi-complete Latin squares, 34,37
- Quinacrine, 125
- 'Radar taxonomy' to detect airborne insects, 53-54
- Radiation,  
conversion of to dry matter, 121-122  
interception of, 163-164
- Rain, nutrients and pollutants in, 104-105
- Rainfall, 163-165  
*See also: Weather*
- Randomly interstratified minerals, 109
- Rape, *See: Oilseed rape*
- Red beet, 125
- Red clover, nematodes on, 49
- Remote sensing, 112,168-169
- Rennes, eyespot research at, 72
- Reparameterization, of mixture distributors, 38
- Representative soil sampling, 36
- Research Institute for Photosynthesis, 83-84
- Research support, 10
- Residues, pyrethroid, housefly resistance to, 61-62
- Resistance,  
to fungicides, 72  
to insecticides, 59,61-63,171-172
- Respiratory symptoms, work-related, 79
- Rhizobium* spp.,  
effects of metals on, 95,107  
genetics of 14,85,95,97-98  
inoculation methods, 15,95,99
- Rhizobium leguminosarum*, 97
- Rhizobium meliloti*, 97
- Rhizoctonia solani*, (stem canker), on potatoes, 20,28



## INDEX

- 'Rhizomania', of sugar beet, 164-165,169  
*Rhopalosiphum padi*, 20,51  
*Rhynchosporium secalis*, (leaf blotch). 19,73,77-78  
Ribosomal RNA genes, 98  
Ribulose biphosphate carboxylase, 82-84  
Rietfeld refinements, X-ray, 109-110  
RISCAMS, 51  
Risk, of gene transfer in rhizobia, 98  
Root growth,  
    in oilseed rape, 22  
Root Knot nematodes, See: Nematodes  
Root nodules, 85  
Roots,  
    cereal, hydraulic conductivities in, 125-126  
    oilseed rape, nutrients in, 106  
    wheat, growth of, 125-126  
Rothamsted,  
    cereals at, 128-129  
    cattle at, 131  
    farm report, 96  
    oilseed rape at, 130  
    triticale and rye at, 130  
    weather at, 128  
    wheat at, 119-120  
Rothamsted Drain Gauges, 103  
Rothamsted Farming Service, 11,105  
Rothamsted General Survey Program, 41  
Rothamsted Insect Survey, 53-54  
    Cereal Aphid Monitoring Scheme, 51  
Routine analysis, 34  
Rubisco, 82-84,118,123  
Rye, 87-89,130  
  
Satellite remote sensing systems, 168-169  
Saxmundham, 96  
Scanning photomicrodensitometer, 31  
*Sclerotinia sclerotiorum*, 23,70  
Scottish Crops Research Institute, 83  
Screening methods, for selection of barley mutants, 84-85  
SDS-PAGE, 56  
Searching stimulants, for parasitoids, 45  
Seedbeds, cultivation and physical properties of, 109  
Seed Certification Scheme, 171  
Seed dressings, for slug control, 57  
Seed treatment, of sugar beet, 166  
Seedling variability, in sugar beet, 166-167  
Semiochemicals, 15,45,63-65  
Semivariograms, 37  
*Septoria* spp., on winter wheat, 27  
*Septoria tritici*, 27  
Sex attractants, See: Pheromones  
Sex-determination, in houseflies, 62  
Shell, 82,86  
Shelters, See: Mobile crop shelters  
Shrinkage forces, in clay soils, 108  
Simulation models, See: Models  
*Sitodiplosis mosellana*, 26  
*Sitona* spp.,  
    on lupins, 46  
Slugs, 46,57  
Smoke detectors, triggering of by thrips, 50  
Soil acidity, 107  
    See also: pH  
Soil adenine nucleotide content, 101  
Soil analysis, 113  
Soil biomass, 100-101  
Soil bulk density, 165  
Soil fertility, changes in with time, 12  
Soil heterogeneity, implications of for leaching, 106  
Soil microorganisms, ecology of, 98  
Soil mineralogy, 109-110  
Soil organic matter, 100-101  
Soil sampling, 13  
Soil solution concentrations, 106  
Soil structure, 108-109  
Soil Survey and Land Resource Centre, 9  
Soil Survey, of England and Wales, 9  
Soils,  
    adenylate energy charge measurements in, 100-101  
    analysis of, 113  
    biomass carbon in, 100-101  
    fertility, 12-13  
    fumigation of, 101  
    heterogeneity of, 105  
    hydraulic conductivity, 125-126  
    micronutrients, in, 107  
    nitrate leakage from, 103  
    particle size distributions and bulk densities of, 122  
    pH of, 107  
    potassium in, 108  
    urban, man-made, 111  
    waterlogging of, 100-101  
    X-ray analysis of, 109-110  
*Solanum brevidens*, 14  
Somatic hybrids, of potato, 14  
'Southern blot' analysis, 88  
Spatial variation, in soil properties, 111  
Spectroradiometer measurements, 121-122  
Spiders, in cereals, 46  
Spinach chloroplasts, 20-21  
Splash dispersal, 77-78,124  
Spores, dispersal of, 69-70  
SPOT satellite system, 168-169  
Spraying systems, 124-125  
Statistical analysis, 37-38  
Statistical computing, 39-42  
Statistical models, See: Models  
Statistical surveys, 36  
Statistical theory, 36-39  
    analysis and design, 37  
Stem borer, See: *Opomyza florum*  
Stem canker, See: *Rhizoctonia solani*  
Stem flea beetle, See: *Psylliodes chrysocephala*  
Stem nematodes, control of, 49  
Stomatal conductance, in sunflowers, 123  
Storage proteins, See: Proteins  
Straw,  
    biomass measurements in decomposing residues of, 100  
    disposal of, 127  
    fungal decay of, 96  
    incorporation of, 26-28,126-127,167  
    toxin production and oxygen demand, 127  
Structure-activity relationships, in pyrethroids, 59-60  
Suction traps, 51,52  
Sudan, Experimental Station in, 112  
Sugar beet,  
    aldicarb on, 164  
    aphids on, 164,170-172  
    at Broom's Barn, 161-175  
    'bolting' of, 163  
    chlorsulphuron damage to, 66  
    Crop Survey, 162-163  
    diseases of, 169-170  
    Docking disorder, 163  
    dry matter partitioning in, 122  
    fertilizers, 162

## INDEX

- field mice in, 162  
fungicides on, 162  
growth of, 162-165  
irrigation of, 163  
mildew on, 164-165  
nematodes on, 163  
nitrogen on, 121,167  
nitrogen uptake by, 122  
pesticides on, 162-163,167,172  
pests of, 162  
plant clinic for, 165  
prediction of N fertilizer requirements, 122  
protoplast studies with, 86-87  
radiation in, 163  
remote sensing of crop, 168-169  
root dry weight, 166-167  
seed treatments, 166  
seedling variability in, 166-167  
soil pesticides for, 162  
straw incorporation in, 167  
surveys, 36,162-163  
viruses of, 162,164,169-171  
    *See also:* Beet cryptic virus; Beet mild yellowing virus;  
    Beet necrotic yellow vein virus; Beet yellows;  
    Virus yellows
- Sulphur,  
    elemental, 22  
    in compounds to stimulate growth of mycorrhiza, 97
- Sumatra disease, of cloves, 13,76-77
- Sun workstations, 30-32,39-40
- Sunflowers, 46  
    diseases of, 70  
    tissue culture of, 87
- Super-*kdir*, 62
- SURFACE II computer program, 36
- Surveys, statistical, 36
- Sweetening, cold-induced, 82-84
- Sweetmelon, 76
- Sym plasmids, 97
- Synthetic pyrethroids, *See:* Pyrethroids
- Take-all on cereals, 66,73,  
    ELISA studies on, 73  
    on wheat, 127-128
- Taxonomic key, from insect scattering studies, 53
- Tefluthrin, 166
- Temperature, effect on Rubisco activity, 83
- Thaumatococin, 90
- Thematic mapper, 168-169
- Thiofanox, 170
- Thiram, for seed treatment of sugar beet, 161
- Threonine, 87
- Thrips, 46,50
- Tillage, 108-109
- Times beach, 50
- Tissue cultures, 86-87
- Tobacco,  
    gene transfer in, 87  
    hordein genes from, 14  
    PR proteins from, 89-90  
    virus diseases of, 90
- Tobacco mosaic virus, 90
- Tobacco whitefly, insecticide resistance in, 62
- Tolerance, of potatoes to nematode attack, 47-49
- Tomatoes, nematodes on, 54
- Tonoplast, transport across the, 85,125
- Torch XXX UNIX system, 31
- Toxic metals, *See:* Heavy metals
- Toxin production, by straw, 125-126
- Tractors, wheeling effects from, 165-166
- Transposons, 98
- Traps, insect, 51-52
- Tree neighbour effects, 34
- Triadimenol, ('Baytan'), 18-19
- Trifolium repens*, *See:* Clover
- Triticale, 87,130
- Trypsin inhibitors, 88-90
- UK, development of sunflowers in, 123
- Unit of Insect Neurophysiology and Pharmacology, 9
- University of Durham, 88
- University of Lancaster, 13
- University of Sussex, 84
- University of Warwick, 84-85
- Urea, 24  
    foliar, 116-117
- Urease activity, in wheat, 116
- VA mycorrhiza, *See:* Mycorrhiza
- VAM inoculants, 99-100
- Varroa jacobsoni* mites, infestation of honeybees with, 49-50
- Vectors, aphid, 20,51
- Verticillium* spp., interaction with nematodes, 54-55
- Vesicular arbuscular mycorrhiza, *See:* Mycorrhiza
- Vicia faba*, *See:* Beans
- Video-enhanced contrast microscopy, 55
- Viewdata systems, 105
- Virus yellows, 52,162,164
- Viruses,  
    aphid transmission of, 20,51  
    cryptic, 76  
    detection of, 76  
    of barley, 13,20,73-75  
    of grain legumes, 70-71  
    of honeybees, 49-50  
    of oats, 73-74  
    of oilseed rape, 69-70  
    of potatoes, 75-76,86  
    of sugar beet, 52,76,162,164,169-171  
    of sunflower, 70  
    of tobacco, 90  
    of tropical crops, 76
- Visitors, to Rothamsted, 11,130
- Volatility, of fungicides, 66
- Volunteers, 26,126
- Warburganal, 63
- Waste, domestic, airborne microorganisms associated with, 78
- Watermelon, 76
- Water-pepper, *See:* *Polygonum hydropiper*
- Water uptake, in relation to take-all, 128
- Weather, 12  
    at Broom's Barn, 163-164  
    at Rothamsted, 128  
    at Woburn, 128
- Weed control, *See:* *Herbicides*
- Weevils, *See:* *Sitona* spp.
- Wheat,  
    apical development, 34,117-118  
    at Rothamsted, 119-120  
    at Woburn, 119-120  
    Avalon, 119  
    biomass production in, 123  
    Brimstone, 120  
    development of winter wheat, 24-25

## INDEX

### Wheat (*contd*)

diseases of, 72-73  
droughting response in, 106  
effect of increasing length of ley on, 101  
effect of rainfall on, 106  
eyespot in, 72  
foliar urea on, 116-117  
for breadmaking, 88-89  
fungicides on, 129  
genetics of, 88  
gluten from, 89  
grain quality, 119-120  
grain yield, 24  
growth and development, 117-119  
Highbury, 123  
in Portugal, 106-107  
light interception and growth, 117  
liquid fertilizer for, 119  
mathematical models for, 34,116  
Mercia, 119  
nitrate-N in shoots, 25  
nitrification inhibitor for, 119  
nitrogen content of, 25  
nitrogen on, 102-103,106,117-118  
nitrogen requirement of, 119  
nutrient uptake by, 36  
on Broadbalk, 102,112-113, 120,129  
photosynthesis in, 117  
physiological responses in, 116-117  
prediction of yields, 112-113,116  
protoplasts of, 87  
response to foliar urea, 116-117  
root growth of, 125-126

RuBP carboxylase in, 82-84,124  
sowing date, 24  
Squarehead's Master, 120  
take-all on, 127-128  
tissue culture with, 87  
uptake of urea by, 117  
winter, simulation model for, 95,116  
yield predictions, 116  
yield variations, 112  
Wheat bulb fly, 20  
Wheat variety x seed rate trial, 34  
Wheeling effects, in sugar beet, 165-166  
White clover, *See*: Clover  
Wind-tunnel bioassay, for pheromone studies, 53  
Woburn,  
cereals at, 128-129  
lupins at, 71  
Market Garden Experiment at, 33  
triticale and rye at, 130  
weather at, 128  
wheat at, 119-120  
Worms, *See*: Earthworms

X-ray anomalous scattering difference methods, 109  
X-ray diffraction, 110-111

Yellow mosaic disorder, 76  
Yemen, 76  
Yields, of cereal crops, variations in, 112

Zinc, 22