

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Experimental Station Report for 1987

[Full Table of Content](#)



Subject Index

Rothamsted Research

Rothamsted Research (1988) *Subject Index* ; Rothamsted Experimental Station Report For 1987, pp 235 - 244 - DOI: <https://doi.org/10.23637/ERADOC-1-28>

SUBJECT INDEX

The papers in Part 2 have not been indexed

- Acetohydroxyacid synthase, 84-85
Acetohydroxybutyrate, 85
Acid soils,
 biomass C in, 101
 nutrient reserves in, 108
Acridine orange, 125
Actinomycetes, soil, 96
Acute paralysis virus, of honeybees, 49-50
Acyrtosiphon pisum, 45,55,64
ADAS, 34-36,163
Adenylate energy charge measurements, in soil, 101
Advisory Committee for Genetic Manipulation, 14
Aegilops umbellulata, 88
Aerobiology, 77-79
AFRC, 16,31,36,45,88
 Genetic Manipulation Programme, 86
 Winter Wheat Model, 118
Aggregation, 38-39
AGRENET, 30-31
Agricultural Development and Advisory Service,
 See: ADAS
Agricultural Genetics Company, the, 15,68,95
Agrobacterium spp., 85
Agrobacterium rhizogenes, 85
Agroforestry project, 33-34
Agviser, 11,105
Airborne allergens, 78-79
Airborne microorganisms, 78
Alarm pheromones, 15,65
Aldicarb,
 as a nematicide, 47-49
 on sugar beet, 164
N-alkylamides, 60
Allergens, airborne, 78-79
Alternaria spp., 23-24,71
Alternaria alternata, 24,70
Alternaria brassicae, 24,69
Alternaria brassicicola, 24
Aluminium goethites, 109-110
Amides, insecticidal, 60
 α -Amino N, 101
Amino acids,
 biosynthesis of, 84-85
 N-terminal, 89
 replacement of, 82-83
 See also: Lysine
 α -amylase, 88,90
 β -amylase, 88
Antibiotic resistance, 87,98
Antibodies, monoclonal, 13,72,74,89
Antifeedants, 15,57-58,63-64,81-82
 See also: Polygodial
Aphicides,
 on cereals, 51
 on sugar beet, 164
 See also: Insecticides
Aphid bulletin, 51
Aphid commentary, 51
Aphid honeydew, as a stimulant for parasitoids, 45
Aphidius ervi, 45
Aphids,
 alarm pheromone of, 15,65
 biological control of, 55
 cereal, 51
 infectivity with BYDV, 20,51
 insecticide resistance in, 61-63
 monitoring of, 51
 on barley, 20
 on sugar beet, 170-171
 parasitoids of, 45-46
 population genetics, 33, 82
 predators of, 55
 sex pheromone of, 64
Apical development, in winter wheat, 34
 model for, 118
Apis mellifera, *See*: Honeybees
Apthona euphorbiae, 46
Arabidopsis thaliana, 83
Arable land, leaching of nitrate from, 102-103
Arion fasciatus, 46
Arion silvaticus, 46
Aristotle University, 49
Arthur Rickwood Experimental Husbandry Farm, 166
Aspergillus spp. 77
Aspergillus fumigatus, 78
ATP content, of soils, 83,100
Automatic data recording, of soil samples, 113
Automatic selection, of houseflies, for
 insecticide resistance, 62
Barley,
 after oats, 17
 aphids on, 20
 development and tillering in, 17-18
 factors limiting yield, 17-25,120,129
 fungal diseases of, 19-20
 genome map, 86
 hordeins of, 87-88
 leaf blotch on, 19,73,77-78
 Magie, 17,120,129
 mildew on, 19
 mutants of, 84-85
 nitrogen in soil, 18
 nitrogen uptake by, 105
 Panda, 129
 resistant cultivars of, 74-75
 viruses of, 13,20,73-75
 See also: Barley yellow dwarf virus; Barley yellow
 mosaic virus; cereals; *Erysiphe graminis*; Take-all
Barley yellow dwarf virus, 13,20,74-75
 aphid vectors of, 20,51
Barley yellow mosaic virus, 73
Barnfield, light trap at, 52
Basidiomycetes, 96
Battery cage system, alternatives to, 36
'Baytan'. *See*: Triadimenol
Beans (*Vicia faba*)
 aphids on, 55
 seed rate and yields, 130
 See also: *Phaseolus vulgaris*

INDEX

- Bees, *See*: Honeybees
Beet cryptic virus, 76
Beet cyst nematode, 54
Beet mild yellowing virus, 164,170-171
Beet necrotic yellow vein virus, 169
Beet yellows, 170-171
 See also: Virus yellows
Beetles, as aphid predators, 46
Behaviour-controlling chemicals, 63-64
Bemisia tabaci, insecticide resistance in, 62
Biochemistry, of insecticide resistance, 61
Biodeterioration, 77
Biological agents, to control nematodes, 54-55
Biomass, *See*: Soil biomass
Biomass carbon, in acid soils, 101
Biomathematics, 29
Biosynthesis, of amino acids, 84-85
Biotechnology, 13-14
Biplots, non-linear, 38
Birds, damage caused by, 47
Black dot, 75
Black queen-cell virus, 50
Bolting, control of, 163
Boron uptake, by white clover, 107
Botrytis spp., 24,71
Botrytis cinerea, 23,70
Brachycaus helichrysi, 46
Brassica cyst nematodes, 47
Brassica pod midge, 46
Breadmaking, 88,89
Bremsstrahlung sources, 111
Brewhing Research Foundation, 17
Brimstone Experiment, the, 33,103,109
British Council, 107
British Sugar, 162-163,165,167
British Technology Group, 96
Broadbalk, wheat on, 102,112-113
Broom's Barn, 9,95
 cereals at, 173
 database package for, 31
 farm, 172-174
 sugar beet at, 161-175
 weather at, 163-164
 wheat at, 112
Brown foot rot, *See*: *Fusarium* spp.
Brown rust, on barley, *See*: *Puccinia hordei*

Cadmium, concentrations of in soil, 13
Cambridge Crystallography Subroutine Library, 110
Cambridge University, 68
Canker, *See*: *Leptosphaeria maculans*
Canopy measurement, with a laser scanner, 124
Capping, in sugar beet, 162
Carbamate, 166
Carbendazim,
 on cereals, 127
Carbendazim + prochloraz, 18,73
Carbendazim + vinclozolin, 70
Carbofuran, 170
Carbon, organic, in soil, 100-101
Carboxylation, rate of, 82
Carboxylation efficiency, in sunflowers, 123
CAT reporter gene, 86-87
Catalase mutant, of barley, 84
Cattle, at Rothamsted, 131
 See also: Livestock
Cellulose-decomposing fungi, 96
Cereal Aphid Monitoring scheme, 51
Cereal aphids, 45,51-52
Cereal nematodes, 55
Cereal seed proteins, *See*: Proteins
Cereals,
 aphids on, 20
 at Broom's Barn, 172-173
 at Rothamsted, 128-129
 at Woburn, 128-129
 biodeterioration of grains, 77
 diseases of, 71-75
 fungicides on, 129
 protease inhibitors in, 88-89
 tissue culture with, 87
 yields, 116
 See also: Barley; *Erysiphe graminis*; Maize; Oats;
 Take-all; Wheat
Ceutorhynchus assimilis, 23
China, links with, 11
Chlamydomonas reinhardtii, 84
Chloramphenicol acetyl transferase, 86-87
Chloridazon, 174
Chlorophyll, in wheat leaves, 118
Chloroplasts, barley, 84-85
Chlorsulfuron, on sugar beet, 66,174
Chlortoluron, 173
Chromosome numbers, in potatoes, 33
Chromosome stability, of regenerated potato plants, 86
Chronic paralysis virus, of honeybees, 50
Chymotrypsin inhibitors, 87-88
Cladosporium spp., 24
CLASP, 41
Classical Experiments, 13
Classification, geostatistically constrained, 112
Clay minerals, randomly interstratified, 109-110
Clay soils, structure of, 108
Cloud cover records, monitoring of, 168
Cloudy wing virus, of honeybees, 50
Clover, nitrogen fixation by, 107
Cloves, Sumatra disease of, 13,76-77
Cnephasia interjectana, 46
Coefficient of variation of root dry weight, 166
Cold-induced sweetening, in potato, 82-84
Collagen, 90
Colletotrichum coccodes, 75
Commonwealth Universities, 68
Computer modelling, 89
 See also: Models
Computer programs, to calculate leaching losses, 102
Computers, 29-32
 for Insect Survey, 53-54
 See also: Statistical computing
Conference Hall, the, 10
Copper, in soils, 22
Coulter counter, the, 124
Countryside Commission, 52
Coversands, in Lincolnshire, 111
Cracking, in clay soils, 108
Cranfield Institute of Technology, 9
Crop experiments, statistical programs for, 35
Crop monitoring, with satellite systems, 168-169
Crop plants, improvement of, 14
 photosynthesis in, 83
Crop rotations, 54
Crop Survey, 163
Cultivation treatments, 103,109,126-127
Cyanobacterium, manipulation of genes from a, 82-83
Cylindrocarpon destructans, 55
Cypermethrin, on barley, 20,173
Cyst nematodes, *See*: Nematodes
Cytokinin gene, the, 86

INDEX

- Dark pod spot, of oilseed rape, 69
Dasineura brassicae (pod midges), 23,46-47
 Databases, 11,31
 De Dankse Suikerfabriker, 82
 Decomposition, of wheat residues, 104
Delia coarctata, 20
 Deltamethrin,
 aphid resistance to, 62,171-172
 on cereals, 46
Dennettia extracts, insecticidal activity of, 60
 Demeton-S-methyl, as an aphicide on sugar beet, 170
 Denitrification, nitrogen losses caused by, 103
 Diagnostic methods, for plant pathogens and pests, 13
 Dicyandiamide, 118
 Diffraction, X-ray, of soils, 109-110
 Diffractometer alignment, instabilities in, 110
 Direct drilling,
 into stubble, 126
 Dispersal,
 of pathogens, 124
 of sprays, 124
 Disposal, of straw, 125
 Dithiothreitol, 97
 DNA,
 extraction, from VAM fungi, 98
 hybridization, 85
 sequences of genes, 85-86
 sequencing, 56
 transfer of, 87
 DNA probes,
 for nematodes, 14
 for Sym plasmids, 98
 DNA restriction length polymorphisms, 86
 Docking disorder, 163
 Domestic waste disposal, airborne microorganisms
 associated with, 78
 Downy mildew, 23
 Drain gauges, 103
 Drainage,
 in clay soils, 109
 in the Brimstone Experiment, 102-103
 Drainage waters, nutrients and pollutants in, 104-105
 Drought, response of winter wheat to, 106-107
 Dry matter partitioning, in sugar beet, 122-123
 Dual inoculation, 100
- E4 immunoassay, the, 62-63
 Earthworms, as indicators of heavy metal bioavailability, 50
 East of Scotland College of Agriculture, 35
 Eclosion, in nematodes, 56
 Ecology, mathematical, 38-39
 Egypt bee virus, 50
Eisemia foetida, 50
 Electromagnetic scattering properties, 53
 Electrophysiological bioassays, 53
 Electroporation techniques, 87
 ELISA technique, the, 13,70-71,170-171
 BYV identification by, 74
 study of take-all with, 73
 Elson system, the, 36
 Entomogenous fungi, for aphid control, 55
 Entomophthora, 55
Entomophthora neoaphidis, 55
 Enzyme-linked immunosorbent assay
 See: ELISA technique
 Enzymes,
 activity of in photorespiration, 84
 in barley mutants, 84-85
 in mould fungi, 77
 in potato tubers, 83-84
 of amino acid biosynthesis, 84-85
 Epton systems, 34
 Ergosterol biosynthesis-inhibiting fungicides, 66
 Erucic acid, in oilseed rape cultivars,47
Erynia neoaphidis, 55
Erysiphe graminis (barley mildew), 19
Escherichia coli, 82
 Esters, pyrethroid, 59
 Ethernet, 30-32
 Eyespot, See: *Pseudocercospora herpotrichoides*
- Factors Limiting Yield experiments, 17-25, 120,129
 Famine, 12
 Farm Management System, at Long Ashton, 30
 Farm Research Ltd., 36
 Farmlink, See: Prestel Farmlink
 (E)- β -Farnesene, 65
 Fastidious prokaryotes, 76-77
 Fertiliser Manufacturers' Association, 36
 Fertility, soil, 12-13
 Fertilizer Building, crop samples handled by, 113
 Fertilizers,
 borate, 107
 ¹⁵N-labelled, 102
 Survey of Fertilizer Practice, 36
 See also: Nitrogen fertilizers; Potassium
- Field beans, See: Beans
 FIELD data entry program, 35,41
 Field Drainage Experimental Unit, 103
 Field Experiments, 30,35,86,95
 Field mice, in sugar beet fields, 162
 Filter samples from working environments, 78
 Financing, of research, 10
 Flag leaves, urea uptake by, 116
 Flax tortrix moth, the, 46
 Fluorescence characteristics, of barley mutants, 84
 Fodder beet, 164,171
 Foliar nutrients, 22
 Foliar sprays, for slug control, 57
 Forecasting,
 of BYDV, 51
 of cereal aphid populations, 51
 of virus yellows in sugar beet, 52
 Forestry, 108
 Forestry Commission, the, 95,108
 'Friends of Rothamsted', 11
 Fuberidazole, 18
 Fumigation-extraction and incubation techniques
 for measuring soil biomass, 100-101
 Fungal diseases,
 of cereals, 71-73
 of lupins, 71
 of oilseed rape, 69-70
 of sunflower, 70
 See also: *Erysiphe graminis*; Eyespot; *Fusarium*;
 Take-all
 Fungal spores, dispersal of, 69-70
 Fungi,
 for aphid control, 55
 for nematode control, 54-55
 mycorrhizal, 98-100
 nematophagous, 54-55
 Fungicides, 66
 effect on aphid populations, 51
 effects on take-all, 66
 for sunflowers, 70

INDEX

- Fungicides (*contd*)
on cereals, 129
on oilseed rape, 69
on sugar beet, 162,172
resistance to, 72
synthesis of, 66
 See also: Names of individual chemicals used
 as fungicides
Furathiocarb, 166
Fusarium spp., 20,55,71
- Gaeumannomyces graminis* var. *tritici*
effects of various fungicides on, 66
on barley, 19,73
on wheat, 27
 See also: Take-all
Gamma HCH, 166
Gas chromatography-electrophysiology, 53
Gel electrophoresis, 97
Geminivirus, 76
Genes,
 amplification of, 63
 CAT reporter genes, 87
 glutamine synthetase, 85
 manipulation of, 82-83,86-87,97-98
 regulation of expression of, 84,87-88
 symbiotic, in *Rhizobium*, 97
 transfer of, 86-87, 98
 See also: Mutants
Genetic Manipulation, Advisory Committee on, 98
'Genetically engineered' organisms, 33
Genkey, 41
Genstat, 32-33,39-40
Genstat 5, 15-16,30,32,39-40
GHOST computer program, 32
Glacial sequences, in North Humberside, 110
Glasshouses, 90
Gleadthorpe Experimental Husbandry Farm, 36
Gliadins, of wheat, 88
Globodera pallida, 13-14,28,48-49,56
Globodera rostochiensis, 13-14,28,47-49,55-56
Globulins, 88
Glomus caledonium, 97
Glomus mossae, 96
Glucosinolates, oilseed rape plants low in, 47
Glutamine synthetase, 85
Gluten, structure of, 88-89
Glutenins, 88
Glycollate oxidase, 84
Glycolysis, 82-84
Glyphosate, 164
Goethite
 See: Aluminium goethites
Grain legumes,
 See: Proteins
Granular inoculants, 15,99
Grey mould,
 See: *Botrytis cinerea*
Growth regulator, on oilseed rape, 21
- Hamamelose bisphosphate, 20-21
Hatch stimulation, 55
Health and Safety Executive, 14
Health problems, due to airborne microorganisms, 78-79
Heavy metals,
 Rhizobium in presence of, 95,107
 uptake of by invertebrates, 50
Heptenophos, 172
- Herbicides,
 effect on sugar beet, 66
 for sugar beet, 17-18
Heterodera avenae, 20
Heterodera cruciferae, 47
Hindola fulva, 76
Hindola striata, 76
Home Grown Cereals Authority, 95
Home Office, 50
Honeybees (*Apis mellifera*),
 pollination by, 45,47
 Varroa jacobsoni on, 49-50
 viruses of, 49-50
Honeywell, 39
Hordeins, of barley, 87-88
Housefly (*Musca domestica*),
 knock-down resistance in, 61-62
 sex determination in, 62
Hybrids:
 cereal, 87
 potato, 86
 sugar beet, 86-87
Hydraulic conductivity, 125-126
Hymexazol, on sugar beet, 161
Hyperparasitoids, of cereal aphids, 45
- Image analysis system, 31
Immunoassay,
 for virus detection in potatoes, 76
 monitoring of insecticide resistance by, 63
Imperial College, Geology Department at, 110
'Infectivity Index', for barley yellow dwarf virus, 75
Infrared reflectance, 112
Inoculants, granular, 15,99
Inoculation, crop, 15,98-99
Insect traps, 51-52
Insecticidal amides, 60
Insecticides,
 aphid resistance to, 33,52,59,61-62,171-172
 combination with pheromones, 65
 housefly resistance to, 61-62
 molecular structure of, 59
 on cereals, 51
 on sugar beet, 166
 whitefly resistance to, 62
Insects,
 fire alarms caused by, 50
 in light traps, 52
Institut für Kleintierzucht, 36
Institut National de la Recherche Agronomique, 35
Institute of Arable Crops Research (IACR), 9,44
Institute of Food Research, 88
Institute of Plant Science Research, 88
Institute of Terrestrial Ecology, 52,95,108
Intensive Cereals experiment, 101
Invertebrates, soil, uptake of heavy metals by, 50
IPSS, 31
Iron, 22
Iron oxide mineralogy, 108-109
Irrigation,
 of sugar beet, 163
 variations caused by, 112
ISEM, 71, 74
Iso-electric focusing, 56,97
Isoleucine, 128
- JANET, 31

INDEX

- Kanamycin resistance, 87
Kdr, See: Knock down resistance
 Knock down resistance, in houseflies, 61-62
- Landsat Multispectral Scanner, 168
 Laser Scanner, 124
 Lawes Agricultural Trust Committee, 9-10
 Leaching,
 model of, 105
 nitrogen losses from, 13,103
 Leaf blotch (*Rhynchosporium secalis*),
 on barley, 73
 Leaves, spatial and temporal patterns of growth in, 124
 Legumes,
 diseases of, 70-71
 inoculation of, 15
Leptosphaeria maculans, 23
 Light intensity, effect on Rubisco activity, 83
 Light leafspot, See: *Pyrenopeziza brassicae*
 Light traps, 51-52
Limothrips cerealium, 50
 Lincolnshire, coversands in, 111
 Linseed,
 insects on, 46
 pollination on, 47
 Linuron, 129
 Livestock,
 at Broom's Barn, 174
 feed for, 87
 statistical analysis for, 35-36
 Long Ashton Research Station, 9,11,30,44,95,161
 Long-term cropping history, effects of, 102
Longidorus spp., 163
Lotus corniculatus, 85
 Lucerne, nematodes on, 49
 Lupin aphid, the, 46
 Lupins, 46
 fungal invasion of, 71
 Lysine, 87-88
- Macrosiphum euphorbiae*, 52
 MAFF, 52
 Harpenden Laboratory, 164-165
 Magiscan, the, 34
 Magnesium, 22
 Maize, prolamins in, 89,90
 Man-made urban soils, 111
 Manganese, on sugar beet, 161
 Manganese toxicity, effect of mycorrhiza on, 97
 Manuring, organic, 102
 Market Garden Experiment, at Woburn, 33
 Mathematical ecology, 38-39
 Mathematical models, See: Models
Medicago, nematode resistance in, 49
Megoura viciae, sex pheromone of, 64
Meligethes aeneus (pollen beetle), 23
Meloidogyne spp., 54,56
Meloidogyne incognita, 56
 Membrane breakdown, in sugar beet, 87
 Metals, heavy, 95,107
 Methiocarb, 161,166
Metopolophium dirhodum, 51
 Mice, in sugar beet, 162
 Microflora of oilseed rape leaves and pods, 23-24
Microlophium carnosum, 45
 Micronutrients, in soils, 107-108
 Microorganisms, airborne, 78
 Mildew, See *Erysiphe graminis*
 Mineralization, of soil organic matter, 102
 Mineralogy, of soil clays, 109-110
 Mitotic indices, 122
 MLP, 40
 MMG Agriseed, 82
 Mobile crop shelters, 166-167
 Models, mathematical,
 for agroforestry project, 33-34
 for conversion of energy to sugar, 165
 neighbour,37
 non-linear, 37
 of dry matter partitioning in sugar beet, 122
 of nutrient supply, 105
 of resistance development in houseflies, 61
 parallel, 37-38
 splash droplet dispersal modelling, 77-78
 to predict fertilizer requirements for sugar beet, 122
 to predict sugar beet yields, 168
 winter wheat model, 95,112-113,116
 Molecular and biochemical methods, of nematode
 identification, 56
 Molecular biology techniques, for identifying pests, 13
 Molecular structure, of insecticides, 59
 Molybdenum, 22
 Monoclonal antibodies, 13,72,74,89
 Morphometric techniques, for identifying nematodes, 56
 Mosquito, pheromones of, 64-65
 Moths, monitoring of, 51
 Multivariate analysis, 38
 Mung bean, manganese toxicity in, 97
Musca domestica, See: Housefly
 Mutants, in barley, 84-85
 Mycorrhiza, vesicular arbuscular,
 biochemical characterization of, 97
 effect on manganese toxicity, 97
 for tropical legumes, 99-100
 inoculants, 98
 quantification of, 97
 stimulation of growth of, 97
 susceptibility of roots to infection, 96
Myzus persicae, 53,52,61,171
 and risk of potato virus Y, 51
 insecticide resistance in, 59,62
 on sugar beet, 164,170-172
- ¹⁵N₂ labelled fertilizer, 102
 National Farmers' Union, 36,163
 National Soils Inventory, 95
 Nature Conservancy Council, 52
 Neighbour effects, 33-34,37
 Neighbour models, 37
 Nematicides,
 for potatoes, 28,47-49,54
 for use on oilseed rape, 47
 See also: Aldicarb; Oxamyl
 Nematodes,
 biological agents for control of, 54-55
 brassica cyst, 47
 control of, 54-55
 cyst, 47,54-55
 egg parasitic fungus of, 54
 hatching of, 56
 identification of, 56
 on lucerne, 49
 on oilseed rape, 23
 oxamyl on, 23
 potato cyst, 47-49
 root knot, 56-57
 stem, 49

INDEX

- Nematophagous fungi, 54-55
Nettle aphids, 45
Nicotiana tabacum, *See*: Tobacco
Ninhydrin-reactive N, 100
Nitrate,
 in oilseed rape residues, 103
 leaching of, 13, 103
 uptake of, 85
Nitrate/proton symport at the tonoplast, 125
Nitrate reductase, 117
Nitrification inhibitor, 119
Nitro-Chalk, 119
Nitrogen,
 biomass, 100-101
 effect on aphid populations, 51
 immobilization of, 104
 in plant sap, 22
 inorganic, 104
 metabolism of, 84
 mineral, in soil, 17,22
 on sugar beet, 167
 on winter wheat, 107
 soil, 101,105
 supply of, 117
 uptake of, 35,116-117
 See also: Nitrate
Nitrogen fertilizers,
 effect on reserves of organic N in soil, 101
 immobilization of, 104
 losses of, 103
 on sugar beet, 122
 on wheat, 118
 prediction of requirements, 122
 See also: Fertilizers
Nitrogen fixation, 84,97
Nitrogen uptake,
 by wheat, 116-117
 by winter barley, 105
NMR spectroscopy, 84,89
Nodules, root, 85
Non-linear models, 37,40
North Humberstone, glacial sequences in, 111
Novel Crop Protection Agents Group, 63
Nuclear Magnetic Resonance, *See*: NMR
Numerical Algorithms Group, 15,32,39
Nutrient fluxes,
 into roots, 106
Nutrient reserves, in acid upland soils, 108
Nutrient uptake, in relation to take-all rating, 128
Nutrients, in rain, drainage and borehole waters, 104-105
Nutritional chemistry, 35

Oat golden stripe virus, 73-74
Oats, 130
 tonoplast from, 125
 See also: Cereals
ODA, *See*: Overseas Development Administration
Oedothorax, 46
Oesophageal glands, of nematodes, 55-56
Oilseed rape,
 Ariana, 21,69,121,128
 at Rothamsted, 128-129
 Bienvenu, 21-22, 69,121,128
 biomass production, 123
 bird damage to, 47
 diseases of, 23,69-70,95
 effect of insect pollination on, 47
 factors limiting yield, 20-25,120-122
 foliar nutrients for, 22
 forms and timing of nitrogen on, 120
 fungicides on, 21,69
 growth and development, 21
 insect pests on, 23
 microflora of leaves and pods, 23-24
 Mikado, 121
 nematicide trials with, 47
 nematodes on, 23
 nitrogen in plant sap, 22
 nitrogen in plants, 22
 nitrogen in residues from, 103-104
 nitrogen in soil, 22
 nutrients in roots of, 106
 oil content of seed and oil yield, 120-121, 127
 photosynthetic efficiencies in, 121-122
 pod midge on, 46-47
 root growth, 22
 seed and oil yield, 21-22
 spore dispersal in, 69-70
 spray timing, 69
 straw disposal before drilling of, 127
 sulphur on, 22
On-farm methods, of inoculation with *Rhizobium*, 99
Opomyza florum, 26
Organic manuring, 102
Organic matter, turnover of in soil, 100,102,105
Orthophosphate, effects of, 83
Overseas Development Administration, 30-31,41
Oviposition pheromone, 64-65
Oxamyl,
 on potatoes, 47-48
Oxygen demand, for straw, 127

PAH's *See*: Polyaromatic hydrocarbons
Parallel model analysis, 37-38
Parasites, fungal, of the potato cyst nematode, 54
Parasitoids, of aphids, 45-56
Paratrachodorus spp., 163
Pasteuria penetrans, 54
Patatin, 14
Patent application, for *Rhizobium* inoculum, 99
Pathogenesis related proteins, *See*: PR proteins
Pea aphids, 45
Pea midge, pheromone studies on, 53
Pea seed-borne mosaic virus, 13,70-71
Peas
 aphids on, 70-71
 viruses of, 70-71
Penconazole, 66
Penicillium spp., 77
Peptides, synthetic, structural studies of, 89
Permethrin, 61
Peronospora parasitica (downy mildew), on oilseed rape, 23
Peroxidase, 84
Pesticides,
 aphid resistance to, 61-63
 distribution of, in plants and soil, 65-67
 on sugar beet, 162-163, 167, 172
 physico-chemical properties of, 66
 to control Docking disorder, 163
 See also: Aphicides; Fungicides; Herbicides; Insecticides
 and Nematicides
Pests, of sugar beet, 162
pH gradient formation, in oat tonoplasts, 125
pH, soil,
 changes in, 107
 See also: Soil acidity

INDEX

- Phaseolus vulgaris* (French bean),
granular inoculants for, 99
nitrogen fixation in, 84-85
- Phenylacetic acid, 67
- Pheromones,
alarm, 15,65
in insecticide sprays, 65
in monitoring system for pea-midges, 53
in mosquitoes, 64,65
sex, in aphids, 64
- Phialophora* sp., 73
- Phloem, transport of pesticides in, 66-67
- Phoma* leaf spot, on oilseed rape, 23-24
- Phosphofructokinase, 83
- Phosphoglycollate phosphatase, 84
- Phosphorus, uptake of, 106
- Photophosphorylation, 84
- Photorespiration, 82,84
- Photorespiratory mutants, of barley, 84-85
- Photosynthesis, 82-84
efficiency of, in oilseed rape, 121-122
in sunflowers, 123
- Physiological responses, in wheat, 115
- Pig houses, airborne organisms in, 78
- Pigs, compound feedstuff for, 35
- Pirimicarb, 164,171-172
aphid resistance to, 62
on cereals, 51-52
- Plant clinic, for sugar beet, 165
- Plasmid vectors, in cyst nematodes, 56
- Pleospora infectoria*, 24
- Ploughing, compared with direct drilling, 126
- Pod midge, *See: Dasineura brassicae*
- Pollen beetle, *See: Meligethes aeneus*
- Pollination, studies of, 45,47
- Pollution, of aquifers, 104
- Polyaromatic hydrocarbons, 12-13
- Polygodial, 63-64,81-82,89
- Polygonum hydropiper*, 58,81-82
- Polymyxa betae*, 169
- Polymyxa graminis*, 73
- Portugal, winter wheat yields in, 106-107
- Potassium, reserves of, 108
- Potato cyst nematodes, 13-14,28,47-49,54-55
- Potato leafroll virus, 76,86
- Potato root diffusate, hatching of nematode eggs in, 56
- Potato virus Y, 13,51-52,75-76,86
aphid vectors of, 76
- Potatoes,
ageing of tubers, 49
cold-induced sweetening in, 82-84
Désirée, 28
diseases of, 75-76
eelworm-resistant, 47-48
field experiment using somatic hybrids, 84
intensive production, 28
nematodes on, 28,47-48
patatin genes of, 14
production of somatic hybrids, 14,86
Record, 83-84
regeneration from protoplasts, 86
shoot production in, 33
tuber diseases of, 28
tuber size, 34
virus detection in, 76
- Powdery mildew, *See: Erysiphe graminis*
PP 969, 66
- PR (pathogenesis related)-proteins, 89-90
- Pratylenchus* spp., 23
- Predators, of aphids, 55
- Prediction, of wheat yields, 112-113,116
- Pre-inoculated seed, 99
- Pressure probe, to measure hydraulic conductivities, 125
- Prestel Farmlink, 11,105
- Prochloraz,
on cereals, 73,127
- Programs, *See: Computer programs*
- Prokaryotes, fastidious, 76-77
- Prolamin storage proteins, *See: Proteins*
- Propiconazole, 71,129
- Protease inhibitors, 88-89
- Protein engineering, 82-83
- Protein stains, for nematode identification, 56
- Proteins,
cereal grain, 14,87-89
from potato, 14
PR, 89-90
- Proton/nitrate symports, 125
- Protoplasts, regeneration from, 86-87
- Prunus padus*, (bird cherry), 51
- Pseudocercospora anguoides*, 72
- Pseudocercospora herpotrichoides* (eyespot), 71-72
on wheat, 19-20,27
- Pseudomonas* spp., 96,99
- Pseudomonas solanacearum*, 13,77
- PSS, 31
- Psylliodes chrysocephala*, on oilseed rape, 23,69
- Puccinia hordei*, 19
- Pyrenopeziza brassicae*, on oilseed rape, 23,69
dispersal of spores, 69-70,95
- Pyrethroids, synthetic, 59-60
insect resistance, 61-62
non-ester, 59
on sugar beet, 172
structure-activity relationships, 59-60
- Quasi-complete Latin squares, 34,37
- Quinacrine, 125
- 'Radar taxonomy' to detect airborne insects, 53-54
- Radiation,
conversion of to dry matter, 121-122
interception of, 163-164
- Rain, nutrients and pollutants in, 104-105
- Rainfall, 163-165
See also: Weather
- Randomly interstratified minerals, 109
- Rape, *See: Oilseed rape*
- Red beet, 125
- Red clover, nematodes on, 49
- Remote sensing, 112,168-169
- Rennes, eyespot research at, 72
- Reparameterization, of mixture distributors, 38
- Representative soil sampling, 36
- Research Institute for Photosynthesis, 83-84
- Research support, 10
- Residues, pyrethroid, housefly resistance to, 61-62
- Resistance,
to fungicides, 72
to insecticides, 59,61-63,171-172
- Respiratory symptoms, work-related, 79
- Rhizobium* spp.,
effects of metals on, 95,107
genetics of 14,85,95,97-98
inoculation methods, 15,95,99
- Rhizobium leguminosarum*, 97
- Rhizobium meliloti*, 97
- Rhizoctonia solani*, (stem canker), on potatoes, 20,28

INDEX

- 'Rhizomania', of sugar beet, 164-165,169
Rhopalosiphum padi, 20,51
Rhynchosporium secalis, (leaf blotch). 19,73,77-78
Ribosomal RNA genes, 98
Ribulose biphosphate carboxylase, 82-84
Rietveld refinements, X-ray, 109-110
RISCAMS, 51
Risk, of gene transfer in rhizobia, 98
Root growth,
 in oilseed rape, 22
Root Knot nematodes, See: Nematodes
Root nodules, 85
Roots,
 cereal, hydraulic conductivities in, 125-126
 oilseed rape, nutrients in, 106
 wheat, growth of, 125-126
Rothamsted,
 cereals at, 128-129
 cattle at, 131
 farm report, 96
 oilseed rape at, 130
 triticale and rye at, 130
 weather at, 128
 wheat at, 119-120
Rothamsted Drain Gauges, 103
Rothamsted Farming Service, 11,105
Rothamsted General Survey Program, 41
Rothamsted Insect Survey, 53-54
 Cereal Aphid Monitoring Scheme, 51
Routine analysis, 34
Rubisco, 82-84,118,123
Rye, 87-89,130

Satellite remote sensing systems, 168-169
Saxmundham, 96
Scanning photomicrodensitometer, 31
Sclerotinia sclerotiorum, 23,70
Scottish Crops Research Institute, 83
Screening methods, for selection of barley mutants, 84-85
SDS-PAGE, 56
Searching stimulants, for parasitoids, 45
Seedbeds, cultivation and physical properties of, 109
Seed Certification Scheme, 171
Seed dressings, for slug control, 57
Seed treatment, of sugar beet, 166
Seedling variability, in sugar beet, 166-167
Semiochemicals, 15,45,63-65
Semivariograms, 37
Septoria spp., on winter wheat, 27
Septoria tritici, 27
Sex attractants, See: Pheromones
Sex-determination, in houseflies, 62
Shell, 82,86
Shelters, See: Mobile crop shelters
Shrinkage forces, in clay soils, 108
Simulation models, See: Models
Sitodiplosis mosellana, 26
Sitona spp.,
 on lupins, 46
Slugs, 46,57
Smoke detectors, triggering of by thrips, 50
Soil acidity, 107
 See also: pH
Soil adenine nucleotide content, 101
Soil analysis, 113
Soil biomass, 100-101
Soil bulk density, 165
Soil fertility, changes in with time, 12
Soil heterogeneity, implications of for leaching, 106
Soil microorganisms, ecology of, 98
Soil mineralogy, 109-110
Soil organic matter, 100-101
Soil sampling, 13
Soil solution concentrations, 106
Soil structure, 108-109
Soil Survey and Land Resource Centre, 9
Soil Survey, of England and Wales, 9
Soils,
 adenylate energy charge measurements in, 100-101
 analysis of, 113
 biomass carbon in, 100-101
 fertility, 12-13
 fumigation of, 101
 heterogeneity of, 105
 hydraulic conductivity, 125-126
 micronutrients, in, 107
 nitrate leakage from, 103
 particle size distributions and bulk densities of, 122
 pH of, 107
 potassium in, 108
 urban, man-made, 111
 waterlogging of, 100-101
 X-ray analysis of, 109-110
Solanum brevidens, 14
Somatic hybrids, of potato, 14
'Southern blot' analysis, 88
Spatial variation, in soil properties, 111
Spectroradiometer measurements, 121-122
Spiders, in cereals, 46
Spinach chloroplasts, 20-21
Splash dispersal, 77-78,124
Spores, dispersal of, 69-70
SPOT satellite system, 168-169
Spraying systems, 124-125
Statistical analysis, 37-38
Statistical computing, 39-42
Statistical models, See: Models
Statistical surveys, 36
Statistical theory, 36-39
 analysis and design, 37
Stem borer, See: *Opomyza florum*
Stem canker, See: *Rhizoctonia solani*
Stem flea beetle, See: *Psylliodes chrysocephala*
Stem nematodes, control of, 49
Stomatal conductance, in sunflowers, 123
Storage proteins, See: Proteins
Straw,
 biomass measurements in decomposing residues of, 100
 disposal of, 127
 fungal decay of, 96
 incorporation of, 26-28,126-127,167
 toxin production and oxygen demand, 127
Structure-activity relationships, in pyrethroids, 59-60
Suction traps, 51,52
Sudan, Experimental Station in, 112
Sugar beet,
 aldicarb on, 164
 aphids on, 164,170-172
 at Broom's Barn, 161-175
 'bolting' of, 163
 chlorsulphuron damage to, 66
 Crop Survey, 162-163
 diseases of, 169-170
 Docking disorder, 163
 dry matter partitioning in, 122
 fertilizers, 162

INDEX

- field mice in, 162
fungicides on, 162
growth of, 162-165
irrigation of, 163
mildew on, 164-165
nematodes on, 163
nitrogen on, 121,167
nitrogen uptake by, 122
pesticides on, 162-163,167,172
pests of, 162
plant clinic for, 165
prediction of N fertilizer requirements, 122
protoplast studies with, 86-87
radiation in, 163
remote sensing of crop, 168-169
root dry weight, 166-167
seed treatments, 166
seedling variability in, 166-167
soil pesticides for, 162
straw incorporation in, 167
surveys, 36,162-163
viruses of, 162,164,169-171
 See also: Beet cryptic virus; Beet mild yellowing virus;
 Beet necrotic yellow vein virus; Beet yellows;
 Virus yellows
- Sulphur,
 elemental, 22
 in compounds to stimulate growth of mycorrhiza, 97
- Sumatra disease, of cloves, 13,76-77
- Sun workstations, 30-32,39-40
- Sunflowers, 46
 diseases of, 70
 tissue culture of, 87
- Super-*kdir*, 62
- SURFACE II computer program, 36
- Surveys, statistical, 36
- Sweetening, cold-induced, 82-84
- Sweetmelon, 76
- Sym plasmids, 97
- Synthetic pyrethroids, *See*: Pyrethroids
- Take-all on cereals, 66,73,
 ELISA studies on, 73
 on wheat, 127-128
- Taxonomic key, from insect scattering studies, 53
- Tefluthrin, 166
- Temperature, effect on Rubisco activity, 83
- Thaumatococin, 90
- Thematic mapper, 168-169
- Thiofanox, 170
- Thiram, for seed treatment of sugar beet, 161
- Threonine, 87
- Thrips, 46,50
- Tillage, 108-109
- Times beach, 50
- Tissue cultures, 86-87
- Tobacco,
 gene transfer in, 87
 hordein genes from, 14
 PR proteins from, 89-90
 virus diseases of, 90
- Tobacco mosaic virus, 90
- Tobacco whitefly, insecticide resistance in, 62
- Tolerance, of potatoes to nematode attack, 47-49
- Tomatoes, nematodes on, 54
- Tonoplast, transport across the, 85,125
- Torch XXX UNIX system, 31
- Toxic metals, *See*: Heavy metals
- Toxin production, by straw, 125-126
- Tractors, wheeling effects from, 165-166
- Transposons, 98
- Traps, insect, 51-52
- Tree neighbour effects, 34
- Triadimenol, ('Baytan'), 18-19
- Trifolium repens*, *See*: Clover
- Triticale, 87,130
- Trypsin inhibitors, 88-90
- UK, development of sunflowers in, 123
- Unit of Insect Neurophysiology and Pharmacology, 9
- University of Durham, 88
- University of Lancaster, 13
- University of Sussex, 84
- University of Warwick, 84-85
- Urea, 24
 foliar, 116-117
- Urease activity, in wheat, 116
- VA mycorrhiza, *See*: Mycorrhiza
- VAM inoculants, 99-100
- Varroa jacobsoni* mites, infestation of honeybees with, 49-50
- Vectors, aphid, 20,51
- Verticillium* spp., interaction with nematodes, 54-55
- Vesicular arbuscular mycorrhiza, *See*: Mycorrhiza
- Vicia faba*, *See*: Beans
- Video-enhanced contrast microscopy, 55
- Viewdata systems, 105
- Virus yellows, 52,162,164
- Viruses,
 aphid transmission of, 20,51
 cryptic, 76
 detection of, 76
 of barley, 13,20,73-75
 of grain legumes, 70-71
 of honeybees, 49-50
 of oats, 73-74
 of oilseed rape, 69-70
 of potatoes, 75-76,86
 of sugar beet, 52,76,162,164,169-171
 of sunflower, 70
 of tobacco, 90
 of tropical crops, 76
- Visitors, to Rothamsted, 11,130
- Volatility, of fungicides, 66
- Volunteers, 26,126
- Warburganal, 63
- Waste, domestic, airborne microorganisms associated with, 78
- Watermelon, 76
- Water-pepper, *See*: *Polygonum hydropiper*
- Water uptake, in relation to take-all, 128
- Weather, 12
 at Broom's Barn, 163-164
 at Rothamsted, 128
 at Woburn, 128
- Weed control, *See*: *Herbicides*
- Weevils, *See*: *Sitona* spp.
- Wheat,
 apical development, 34,117-118
 at Rothamsted, 119-120
 at Woburn, 119-120
 Avalon, 119
 biomass production in, 123
 Brimstone, 120
 development of winter wheat, 24-25

INDEX

Wheat (*contd*)

diseases of, 72-73
droughting response in, 106
effect of increasing length of ley on, 101
effect of rainfall on, 106
eyespot in, 72
foliar urea on, 116-117
for breadmaking, 88-89
fungicides on, 129
genetics of, 88
gluten from, 89
grain quality, 119-120
grain yield, 24
growth and development, 117-119
Highbury, 123
in Portugal, 106-107
light interception and growth, 117
liquid fertilizer for, 119
mathematical models for, 34,116
Mercia, 119
nitrate-N in shoots, 25
nitrification inhibitor for, 119
nitrogen content of, 25
nitrogen on, 102-103,106,117-118
nitrogen requirement of, 119
nutrient uptake by, 36
on Broadbalk, 102,112-113, 120,129
photosynthesis in, 117
physiological responses in, 116-117
prediction of yields, 112-113,116
protoplasts of, 87
response to foliar urea, 116-117
root growth of, 125-126

RuBP carboxylase in, 82-84,124

sowing date, 24

Squarehead's Master, 120

take-all on, 127-128

tissue culture with, 87

uptake of urea by, 117

winter, simulation model for, 95,116

yield predictions, 116

yield variations, 112

Wheat bulb fly, 20

Wheat variety x seed rate trial, 34

Wheeling effects, in sugar beet, 165-166

White clover, *See*: Clover

Wind-tunnel bioassay, for pheromone studies, 53

Woburn,

cereals at, 128-129

lupins at, 71

Market Garden Experiment at, 33

triticale and rye at, 130

weather at, 128

wheat at, 119-120

Worms, *See*: Earthworms

X-ray anomalous scattering difference methods, 109

X-ray diffraction, 110-111

Yellow mosaic disorder, 76

Yemen, 76

Yields, of cereal crops, variations in, 112

Zinc, 22