Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Botanical Composition of the Park Grass Plots at Rothamsted 1856-1976



Full Table of Content

## Acknowledgements

#### **Rothamsted Research**

Rothamsted Research (1978) *Acknowledgements*; Botanical Composition Of The Park Grass Plots At Rothamsted 1856-1976, pp 16L - 16L - **DOI:** https://doi.org/10.23637/ERADOC-1-156

### Acknowledgments

I am deeply indebted to Mrs Hilary Harding for her patient and persevering help throughout the course of these investigations, to Miss Heather Pellant for help with the 1975 and 1976 analyses and for typing the manuscript and to Miss Joan Thurston for helpful discussions and editorial comments. I am also grateful to Mr A.E. Johnston for providing unpublished data for Table 3 and to Dr K. Warington for many helpful comments.

#### References

- ARNOLD, P.W., HUNTER, F. & GONZALEZ-FERNANDEZ, P. (1976). Long-term grassland experiments at Cockle Park. *Annales agronomique*, 27 (5-6), 1027-1042.
- BRENCHLEY, W.E. (1918). Buried weed seeds. Journal of Agricultural Science, 9, 1-31.
- BRENCHLEY, W.E. (1924) Manuring of grassland for hay. The Rothamsted Monographs on Agricultural Science, 144 pages, London: Longmans.
- BRENCHLEY, W.E. (1925). The effect of light and heavy dressings of lime on grass-land. Journal of the Ministry of Agriculture & Fisheries, 32, 504-512.
- BRENCHLEY, W.E. (1930). The varying effect of lime on grassland with different schemes of manuring. *Journal of the Ministry of Agriculture & Fisheries*, 37, 663-673.
- BRENCHLEY, W.E. (1935). The influence of season and of the application of lime on the botanical composition of grassland herbage. *Annals of Applied Biology*, 22, 183-207.
- BRENCHLEY, W.E. (1937). Correlation of manuring and botanical composition of continuous hay crops. Report of the Fourth International Grassland Congress, Aberystwyth, Great Britain. 441-445.
- BRENCHLEY, W.E. & HEINTZE, S.G. (1933). Colonisation of *Epilobium* angustifolium. Journal of Ecology, 21, 101-102.
- BRENCHLEY, W.E. & WARINGTON, K. (1958). The Park Grass Plots at Rothamsted 1856-1949. Reprinted 1969. Rothamsted Experimental Station, Harpenden, Herts.
- CASHEN, R.O. (1947). The influence of rainfall on the yield and botanical composition of permanent grass at Rothamsted. *Journal of Agricultural Science*, Cambridge. 37, 1-10.
- CASTLE, M.E. & HOLMES, W. (1960). The intensive production of herbage for cropdrying. VII. The effect of further continued massive applications of nitrogen with and without potash on the yield of grassland herbage. *Journal of Agricultural Science, Cambridge.* 55, 251-260.
- CLAPHAM, A.R., TUTIN, T.G. & WARBURG, E.F. (1962). Flora of the British Isles. 2nd Edition Cambridge University Press.
- DAVIES, M.S. (1975). Physiological differences among populations of Anthoxanthum odoratum L. collected from the Park Grass Experiment, Rothamsted. IV Response to potassium and magnesium. Journal of Applied Ecology, 12, 953-964.

16.